## (19) World Intellectual Property Organization International Bureau



## | 1931 | 1931 | 1941 | 1951 | 1951 | 1951 | 1951 | 1951 | 1951 | 1951 | 1951 | 1951 | 1951 | 1951 | 1951 | 195

## (43) International Publication Date 5 December 2002 (05.12.2002)

### PCT

# (10) International Publication Number WO 02/097059 A2

(51) International Patent Classification7:

C12N

(21) International Application Number: PCT/US02/17452

(22) International Filing Date: 30 May 2002 (30.05.2002)

(25) Filing Language:

English

(26) Publication Language:

English

US

US

(30) Priority Data:

60/294,758 30 May 2001 (30.05.2001) 60/366,891 21 March 2002 (21.03.2002)

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US 60/294,758 (CIP)
Filed on 30 May 2001 (30.05.2001)
US 60/366,891 (CIP)
Filed on 21 March 2002 (21.03.2002)

- (71) Applicant (for all designated States except US): CHRO-MOS MOLECULAR SYSTEMS, INC. [CA/CA]; 8081 Lougheed Highway, Burnaby, B.C. V5A 1W9 (CA).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): PERKINS, Edward [US/CA]; 7610 Lawrence Drive, Burnaby, B.C. V5A 1T6 (CA). PEREZ, Carl [US/CA]; 1201-7680 Granville Avenue, Richmond, B.C. V6Y 4B9 (CA). LINDENBAUM, Michael [CA/CA]; 252 Finnigan Street, Coquitlam, B.C. V3K 5J7 (CA). GREENE, Amy [US/CA]; 7610 Lawrence Drive, Burnaby, B.C. V5A 1T6 (CA). LEUNG, Josephine [CA/CA]; 711 Ebert Avenue, Coquitlam, B.C. V3J 7P8 (CA). FLEMING, Elena [CA/CA]; 248 E 18th, North Vancouver, B.C. V7L 2X6 (CA). STEWART, Sandra [CA/CA]; 2618 Oxford Street, Vancouver, B.C. V5K 1N3 (CA). SHELLARD, Joan [CA/CA]; #215-1345 West 15th Avenue, Vancouver, B.C. V6H 3R3 (CA).
- (74) Agents: SEIDMAN, Stephanie, L. et al.; Heller Ehrman White & McAuliffe LLP, 7th floor, 4350 La Jolla Village Drive, San Diego, CA 92122-1246 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,

MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Declarations under Rule 4.17:

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, FB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

#### Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CHROMOSOME-BASED PLATFORMS

(57) Abstract: Artificial chromosomes, including *Aces*, that have been engineered to contain available sites for site-specific, recombination-directed integration of DNA of interest are provided. These artificial chromosomes permit tractable, efficient, rational engineering of the chromosome for a variety of applications.



\\097059 \\

1-

## **CHROMOSOME-BASED PLATFORMS**

## **RELATED APPLICATIONS**

25

Benefit of priority to U.S. provisional application Serial No. 60/294,758, filed May 30, 2001, to Perkins, *et al.*, entitled "CHROMOSOME-BASED PLATFORMS" and to U.S. provisional application Serial No. 60/366,891, filed March 21, 2002, to Perkins, *et al.*, entitled "CHROMOSOME-BASED PLATFORMS" is claimed. Where permitted, the subject matter of which are herein incorporated by reference in their entirety.

This application is related to Provisional Application No. 60/294,687, filed May 30, 2001, by CARL PEREZ AND STEVEN 10 FABIJANSKI entitled PLANT ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING PLANT ARTIFICIAL CHROMOSOMES and to U.S. Provisional Application No. 60/296,329, filed June 4, 2001, by CARL PEREZ AND STEVEN FABIJANSKI entitled PLANT ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS 15 FOR PREPARING PLANT ARTIFICIAL CHROMOSOMES. This application also is related to U.S. Provisional Application No. 60/294,758, filed May 30, 2001, by EDWARD PERKINS et al.. entitled CHROMOSOME-BASED PLATFORMS and to U.S. Provisional Application No. 60/366,891, filed March 21, 2002, by by EDWARD PERKINS et al.. entitled CHROMOSOME-BASED PLATFORMS. This application is also related to U.S. application Serial Nos. (attorney dkt nos. 24601-419 and 419PC), filed on the same day herewith, entitled PLANT ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS OF PREPARING PLANT ARTIFICIAL CHROMOSOMES to Perez et al...

This application is related to U.S. application Serial No. 08/695,191, filed August 7, 1996 by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND

METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES, now U.S. Patent No. 6,025,155. This application is also related to U.S. application Serial No. 08/682,080, filed July 15, 1996 by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF 5 AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES, now U.S. Patent No. 6,077,697. This application is also related U.S. application Serial No. 08/629,822, filed April 10, 1996 by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING 10 ARTIFICIAL CHROMOSOMES (now abandoned), and is also related to copending U.S. application Serial No. 09/096,648, filed June 12, 1998, by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES and to U.S. application Serial No. 09/835,682, April 10, 1997 by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES (now abandoned). This application is also related to copending U.S. application Serial No. 09/724,726, filed November 28, 2000, U.S. application Serial No. 09/724,872, filed November 28, 2000, U.S. application Serial No. 20 09/724,693, filed November 28, 2000, U.S. application Serial No. 09/799,462, filed March 5, 2001, U.S. application Serial No. 09/836,911, filed April 17, 2001, and U.S. application Serial No. 10/125,767, filed April 17, 2002, each of which is by GYULA HADLACZKY and ALADAR SZALAY, and is entitled ARTIFICIAL 25 CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES. This application is also related to

International PCT application No. WO 97/40183. Where permitted the

-3-

subject matter of each of these provisional applications, international applications, and applications is incorporated by reference in its entirety.

## FIELD OF INVENTION

Artificial chromosomes, including *ACes*, that have been engineered to contain available sites for site-specific, recombination-directed integration of DNA of interest are provided. These artificial chromosomes permit tractable, efficient, rational engineering of the chromosome.

#### BACKGROUND

#### Artificial chromosomes

.10 A variety of artificial chromosomes for use in plants and animals, particularly higher plants and animals are available. In particular, U.S. Patent Nos. 6,025,155 and 6,077,697 provide heterochromatic artificial chromosomes designated therein as satellite artificial chromosomes (SATACs) and now designated artificial chromosome expression systems (ACes). These chromosomes are prepared by introducing heterologous 15 DNA into a selected plant or animal cell under conditions that result in integration into a region of the chromosome that leads to an amplification event resulting in production of a dicentric chromosome. Subsequent treatment and growth of cells with dicentric chromosomes, including 20 further amplifications, ultimately results in the artificial chromosomes provided therein. In order to introduce a desired heterologous gene (or a plurality of heterologous genes) into the artificial chromosome, the process is repeated introducing the desired heterologous genes and nucleic acids in the initial targeting step. This process is time consuming 25 and tedious. Hence, more tractable and efficient methods for introducing heterologous nucleic acid molecules into artificial chromosomes, particularly ACes, are needed.

-4-

Therefore, it is an object herein to provide engineered artificial chromosomes that permit tractable, efficient and rational engineering of artificial chromosomes.

#### SUMMARY OF THE INVENTION

5

15

20

25

Provided herein are artificial chromosomes that permit tractable, efficient and rational engineering thereof. In particular, the artificial chromosomes provided herein contain one or a plurality of loci (sites) for site-specific, recombination-directed integration of DNA. Thus, provided herein are platform artificial chromosome expression systems ("platform ACes") containing single or multiple site-specific, recombination sites. The artificial chromosomes and ACes artificial chromosomes include plant and animal chromosomes. Any recombinase system that effects site-specific recombination is contemplated for use herein.

In one embodiment, chromosomes, including platform *ACes*, are provided that contain one or more lambda *att* sites designed for recombination-directed integration in the presence of lambda integrase, and that are mutated so that they do not require additional factors. Methods for preparing such chromosomes, vectors for use in the methods, and uses of the resulting chromosomes are also provided.

Platform ACes containing the recombination site(s) and methods for introducing heterologous nucleic acid into such sites and vectors therefor, are provided.

Also provided herein is a bacteriophage lambda  $(\lambda)$  integrase site-specific recombination system.

Methods using recombinase mediated recombination target gene expression vectors and/or genes for insertion thereof into platform chromosomes and the resulting chromosomes are provided.

Combinations and kits containing the combinations of vectors encoding a recombinase and integrase and primers for introduction of the

-5-

site recognized thereby are also provided. The kits optionally include instructions for performing site-directed integration or preparation of *ACes* containing such sites.

Also provided herein are mammalian and plant cells comprising the artificial chromosomes and *ACes* described herein. The cells can be nuclear donor cells, stem cells, such as a mesenchymal stem cell, a hematopoietic stem cell, an adult stem cell or an embryonic stem cell.

Also provide is a lamba-intR mutein comprising a glutamic acid to arginine change at position 174 of wild-type lambda-integrase3. Also provided are transgenic animals and methods for producing a transgenic animal, comprising introducing a *ACes* into an embryonic cell, such as a stem cell or embryo. The *ACes* can comprise heterologous nucleic acid that encodes a therapeutic product. The transgenic animal can be a fish, insect, reptile, amphibians, arachnid or mammal. In certain embodiments, the *ACes* is introduced by cell fusion, lipid-mediated transfection by a carrier system, microinjection, microcell fusion, electroporation, microprojectile bombardment or direct DNA transfer.

The platform *ACes*, including plant and animal *ACes*, such as MACs, provided herein can be introduced into cells, such as, but not limited to, animal cells, including mammalian cells, and into plant cells. Hence plant cells that contain platform MACs, animal cells that contain platform PACs and other combinations of cells and platform *ACes* are provided.

#### DESCRIPTION OF FIGURES

10

15

20

25

FIGURE 1 provides a diagram depicting creation of an exemplary ACes artificial chromosome prepared using methods detailed in U.S. Patent Nos. 6,025,155 and 6,077,697 and International PCT application No. WO 97/40183. In this exemplified embodiment, the nucleic acid is targeted to an acrocentric chromosome in an animal or plant, and the

-6-

heterologous nucleic acid includes a sequence-specific recombination site and marker genes.

FIGURE 2 provides a map of pWEPuro9K, which is a targeting vector derived from the vector pWE15 (GenBank Accession # X65279;

5 SEQ ID No. 31). Plasmid pWE15 was modified by replacing the Sall (Klenow filled)/Smal neomycin resistance encoding fragment with the Pvull/BamHI (Klenow filled) puromycin resistance-encoding fragment (isolated from plasmid pPUR, Clontech Laboratories, Inc., Palo Alto, CA; GenBank Accession no. U07648; SEQ ID No. 30) resulting in plasmid pWEPuro. Subsequently a 9 Kb Notl fragment from the plasmid pFK161 (see Example 1, see, also Csonka et al. (2000) Journal of Cell Science 113:3207-32161; and SEQ ID NO: 118), containing a portion of the mouse rDNA region, was cloned into the Notl site of pWEPuro resulting in plasmid pWEPuro9K.

FIGURE 3 depicts construction of an *ACes* platform chromosome with a single recombination site, such as loxP sites or an *att*P or *att*B site. This platform *ACes* chromosome is an exemplary artificial chromosome with a single recombination site.

15

20

25

FIGURE 4 provides a map of plasmid pSV40-193attPsensePur.

FIGURE 5 depicts a method for formation of a chromosome platform with multiple recombination integration sites, such as attP sites.

FIGURE 6 sets forth the sequences of the core region of attP, attB, attL and attR (SEQ ID Nos. 33-36).

FIGURE 7 depicts insertional recombination of a vector encoding a marker gene, DsRed and an *att*B site with an artificial chromosome containing an *att*P site.

FIGURE 8 provides a map of plasmid pCXLamIntR (SEQ ID NO: 112), which includes the Lambda integrase (E174R)-encoding nucleic acid.

FIGURE 9 diagrammatically summarizes the platform technology; marker 1 permits selection of the artificial chromosomes containing the integration site; marker 2, which is promoterless in the target gene expression vector, permits selection of recombinants. Upon recombination with the platform marker 2 is expressed under the control of a promoter resident on the platform.

FIGURE 10 provides the vector map for the plasmid p18attBZEO-5'6XHS4eGFP (SEQ ID NO: 116).

FIGURE 11 provides the vector map for the plasmid p18attBZEO-10 3'6XHS4eGFP (SEQ ID NO: 115).

FIGURE 12 provides the vector map for the plasmid p18attBZEO-(6XHS4)2eGFP (SEQ ID NO: 110).

FIGURES 13 AND 14 depict the integration of a PCR product by site-specific recombination as set forth in Example 8.

FIGURE 15 provides the vector map for the plasmid pPACrDNA as set forth in Example 9.A.

## **DETAILED DESCRIPTION OF THE INVENTION**

## A. DEFINITIONS

15

20

25

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of skill in the art to which the invention(s) belong. All patents, patent applications, published applications and publications, Genbank sequences, websites and other published materials referred to throughout the entire disclosure herein, unless noted otherwise, are incorporated by reference in their entirety. Where reference is made to a URL or other such indentifier or address, it understood that such identifiers can change and particular information on the internet can come and go, but equivalent information can be found by searching the internet. Reference thereto evidences the availability and public dissemination of such information.

-8-

As used herein, nucleic acid refers to single-stranded and/or double-stranded polynucleotides, such as deoxyribonucleic acid (DNA) and ribonucleic acid (RNA), as well as analogs or derivatives of either RNA or DNA. Also included in the term "nucleic acid" are analogs of nucleic acids such as peptide nucleic acid (PNA), phosphorothioate DNA, and other such analogs and derivatives. When referring to probes or primers, optionally labeled, with a detectable label, such as a fluorescent or radiolabel, single-stranded molecules are contemplated. Such molecules are typically of a length such that they are statistically unique and of low copy number (typically less than 5, preferably less than 3) for probing or priming a library. Generally a probe or primer contains at least 14, 16 or 30 contiguous nucleotides of sequence complementary to or identical to a gene of interest. Probes and primers can be 10, 20, 30, 50, 100 or more nucleotides long.

As used herein, DNA is meant to include all types and sizes of DNA molecules including cDNA, plasmids and DNA including modified nucleotides and nucleotide analogs.

15

20

As used herein, nucleotides include nucleoside mono-, di-, and triphosphates. Nucleotides also include modified-nucleotides, such as, but are not limited to, phosphorothicate nucleotides and deazapurine nucleotides and other nucleotide analogs.

As used herein, heterologous or foreign DNA and RNA are used interchangeably and refer to DNA or RNA that does not occur naturally as part of the genome in which it is present or which is found in a location or locations and/or in amounts in a genome or cell that differ from that in which it occurs in nature. Heterologous nucleic acid is generally not endogenous to the cell into which it is introduced, but has been obtained from another cell or prepared synthetically. Generally, although not necessarily, such nucleic acid encodes RNA and proteins that are not

normally produced by the cell in which it is expressed. Any DNA or RNA that one of skill in the art would recognize or consider as heterologous or foreign to the cell in which it is expressed is herein encompassed by heterologous DNA. Heterologous DNA and RNA may also encode RNA or proteins that mediate or alter expression of endogenous DNA by affecting transcription, translation, or other regulatable biochemical processes.

Examples of heterologous DNA include, but are not limited to, DNA that encodes a gene product or gene product(s) of interest, introduced for purposes of modification of the endogenous genes or for production of an encoded protein. For example, a heterologous or foreign gene may be isolated from a different species than that of the host genome, or alternatively, may be isolated from the host genome but operably linked to one or more regulatory regions which differ from those found in the unaltered, native gene. Other examples of heterologous DNA include, but are not limited to, DNA that encodes traceable marker proteins, such as a protein that confers traits including, but not limited to, herbicide, insect, or disease resistance; traits, including, but not limited to, oil quality or carbohydrate composition. Antibodies that are encoded by heterologous DNA may be secreted or expressed on the surface of the cell in which the heterologous DNA has been introduced.

10

15

20

25

As used herein, operative linkage or operative association, or grammatical variations thereof, of heterologous DNA to regulatory and effector sequences of nucleotides, such as promoters, enhancers, transcriptional and translational stop sites, and other signal sequences refers to the relationship between such DNA and such sequences of nucleotides. For example, operative linkage of heterologous DNA to a promoter refers to the physical relationship between the DNA and the promoter such that the transcription of such DNA is initiated from the

promoter by an RNA polymerase that specifically recognizes, binds to and transcribes the DNA.

In order to optimize expression and/or *in vitro* transcription, it may be necessary to remove, add or alter 5' untranslated portions of the clones to eliminate extra, potential inappropriate alternative translation initiation (*i.e.*, start) codons or other sequences that may interfere with or reduce expression, either at the level of transcription or translation.

Alternatively, consensus ribosome binding sites (see, *e.g.*, Kozak (1991) *J. Biol. Chem. 266*:19867-19870) can be inserted immediately 5' of the start codon and may enhance expression.

As used herein, a sequence complementary to at least a portion of an RNA, with reference to antisense oligonucleotides, means a sequence having sufficient complementarity to be able to hybridize with the RNA, preferably under moderate or high stringency conditions, forming a stable duplex. The ability to hybridize depends on the degree of complementarity and the length of the antisense nucleic acid. The longer the hybridizing nucleic acid, the more base mismatches it can contain and still form a stable duplex (or triplex, as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

15

20

25

As used herein, regulatory molecule refers to a polymer of deoxyribonucleic acid (DNA) or ribonucleic acid (RNA) or a polypeptide that is capable of enhancing or inhibiting expression of a gene.

As used herein, recognition sequences are particular sequences of nucleotides that a protein, DNA, or RNA molecule, or combinations thereof, (such as, but not limited to, a restriction endonuclease, a modification methylase and a recombinase) recognizes and binds. For example, a recognition sequence for Cre recombinase (see, e.g., SEQ ID NO:58) is a 34 base pair sequence containing two 13 base pair inverted

-11-

repeats (serving as the recombinase binding sites) flanking an 8 base pair core and designated loxP (see, e.g., Sauer (1994) Current Opinion in Biotechnology 5:521-527). Other examples of recognition sequences, include, but are not limited to, attB and attP, attR and attL and others (see, e.g., SEQ ID Nos. 8, 41-56 and 72), that are recognized by the recombinase enzyme Integrase (see, SEQ ID Nos. 37 and 38 for the nucleotide and encoded amino acid sequences of an exemplary lambda phage integrase).

The recombination site designated *att*B is an approximately 33 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base pair overlap region; *att*P (SEQ ID No. 72) is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins IHF, FIS, and Xis (see, *e.g.*, Landy (1993) *Current Opinion in Biotechnology 3*:699-707I see, *e.g.*, SEQ ID Nos. 8 and 72).

10

20

25

As used herein, a recombinase is an enzyme that catalyzes the exchange of DNA segments at specific recombination sites. An integrase herein refers to a recombinase that is a member of the lambda  $(\lambda)$  integrase family.

As used herein, recombination proteins include excisive proteins, integrative proteins, enzymes, co-factors and associated proteins that are involved in recombination reactions using one or more recombination sites (see, Landy (1993) *Current Opinion in Biotechnology 3*:699-707). The recombination proteins used herein can be delivered to a cell via an expression cassette on an appropriate vector, such as a plasmid, and the like. In other embodiments, the recombination proteins can be delivered to a cell in protein form in the same reaction mixture used to deliver the desired nucleic acid, such as a platform *ACes*, donor target vectors, and the like.

-12-

As used herein the expression "lox site" means a sequence of nucleotides at which the gene product of the cre gene, referred to herein as Cre, can catalyze a site-specific recombination event. A LoxP site is a 34 base pair nucleotide sequence from bacteriophage P1 (see, 5 e.g., Hoess et al. (1982) Proc. Natl. Acad. Sci. U.S.A. 79:3398-3402). The LoxP site contains two 13 base pair inverted repeats separated by an 8 base pair spacer region as follows: (SEQ ID NO. 57):

ATAACTTCGTATA ATGTATGC TATACGAAGTTAT

15

20

25

E. coliDH5Δlac and yeast strain BSY23 transformed with plasmid pBS44 10 carrying two loxP sites connected with a LEU2 gene are available from the American Type Culture Collection (ATCC) under accession numbers ATCC 53254 and ATCC 20773, respectively. The lox sites can be isolated from plasmid pBS44 with restriction enzymes EcoRl and Sall, or Xhol and BamHI. In addition, a preselected DNA segment can be inserted into pBS44 at either the Sall or BamHI restriction enzyme sites. Other lox sites include, but are not limited to, LoxB, LoxL, LoxC2 and LoxR sites, which are nucleotide sequences isolated from E. coli (see, e.g., Hoess et al. (1982) Proc. Natl. Acad. Sci. U.S.A. 79:3398). Lox sites can also be produced by a variety of synthetic techniques (see, e.g., Ito et al. (1982) Nuc. Acid Res. 10:1755 and Ogilvie et al. (1981) Science 270:270).

As used herein, the expression "cre gene" means a sequence of nucleotides that encodes a gene product that effects site-specific recombination of DNA in eukaryotic cells at lox sites. One cre gene can be isolated from bacteriophage P1 (see, e.g., Abremski et al. (1983) Cell 32:1301-1311). E. coli DH1 and yeast strain BSY90 transformed with plasmid pBS39 carrying a cre gene isolated from bacteriophage P1 and a GAL1 regulatory nucleotide sequence are available from the American Type Culture Collection (ATCC) under accession numbers ATCC 53255

and ATCC 20772, respectively. The cre gene can be isolated from plasmid pBS39 with restriction enzymes *Xho*l and *Sal*l.

As used herein, site-specific recombination refers to site-specific recombination that is effected between two specific sites on a single nucleic acid molecule or between two different molecules that requires the presence of an exogenous protein, such as an integrase or recombinase.

For example, Cre-lox site-specific recombination can include the following three events:

- 10 a. deletion of a pre-selected DNA segment flanked by lox sites;
  - b. inversion of the nucleotide sequence of a pre-selected DNA segment flanked by lox sites; and
  - c. reciprocal exchange of DNA segments proximate to lox sites located on different DNA molecules.

15

This reciprocal exchange of DNA segments can result in an integration event if one or both of the DNA molecules are circular. DNA segment refers to a linear fragment of single- or double-stranded deoxyribonucleic acid (DNA), which can be derived from any source.

20 Since the lox site is an asymmetrical nucleotide sequence, two lox sites on the same DNA molecule can have the same or opposite orientations with respect to each other. Recombination between lox sites in the same orientation results in a deletion of the DNA segment located between the two lox sites and a connection between the resulting ends of the original DNA molecule. The deleted DNA segment forms a circular molecule of DNA. The original DNA molecule and the resulting circular molecule each contain a single lox site. Recombination between lox sites in opposite orientations on the same DNA molecule result in an inversion of the nucleotide sequence of the DNA segment located between the two lox

sites. In addition, reciprocal exchange of DNA segments proximate to lox sites located on two different DNA molecules can occur. All of these recombination events are catalyzed by the gene product of the cre gene. Thus, the Cre-lox system can be used to specifically delete, invert, or insert DNA. The precise event is controlled by the orientation of lox DNA sequences, in *cis* the lox sequences direct the *Cre* recombinase to either delete (lox sequences in direct orientation) or invert (lox sequences in inverted orientation) DNA flanked by the sequences, while *in trans* the lox sequences can direct a homologous recombination event resulting in the insertion of a recombinant DNA.

As used herein, a chromosome is a nucleic acid molecule, and associated proteins, that is capable of replication and segregation within a cell upon cell division. Typically, a chromosome contains a centromeric region, replication origins, telomeric regions and a region of nucleic acid between the centromeric and telomeric regions.

10

15

20

As used herein, a centromere is any nucleic acid sequence that confers an ability to segregate to daughter cells through cell division. A centromere may confer stable segregation of a nucleic acid sequence, including an artificial chromosome containing the centromere, through mitotic or meiotic divisions, including through both mitotic and meiotic divisions. A particular centromere is not necessarily derived from the same species in which it is introduced, but has the ability to promote DNA segregation in cells of that species.

As used herein, euchromatin and heterochromatin have their recognized meanings. Euchromatin refers to chromatin that stains diffusely and that typically contains genes, and heterochromatin refers to chromatin that remains unusually condensed and that has been thought to be transcriptionally inactive. Highly repetitive DNA sequences (satellite DNA) are usually located in regions of the heterochromatin surrounding

-15-

the centromere (pericentric or pericentromeric heterochromatin). Constitutive heterochromatin refers to heterochromatin that contains the highly repetitive DNA which is constitutively condensed and genetically inactive.

As used herein, an acrocentric chromosome refers to a chromosome with arms of unequal length.

5

10

As used herein, endogenous chromosomes refer to genomic chromosomes as found in a cell prior to generation or introduction of an artificial chromosome.

As used herein, artificial chromosomes are nucleic acid molecules, typically DNA, that stably replicate and segregate alongside endogenous chromosomes in cells and have the capacity to accommodate and express heterologous genes contained therein. It has the capacity to act as a gene delivery vehicle by accommodating and expressing foreign genes contained therein. A mammalian artificial chromosome (MAC) refers to chromosomes that have an active mammalian centromere(s). Plant artificial chromosomes, insect artificial chromosomes and avian artificial chromosomes refer to chromosomes that include centromeres that function in plant, insect and avian cells, respectively. A human artificial chromosome (HAC) refers to chromosomes that include centromeres that function in human cells. For exemplary artificial chromosomes, see, e.g., U.S. Patent Nos. 6,025,155; 6,077,697; 5,288,625; 5,712,134; 5,695,967; 5,869,294; 5,891,691 and 5,721,118 and published International PCT application Nos, WO 97/40183 and WO 98/08964. 25 Artificial chromosomes include those that are predominantly

heterochromatic (formerly referred to as satellite artificial chromosomes (SATACs); see, e.g., U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183), minichromosomes that contain a de novo centromere (see, U.S. Patent

Nos. 5,712,134, 5,891,691 and 5,288,625), artificial chromosomes predominantly made up of repeating nucleic acid units and that contain substantially equivalent amounts of euchromatic and heterochromatic DNA and in vitro assembled artificial chromosomes (see, copending U.S. provisional application Serial No. 60/294,687, filed on May 30, 2001).

As used herein, the term "satellite DNA-based artificial chromosome (SATAC)" is interchangable with the term "artificial chromosome expression system (ACes)". These artificial chromosomes (ACes) include those that are substantially all neutral non-coding 10 sequences (heterochromatin) except for foreign heterologous, typically gene-encoding nucleic acid, that is interspersed within the heterochromatin for the expression therein (see U.S. Patent Nos. 6,025,155 and 6,077,697 and International PCT application No. WO 97/40183), or that is in a single locus as provided herein. Also included are ACes that may include euchromatin and that result from the process described in U.S. Patent Nos. 6,025,155 and 6,077,697 and International PCT application No. WO 97/40183 and outlined herein. The delineating structural feature is the presence of repeating units, that are generally predominantly heterochromatin. The precise structure of the ACes will depend upon the structure of the chromosome in which the initial amplification event occurs; all share the common feature of including a defined pattern of repeating units. Generally ACes have more heterochromatin than euchromatin. Foreign nucleic acid molecules (heterologous genes) contained in these artificial chromosome expression systems can include any nucleic acid whose expression is of interest in a particular host cell. Such foreign nucleic acid molecules, include, but are not limited to, nucleic acid that encodes traceable marker proteins (reporter genes), such as fluorescent proteins, such as green, blue or red fluorescent proteins (GFP, BFP and RFP, respectively), other reporter

15

20

25

-17-

genes, such as β-galactosidase and proteins that confer drug resistance, such as a gene encoding hygromycin-resistance. Other examples of heterologous nucleic acid molecules include, but are not limited to, DNA that encodes therapeutically effective substances, such as anti-cancer agents, enzymes and hormones, DNA that encodes other types of proteins, such as antibodies, and DNA that encodes RNA molecules (such as antisense or siRNA molecules) that are not translated into proteins.

As used herein, an artificial chromosome platform, also referred to herein as a "platform ACes" or "ACes platform", refers to an artificial chromosome that has been engineered to include one or more sites for site-specific, recombination-directed integration. In particular, ACes that are so-engineered are provided. Any sites, including but not limited to any described herein, that are suitable for such integration are contemplated. Plant and animal platform ACes are provided. Among the 15 ACes contemplated herein are those that are predominantly heterochromatic (formerly referred to as satellite artificial chromosomes (SATACs); see, e.g., U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183), artificial chromosomes predominantly made up of repeating nucleic acid units and 20 that contain substantially equivalent amounts of euchromatic and heterochromatic DNA resulting from an amplification event depicted in the referenced patent and herein. Included among the ACes for use in generating platforms, are artificial chromosomes that introduce and express heterologous nucleic acids in plants (see, copending U.S. 25 provisional application Serial No. 60/294,687, filed on May 30, 2001). These include artificial chromosomes that have a centromere derived from a plant, and, also, artificial chromosomes that have centromeres that may be derived from other organisms but that function in plants.

As used herein a "reporter ACes" refers to a an ACes that comprises one or a plurality of reporter constructs, where the reporter construct comprises a reporter gene in operative linkage with a regulatory region responsive to test or known compounds.

As used herein, amplification, with reference to DNA, is a process in which segments of DNA are duplicated to yield two or multiple copies of substantially similar or identical or nearly identical DNA segments that are typically joined as substantially tandem or successive repeats or inverted repeats.

5

10

15

20

As used herein, amplification-based artificial chromosomes are artificial chromosomes derived from natural or endogenous chromosomes by virtue of an amplification event, such as one initiated by introduction of heterologous nucleic acid into rDNA in a chromosome. As a result of such an event, chromosomes and fragments thereof exhibiting segmented or repeating patterns arise. Artificial chromosomes can be formed from these chromosomes and fragments. Hence, amplification-based artificial chromosomes refer to engineered chromosomes that exhibit an ordered segmentation that is not observed in naturally occurring chromosomes and that distinguishes them from naturally occurring chromosomes. The segmentation, which can be visualized using a variety of chromosome analysis techniques known to those of skill in the art, correlates with the structure of these artificial chromosomes. In addition to containing one or more centromeres, the amplification-based artificial chromosomes, throughout the region or regions of segmentation are predominantly made up of nucleic acid units also referred to as "amplicons", that is (are) repeated in the region and that have a similar gross structure. Repeats of an amplicon tend to be of similar size and share some common nucleic acid sequences. For example, each repeat of an amplicon may contain a replication site involved in amplification of chromosome segments and/or

-19-

some heterologous nucleic acid that was utilized in the initial production of the artificial chromosome. Typically, the repeating units are substantially similar in nucleic acid composition and may be nearly identical.

5

10

15

20

The amplification-based artificial chromosomes differ depending on the chromosomal region that has undergone amplification in the process of artificial chromosome formation. The structures of the resulting chromosomes can vary depending upon the initiating event and/or the conditions under which the heterologous nucleic acid is introduced, including modification to the endogenous chromosomes. For example, in some of the artificial chromosomes provided herein, the region or regions of segmentation may be made up predominantly of heterochromatic DNA. In other artificial chromosomes provided herein, the region or regions of segmentation may be made up predominantly of euchromatic DNA or may be made up of similar amounts of heterochromatic and euchromatic DNA.

As used herein an amplicon is a repeated nucleic acid unit. In some of the artificial chromosomes described herein, an amplicon may contain a set of inverted repeats of a megareplicon. A megareplicon represents a higher order replication unit. For example, with reference to some of the predominantly heterochromatic artificial chromosomes, the megareplicon can contain a set of tandem DNA blocks (e.g., ~7.5 Mb DNA blocks) each containing satellite DNA flanked by non-satellite DNA or may be made up of substantially rDNA. Contained within the megareplicon is a primary replication site, referred to as the megareplicator, which may be involved in organizing and facilitating replication of the pericentric heterochromatin and possibly the centromeres. Within the megareplicon there may be smaller (e.g., 50-300 kb) secondary replicons.

In artificial chromosomes, such as those provided U.S. Patent Nos. 6,025,155 and 6,077,697 and International PCT application No. WO 97/40183, the megareplicon is defined by two tandem blocks (~7.5 Mb DNA blocks in the chromosomes provided therein). Within each artificial chromosome or among a population thereof, each amplicon has the same gross structure but may contain sequence variations. Such variations will arise as a result of movement of mobile genetic elements, deletions or insertions or mutations that arise, particularly in culture. Such variation does not affect the use of the artificial chromosomes or their overall structure as described herein.

As used herein, amplifiable, when used in reference to a chromosome, particularly the method of generating artificial chromosomes provided herein, refers to a region of a chromosome that is prone to amplification. Amplification typically occurs during replication and other cellular events involving recombination (e.g., DNA repair). Such regions include regions of the chromosome that contain tandem repeats, such as satellite DNA, rDNA, and other such sequences.

15

20

25

As used herein, a dicentric chromosome is a chromosome that contains two centromeres. A multicentric chromosome contains more than two centromeres.

As used herein, a formerly dicentric chromosome is a chromosome that is produced when a dicentric chromosome fragments and acquires new telomeres so that two chromosomes, each having one of the centromeres, are produced. Each of the fragments is a replicable chromosome. If one of the chromosomes undergoes amplification of primarily euchromatic DNA to produce a fully functional chromosome that is predominantly (at least more than 50%) euchromatin, it is a minichromosome. The remaining chromosome is a formerly dicentric chromosome. If one of the chromosomes undergoes amplification,

whereby heterochromatin (such as, for example, satellite DNA) is amplified and a euchromatic portion (such as, for example, an arm) remains, it is referred to as a sausage chromosome. A chromosome that is substantially all heterochromatin, except for portions of heterologous 5 DNA, is called a predominantly heterochromatic artificial chromosome. Predominantly heterochromatic artificial chromosomes can be produced from other partially heterochromatic artificial chromosomes by culturing the cell containing such chromosomes under conditions such as BrdU treatment that destabilize the chromosome and/or growth under selective conditions so that a predominantly heterochromatic artificial chromosome is produced. For purposes herein, it is understood that the artificial chromosomes may not necessarily be produced in multiple steps, but may appear after the initial introduction of the heterologous DNA. Typically, artificial chromosomes appear after about 5 to about 60, or about 5 to about 55, or about 10 to about 55 or about 25 to about 55 or about 35 to about 55 cell doublings after initiation of artificial chromosome generation, or they may appear after several cycles of growth under selective conditions and BrdU treatment.

10

20

25

As used herein, an artificial chromosome that is predominantly heterochromatic (i.e., containing more heterochromatin than euchromatin, typically more than about 50%, more than about 70%, or more than about 90% heterochromatin) may be produced by introducing nucleic acid molecules into cells, such as, for example, animal or plant cells, and selecting cells that contain a predominantly heterochromatic artificial chromosome. Any nucleic acid may be introduced into cells in such methods of producing the artificial chromosomes. For example, the nucleic acid may contain a selectable marker and/or optionally a sequence that targets nucleic acid to the pericentric, heterochromatic region of a chromosome, such as in the short arm of acrocentric chromosomes and

nucleolar organizing regions. Targeting sequences include, but are not limited to, lambda phage DNA and rDNA for production of predominantly heterochromatic artificial chromosomes in eukaryotic cells.

After introducing the nucleic acid into cells, a cell containing a predominantly heterochromatic artificial chromosome is selected. Such cells may be identified using a variety of procedures. For example, repeating units of heterochromatic DNA of these chromosomes may be discerned by G-banding and/or fluorescence in situ hybridization (FISH) techniques. Prior to such analyses, the cells to be analyzed may be 10 enriched with artificial chromosome-containing cells by sorting the cells on the basis of the presence of a selectable marker, such as a reporter protein, or by growing (culturing) the cells under selective conditions. It is also possible, after introduction of nucleic acids into cells, to select cells that have a multicentric, typically dicentric, chromosome, a formerly multicentric (typically dicentric) chromosome and/or various heterochromatic structures, such as a megachromosome and a sausage chromosome, that contain a centromere and are predominantly heterochromatic and to treat them such that desired artificial chromosomes are produced. Cells containing a new chromosome are selected. Conditions for generation of a desired structure include, but are not limited to, further growth under selective conditions, introduction of additional nucleic acid molecules and/or growth under selective conditions and treatment with destabilizing agents, and other such methods (see International PCT application No. WO 97/40183 and U.S. Patent Nos. 6,025,155 and 6,077,697).

20

25

As used herein, a "selectable marker" is a nucleic acid segment, generally DNA, that allows one to select for or against a molecule or a cell that contains it, often under particular conditions. These markers can encode an activity, such as, but not limited to, production of RNA,

peptide, or protein, or can provide a binding site for RNA, peptides, proteins, inorganic and organic compounds and compositions. Examples of selectable markers include but are not limited to: (1) nucleic acid segments that encode products that provide resistance against otherwise 5 toxic compounds (e.g., antibiotics); (2) nucleic acid segments that encode products that are otherwise lacking in the recipient cell (e.g., tRNA genes, auxotrophic markers); (3) nucleic acid segments that encode products that suppress the activity of a gene product; (4) nucleic acid segments that encode products that can be identified, such as phenotypic markers, including B-galactosidase, red, blue and/or green fluorescent proteins (FPs), and cell surface proteins; (5) nucleic acid segments that bind products that are otherwise detrimental to cell survival and/or function; (6) nucleic acid segments that otherwise inhibit the activity of any of the nucleic acid segments described in Nos. 1-5 above (e.g., antisense oligonucleotides or siRNA molecules for use in RNA interference); (7) nucleic acid segments that bind products that modify a substrate (e.g. restriction endonucleases); (8) nucleic acid segments that can be used to isolate a desired molecule (e.g. specific protein binding sites); (9) nucleic acid segments that encode a specific nucleotide sequence that can be otherwise non-functional, such as for PCR amplification of subpopulations of molecules; and/or (10) nucleic acid segments, which when absent, directly or indirectly confer sensitivity to particular compounds. Thus, for example, selectable markers include nucleic acids encoding fluorescent proteins, such as green fluorescent proteins, \(\beta\)-galactosidase and other readily detectable proteins, such as chromogenic proteins or proteins capable of being bound by an antibody and FACs sorted. Selectable markers such as these, which are not required for cell survival and/or proliferation in the presence of a selection agent, are also referred to herein as reporter molecules. Other selectable markers, e.g., the

20

25

neomycin phosphotransferase gene, provide for isolation and identification of cells containing them by conferring properties on the cells that make them resistant to an agent, e.g., a drug such as an antibiotic, that inhibits proliferation of cells that do not contain the marker.

5

10

15

20

25

As another example, interference of gene expression by double stranded RNA has been shown in Caenorhabditis elegans, plants, Drosophila, protozoans and mammals. This method is known as RNA interference (RNAi) and utilizes short, double-stranded RNA molecules (siRNAs). The siRNAs are generally composed of a 19-22bp doublestranded RNA stem, a loop region and a 1-4 bp overhang on the 3' end. The reduction of gene expression has been accomplished by direct introduction of the siRNAs into the cell (Harborth J et al., 2001, J Cell Sci 114(pt 24):4557-65) as well as the introduction of DNA encoding and expressing the siRNA molecule. The encoded siRNA molecules are under the regulation of an RNA polymerase III promoter (see, e.g., Yu et al., 2002, Proc Natl Acad Sci USA 99(9);6047-52; Brummelkamp et al., 2002, Science 296(5567):550-3; Miyagishi et al., 2002, Nat Biotechnol 20(5):497-500; and the like). In certain embodiments, RNAi in mammalian cells may have advantages over other therapeutic methods. For example, producing siRNA molecules that block viral genetic activities in infected cells may reduce the effects of the virus. Platform ACes provided herein encoding siRNA molecule(s) are an additional utilization of the platform ACes technology. The platform ACes could be engineered to encode one or more siRNA molecules to create gene "knockdowns". In one embodiment, a platform ACes can engineered to encode both the siRNA molecule and a replacement gene. For example, a mouse model or cell culture system could be generated using a platform ACes that has a knockdown of the endogenous mouse gene, by siRNA, and the human gene homolog expressing in place of the mouse gene. The placement of

siRNA encoding sequences under the regulation of a regulatable or inducible promoter would allow one to temporally and/or spatially control the knockdown effect of the corresponding gene.

As used herein, a reporter gene includes any gene that expresses a

detectable gene product, which may be RNA or protein. Generally
reporter genes are readily detectable. Examples of reporter genes include,
but are not limited to nucleic acid encoding a fluorescent protein, CAT
(chloramphenicol acetyl transferase) (Alton et al. (1979) Nature 282: 864869) luciferase, and other enzyme detection systems, such as betagalactosidase; firefly luciferase (deWet et al. (1987) Mol. Cell. Biol.
7:725-737); bacterial luciferase (Engebrecht and Silverman (1984) Proc.
Natl. Acad. Sci. U.S.A. 81:4154-4158; Baldwin et al. (1984)
Biochemistry 23:3663-3667); and alkaline phosphatase (Toh et al. (1989)
Eur. J. Biochem. 182:231-238, Hall et al. (1983) J. Mol. Appl. Gen.
2:101).

As used herein, growth under selective conditions means growth of a cell under conditions that require expression of a selectable marker for survival.

As used herein, an agent that destabilizes a chromosome is any agent known by those skilled in the art to enhance amplification events, and/or mutations. Such agents, which include BrdU, are well known to those skilled in the art.

20

25

In order to generate an artificial chromosome containing a particular heterologous nucleic acid of interest, it is possible to include the nucleic acid in the nucleic acid that is being introduced into cells to initiate production of the artificial chromosome. Thus, for example, a nucleic acid can be introduced into a cell along with nucleic acid encoding a selectable marker and/or a nucleic acid that targets to a heterochromatic region of a chromosome. For introducing a heterologous nucleic acid into

the cell, it can be included in a fragment that includes a selectable marker or as part of a separate nucleic acid fragment and introduced into the cell with a selectable marker during the process of generating the artificial chromosomes. Alternatively, heterologous nucleic acid can be introduced into an artificial chromosome at a later time after the initial generation of the artificial chromosome.

As used herein, the minichromosome refers to a chromosome derived from a multicentric, typically dicentric, chromosome that contains more euchromatic than heterochromatic DNA. For purposes herein, the minichromosome contains a *de novo* centromere (e.g., a neocentromere). In some embodiments, for example, the minichromosome contains a centromere that replicates in animals, e.g., a mammalian centromere or in plants, e.g., a plant centromere.

As used herein, *in vitro* assembled artificial chromosomes or synthetic chromosomes can be either more euchromatic than heterochromatic or more heterochromatic than euchromatic and are produced by joining essential components of a chromosome *in vitro*. These components include at least a centromere, a megareplicator, a telomere and optionally secondary origins of replication.

15

20

25

As used herein, *in vitro* assembled plant or animal artificial chromosomes are produced by joining essential components (at least the centromere, telomere(s), megareplicator and optional secondary origins of replication) that function in plants or animals. In particular embodiments, the megareplicator contains sequences of rDNA, particularly plant or animal rDNA.

As used herein, a plant is a eukaryotic organism that contains, in addition to a nucleus and mitochondria, chloroplasts capable of carrying out photosynthesis. A plant can be unicellular or multicellular and can contain multiple tissues and/or organs. Plants can reproduce sexually or

asexually and can be perennial or annual in growth. Plants can also be terrestrial or aquatic. The term "plant" includes a whole plant, plant cell, plant protoplast, plant calli, plant seed, plant organ, plant tissue, and other parts of a whole plant.

5

10

15

20

25

As used herein, stable maintenance of chromosomes occurs when at least about 85%, preferably 90%, more preferably 95%, of the cells retain the chromosome. Stability is measured in the presence of a selective agent. Preferably these chromosomes are also maintained in the absence of a selective agent. Stable chromosomes also retain their structure during cell culturing, suffering no unintended intrachromosomal or interchromosomal rearrangements.

As used herein, *de novo* with reference to a centromere, refers to generation of an excess centromere in a chromosome as a result of incorporation of a heterologous nucleic acid fragment using the methods herein.

As used herein, BrdU refers to 5-bromodeoxyuridine, which during replication is inserted in place of thymidine. BrdU is used as a mutagen; it also inhibits condensation of metaphase chromosomes during cell division.

As used herein, ribosomal RNA (rRNA) is the specialized RNA that forms part of the structure of a ribosome and participates in the synthesis of proteins. Ribosomal RNA is produced by transcription of genes which, in eukaryotic cells, are present in multiple copies. In human cells, the approximately 250 copies of rRNA genes (i.e., genes which encode rRNA) per haploid genome are spread out in clusters on at least five different chromosomes (chromosomes 13, 14, 15, 21 and 22). In mouse cells, the presence of ribosomal DNA (rDNA, which is DNA containing sequences that encode rRNA) has been verified on at least 11 pairs out of 20 mouse chromosomes (chromosomes 5, 6, 7, 9, 11, 12, 15, 16, 17, 18, and 19)

(see e.g., Rowe et al. (1996) Mamm. Genome 7:886-889 and Johnson et al. (1993) Mamm. Genome 4:49-52). In Arabidopsis thaliana the presence of rDNA has been verified on chromosomes 2 and 4 (18S, 5.8S, and 25S rDNA) and on chromosomes 3,4, and 5 (5S rDNA) (see The 5 Arabidopsis Genome Initiative (2000) Nature 408:796-815). In eukaryotic cells, the multiple copies of the highly conserved rRNA genes are located in a tandemly arranged series of rDNA units, which are generally about 40-45 kb in length and contain a transcribed region and a nontranscribed region known as spacer (i.e., intergenic spacer) DNA 10 which can vary in length and sequence. In the human and mouse, these tandem arrays of rDNA units are located adjacent to the pericentric satellite DNA sequences (heterochromatin). The regions of these chromosomes in which the rDNA is located are referred to as nucleolar organizing regions (NOR) which loop into the nucleolus, the site of ribosome production within the cell nucleus. 15

As used herein, a megachromosome refers to a chromosome that, except for introduced heterologous DNA, is substantially composed of heterochromatin. Megachromosomes are made up of an array of repeated amplicons that contain two inverted megareplicons bordered by introduced heterologous DNA (see, e.g., Figure 3 of U.S. Patent No. 6,077,697 for a schematic drawing of a megachromosome). For purposes herein, a megachromosome is about 50 to 400 Mb, generally about 250-400 Mb. Shorter variants are also referred to as truncated megachromosomes (about 90 to 120 or 150 Mb), dwarf 25 megachromosomes (~150-200 Mb), and a micro-megachromosome (~50-90 Mb, typically 50-60 Mb). For purposes herein, the term

20

megachromosome refers to the overall repeated structure based on an array of repeated chromosomal segments (amplicons) that contain two inverted megareplicons bordered by any inserted heterologous DNA. The size will be specified.

5

15

20

As used herein, gene therapy involves the transfer or insertion of nucleic acid molecules into certain cells, which are also referred to as target cells, to produce specific products that are involved in preventing, curing, correcting, controlling or modulating diseases, disorders and deleterious conditions. The nucleic acid is introduced into the selected 10 target cells in a manner such that the nucleic acid is expressed and a product encoded thereby is produced. Alternatively, the nucleic acid may in some manner mediate expression of DNA that encodes a therapeutic product. This product may be a therapeutic compound, which is produced in therapeutically effective amounts or at a therapeutically useful time. It may also encode a product, such as a peptide or RNA, that in some manner mediates, directly or indirectly, expression of a therapeutic product. Expression of the nucleic acid by the target cells within an organism afflicted with a disease or disorder thereby provides for modulation of the disease or disorder. The nucleic acid encoding the therapeutic product may be modified prior to introduction into the cells of the afflicted host in order to enhance or otherwise alter the product or expression thereof.

For use in gene therapy, cells can be transfected in vitro, followed by introduction of the transfected cells into an organism. This is often 25 referred to as ex vivo gene therapy. Alternatively, the cells can be transfected directly in vivo within an organism.

As used herein, therapeutic agents include, but are not limited to, growth factors, antibodies, cytokines, such as tumor necrosis factors and interleukins, and cytotoxic agents and other agents disclosed herein and

known to those of skill in the art. Such agents include, but are not limited to, tumor necrosis factor,  $\alpha$ -interferon,  $\beta$ -interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator; or, biological response modifiers such as, for example, lymphokines, interleukin-1 (IL-1), interleukin-2 (IL-2), interleukin-6 (IL-6), granulocyte macrophage colony stimulating factor (GMCSF), granulocyte colony stimulating factor (G-CSF), erythropoietin (EPO), pro-coagulants such as tissue factor and tissue factor variants, pro-apoptotic agents such FAS-ligand, fibroblast growth factors (FGF), nerve growth factor and other growth factors.

10

15

20

25

As used herein, a therapeutically effective product is a product that is encoded by heterologous DNA that, upon introduction of the DNA into a host, a product is expressed that effectively ameliorates or eliminates the symptoms, manifestations of an inherited or acquired disease or that cures the disease.

As used herein, transgenic plants and animals refer to plants and animals in which heterologous or foreign nucleic acid is expressed or in which the expression of a gene naturally present in the plant or animal has been altered by virtue of introduction of heterologous or foreign nucleic acid.

As used herein, IRES (internal ribosome entry site; see, e.g., SEQ ID No. 27 and nucleotides 2736-3308 SEQ ID No. 28) refers to a region of a nucleic acid molecule, such as an mRNA molecule, that allows internal ribosome entry sufficient to initiate translation, which initiation can be detected in an assay for cap-independent translation (see, e.g., U.S. Patent No. 6,171,821). The presence of an IRES within an mRNA molecule allows cap-independent translation of a linked protein-encoding sequence that otherwise would not be translated.

Internal ribosome entry site (IRES) elements were first identified in picornaviruses, which elements are considered the paradigm for capindependent translation. The 5' UTRs of all picornaviruses are long and mediate translational initiation by directly recruiting and binding ribosomes, thereby circumventing the initial cap-binding step. IRES elements are frequently found in viral mRNA, they are rare in non-viral mRNA. Among non-viral mRNA molecules that contain functional IRES elements in their respective 5' UTRs are those encoding immunoglobulin heavy chain binding protein (BiP) (Macejak et al. (1991) Nature 353:90-94); Drosophila Antennapedia (Oh et al. (1992) Genes Dev, 6:1643-1653); D. Ultrabithorax (Ye et al. (1997) Mol. Cell Biol. 17:1714-21); fibroblast growth factor 2 (Vagner et al. (1995) Mol. Cell Biol. 15:35-44); initiation factor elF4G (Gan et al. (1998) J. Biol. Chem. 273:5006-5012); proto-oncogene c-myc (Nanbru et al. (1995) J. Biol. Chem. 272:32061-32066; Stoneley (1998) Oncogene 16:423-428); IRES<sub>H</sub>; from the 5'UTR of NRF1 gene (Oumard et al. (2000) Mol. and Cell Biol., 20(8):2755-2759); and vascular endothelial growth factor (VEGF) (Stein et al. (1998) Mol. Cell Biol. 18:3112-9).

As used herein, a promoter, with respect to a region of DNA, refers to a sequence of DNA that contains a sequence of bases that signals RNA polymerase to associate with the DNA and initiate transcription of RNA (such as pol II for mRNA) from a template strand of the DNA. A promoter thus generally regulates transcription of DNA into mRNA. A particular promoter provided herein is the Ferritin heavy chain promoter (excluding 25 the Iron Response Element, located in the 5'UTR), which was joined to the 37bp Fer-1 enhancer element. This promoter is set forth as SEQ ID NO:128. The endogenous Fer-1 enhancer element is located upstream of the Fer-1 promoter (e.g., a Fer-1 oligo was cloned proximal to the core promoter).

20

As used herein, isolated, substantially pure nucleic acid, such as, for example, DNA, refers to nucleic acid fragments purified according to standard techniques employed by those skilled in the art, such as that found in Sambrook *et al.* ((2001) Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 3rd edition).

As used herein, expression refers to the transcription and/or translation of nucleic acid. For example, expression can be the transcription of a gene that may be transcribed into an RNA molecule, such as a messenger RNA (mRNA) molecule. Expression may further include translation of an RNA molecule and translated into peptides, polypeptides, or proteins. If the nucleic acid is derived from genomic DNA, expression may, if an appropriate eukaryotic host cell or organism is selected, include splicing of the mRNA. With respect to an antisense construct, expression may refer to the transcription of the antisense DNA.

10

15

20

25

As used herein, vector or plasmid refers to discrete elements that are used to introduce heterologous nucleic acids into cells for either expression of the heterologous nucleic acid or for replication of the heterologous nucleic acid. Selection and use of such vectors and plasmids are well within the level of skill of the art.

As used herein, transformation/transfection refers to the process by which nucleic acid is introduced into cells. The terms transfection and transformation refer to the taking up of exogenous nucleic acid, e.g., an expression vector, by a host cell whether or not any coding sequences are in fact expressed. Numerous methods of transfection are known to the ordinarily skilled artisan, for example, by *Agrobacterium*-mediated transformation, protoplast transformation (including polyethylene glycol (PEG)-mediated transformation, electroporation, protoplast fusion, and microcell fusion), lipid-mediated delivery, liposomes, electroporation,

sonoporation, microinjection, particle bombardment and silicon carbide whisker-mediated transformation and combinations thereof (see, e.g., Paszkowski et al. (1984) EMBO J. 3:2717-2722; Potrykus et al. (1985) Mol. Gen. Genet. 199:169-177; Reich et al. (1986) Biotechnology 4:1001-1004; Klein et al. (1987) Nature 327:70-73; U.S. Patent No. 6,143,949; Paszkowski et al. (1989) in Cell Culture and Somatic Cell Genetics of Plants, Vol. 6, Molecular Biology of Plant Nuclear Genes, eds. Schell, J and Vasil, L.K. Academic Publishers, San Diego, California, p. 52-68; and Frame et al. (1994) Plant J. 6:941-948), direct uptake using calcium phosphate (CaPO4; see,e.g., Wigler et al. (1979) Proc. Natl. 10 Acad. Sci. U.S.A. 76:1373-1376), polyethylene glycol (PEG)-mediated DNA uptake, lipofection (see, e.g., Strauss (1996) Meth. Mol. Biol. 54:307-327), microcell fusion (see, EXAMPLES, see, also Lambert (1991) Proc. Natl. Acad. Sci. U.S.A. 88:5907-5911; U.S. Patent No. 5,396,767, Sawford et al. (1987) Somatic Cell Mol. Genet. 13:279-284; Dhar et al. 15 (1984) Somatic Cell Mol. Genet. 10:547-559; and McNeill-Killary et al. (1995) Meth. Enzymol. 254:133-152), lipid-mediated carrier systems (see, e.g., Teifel et al. (1995) Biotechniques 19:79-80; Albrecht et al. (1996) Ann. Hematol. 72:73-79; Holmen et al. (1995) In Vitro Cell Dev. Biol. Anim. 31:347-351; Remy et al. (1994) Bioconjug. Chem. 5:647-20 654; Le Bolch et al. (1995) Tetrahedron Lett. 36:6681-6684; Loeffler et al. (1993) Meth. Enzymol. 217:599-618) or other suitable method. Methods for delivery of ACes are described in copending U.S. application Serial No. 09/815,979. Successful transfection is generally recognized 25 by detection of the presence of the heterologous nucleic acid within the transfected cell, such as, for example, any visualization of the heterologous nucleic acid or any indication of the operation of a vector within the host cell.

-34-

As used herein, "delivery," which is used interchangeably with "transfection," refers to the process by which exogenous nucleic acid molecules are transferred into a cell such that they are located inside the cell. Delivery of nucleic acids is a distinct process from expression of nucleic acids.

As used herein, injected refers to the microinjection, such as by use of a small syringe, needle, or pipette, for injection of nucleic acid into a cell.

As used herein, substantially homologous DNA refers to DNA that includes a sequence of nucleotides that is sufficiently similar to another such sequence to form stable hybrids, with each other or a reference sequence, under specified conditions.

10

15

20

It is well known to those of skill in this art that nucleic acid fragments with different sequences may, under the same conditions, hybridize detectably to the same "target" nucleic acid. Two nucleic acid fragments hybridize detectably, under stringent conditions over a sufficiently long hybridization period, because one fragment contains a segment of at least about 10, 14 or 16 or more nucleotides in a sequence that is complementary (or nearly complementary) to a substantially contiguous sequence of at least one segment in the other nucleic acid fragment. If the time during which hybridization is allowed to occur is held constant, at a value during which, under preselected stringency conditions, two nucleic acid fragments with complementary base-pairing segments hybridize detectably to each other, departures from exact 25 complementarity can be introduced into the base-pairing segments, and base-pairing will nonetheless occur to an extent sufficient to make hybridization detectable. As the departure from complementarity between the base-pairing segments of two nucleic acids becomes larger, and as

conditions of the hybridization become more stringent, the probability decreases that the two segments will hybridize detectably to each other.

Two single-stranded nucleic acid segments have "substantially the same sequence", if (a) both form a base-paired duplex with the same segment, and (b) the melting temperatures of the two duplexes in a solution of 0.5 X SSPE differ by less than 10°C. If the segments being compared have the same number of bases, then to have "substantially the same sequence", they will typically differ in their sequences at fewer than 1 base in 10. Methods for determining melting temperatures of nucleic acid duplexes are well known (see, e.g., Meinkoth et al. (1984) Anal. Biochem. 138:267-284 and references cited therein).

As used herein, a nucleic acid probe is a DNA or RNA fragment that includes a sufficient number of nucleotides to specifically hybridize to DNA or RNA that includes complementary or substantially complementary sequences of nucleotides. A probe may contain any number of nucleotides, from as few as about 10 and as many as hundreds of thousands of nucleotides. The conditions and protocols for such hybridization reactions are well known to those of skill in the art as are the effects of probe size, temperature, degree of mismatch, salt concentration and other parameters on the hybridization reaction. For example, the lower the temperature and higher the salt concentration at which the hybridization reaction is carried out, the greater the degree of mismatch that may be present in the hybrid molecules.

15

20

25

To be used as a hybridization probe, the nucleic acid is generally rendered detectable by labeling it with a detectable moiety or label, such as <sup>32</sup>P, <sup>3</sup>H and <sup>14</sup>C, or by other means, including chemical labeling, such as by nick-translation in the presence of deoxyuridylate biotinylated at the 5'-position of the uracil moiety. The resulting probe includes the biotinylated uridylate in place of thymidylate residues and can be detected

(via the biotin moieties) by any of a number of commercially available detection systems based on binding of streptavidin to the biotin. Such commercially available detection systems can be obtained, for example, from Enzo Biochemicals, Inc. (New York, NY). Any other label known to those of skill in the art, including non-radioactive labels, may be used as long as it renders the probes sufficiently detectable, which is a function of the sensitivity of the assay, the time available (for culturing cells, extracting DNA, and hybridization assays), the quantity of DNA or RNA available as a source of the probe, the particular label and the means used to detect the label.

Once sequences with a sufficiently high degree of homology to the probe are identified, they can readily be isolated by standard techniques (see, e.g., Sambrook et al. (2001) Molecular Cloning: A Laboratory Manual, 3rd Edition, Cold Spring Harbor Laboratory Press).

10

15

20

25

As used herein, conditions under which DNA molecules form stable hybrids are considered substantially homologous, and a DNA or nucleic acid homolog refers to a nucleic acid that includes a preselected conserved nucleotide sequence, such as a sequence encoding a polypeptide. By the term "substantially homologous" is meant having at least 75%, preferably 80%, preferably at least 90%, most preferably at least 95% homology therewith or a less percentage of homology or identity and conserved biological activity or function.

The terms "homology" and "identity" are often used interchangeably. In this regard, percent homology or identity may be determined, for example, by comparing sequence information using a GAP computer program. The GAP program utilizes the alignment method of Needleman and Wunsch (*J. Mol. Biol.* 48:443 (1970), as revised by Smith and Waterman (*Adv. Appl. Math.* 2:482 (1981). Briefly, the GAP program defines similarity as the number of aligned symbols (i.e.,

PCT/US02/17452 WO 02/097059

nucleotides or amino acids) which are similar, divided by the total number of symbols in the shorter of the two sequences. The preferred default parameters for the GAP program may include: (1) a unary comparison matrix (containing a value of 1 for identities and 0 for non-identities) and 5 the weighted comparison matrix of Gribskov and Burgess, Nucl. Acids Res. 14:6745 (1986), as described by Schwartz and Dayhoff, eds., ATLAS OF PROTEIN SEQUENCE AND STRUCTURE, National Biomedical Research Foundation, pp. 353-358 (1979); (2) a penalty of 3.0 for each gap and an additional 0.10 penalty for each symbol in each gap; and (3) no penalty for end gaps.

10

15

20

25

By sequence identity, the number of conserved amino acids are determined by standard alignment algorithms programs, and are used with default gap penalties established by each supplier. Substantially homologous nucleic acid molecules would hybridize typically at moderate stringency or at high stringency all along the length of the nucleic acid of interest. Preferably the two molecules will hybridize under conditions of high stringency. Also contemplated are nucleic acid molecules that contain degenerate codons in place of codons in the hybridizing nucleic acid molecule.

Whether any two nucleic acid molecules have nucleotide sequences that are at least 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% "identical" can be determined using known computer algorithms such as the "FAST A" program, using for example, the default parameters as in Pearson and Lipman, Proc. Natl. Acad. Sci. USA 85:2444 (1988).

Alternatively the BLAST function of the National Center for Biotechnology Information database may be used to determine relative sequence identity.

In general, sequences are aligned so that the highest order match is obtained. "Identity" per se has an art-recognized meaning and can be

calculated using published techniques. (See, e.g.: Computational Molecular Biology, Lesk, A.M., ed., Oxford University Press, New York, 1988; Biocomputing: Informatics and Genome Projects, Smith, D.W., ed., Academic Press, New York, 1993; Computer Analysis of Sequence Data, 5 Part I, Griffin, A.M., and Griffin, H.G., eds., Humana Press, New Jersey, 1994; Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press, 1987; and Sequence Analysis Primer, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991). While there exist a number of methods to measure identity between two polynucleotide or 10 polypeptide sequences, the term "identity" is well known to skilled artisans (Carillo, H. & Lipton, D., SIAM J Applied Math 48:1073 (1988)). Methods commonly employed to determine identity or similarity between two sequences include, but are not limited to, those disclosed in Guide to Huge Computers, Martin J. Bishop, ed., Academic Press, San Diego, 1994, and Carillo, H. & Lipton, D., SIAM J Applied Math 48:1073 (1988). Methods to determine identity and similarity are codified in computer programs. Preferred computer program methods to determine identity and similarity between two sequences include, but are not limited to, GCG program package (Devereux, J., et al., Nucleic Acids Research 20 12(I):387 (1984)), BLASTP, BLASTN, FASTA (Atschul, S.F., et al., J Molec Biol 215:403 (1990)).

Therefore, as used herein, the term "identity" represents a comparison between a test and a reference polypeptide or polynucleotide. For example, a test polypeptide may be defined as any polypeptide that is 90% or more identical to a reference polypeptide.

25

As used herein, the term at least "90% identical to" refers to percent identities from 90 to 99.99 relative to the reference polypeptides. Identity at a level of 90% or more is indicative of the fact that, assuming for exemplification purposes a test and reference polynucleotide length of

100 amino acids are compared. No more than 10% (i.e., 10 out of 100) amino acids in the test polypeptide differs from that of the reference polypeptides. Similar comparisons may be made between a test and reference polynucleotides. Such differences may be represented as point mutations randomly distributed over the entire length of an amino acid sequence or they may be clustered in one or more locations of varying length up to the maximum allowable, e.g. 10/100 amino acid difference (approximately 90% identity). Differences are defined as nucleic acid or amino acid substitutions, or deletions.

As used herein: stringency of hybridization in determining percentage mismatch encompass the following conditions or equivalent conditions thereto:

10

15

20

1) high stringency: 0.1 x SSPE or SSC, 0.1% SDS, 65°C

2) medium stringency: 0.2 x SSPE or SSC, 0.1% SDS, 50°C

or any combination of salt and temperature and other reagents that result in selection of the same degree of mismatch or matching. Equivalent conditions refer to conditions that select for substantially the same percentage of mismatch in the resulting hybrids. Additions of ingredients, such as formamide, Ficoll, and Denhardt's solution affect parameters such as the temperature under which the hybridization should be conducted and the rate of the reaction. Thus, hybridization in 5 X SSC, in 20% formamide at 42° C is substantially the same as the conditions recited above hybridization under conditions of low stringency. The recipes for SSPE, SSC and Denhardt's and the preparation of deionized formamide are described, for example, in Sambrook *et al.* (1989) *Molecular Cloning, A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Chapter 8; see, Sambrook *et al.*, vol. 3, p. B.13, see, also, numerous catalogs that describe commonly used laboratory solutions. It is understood that

PCT/US02/17452 WO 02/097059

-40-

equivalent stringencies may be achieved using alternative buffers, salts and temperatures. As used herein, all assays and procedures, such as hybridization reactions and antibody-antigen reactions, unless otherwise specified, are conducted under conditions recognized by those of skill in the art as standard conditions.

As used herein, conservative amino acid substitutions, such as those set forth in Table 1, are those that do not eliminate biological activity. Suitable conservative substitutions of amino acids are known to those of skill in this art and may be made generally without altering the 10 biological activity of the resulting molecule. Those of skill in this art recognize that, in general, single amino acid substitutions in non-essential regions of a polypeptide do not substantially alter biological activity (see, e.g., Watson et al. Molecular Biology of the Gene, 4th Edition, 1987, The Bejacmin/Cummings Pub. co., p.224). Conservative amino acid substitutions are made, for example, in accordance with those set forth in TABLE 1 as follows:

TABLE 1

	IADEL !	
	Original residue Ala (A)	Conservative substitution Gly; Ser, Abu
20	Arg (R)	Lys, orn
	Asn (N)	Gln; His
	Cys (C)	Ser
25	Gin (Q)	Asn
	Glu (E)	Asp
	Gly (G)	Ala; Pro
	His (H)	Asn; Gin
	ile (i)	Leu; Val; Met; Nie; Nva
30	Leu (L)	ile; Val; Met; Nie; Nva
	Lys (K)	Arg; Gln; Glu
	Met (M)	Leu; Tyr; lle; NLe Val
	Ornithine	Lys; Arg
	Phe (F)	Met; Leu; Tyr
35	Ser (S)	Thr
	Thr (T)	Ser
	Trp (W)	Tyr
	Tyr (Y)	Trp; Phe
	Val (V)	lle; Leu; Met; Nle; Nva

15

-41-

Other substitutions are also permissible and may be determined empirically or in accord with known conservative substitutions.

As used herein, the amino acids, which occur in the various amino acid sequences appearing herein, are identified according to their well-known, three-letter or one-letter abbreviations. The nucleotides, which occur in the various DNA fragments, are designated with the standard single-letter designations used routinely in the art.

As used herein, a splice variant refers to a variant produced by differential processing of a primary transcript of genomic DNA that results in more than one type of mRNA.

10

15

20

25

As used herein, a probe or primer based on a nucleotide sequence includes at least 10, 14, 16, 30 or 100 contiguous nucleotides from the reference nucleic acid molecule.

As used herein, recombinant production by using recombinant DNA methods refers to the use of the well known methods of molecular biology for expressing proteins encoded by cloned DNA.

As used herein, biological activity refers to the *in vivo* activities of a compound or physiological responses that result upon *in vivo* administration of a compound, composition or other mixture. Biological activity, thus, encompasses therapeutic effects and pharmaceutical activity of such compounds, compositions and mixtures. Biological activities may be observed in *in vitro* systems designed to test or use such activities. Thus, for purposes herein the biological activity of a luciferase is its oxygenase activity whereby, upon oxidation of a substrate, light is produced.

The terms substantially identical or similar varies with the context as understood by those skilled in the relevant art and generally means at least 40, 60, 80, 90, 95 or 98%.

As used herein, substantially identical to a product means sufficiently similar so that the property is sufficiently unchanged so that the substantially identical product can be used in place of the product.

As used herein, substantially pure means sufficiently homogeneous to appear free of readily detectable impurities as determined by standard methods of analysis, such as thin layer chromatography (TLC), gel electrophoresis and high performance liquid chromatography (HPLC), used by those of skill in the art to assess such purity, or sufficiently pure such that further purification would not detectably alter the physical and chemical properties, such as enzymatic and biological activities, of the substance. Methods for purification of the compounds to produce substantially chemically pure compounds are known to those of skill in the art. A substantially chemically pure compound may, however, be a mixture of stereoisomers or isomers. In such instances, further purification might increase the specific activity of the compound.

10

20

25

As used herein, vector (or plasmid) refers to discrete elements that are used to introduce heterologous DNA into cells for either expression or replication thereof. The vectors typically remain episomal, but may be designed to effect integration of a gene or portion thereof into a chromosome of the genome. Also contemplated are vectors that are artificial chromosomes, such as yeast artificial chromosomes and mammalian artificial chromosomes. Selection and use of such vehicles are well known to those of skill in the art. An expression vector includes vectors capable of expressing DNA that is operatively linked with regulatory sequences, such as promoter regions, that are capable of effecting expression of such DNA fragments. Thus, an expression vector

refers to a recombinant DNA or RNA construct, such as a plasmid, a phage, recombinant virus or other vector that, upon introduction into an appropriate host cell, results in expression of the cloned DNA.

Appropriate expression vectors are well known to those of skill in the art and include those that are replicable in eukaryotic cells and/or prokaryotic cells and those that remain episomal or those which integrate into the

As used herein, protein-binding-sequence refers to a protein or peptide sequence that is capable of specific binding to other protein or peptide sequences generally, to a set of protein or peptide sequences or to a particular protein or peptide sequence.

host cell genome.

15

20

As used herein, a composition refers to any mixture of two or more ingredients. It may be a solution, a suspension, liquid, powder, a paste, aqueous, non-aqueous or any combination thereof.

As used herein, a combination refers to any association between two or more items.

As used herein, fluid refers to any composition that can flow. Fluids thus encompass compositions that are in the form of semi-solids, pastes, solutions, aqueous mixtures, gels, lotions, creams and other such compositions.

As used herein, a cellular extract refers to a preparation or fraction that is made from a lysed or disrupted cell.

As used herein, the term "subject" refers to animals, plants, insects, and birds and other phyla, genera and species into which nucleic acid molecules may be introduced. Included are higher organisms, such as mammals, fish, insects and birds, including humans, primates, cattle, pigs, rabbits, goats, sheep, mice, rats, guinea pigs, hamsters, cats, dogs, horses, chicken and others.

-44-

As used herein, flow cytometry refers to processes that use a laser based instrument capable of analyzing and sorting out cells and or chromosomes based on size and fluorescence.

As used herein, the abbreviations for any protective groups, amino acids and other compounds, are, unless indicated otherwise, in accord with their common usage, recognized abbreviations, or the IUPAC-IUB Commission on Biochemical Nomenclature (see, (1972) *Biochem.* 11:942-944).

# B. Recombination systems

10

Site-specific recombination systems typically contain three elements: a pair of DNA sequences (the site-specific recombination sequences) and a specific enzyme (the site-specific recombinase). The site-specific recombinase catalyzes a recombination reaction between two site-specific recombination sequences.

.15 A number of different site-specific recombinase systems are available and/or known to those of skill in the art, including, but not limited to: the Cre/lox recombination system using CRE recombinase (see, e.g., SEQ ID Nos. 58 and 59) from the Escherichia coli phage P1 (see, e.g., Sauer (1993) Methods in Enzymology 225:890-900; Sauer et al. (1990) The New Biologist 2:441-449), Sauer (1994) Current Opinion in 20 Biotechnology 5:521-527; Odell et al. (1990) Mol Gen Genet. 223:369-378; Lasko et al. (1992) Proc. Natl. Acad. Sci. U.S.A. 89:6232-6236; U.S. Patent No. 5,658,772), the FLP/FRT system of yeast using the FLP recombinase (see, SEQ ID Nos. 60 and 61) from the  $2\mu$  episome of Saccharomyces cerevisiae (Cox (1983) Proc. Natl. Acad. Sci. U.S.A. 25 80:4223; Falco et al. (1982) Cell 29:573-584; Golic et al. (1989) Cell59:499-509; U.S. Patent No. 5,744,336), the resolvases, including Gin recombinase of phage Mu (Maeser et al. (1991) Mol Gen Genet. 230:170-176; Klippel, A. et al (1993) EMBO J. 12:1047-1057; see, e.g.,

SEQ ID Nos. 64-67), Cin, Hin, αδ Tn3; the Pin recombinase of E. coli (see, e.g., SEQ ID Nos. 68 and 69; Enomoto et al. (1983) J Bacteriol. 6:663-668), the R/RS system of the pSR1 plasmid of Zygosaccharomyces rouxii (Araki et al. (1992) J. Mol. Biol. 225:25-37; Matsuzaki et al. (1990) J. Bacteriol. 172: 610-618) and site-specific recombinases from Kluyveromyces drosophilarium (Chen et al. (1986) Nucleic Acids Res. 314:4471-4481) and Kluyveromyces waltii (Chen et al. (1992) J. Gen. Microbiol. 138:337-345). Other systems are known to those of skill in the art (Stark et al. Trends Genet. 8:432-439; Utatsu et al. (1987) J. Bacteriol. 169:5537-5545; see, also, U.S. Patent No. 6,171,861).

Members of the highly related family of site-specific recombinases, the resolvase family, such as  $y\delta$ , Tn3 resolvase, Hin, Gin, and Cin are also available. Members of this family of recombinases are typically constrained to intramolecular reactions (e.g., inversions and excisions) and can require host-encoded factors. Mutants have been isolated that relieve some of the requirements for host factors (Maeser *et al.* (1991) *Mol. Gen. Genet. 230*:170-176), as well as some of the constraints of intramolecular recombination (see, U.S. Patent No. 6,171,861).

10

20

25

The bacteriophage P1 Cre/lox and the yeast FLP/FRT systems are particularly useful systems for site-specific integration, inversion or excision of heterologous nucleic acid into, and out of, chromosomes, particularly *ACes* as provided herein. In these systems a recombinase (Cre or FLP) interacts specifically with its respective site-specific recombination sequence (lox or FRT, respectively) to invert or excise the intervening sequences. The sequence for each of these two systems is relatively short (34 bp for lox and 47 bp for FRT).

The FLP/FRT recombinase system has been demonstrated to function efficiently in plant cells (U.S. Patent No. 5,744,386), and, thus, can be used for producing plant artificial chromosome platforms. In

PCT/US02/17452 WO 02/097059

-46-

general, short incomplete FRT sites leads to higher accumulation of excision products than the complete full-length FRT sites. The system catalyzes intra- and intermolecular reactions, and, thus, can be used for DNA excision and integration reactions. The recombination reaction is reversible and this reversibility can compromise the efficiency of the reaction in each direction. Altering the structure of the site-specific recombination sequences is one approach to remedying this situation. The site-specific recombination sequence can be mutated in a manner that the product of the recombination reaction is no longer recognized as 10 a substrate for the reverse reaction, thereby stabilizing the integration or excision event.

In the Cre-lox system, discovered in bacteriophage P1, recombination between loxP sites occurs in the presence of the Cre recombinase (see, e.g., U.S. Patent No. 5,658,772). This system can be used to insert, invert or excise nucleic acid located between two lox sites. Cre can be expressed from a vector. Since the lox site is an asymmetrical nucleotide sequence, lox sites on the same DNA molecule can have the same or opposite orientation with respect to each other. Recombination between lox sites in the same orientation results in a deletion of the DNA 20 segment located between the two lox sites and a connection between the resulting ends of the original DNA molecule. The deleted DNA segment forms a circular molecule of DNA. The original DNA molecule and the resulting circular molecule each contain a single lox site. Recombination between lox sites in opposite orientations on the same DNA molecule result in an inversion of the nucleotide sequence of the DNA segment located between the two lox sites. In addition, reciprocal exchange of DNA segments proximate to lox sites located on two different DNA molecules can occur. All of these recombination events are catalyzed by the product of the Cre coding region.

15

25

Any site-specific recombinase system known to those of skill in the art is contemplated for use herein. It is contemplated that one or a plurality of sites that direct the recombination by the recombinase are introduced into an artificial chromosome to produce platform *ACes*. The resulting platform *ACes* are introduced into cells with nucleic acid encoding the cognate recombinase, typically on a vector, and nucleic acid encoding heterologous nucleic acid of interest linked to the appropriate recombination site for insertion into the platform *ACes*. The recombinase-encoding-nucleic acid may be introduced into the cells on the same vector, or a different vector, encoding the heterologous nucleic acid.

10

15

20

25

An *E. coli* phage lambda integrase system for *ACes* platform engineering and for artificial chromosome engineering is provided (Lorbach *et al.* (2000) *J. Mol. Biol 296*:1175-1181). The phage lambda integrase (Landy, A. (1989) *Annu. Rev. Biochem. 58*:913-94) is adapted herein and the cognate *att* sites are provided. Chromosomes, including *ACes*, engineered to contain one or a plurality of *att* sites are provided, as are vectors encoding a mutant integrase that functions in the absence other factors. Methods using the modified chromosomes and vectors for introduction of heterologous nucleic acid are also provided.

For purposes herein, one or more of the sites (e.g., a single site or a pair of sites) required for recombination are introduced into an artificial chromosome, such as an *ACes* chromosome. The enzyme for catalyzing site-directed recombination is introduced with the DNA of interest, or separately, or is engineered onto the artificial chromosome under the control of a regulatable promoter.

As described herein, artificial chromosome platforms containing one or multiple recombination sites are provided. The methods and resulting products are exemplified with the lambda phage Att/Int system, but

-48-

similar methods may be used for production of *ACes* platforms with other recombination systems.

The Att/Int system and vectors provided herein are not only intended for engineering *ACes* platforms, but may be used to engineer an Att/Int system into any chromosome. Introduction of att sites into a chromosome will permit engineering of natural chromosomes, such as by permitting targeted integration genes or regulatory regions, and by controlled excision of selected regions. For example, genes encoding a particular trait may be added to a chromosome, such as plant chromosome engineered to contain one or plurality of *att* sites. Such chromosomes may be used for screening DNA to identify genes. Large pieces of DNA can be introduced into cells and the cells screened phenotypically to select those having the desired trait.

#### C. Platforms

15 Provided herein are platform artificial chromosomes (platform ACes) containing single or multiple site-specific recombination sites. Chromosome-based platform technology permits efficient and tractable engineering and subsequent expression of multiple gene targets. Methods are provided that use DNA vectors and fragments to create platform 20 artificial chromosomes, including animal, particularly mammalian, artificial chromosomes, and plant artificial chromosomes. The artificial chromosomes contain either single or multiple sequence-specific recombination sites suitable for the placement of target gene expression vectors onto the platform chromosome. The engineered chromosomebased platform ACes technology is applicable for methods, including 25 cellular and transgenic protein production, transgenic plant and animal production and gene therapy. The platform ACes are also useful for producing a library of ACes comprising random portions of a given genome (e.g., a mammalian, plant or prokaryotic genome) for genomic

screening; as well as a library of cells comprising different and/or mutually exclusive ACes therein.

Exemplary of artificial chromosome platforms are those based on ACes. ACes artificial chromosomes are non-viral, self-replicating nucleic acid molecules that function as a natural chromosome, having all the elements required for normal chromosomal replication and maintenance within the cell nucleus. ACes artificial chromosomes do not rely on integration into the genome of the cell to be effective, and they are not limited by DNA carrying capacity and as such the therapeutic gene(s) of 10 interest, including regulatory sequences, can be engineered into the ACes. In addition, ACes are stable in vitro and in vivo and can provide predictable long-term gene expression. Once engineered and delivered to the appropriate cell or embryo, ACes work independently alongside host chromosomes, for ACes that are predominantly heterochromatin producing only the products (proteins) from the genes it carries. As 15 provided herein ACes are modified by introduction of recombination site(s) to provide a platform for ready introduction of heterologous nucleic acid. The ACes platforms can be used for production of transgenic animals and plants; as vectors for genetic therapy; for use as protein production systems; for animal models to identify and target new therapeutics; in cell 20 culture for the development and production of therapeutic proteins; and for a variety of other applications.

### 1. Generation of artificial chromosomes

Artificial chromosomes may be generated by any method known to those of skill in the art. Of particular interest herein are the *ACes* artificial chromosomes, which contain a repeated unit. Methods for production of *ACes* are described in detail in U.S. Patent Nos. 6,025,155 and 6,077,697, which, as with all patents, applications, publications and other disclosure, are incorporated herein in their entirety.

-50-

# Generation of de novo ACes.

15

20

25

ACes can be generated by cotransfecting exogenous DNA—such as a mammary tissue specific DNA cassette including the gene sequences for a therapeutic protein, with a rDNA fragment and a drug resistance marker gene into the desired eukaryotic cell, such as plant or animal cells, such as murine cells in vitro. DNA with a selectable or detectable marker is introduced, and can be allowed to integrate randomly into pericentric heterochromatin or can be targeted to pericentric heterochromatin, such as that in rDNA gene arrays that reside on acrocentric chromosomes, such as the short arms of acrocentric chromosomes. This integration event activates the "megareplicator" sequence and amplifies the pericentric heterochromatin and the exogenous DNA, and duplicates a centromere. Ensuing breakage of this "dicentric" chromosome can result in the production of daughter cells that contain the substantially-original chromosome and the new artificial chromosome. The resulting ACes contain all the essential elements needed for stability and replication in dividing cells-centromere, origins of replications, and telomeres. ACes have been produced that express marker genes (lacZ, green fluorescent protein, neomycin-resistance, puromycin-resistance, hygromycinresistance) and genes of interest. Isolated ACes, for example, have been successfully transferred intact to rodent, human, and bovine cells by electroporation, sonoporation, microinjection, and transfection with lipids and dendrimers.

To render the creation of *ACes* with desired genes more tractable and efficient, "platform" *ACes* (platform-*ACes*) can be produced that contain defined DNA sequences for enzyme-mediated homologous DNA recombination, such as by Cre or FLP recombinases (Bouhassira *et al.* (1996) *Blood 88(supplement 1)*:190a; Bouhassira *et al.* (1997) *Blood,* 90:3332-3344; Siebler *et al.* (1997) *Biochemistry: 36*:1740-1747;

-51-

Siebler et al. (1998) Biochemistry 37: 6229-6234; and Bethke et al. (1997) Nucl. Acids Res. 25:2828-2834), and as exemplified herein the lambda phage integrase. A lox site contains two 13 bp inverted repeats to which Cre-recombinase binds and an intervening 8 bp core region. Only pairs of sites having identity in the central 6 bp of the core region are proficient for recombination; sites having non-identical core sequences (heterospecific lox sites) do not efficiently recombine with each other (Hoess et al. (1986) Nucleic Acids Res. 14:2287-2300).

Generating acrocentric chromosomes for plant artificial chromosome formation.

In human and mouse cells *de novo* formation of a satellite DNA based artificial chromosome (SATAC, also referred to as *ACes*) can occur in an acrocentric chromosome where the short arm contains only pericentric heterochromatin, the rDNA array, and telomere sequences.

15 Plant species may not have any acrocentric chromosomes with the same physical structure described, but "megareplicator" DNA sequences reside in the plant rDNA arrays, also known as the nucleolar organizing regions (NOR). A structure like those seen in acrocentric mammalian chromosomes can be generated using site-specific recombination between appropriate arms of plant chromosomes.

### **Approach**

10

25

Qin et al. ((1994) Proc. Natl. Acad. Sci. U.S.A. 91:1706-1710, 1994) describes crossing two Nicotiana tabacum transgenic plants. One plant contains a construct encoding a promoterless hygromycin-resistance gene preceded by a lox site (lox-hpt), the other plant carries a construct containing a cauliflower mosaic virus 35S promoter linked to a lox sequence and the cre DNA recombinase coding region (35S-lox-cre). The constructs were introduced separately by infecting leaf explants with agrobacterium tumefaciens which carries the kanamycin-resistance gene

-52-

(Kan<sup>R</sup>). The resultant Kan<sup>R</sup> transgenic plants were crossed. Plants that carried the appropriate DNA recombination event were identified by hygromycin-resistance.

# Modification of the above for generation of ACes

5

15

20

The Kan<sup>R</sup> cultivars are initially screened, such as by FISH, to identify two sets of candidate transgenic plants. One set has one construct integrated in regions adjacent to the pericentric heterochromatin on the short arm of any chromosome. The second set of candidate plants has the other construct integrated in the NOR region of appropriate chromosomes. To obtain reciprocal translocation both sites must be in the same orientation. Therefore a series of crosses are required, Kan<sup>R</sup> plants generated, and FISH analyses performed to identify the appropriate "acrocentric" plant chromosome for *de novo* plant *ACes* formation.

# 2. Bacteriophage lambda integrase-based site-specific recombination system

An integral part of the platform technology includes a site-specific recombination system that allows the placement of selected gene targets or genomic fragments onto the platform chromosomes. Any such system may be used. In particular, a method is provided for insertion of additional DNA fragments into the platform chromosome residing in the cell via sequence-specific recombination using the recombinase activity of the bacteriophage lambda integrase. The lambda integrase system is exemplary of the recombination systems contemplated for *ACes*. Any known recombination system, including any described herein, particularly any that operates without the need for additional factors or that, by virtue of mutation, does not require additional factors, is contemplated.

As noted the lambda integrase system provided herein can be used with natural chromosomes and artificial chromosomes in addition to ACes. Single or a plurality of recombination sites, which may be the same or different, are introduced into artificial chromosomes to produce artificial chromosome platforms.

#### Creation of bacteriophage lambda integrase site-specific 3. recombination system

The lambda phage-encoded integrase (designated Int) is a prototypical member of the integrase family. Int effects integration and 10 excision of the phage in and out of the E. coli genome via recombination between pairs of attachment sites designated attB/attP and attL/attR. Each att site contains two inverted 9 base pair core Int binding sites and a 7 base pair overlap region that is identical in wild-type att sites. Each site, except for attB contains additional Int binding sites. In flanking regions, there are recognition sequences for accessory DNA binding proteins, such as integration host factor (IHF), factor for inversion stimulation (FIS) and the phage encoded excision protein (XIS). Except for attB. Int is a heterobivalent DNA-binding protein and, with assistance from the accessory proteins and negative DNA supercoiling, binds simultaneously to core and arm sites within the same att site.

15

20

25

Int, like Cre and FLP, executes an ordered sequential pair of strand exchanges during integrative and excisive recombination. The natural pairs of target sequences for Int, attB and attP or attL and attR are located on the same or different DNA molecules resulting in intra or intermolecular recombination, respectively. For example, intramolecular recombination occurs between inversely oriented attB and attP, or between attL and attR sequences, respectively, leading to inversion of the intervening DNA segment.

Like the recombinase systems, such as Cre and FLP, Int directs site-specific recombination. Unlike the other systems, such Cre and FLP, Int generally requires additional protein factors for integrative and excisive recombination and negative supercoiling for integrative recombination.

Hence, the Int system had not been used in eukaryotic targeting systems.

Mutant Int proteins, designated Int-h (E174K) and a derivative thereof Int-h/218(E174K/E218K) do not require accessory proteins to perform intramolecular integrative and excisive recombination in cotransfection assays in human cells (Lorbach et al. (2000) J Mol. Biol. 296:1175-1181); wild-type Int does not catalyze intramolecular recombination in human cells harboring target sites attB and attP. Hence it had been demonstrated that mutant Int can catalyze factor-independent recombination events in human cells.

There has been no demonstration by others that this system can be used for engineering of eukaryotic genomes or chromosomes. Provided herein are chromosomes, including artificial chromosomes, such as but not limited to *ACes* that contain *att* sites (e.g., platform *ACes*), and the use of such chromosomes for targeted integration of heterologous DNA into such chromosomes in eukaryotic cells, including animal, such as rodent and human, and plant cells. Mutant Int provided herein is shown to effect site-directed recombination between sites in artificial chromosomes and vectors containing cognate sites.

15

20

25

An additional component of the chromosome-based platform technology is the site-specific integration of target DNA sequences onto the platform. For this the native bacteriophage lambda integrase has been modified to carry out this sequence specific DNA recombination event in eukaryotic cells. The bacteriophage lambda integrase and its cognate DNA substrate att is a member of the site-specific recombinase family that also includes the bacteriophage P1 Cre/lox system as well as

5

10

15

20

25

the Saccharomyces cerevisiae 2 micron based FLP/FRT system (see, e.g., Landy (1989) Ann. Rev. Biochem 58:913-949; Hoess et al. (1982) Proc. Natl. Acad. Sci. U.S.A. 79:3398-3402; Broach et al. (1982) Cell 29:227-234).

By combining DNA endonuclease and DNA ligase activity these recombinases recognize and catalyze DNA exchanges between sequences flanking the recognition site. During the integration of lambda genome into the *E. coli* (lambda recombination) genome, the phage integrase (INT) in association with accessory proteins catalyzes the DNA exchange between the attP site of the phage genome and the attB site of the bacterial genome resulting in the formation of attL and attR sites (Figure 6). The engineered bacteriophage lambda integrase has been produced herein to carry out an intermolecular DNA recombination event between an incoming DNA molecule (primarily on a vector containing the bacterial attB site) and the chromosome-based platform carrying the lambda attP sequence independent of lambda bacteriophage or bacterial accessory proteins.

In contrast to the bi-directional Cre/lox and FLP/FRT system, the engineered lambda recombination system derived for chromosome-based platform technology is advantageously unidirectional because accessory proteins, which are absent, are required for excision of integrated nucleic acid upon further exposure to the lambda Int recombinase.

# 4. Creation of platform chromosome containing single or multiple sequence-specific recombination sites

# a. Multiple sites

For the creation of a platform chromosome containing multiple, sequence-specific recombination sites, artificial chromosomes are produced as depicted in Figure 5 and Example 3. As discussed above, artificial chromosomes can be produced using any suitable methodology,

including those described in U.S. Patent Nos. 5,288,625; 5,712,134; 5,891,691; 6,025,155. Briefly, to prepare artificial chromosomes containing multiple recombination (e.g., integration) sites, nucleic acid (either in the form a one or more plasmids, such as the plasmid pSV40193attPsensePUR set forth in Example 3) is targeted into an amplifiable region of a chromosome, such as the pericentric region of a chromosome. Among such regions are the rDNA gene loci in acrocentric mammalian chromosomes. Hence, targeting nucleic acid for integration into the rDNA region of mammalian acrocentric chromosomes can include the mouse rDNA fragments (for targeting into rodent cell lines) or large human rDNA regions on BAC/PAC vectors (or subclones thereof in standard vectors) for targeting into human acrocentric chromosomes, such as for human gene therapy applications. The targeting nucleic acid generally includes a detectable or selectable marker, such as antibiotic resistance, such as puromycin and hygromycin, a recombination site (such as attP, attB, attL, attR or the like), and/or human selectable markers as required for gene therapy applications. Cells are grown under conditions that result in amplification and ultimately production of ACes artificial chromosomes having multiple recombination (e.g., integration) sites therein. ACes having the desired size are selected for further engineering.

10

15

20

25

# b. Creation of platform chromosome containing a single sequence-specific recombination site

In this method a mammalian platform artificial chromosome is generated containing a single sequence-specific recombination site. In the Example below, this approach is demonstrated using a puromycin resistance marker for selection and a mouse rDNA fragment for targeting into the rDNA locus on mouse acrocentric chromosomes. Other selection markers and targeting DNA sequences as desired and known to those of

skill in the art can be used. Additional resistance markers include genes conferring resistance to the antibiotics neomycin, blasticidin, hygromycin and zeocin. For applications, such as gene therapy in which potentially immunogenic responses are to be avoided, host, such as human, derived selectable markers or markers detectable with monoclonal antibodies (MAb) followed by fluorescent activated cell sorting (FACS) can be used. Examples in this class include, but are not limited to: human nerve growth factor receptor (detection with MAb); truncated human growth factor receptor (detection with MAb); mutant human dihydrofolate reductase (DHFR; detectable using a fluorescent methotrexate substrate); secreted alkaline phosphatase (SEAP; detectable with fluorescent substrate); thymidylate synthase (TS; confers resistance to fluorodeoxyuridine); human CAD gene (confers resistance to N-phosphonacetyl-L-aspartate (PALA)).

10

15

20

25

To construct a platform artificial chromosome with a single site, an ACes artificial chromosome (or other artificial chromosome of interest) can be produced containing a selectable marker. A single sequence specific recombination site is targeted onto ACes via homologous recombination. For this, DNA sequences containing the site-specific recombination sequence are flanked with DNA sequences homologous to a selected sequence in the chromosome. For example, when using a chromosome containing rDNA or satellite DNA, such DNA can be used as homologous sequences to target the site-specific recombination sequence onto the chromosome. A vector is designed to have these homologous sequences flanking the site-specific recombination site and, after the appropriate restriction enzyme digest to generate free ends of homology to the chromosome, the DNA is transfected into cells harboring the chromosome. After transfection and integration of the site-specific cassette, homologous recombination events onto the platform

PCT/US02/17452 WO 02/097059

-58-

chromosome are subcloned and identified, for example by screening single cell subclones via expression of resistance or a fluorescent marker and PCR analysis. In one embodiment, a platform artificial chromosome, such as a platform ACes, that contains a single copy of the recombination site is selected. Examples 2B and 2D exemplify the process, and Figure 3 provides a diagram depicting one method for the creation of a platform mammalian chromosome containing a single sequence-specific recombination site.

5. Lambda integrase mediated recombination of target gene expression vector onto platform chromosome

10

20

25

The third component of the chromosome-based platform technology involves the use of target gene expression vectors carrying, for example, genes for gene therapy, genes for transgenic animal or plant production, and those required for cellular protein production of interest. 15 Using lambda integrase mediated site-specific recombination, or any other recombinase-mediated site-specific recombination, the target gene expression vectors are introduced onto the selected chromosome platform. The use of target gene expression vector permits use of the de novo generated chromosome-based platforms for a wide range of gene targets. Furthermore, chromosome platforms containing multiple attP sites provides the opportunity to incorporate multiple gene targets onto a single platform, thereby providing for expression of multiple gene targets, including the expression of cellular and genetic regulatory genes and the expression of all or parts of metabolic pathways. In addition to expressing small target genes, such as cDNA and hybrid cDNA/artificial intron constructs, the chromosome-based platform can be used for engineering and expressing large genomic fragments carrying target genes along with its endogenous genomic promoter sequences. This is of importance, for example, where the therapy requires precise cell specific

PCT/US02/17452 WO 02/097059

expression and in instances where expression is best achieved from genomic clones rather than cDNA clones. Figure 9 provides a diagram summarizing one embodiment of the chromosome-based technology.

A feature of the target gene expression vector that is of interest to include is a promoterless marker gene, which as exemplified (see, Figure 9) contains an upstream attB site (marker 2 on Figure 9). The nucleic acid encoding the marker is not expressed unless it is placed downstream from a promoter sequence. Using the recombinase technology provided herein, such as the lambda integrase technology (AINT<sub>E174R</sub> on figure 8) provided herein, site-specific recombination between the attB site on the 10 vector and the promoter-attP site (in the "sense" orientation) on the chromosome-based platform results in the expression of marker 2 on the target gene expression vector, thereby providing a positive selection for the lambda INT mediated site-specific recombination event. Site-specific recombination events on the chromosome-based platform versus random integrations next to a promoter in the genome (false positive) can be quickly screened by designing primers to detect the correct event by PCR. Examples of suitable marker 2 genes, include, but are not limited to, genes that confer resistance to toxic compounds or antibiotics, fluorescence activated cell sorting (FACS) sortable cell surface markers and various fluorescent markers. Examples of these genes include, but are not limited to, human L26aR (human homolog of Saccharomyces cerevisiae CYH8 gene), neomycin, puromycin, blasticidin, CD24 (see, e.g., US Patents 5,804,177 and 6,074,836), truncated CD4, truncated low affinity nerve growth factor receptor (LNGFR), truncated LDL receptor, truncated human growth hormone receptor, GFP, RFP, BFP.

15

20

25

The target gene expression vectors contain a gene (target gene) for expression from the chromosome platform. The target gene can be expressed using various constitutive or regulated promoter systems

across various mammalian species. For the expression of multiple target genes within the same target gene expression vector, the expression of the multiple targets can be coordinately regulated via viral-based or human internal ribosome entry site (IRES) elements (see, e.g., Jackson et al. (1990) Trends Biochem Sci. 15: 477-83; Oumard et al. (2000) Mol. Cell. Biol. 20: 2755-2759). Furthermore, using IRES type elements linked to a downstream fluorescent marker, e.g., green, red or blue fluorescent proteins (GFP, RFP, BFP) allows for the identification of high expressing clones from the integrated target gene expression vector.

10 In certain embodiments described herein, the promoterless marker can be transcriptionally downstream of the heterologous nucleic acid, wherein the heterologous nucleic acid encodes a heterologous protein, and wherein the expression level of the selectable marker is transcriptionally linked to the expression level of the heterologous protein. In addition, the selectable marker and the heterologous nucleic acid can be transcriptionally linked by the presence of a IRES between them. As set forth herein the selectable marker is selected from the group consisting of an antibiotic resistance gene, and a detectable protein, wherein the detectable protein is chromogenic or fluorescent. Expression from the target gene expression vector integrated onto the 20 chromosome-based platform can be further enhanced using genomic insulator/boundary elements. The incorporation of insulator sequences into the target gene expression vector helps define boundaries in chromatin structure and thus minimizes influence of chromatin position effects/gene silencing on the expression of the target gene (Bell et al. 25 (1999) Current Opinion in Genetics and Development 9:191-198; Emery

et al. (2000) Proc. Natl. Acad. Sci. U.S.A. 97:9150-9155). Examples of

insulator elements that can be included onto target gene expression vector in order to optimize expression include, but are not limited to:

- 1) chicken  $\beta$ -globin HS4 element (Prioleau et al. (1999) EMBO J 18: 4035-4048);
- 2) matrix attachment regions (MAR; see, e.g., Ramakrishnan et al. (2000) Mol Cell. Biol. 20:868-877);
- 3) scaffold attachment regions (SAR; see, e.g., Auten et al. (1999) Human Gene Therapy 10:1389-1399); and
- 4) universal chromatin opening elements (UCOE; WO/0005393 and WO/0224930)

5

20

25

The copy number of the target gene can be controlled by

sequentially adding multiple target gene expression vectors containing the target gene onto multiple integration sites on the chromosome platform.

Likewise, the copy number of the target gene can be controlled within an individual target gene expression vector by the addition of DNA sequences that promote gene amplification. For example, gene

amplification can be induced utilizing the dihydrofolate reductase (DHFR) minigene with subsequent selection with methotrexate (see, e.g., Schimke (1984) Cell 37:705-713) or amplification promoting sequences from the rDNA locus (see, e.g., Wegner et al. (1989) Nucl. Acids Res. 17: 9909-9932).

# 6. Platforms with other recombinase system sites

A "double lox" targeting strategy mediated by Cre-recombinase (Bethke et al. (1997) Nucl. Acids Res. 25:2828-2834) can be used. This strategy employs a pair of heterospecific lox sites—loxA and loxB, which differ by one nucleotide in the 8 bp spacer region. Both sites are engineered into the artificial chromosome and also onto the targeting DNA vector. This allows for a direct site-specific insertion of a commercially relevant gene or genes by a Cre-catalyzed double crossover event. In essence a platform ACes is engineered with a hygromycin-resistance gene flanked by the double lox sites generating lox-ACes, which is maintained

-62-

in the thymidine kinase deficient cell, LMtk(-). The gene of interest, for example, for testing purposes, the green fluorescence protein gene, GFP and a HSV thymidine kinase gene (tk) marker, are engineered between the appropriate *lox* sites of the targeting vector. The vector DNA is cotransfected with plasmid pBS185 (Life Technologies) encoding the *Cre* recombinase gene into mammalian cells maintaining the dual-*lox* artificial chromosome. Transient expression of the *Cre* recombinase catalyzes the site-specific insertion of the gene and the tk-gene onto the artificial chromosome. The transfected cells are grown in HAT medium that selects for only those cells that have integrated and expressed the thymidine kinase gene. The HAT<sup>R</sup> colonies are screened by PCR analyses to identify artificial chromosomes with the desired insertion.

To generate the *lox-ACes*, Lambda-Hyg<sup>R</sup>-*lox* DNA is transfected into the LMtk(-) cell line harboring the precursor *ACes*. Hygromycin-resistant colonies are analyzed by FISH and Southern blotting for the presence of a single copy insert on the *ACes*.

15

25

To demonstrate the gene replacement technology, cell lines containing candidate *lox-ACes* are cotransfected with pTK-GFP-*lox* and pBS185 (encoding the *Cre* recombinase gene) DNA. After transfection, transient expression of plasmid pBS185 will provide sufficient burst of *Cre* recombinase activity to catalyze DNA recombination at the *lox* sites. Thus, a double crossover event between the *ACes* target and the exogenous targeting plasmid carrying the *lox*A and *lox*B permits the simple replacement of the hygromycin-resistance gene on the *lox-ACes* for the tk-GFP cassette from the targeting plasmid, with no integration of vector DNA. Transfected cells are grown in HAT-media to select for tk-expression. Correct targeting will result in the generation of HAT<sup>R</sup>, hygromycin sensitive, and green fluorescent cells. The desired integration event is verified by Southern and PCR analyses. Specific PCR primer sets

are used to amplify DNA sequences flanking the individual loxA and loxB sites on the lox-ACes before and after homologous recombination.

# D. Exemplary applications of the Platform ACes

15

20

25

Platform ACes are applicable and tractable for different/optimized cell lines. Those that include a fluorescent marker, for example, can be purified and isolated using fluorescent activated cell sorting (FACS), and subsequently delivered to a target cell. Those with selectable markers provide for efficient selection and provide a growth advantage. Platform ACes allow multiple payload delivery of donor target vectors via a positive-selection site-specific, recombination system, and they allow for the inclusion of additional genetic factors that improve protein production and protein quality.

The construction and use of the platform *ACes* as provided for each application may be similarly applied to other applications. Particular descriptions are for exemplification.

### 1. Cellular Protein Production Platform ACes (CPP ACes)

As described herein, ACes can be produced from acrocentric chromosomes in rodent (mouse, hamster) cell lines via megareplicator induced amplification of heterochromatin/rDNA sequences. Such ACes are ideal for cellular protein production as well as other applications described herein and known to those of skill in the art. ACes platforms that contain a plurality of recombination sites are particularly suitable for engineering as cellular protein production systems.

In one embodiment, CPP *ACes* involve a two-component system: the platform chromosome containing multiple engineering sites and the donor target vector containing a platform-specific recombination site with designed expression cassettes (see Figure 9).

The platform *ACes* can be produced from any artificial chromosome, particularly the amplification-based artificial chromosomes.

-64-

For exemplification, they are produced from rodent artificial chromosomes produced from acrocentric chromosomes using the technology of U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183, in which nucleic acid is targeted to the pericentric heterochromatic, and, particularly into rDNA to initiate the replication event(s). The *ACes* can be produced directly in the chosen cellular protein production cell lines, such as, but not limited to, CHO cells, hybridomas, plant cells, plant tissues, plant protoplasts, stem cells and plant calli.

#### a. Platform Construction

10

20

25

In the exemplary embodiment, the initial de novo platform construction requires co-transfecting with excess targeting DNA, such as, rDNA or lambda DNA without an attP region, and an engineered selectable marker. The engineered selectable marker should contain promoter, generally a constitutive promoter, such as human, viral, i.e., adenovirus or SV40 promoter, including the human ferritin heavy chain promoter (SEQ ID NO:128), SV40 and EF1a promoters, to control expression of a marker gene that provides a selective growth advantage to the cell. An example of such a marker gene is the E. coli hisD gene (encoding histidinol dehydrogenase) which is homologous and analogous to the S. typhimurium hisD a dominant marker selection system for mammalian cells previously described (see, Hartman et al. (1988) Proc. Natl. Acad. Sci. U.S.A. 85:8047-8051). Since histidine is an essential amino acid in mammals and a nutritional requirement in cell culture, the E. coli hisD gene can be used to select for histidine prototrophy in defined media. Furthermore more stringent selection can be placed on the cells by including histinol in the medium. Histidinol is itself permeable and toxic to cells. The hisD provides a means of detoxification.

-65-

Placed between the promoter and the marker gene is the bacteriophage lambda attP site to use the bacteriophage lambda integrase dependent site-specific recombination system (described herein). The insertion of an attP site downstream of a promoter element provide forward selection of site-specific recombination events onto the platform ACes.

# b. Donor Target Vector Construction

10

15

20

25

A second component of the CPP platform *ACes* system involves the construction of donor target vectors containing a gene product(s) of interest for the CPP platform *ACes*. Individual donor target vectors can be designed for each gene product to be expressed thus enabling maximum usage of a *de novo* constructed platform *ACes*, so that one or a few CPP platform *ACes* will be required for many gene targets.

A key feature of the donor vector target is the *promoterless* marker gene containing an upstream *attB* site (marker 2 on figure 9). Normally the marker would not be expressed unless it is placed downstream of a promoter sequence. As discussed above, using the lambda integrase technology (\(\mathcal{I}\)INT<sub>E174R</sub> on Figure 8 and Figure 9), site-specific recombination between the *attB* site on the vector and the promoter-*attP* site on the CPP platform *ACes* result in the expression of the donor target vector marker providing positive selection for the site-specific event. Site-specific recombination events on the CPP *ACes* versus random integrations next to a promoter in the genome (false positive) can be quickly screened by designing primers to detect the correct event by PCR. In addition, since the lambda integrase reaction is unidirectional, i.e. excision reaction is not possible, a number of unique targets can be loaded onto the CPP platform *ACes* limited only by the number of markers available.

Additional features of the donor target vector include gene target expression cassettes flanked by either chromatin insulator regions, matrix attachment regions (MAR) or scaffold attachment regions (SAR). The use of these regions will provide a more "open" chromatin environment for gene expression and help alleviate silencing. An example of such a cassette for expressing a monoclonal antibody is described. For this purpose, a strong constitutive promoter, e.g. chicken  $\beta$ -actin or RNA Poll, is used to drive the expression of the heavy and light chain open reading frames. The heavy and light chain sequences flank a nonattenuated human IRES (IRES<sub>H</sub>; from the 5'UTR of NRF1 gene; see Oumard et al., 2000, Mol. and Cell Biol., 20(8):2755-2759) element thereby coordinating transcription of both heavy and light chain sequence. Distal to the light chain open reading frame resides an additional viral encoded IRES (IRES, modified ECMV internal ribosomal entry site (IRES)) element attenuating the expression of the fluorescent marker gene hrGFP from Renilla (Stratagene). By linking the hrGFP with an attenuated IRES, the heavy and light chains along with the hrGFP are monocistronic. Thus, the identification of hrGFP fluorescing cells will provide a means to detect protein producing cells. In addition, high producing cell lines can be identified and isolated by FACS thereby decreasing the time frame in 20 finding high expressers. Functional monoclonal antibody will be confirmed by ELISA.

# c. Additional components in cellular protein production platform *ACes* (CPP *Aces*)

In addition to the aforementioned CPP ACes system, other genetic factors can be included to enhance the yield and quality of the expressed protein. Again to provide maximum flexibility, these additional factors can be inserted onto the CPP platform ACes by  $\lambda$ INTE174R dependent site-specific recombination. Other factors that could be used with a CPP

25

-67-

Platform *ACes* include for example, adenovirus E1a transactivation system which upregulates both cellular and viral promoters (see, e.g., Svensson and Akusjarvi (1984) EMBO 3:789-794; and US patents 5,866,359; 4,775,630 and 4,920,211).

5

10

20

25

30

d. Targets for CHO-ACes engineering to enhance cell growth, such as CHO cell growth and protein production/ quality

If adding these additional factors onto the CPP *ACes* is not prudent or desired, the host cell, CHO cells, can be engineered to express these factors (see, below, targets for CHO-*ACes* engineering to enhance CHO cell growth and protein production/quality). Additional factors to consider including are addition of insulin or IGF-1 to sustain viability; human sialyltransferases or related factors to produce more human-like glycoproteins; expression of factors to decrease ammonium accumulation during cell growth; expression of factors to inhibit apoptosis; expression of factors to improve protein secretion and protein folding; and expression of factors to permit serum-free transfection and selection.

# 1) Addition of insulin or IGF-1 to sustain viability

Stimulatory factors and/or their receptors are expressed to set up an autocrine loop, to improve cell growth, such as CHO cell growth. Two exemplary candidates are insulin and IGF-1 (see, Biotechnol Prog 2000 Sep;16(5):693-7). Insulin is the most commonly used growth factor for sustaining cell growth and viability in serum-free Chinese hamster ovary (CHO) cell cultures. Insulin and IGF-1 analog (LongR(3) serve as growth and viability factors for CHO cells.

CHO cells were modified to produce higher levels of essential nutrients and factors. A serum-free (SF) medium for dihydrofolate reductase-deficient Chinese hamster ovary cells (DG44 cells) was prepared. Chinese hamster ovary cells (DG44 cells), which are normally

-68-

maintained in 10% serum medium, were gradually weaned to 0.5% serum medium to increase the probability of successful growth in SF medium (see, Kim et al. (199) In Vitro Cell Dev Biol Anim 35(4):178-82). A SF medium (SF-DG44) was formulated by supplementing the basal medium with these components; basal medium was prepared by supplementing Dulbecco's modified Eagle's medium and Ham's nutrient mixture F12 with hypoxanthine (10 mg/l) and thymidine (10 mg/l). Development of a SF medium for DG44 cells was facilitated using a Plackett-Burman design technique and weaning of cells.

10

30

# 2) Human sialyltransferases or related factors to produce more human-like glycoproteins

CHO cells have been modified by increasing their ability to process protein via addition of complex carbohydrates. This has been achieved by 15 overexpression of relevant processing enzymes, or in some cases, reducing expression of relevant enzymes (see, Bragonzi et al. (2000) Biochim Biophys Acta 1474(3):273-282; see, also Weikert et al. (1999) Nature biotech. 17:1116-11121; Ferrari J et al. (1998) Biotechnol Bioeng 60(5):589-95). A CHO cell line expressing alpha2,6-sialyltransferase was 20 developed for the production of human-like sialylated recombinant glycoproteins. The sialylation defect of CHO cells can be corrected by transfecting the alpha2,6-sialyltransferase (alpha2,6-ST) cDNA into the cells. Glycoproteins produced by such CHO cells display alpha2,6-and alpha2,3-linked terminal sialic acid residues, similar to human 25 glycoproteins.

As another example for improving the production of human-like sialylated recombinant glycoproteins, a CHO cell line has been developed that constitutively expresses sialidase antisense RNA (see, Ferrari J *et al.* (1998) *Biotechnol Bioeng 60(5)*:589-95). Several antisense expression

PCT/US02/17452 WO 02/097059

vectors were prepared using different regions of the sialidase gene. Cotransfection of the antisense constructs with a vector conferring puromycin resistance gave rise to over 40 puromycin resistant clones that were screened for sialidase activity. A 5' 474 bp coding segment of the sialidase cDNA, in the inverted orientation in an SV 40-based expression vector, gave maximal reduction of the sialidase activity to about 40% wild-type values.

Oligosaccharide biosynthesis pathways in mammalian cells have been engineered for generation of recombinant glycoproteins (see, e.g., Sburlati (1998) Biotechnol Prog 14(2):189-92), which describes a Chinese hamster ovary (CHO) cell line capable of producing bisected oligosaccharides on glycoproteins. This cell line was created by overexpression of a recombinant N-acetylglucosaminyltransferase III (GnT-III) (see, also, Prati et al. (1998) Biotechnol Bioeng 59(4):445-50, which describes antisense strategies for glycosylation engineering of CHO cells).

10

15

20

Expression of factors to decrease 3) ammonium accumulation during cell growth

Excess ammonium, which is a by-product of CHO cell metabolism can have detrimental effects on cell growth and protein quality (see, Yang et al. (2000) Biotechnol Bioeng 68(4):370-80). To solve this problem ammonium levels were modified by overexpressing carbamoyl phosphate synthetase I and ornithine transcarbamoylase or glutamine synthetase in CHO cells. Such modification resulted in reduced ammonium levels observed and an increase in the growth rate (see Kim et al. (2000) J 25 Biotechnol 81(2-3):129-40; and Enosawa et al. (1997) Cell Transplant 6(5):537-40).

> Expression of factors to improve protein 4) secretion and protein folding

-70-

Overexpression of relevant enzymes can be engineered into the ACes to improve protein secretion and folding.

# 5) Expression of factors to permit serum-free transfection and selection

It is advantageous to have the ability to convert CHO cells in suspension growing in serum free medium to adherence with out having to resort to serum addition. Laminin or fibronectin addition is sufficient to make cells adherent (see, e.g., Zaworski et al. (1993) Biotechniques 15(5):863-6) so that expressing either of these genes in CHO cells under an inducible promoter should allow for reversible shift to adherence without requiring serum addition.

# 2. Platform ACes and Gene Therapy

5

10

15

20

.25

The platform *ACes* provided herein are contemplated for use in mammalian gene therapy, particularly human gene therapy. Human *ACes* can be derived from human acrocentric chromosomes from human host cells, in which the amplified sequences are heterochromatic and/or human rDNA. Different platform *ACes* applicable for different tissue cell types are provided. The *ACes* for gene therapy can contain a single copy of a therapeutic gene inserted into a defined location on platform *ACes*.

Therapeutic genes include genomic clones, cDNA, hybrid genes and other combinations of sequences. Preferred selectable markers are those from the mammalian host, such as human derived factors so that they are non-immunogenic, non-toxic and allow for efficient selection, such as by FACS and/or drug resistance.

Platform *ACes*, useful for gene therapy and other applications, as noted herein, can be generated by megareplicator dependent amplification, such as by the methods in U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183. In one embodiment, human *ACes* are produced using

PCT/US02/17452 WO 02/097059

human rDNA constructs that target rDNA arrays on human acrocentric chromosomes and induce the megareplicator in human cells, particularly in primary cell lines (with sufficient number of doublings to form the ACes) or stem cells (such as hematopoietic stem cells, mesenchymal stem cells, adult stem cells or embryonic stem cells) to avoid the introduction of potentially harmful rearranged DNA sequences present in many transformed cell lines. Megareplicator induced ACes formation can result in multiple copies of targeting DNA/selectable markers in each amplification block on both chromosomal arms of the platform ACes.

In view of the considerations regarding immunogenicity and toxicity, the production of human platform ACes for gene therapy applications employs a two component system analogous to the platform ACes designed for cellular protein production (CPP platform ACes). The system includes a platform chromosome of entirely human DNA origin containing multiple engineering sites and a gene target vector carrying the therapeutic gene of interest.

### **Platform Construction**

10

15

20

The initial de novo construction of the platform chromosome employs the co-transfection of excess targeting DNA and a selectable marker. In one embodiment, the DNA is targeted to the rDNA arrays on the human acrocentric chromosomes (chromosomes 13, 14, 15, 21 and 22). For example, two large human rDNA containing PAC clones 18714 and 18720 and the human PAC clone 558F8 are used for targeting (Genome Research (ML) now Incyte, BACPAC Resources, 747 52nd 25 Street, Oakland CA). The mouse rDNA clone pFK161 (SEQ ID NO: 118), which was used to make the human SATAC from the 94-3 hamster/human hybrid cell line (see, e.g., published International PCT application No. WO 97/40183 and Csonka, et al, Journal of Cell Science

-72-

113:3207-32161 and Example 1 for a description of pFK161) can also be used.

For animal applications, selectable markers should be nonimmunogenic in the animal, such as a human, and include, but are not limited to: human nerve growth factor receptor (detected with a MAb, such as described in US patent 6,365,373); truncated human growth factor receptor (detected with MAb), mutant human dihyrofolate reductase (DHFR; fluorescent MTX substrate available); secreted alkaline phosphatase (SEAP; fluorescent substrate available); human thymidylate 10 synthase (TS; confers resistance to anti-cancer agent fluorodeoxyuridine); human glutathione S-transferase alpha (GSTA1; conjugates glutathione to the stem cell selective alkylator busulfan; chemoprotective selectable marker in CD34+ cells); CD24 cell surface antigen in hematopoietic stem cells; human CAD gene to confer resistance to N-phosphonacetyl-Laspartate (PALA); human multi-drug resistance-1 (MDR-1; P-glycoprotein surface protein selectable by increased drug resistance or enriched by FACS); human CD25 (IL-2a; detectable by Mab-FITC); Methylguanine-DNA methyltransferase (MGMT; selectable by carmustine); and Cytidine deaminase (CD; selectable by Ara-C).

15

20

25

Since megareplicator induced amplification generates multiple copies of the selectable marker, a second consideration for the selection of the human marker is the resulting dose of the expressed marker after ACes formation. High level of expression of certain markers may be detrimental to the cell and/or result in autoimmunity. One method to decrease the dose of the marker protein is by shortening its half-life, such as via the fusion of the well-conserved human ubiquitin tag (a 76 amino acid sequence) thus leading to increased turnover of the selectable marker. This has been used successfully for a number of reporter

systems including DHFR (see, e.g., Stack et al. (2000) Nature Biotechnology 18:1298-1302 and references cited therein).

Using the ubiquitin tagged protein, a human selectable marker system analogous to the CPP ACes described herein is constructed. Briefly, a tagged selectable marker, such as for example one of those described herein, is cloned downstream of an attP site and expressed from a human promoter. Exemplary promoters contemplated for use herein include, but are not limited to, the human ferritin heavy chain promoter (SEQ ID NO:128); RNA Poll; EF1a; TR; glyceraldehyde-3phosphate dehydrogenase core promoter (GAP); a GAP core promoter 10 including a proximal insulin inducible element the intervening GAP sequence; phosphofructokinase promoter; and phosphoglycerate kinase promoter. Also contemplated herein is an aldolase A promoter H1 & H2 (representing closely spaced transcriptional start sites) along with the proximal H enhancer. There are 4 promoters (e.g., transcriptional start 15 sites) for this gene, each having different regulatory and tissue activity. The H (most proximal 2) promoters are ubiquitously expressed off the H enhancer. This resulting marker can then be co-transfected along with excess human rDNA targeting sequence into the host cells. An important 20 criteria for the selection of the

recipient cells is sufficient number of cell doublings for the formation and detection of *ACes*. Accordingly, the co-transfections should be attempted in human primary cells that can be cultured for long periods of time, such as for example, stem cells (e.g., hematopoietic, mesenchymal, adult or embryonic stem cells), or the like. Additional cell types, include, but are not limited to: single gene transfected cells exhibiting increased life-span; over-expressing c-myc cells, e.g. MSU1.1 (Morgan et al., 1991, Exp. Cell Res., Nov;197(1):125-136); over-expressing telomerase lines,

25

PCT/US02/17452 WO 02/097059

such as TERT cells; SV40 large T-antigen transfected lines; tumor cell lines, such as HT1080; and hybrid human cell lines, such as the 94-3 hamster/human hybrid cell line.

#### **Gene Target Vector**

5

15

20

25

The second component of the GT platform ACes (GT ACes) system involves the use of engineered target vectors carrying the therapeutic gene of interest. These are introduced onto the GT platform ACes via site-specific recombination. As with the CPP ACes, the use of engineered target vectors maximizes the use of the de novo generated GT platform 10 ACes for most gene targets. Furthermore, using lambda integrase technology, GT platform ACes containing multiple attP sites permits the opportunity to incorporate multiple therapeutic targets onto a single platform. This could be of value in cases where a defined therapy requires multiple gene targets, a single therapeutic target requires an additional gene regulatory factor or a GT ACes requires a "kill" switch.

Similar to the CPP ACes, a feature of the gene target vector is the promoterless marker gene containing an upstream attB site (marker 2 on Figure 9). Normally, the marker (in this case, a cell surface antigen that can be sorted by FACS would be ideal) would not be expressed unless it is placed downstream of a promoter sequence. Using the lambda integrase technology (AINT<sub>E174R</sub> on figure 9), site-specific recombination between the attB site on the vector and the promoter- attP site on the GT platform ACes results in the expression of marker#2 on the gene target vector, i.e. positive selection for the site-specific event. Site-specific recombination events on the GT ACes versus random integrations next to a promoter in the genome (false positive) can be quickly screened by designing primers to detect the correct event by PCR.

For expression of the therapeutic gene, human specific promoters, such as a ferritin heavy chain promoter (SEO ID NO:128); EF1a or RNA

-75-

Poll, are used. These promoters are for high level expression of a cDNA encoded therapeutic protein. In addition to expressing cDNA (or even hybrid cDNA/artificial intron constructs), the GT platform *ACes* are used for engineering and expressing large genomic fragments carrying therapeutic genes of interest expressed from native promoter sequences. This is of importance in situations where the therapy requires precise cell specific expression or in instances where expression is best achieved from genomic clones versus cDNA.

3. Selectable markers for use, for example, in Gene Therapy (GT)

The following are selectable markers that can be incorporated into human *ACes* and used for selection.

10

15

20

25

Dual Resistance to 4-Hydroperoxycyclophosphamide and Methotrexate by Retroviral Transfer of the Human Aldehyde Dehydrogenase Class 1 Gene and a Mutated Dihydrofolate Reductase Gene

The genetic transfer of drug resistance to hematopoietic cells is one approach to overcoming myelosuppression caused by high-dose chemotherapy. Because cyclophosphamide (CTX) and methotrexate (MTX) are commonly used non-cross-resistant drugs, generation of dual drug resistance in hematopoietic cells that allows dose intensification may increase anti-tumor effects and circumvent the emergence of drug-resistant tumors, a retroviral vector containing a human cytosolic ALDH-1-encoding DNA clone and a human doubly mutated DHFR-encoding clone (Phe22/Ser31; termed F/S in the description of constructs) to generate increased resistance to CTX and MTX were constructed (Takebe et al. (2001) Mol Ther 3(1):88-96). This construct may be useful for protecting patients from high-dose CTX- and MTX-induced myelosuppression. ACes can be similarly constructed.

-76-

Multiple mechanisms of N-phosphonacetyl-L-aspartate resistance in human cell lines: carbamyl-P synthetase/aspartate transcarbamylase/dihydro-orotase gene amplification is frequent only when chromosome 2 is rearranged

5

Rodent cells resistant to N-phosphonacetyl-L-aspartate (PALA) invariably contain amplified carbamyl-P synthetase/aspartate transcarbamylase/dihydro-orotase (CAD) genes, usually in widely spaced tandem arrays present as extensions of the same chromosome arm that 10 carries a single copy of CAD in normal cells (Smith et al. (1997) Proc. Natl. Acad. Sci. U.S.A. 94:1816-21). In contrast, amplification of CAD is very infrequent in several human tumor cell lines. Cell lines with minimal chromosomal rearrangement and with unrearranged copies of chromosome 2 rarely develop intrachromosomal amplifications of CAD. These cells frequently become resistant to PALA through a mechanism 15 that increases the aspartate transcarbamylase activity with no increase in CAD copy number, or they obtain one extra copy of CAD by forming an isochromosome 2p or by retaining an extra copy of chromosome 2. In cells with multiple chromosomal aberrations and rearranged copies of chromosome 2, amplification of CAD as tandem arrays from rearranged 20 chromosomes is the most frequent mechanism of PALA resistance. All of these different mechanisms of PALA resistance are blocked in normal human fibroblasts. Thus, ACes with multiple copies of the CAD gene would provide PALA resistance.

25

30

Retroviral coexpression of thymidylate synthase and dihydrofolate reductase confers fluoropyrimidine and antifolate resistance

Retroviral gene transfer of dominant selectable markers into hematopoietic cells can be used to select genetically modified cells in vivo or to attenuate the toxic effects of chemotherapeutic agents. Fantz *et al.* ((1998) *Biochem Biophys Res Comm 243(1)*:6-12) have shown that

-77-

retroviral gene transfer of thymidylate synthase (TS) confers resistance to TS directed anticancer agents and that co-expression of TS and dihydrofolate reductase (DHFR) confers resistance to TS and DHFR cytotoxic agents. Retroviral vectors encoding Escherichia coli TS, human 5 TS, and the Tyr-to-His at residue 33 variant of human TS (Y33HhTS) were constructed and fibroblasts transfected with these vectors conferred comparable resistance to the TS-directed agent fluorodeoxyuridine (FdUrd, approximately 4-fold). Retroviral vectors that encode dual expression of Y33HhTS and the human L22Y DHFR (L22YhDHFR) variants conferred resistance to FdUrd (3- to 5-fold) and trimetrexate (30to 140-fold). A L22YhDHFR-Y33HhTS chimeric retroviral vector was also constructed and transduced cells were resistant to FdUrd (3-fold), AG337 (3-fold), trimetrexate (100-fold) and methotrexate (5-fold). These results show that recombinant retroviruses can be used to transfer the cDNA 15 that encodes TS and DHFR and dual expression in transduced cells is sufficiently high to confer resistance to TS and DHFR directed anticancer agents. ACes can be similarly constructed.

# Human CD34+ cells do not express glutathione Stransferases alpha

The expression of glutathione S-transferases alpha (GST alpha) in human hematopoietic CD34+ cells and bone marrow was studied using RT-PCR and immunoblotting (Czerwinski M, Kiem et al. (1997) Gene Ther 4(3):268-70). The GSTA1 protein conjugates glutathione to the stem cell selective alkylator busulfan. This reaction is the major pathway of elimination of the compound from the human body. Human hematopoietic CD34+ cells and bone marrow do not express GSTA1 message, which was present at a high level in liver, an organ relatively resistant to busulfan toxicity in comparison to bone marrow. Similarly, baboon CD34+ cells and dog bone marrow do not express GSTA1. Thus, human

20

25

-78-

GSTA1 is a chemoprotective selectable marker in human stem cell gene therapy and could be employed in *ACes* construction.

5

10

15

20

25

# Selection of retrovirally transduced hematopoietic cells using CD24 as a marker of gene transfer

Pawliuk et al. ((1994) Blood 84(9):2868-2877) have investigated the use of a cell surface antigen as a dominant selectable marker to facilitate the detection and selection of retrovirally infected target cells. The small coding region of the human cell surface antigen CD24 (approximately 240 bp) was introduced into a myeloproliferative sarcoma virus (MPSV)-based retroviral vector, which was then used to infect day 4 5-fluorouracil (5-FU)-treated murine bone marrow cells. Within 48 hours of termination of the infection procedure CD24-expressing cells were selected by fluorescent-activated cell sorting (FACS) with an antibody directed against the CD24 antigen. Functional analysis of these cells showed that they included not only in vitro clonogenic progenitors and day 12 colony-forming unit-spleen but also cells capable of competitive long-term hematopoietic repopulation. Double-antibody labeling studies performed on recipients of retrovirally transduced marrow cells showed that some granulocytes, macrophages, erythrocytes, and, to a lesser extent, B and T lymphocytes still expressed the transduced CD24 gene at high levels 4 months later. No gross abnormalities in hematopoiesis were detected in mice repopulated with CD24-expressing cells. These results show that the use of the CD24 cell surface antigen as a retrovirally encoded marker permits rapid, efficient, and nontoxic selection in vitro of infected primary cells, facilitates tracking and phenotyping of their progeny, and provides a tool to identify elements that regulate the expression of transduced genes in the most primitive hematopoietic cells. ACes could be similarly constructed.

-79-

# DeltahGHR, a biosafe cell surface-labeling molecule for analysis and selection of genetically transduced human cells

A selectable marker for retroviral transduction and selection of human and murine cells is known (see, Garcia-Ortiz et al. (2000) Hum Gene Ther 11(2):333-46). The molecule expressed on the cell surface of the transduced population is a truncated version of human growth hormone receptor (deltahGHR), capable of ligand (hGH) binding, but devoid of the domains involved in signal triggering. The engineered molecule is stably expressed in the target cells as an inert protein unable 10 to trigger proliferation or to rescue the cells from apoptosis after ligand binding. This new marker, has a wide application spectrum, since hGHR in the human adult is highly expressed only in liver cells, and lower levels have been reported in certain lymphocyte cell populations. The deltahGHR label has high biosafety potential, as it belongs to a well-15 characterized hormonal system that is nonessential in adults, and there is extensive clinical experience with hGH administration in humans. The differential binding properties of several monoclonal antibodies (MAbs) are used in a cell rescue method in which the antibody used to select deltahGHR-transduced cells is eluted by competition with hGH or, 20 alternatively biotinylated hGH is used to capture tagged cells. In the latter system, the final purified population is recovered free of attached antibodies in hGH (a substance approved for human use)-containing medium. Such a system could be used to identify ACes containing cells.

# 4. Transgenic models for evaluation of genes and discovery of new traits in plants

25

30

Of interest is the use of plants and plant cells containing artificial chromosomes for the evaluation of new genetic combinations and discovery of new traits. Artificial chromosomes, by virtue of the fact that they can contain significant amounts of DNA can also therefore encode

-80-

numerous genes and accordingly a multiplicity of traits. It is contemplated here that artificial chromosomes, when formed from one plant species, can be evaluated in a second plant species. The resultant phenotypic changes observed, for example, can indicate the nature of the genes contained within the DNA contained within the artificial chromosome, and hence permit the identification of novel genetic activities. Artificial chromosomes containing euchromatic DNA or partially containing euchromatic DNA can serve as a valuable source of new traits when transferred to an alien plant cell environment. For example, it is contemplated that artificial chromosomes derived from dicot plant species can be introduced into monocot plant species by transferring a dicot artificial chromosome. The dicot artificial chromosome possessing a region of euchromatic DNA containing expressed genes.

The artificial chromosomes can be designed to allow the artificial chromosome to recombine with the naturally occurring plant DNA in such a fashion that a large region of naturally occurring plant DNA becomes incorporated into the artificial chromosome. This allows the artificial chromosome to contain new genetic activities and hence carry novel traits. For example, an artificial chromosome can be introduced into a wild relative of a crop plant under conditions whereby a portion of the DNA present in the chromosomes of the wild relative is transferred to the artificial chromosome. After isolation of the artificial chromosome, this naturally occurring region of DNA from the wild relative, now located on the artificial chromosome can be introduced into the domesticated crop species and the genes encoded within the transferred DNA expressed and evaluated for utility. New traits and gene systems can be discovered in this fashion. The artificial chromosome can be modified to contain sequences that promote homologous recombination within plant cells, or

15

20

25

PCT/US02/17452 WO 02/097059

be modified to contain a genetic system that functions as a site-specific recombination system.

Artificial chromosomes modified to recombine with plant DNA offer many advantages for the discovery and evaluation of traits in different plant species. When the artificial chromosome containing DNA from one plant species is introduced into a new plant species, new traits and genes can be introduced. This use of an artificial chromosome allows for the ability to overcome the sexual barrier that prevents transfer of genes from one plant species to another species. Using artificial chromosomes in this 10 fashion allows for many potentially valuable traits to be identified including traits that are typically found in wild species. Other valuable applications for artificial chromosomes include the ability to transfer large regions of DNA from one plant species to another, such as DNA encoding potentially valuable traits such as altered oil, carbohydrate or protein composition, multiple genes encoding enzymes capable of producing valuable plant secondary metabolites, genetic systems encoding valuable agronomic traits such as disease and insect resistance, genes encoding functions that allow association with soil bacterium such as growth promoting bacteria or nitrogen fixing bacteria, or genes encoding traits that confer freezing, drought or other stress tolerances. In this fashion, artificial chromosomes can be used to discover regions of plant DNA that encode valuable traits.

15

20

The artificial chromosome can also be designed to allow the transfer and subsequent incorporation of these valuable traits now located on the artificial chromosome into the natural chromosomes of a plant species. In this fashion the artificial chromosomes can be used to transfer large regions of DNA encoding traits normally found in one plant species into another plant species. In this fashion, it is possible to derive a plant cell that no longer needs to carry an artificial chromosome to

posses the novel trait. Thus, the artificial chromosome would serve as the transfer mechanism to permit the formation of plants with greater degree of genetic diversity.

The design of an artificial chromosome to accomplish the aforementioned purposes can include within the artificial chromosome the presence of specific DNA sequences capable of acting as sites for homologous recombination to take place. For example, the DNA sequence of Arabidopsis is now known. To construct an artificial chromosome capable of recombining with a specific region of Arabidopsis 10 DNA, a sequence of Arabidopsis DNA, normally located near a chromosomal location encoding genes of potential interest can be introduced into an artificial chromosome by methods provided herein. It may be desirable to include a second region of DNA within the artificial chromosome that provides a second flanking sequence to the region encoding genes of potential interest, to promote a double recombination event which would ensure transfer of the entire chromosomal region, encoding genes of potential interest, to the artificial chromosome. The modified artificial chromosome, containing the DNA sequences capable of homologous recombination region, can then be introduced into Arabidopsis cells and the homologous recombination event selected. 20

It is convenient to include a marker gene to allow for the selection of a homologous recombination event. The marker gene is preferably inactive unless activated by an appropriate homologous recombination event. For example, US 5,272,071, describes a method where an inactive plant gene is activated by a recombination event such that desired homologous recombination events can be easily scored. Similarly, US 5,501,967 describes a method for the selection of homologous recombination events by activation of a silent selection gene first introduced into the plant DNA, the gene being activated by an appropriate

25

homologous recombination event. Both of these methods can be applied to enable a selective process to be included to select for recombination between an artificial chromosome and a plant chromosome. Once the homologous recombination event is detected, the artificial chromosome, once selected, is isolated and introduced into a recipient cell, for example, tobacco, corn, wheat or rice, and the expression of the newly introduced DNA sequences evaluated.

Phenotypic changes in the recipient plant cells containing the artificial chromosome, or in regenerated plants containing the artificial chromosome, allows for the evaluation of the nature of the traits encoded by the *Arabidopsis* DNA, under conditions naturally found in plant cells, including the naturally occurring arrangement of DNA sequences responsible for the developmental control of the traits in the normal chromosomal environment.

Traits such as durable fungal or bacterial disease resistance, new oil and carbohydrate compositions, valuable secondary metabolites such as phytosterols, flavonoids, efficient nitrogen fixation or mineral utilization, resistance to extremes of drought, heat or cold are all found within different populations of plant species and are often governed by multiple genes. The use of single gene transformation technologies does not permit the evaluation of the multiplicity of genes controlling many valuable traits. Thus, incorporation of these genes into artificial chromosomes allows the rapid evaluation of the utility of these genetic combinations in heterologous plant species.

15

20

25

The large scale order and structure of the artificial chromosome provides a number of unique advantages in screening for new utilities or novel phenotypes within heterologous plant species. The size of new DNA that can be carried by an artificial chromosome can be millions of base pairs of DNA, representing potentially numerous genes that may

have novel utility in a heterologous plant cell. The artificial chromosome is a "natural" environment for gene expression, the problems of variable gene expression and silencing seen for genes transferred by random insertion into a genome should not be observed. Similarly, there is no need to engineer the genes for expression, and the genes inserted would not need to be recombinant genes. Thus, one expects the expression from the transferred genes to be temporal and spatial, as observed in the species from where the genes were initially isolated. A valuable feature for these utilities is the ability to isolate the artificial chromosomes and to further isolate, manipulate and introduce into other cells artificial chromosomes carrying unique genetic compositions.

Thus, the use of artificial chromosomes and homologous recombination in plant cells can be used to isolate and identify many valuable crop traits.

10

15

20

25

In addition to the use of artificial chromosomes for the isolation and testing of large regions of naturally occurring DNA, methods for the use of artificial chromosomes and cloned DNA are also contemplated. Similar to that described above, artificial chromosomes can be used to carry large regions of cloned DNA, including that derived from other plant species.

The ability to incorporate novel DNA elements into an artificial chromosome as it is being formed allows for the development of artificial chromosomes specifically engineered as a platform for testing of new genetic combinations, or "genomic" discoveries for model species such as *Arabidopsis*. It is known that specific "recombinase" systems can be used in plant cells to excise or re-arrange genes. These same systems can be used to derive new gene combinations contained on an artificial chromosome.

The artificial chromosomes can be engineered as platforms to accept large regions of cloned DNA, such as that contained in Bacterial

-85-

Artificial Chromosomes (BACs) or Yeast Artificial Chromosomes (YACs). It is further contemplated, that as a result of the typical structure of artificial chromosomes containing tandemly repeated DNA blocks, that sequences other than cloned DNA sequence can be introduced by 5 recombination processes. In particular recombination within a predefined region of the tandemly repeated DNA within the artificial chromosome provides a mechanism to "stack" numerous regions of cloned DNA, including large regions of DNA contained within BACs or YACs clones. Thus, multiple combinations of genes can be introduced onto artificial 10 chromosomes and these combinations tested for functionality. In particular, it is contemplated that multiple YACs or BACs can be stacked onto an artificial chromosomes, the BACs or YACs containing multiple genes of complex pathways or multiple genetic pathways. The BACs or YACs are typically selected based on genetic information available within the public domain, for example from the Arabidopsis Information 15 Management System (http://aims.cps.msu.edu/aims/index.html) or the information related to the plant DNA sequences available from the Institute for Genomic Research (http://www.tigr.org) and other sites known to those skilled in the art. Alternatively, clones can be chosen at random and evaluated for functionality. It is contemplated that 20 combinations providing a desired phenotype can be identified by isolation of the artificial chromosome containing the combination and analyzing the nature of the inserted cloned DNA.

In this regard, it is contemplated that the use of site-specific recombination sequences can have considerable utility in developing artificial chromosomes containing DNA sequences recognized by recombinase enzymes and capable of accepting DNA sequences containing same. The use of site-specific recombination as a means to target an introduced DNA to a specific locus has been demonstrated in

25

-86-

the art and such methods can be employed. The recombinase systems can also be used to transfer the cloned DNA regions contained within the artificial chromosome to the naturally occurring plant or mammalian chromosomes.

5

10

20

25

As noted herein, many site-specific recombinases are known and can be identified (Kilby et al. (1993) Trends in Genetics 9:413-418). The three recombinase systems that have been extensively employed include: an activity identified as R encoded by the pSR1 plasmid of Zygosaccharomyes rouxii, FLP encoded for the 2um circular plasmid from Saccharomyces cerevisiae and Cre-lox from the phage P1.

The integration function of site-specific recombinases is contemplated as a means to assist in the derivation of genetic combinations on artificial chromosomes. In order to accomplish this, it is contemplated that a first step of introducing site-specific recombinase sites into the genome of a plant cell in an essentially random manner is conducted, such that the plant cell has one or more site-specific recombinase recognition sequences on one or more of the plant chromosomes. An artificial chromosome is then introduced into the plant cell, the artificial chromosome engineered to contain a recombinase recognition site (e.g., integration site) capable of being recognized by a site-specific recombinase. Optionally, a gene encoding a recombinase enzyme is also included, preferably under the control of an inducible promoter. Expression of the site-specific recombinase enzyme in the plant cell, either by induction of a inducible recombinase gene, or transient expression of a recombinase sequence, causes a site-specific recombination event to take place, leading to the insertion of a region of the plant chromosomal DNA (containing the recombinase recognition site) into the recombinase recognition site of the artificial chromosome, and forming an artificial chromosome containing plant chromosomal DNA.

The artificial chromosome can be isolated and introduced into a heterologous host, preferably a plant host, and expression of the newly introduced plant chromosomal DNA can be monitored and evaluated for desirable phenotypic changes. Accordingly, carrying out this recombination with a population of plant cells wherein the chromosomally located recombinase recognition site is randomly scattered throughout the chromosomes of the plant, can lead to the formation of a population of artificial chromosomes, each with a different region of plant chromosomal DNA, and each potentially representing a novel genetic combination.

10

15

20

25

This method requires the precise site-specific insertion of chromosomal DNA into the artificial chromosome. This precision has been demonstrated in the art. For example, Fukushige and Sauer ((1992) Proc. Natl. Acad. Sci. USA, 89:7905-7909) demonstrated that the Crelox homologous recombination system could be successfully employed to introduce DNA into a predefined locus in a chromosome of mammalian cells. In this demonstration a promoter-less antibiotic resistance gene modified to include a lox sequence at the 5' end of the coding region was introduced into CHO cells. Cells were re-transformed by electroporation with a plasmid that contained a promoter with a lox sequence and a transiently expressed Cre recombinase gene. Under the conditions employed, the expression of the Cre enzyme catalyzed the homologous recombination between the lox site in the chromosomally located promoter-less antibiotic resistance gene, and the lox site in the introduced promoter sequence, leading to the formation of a functional antibiotic resistance gene. The authors demonstrated efficient and correct targeting of the introduced sequence, 54 of 56 lines analyzed corresponded to the predicted single copy insertion of the DNA due to Cre catalyzed sitespecific homologous recombination between the lox sequences.

Accordingly a *lox* sequence may be first added to a genome of a plant species capable of being transformed and regenerated to a whole plant to serve as a recombinase target DNA sequence for recombination with an artificial chromosome. The *lox* sequence may be optimally modified to further contain a selectable marker which is inactive but can be activated by insertion of the *lox* recombinase recognition sequence into the artificial chromosome.

A promoterless marker gene or selectable marker gene linked to the recombinase recognition sequence, which is first inserted into the chromosomes of a plant cell can be used to engineer a platform chromosome. A promoter is linked to a recombinase recognition site, in an orientation that allows the promoter to control the expression of the marker or selectable marker gene upon recombination within the artificial chromosome. Upon a site-specific recombination event between a recombinase recognition site in a plant chromosome and the recombinase recognition site within the introduced artificial chromosome, a cell is derived with a recombined artificial chromosome, the artificial chromosome containing an active marker or selectable marker activity that permits the identification and or selection of the cell.

The artificial chromosomes can be transferred to other plant or animal species and the functionality of the new combinations tested. The ability to conduct such an inter-chromosomal transfer of sequences has been demonstrated in the art. For example, the use of the *Cre-lox* recombinase system to cause a chromosome recombination event between two chromatids of different chromosomes has been shown.

20

25

Any number of recombination systems may be employed as described herein, such as, but not limited to, bacterially derived systems such as the att/int system of phage lambda, and the Gin/gix system.

-89-

More than one recombination system may be employed, including, for example, one recombinase system for the introduction of DNA into an artificial chromosome, and a second recombinase system for the subsequent transfer of the newly introduced DNA contained within an artificial chromosome into the naturally occurring chromosome of a second plant species. The choice of the specific recombination system used will be dependent on the nature of the modification contemplated.

By having the ability to isolate an artificial chromosome, in particular, artificial chromosomes containing plant chromosomal DNA introduced via site-specific recombination, and re-introduce the chromosome into other mammalian or plant cells, particularly plant cells, these new combinations can be evaluated in different crop species without the need to first isolate and modify the genes, or carry out multiple transformations or gene transfers to achieve the same combination isolation and testing combinations of the genes in plants. The use of a site-specific recombinase also allows the convenient recovery of the plant chromosomal region into other recombinant DNA vectors and systems, such as mammalian or insect systems, for manipulation and study.

10

15

20

25

Also contemplated herein are ACes, cell lines and methods for use in screening a new chromosomal combinations, deletions, truncations with eucaryotic genome that take advantage of the site-specific recombination systems incorporated onto platform ACes provided herein. For example, provided herein is a cell line useful for making a library of ACes, comprising a multiplicity of heterologous recombination sites randomly integrated throughout the endogenous chromosomes. Also provided herein is a method of making a library of ACes comprising random portions of a genome, comprising introducing one or more ACes into a cell line comprising a multiplicity of heterologous recombination

sites randomly integrated throughout the endogenous chromosomes, under conditions that promote the site-specific chromosomal arm exchange of the *ACes* into, and out of, a multiplicity of the heterologous recombination sites within the cell's chromosomal DNA; and isolating said multiplicity of *ACes*, thereby producing a library of *ACes* whereby multiple *ACes* have different portions of the genome within. Also provided herein is a library of cells useful for genomic screening, said library comprising a multiplicity of cells, wherein each cell comprises an *ACes* having a mutually exclusive portion of a chromosomal nucleic acid therein. The library of cells can be from a different species and/or cell type than the chromosomal nucleic acid within the *ACes*. Also provided is a method of making one or more cell lines, comprising

- a) integrating into endogenous chromosomal DNA of a selected cell species, a multiplicity of heterologous recombination sites,
- b) introducing a multiplicity of *ACes* under conditions that promote the site-specific chromosomal arm exchange of the *ACes* into, and out of, a multiplicity of the heterologous recombination sites integrated within the cell's endogenous chromosomal DNA;

15

20

25

- c) isolating said multiplicity of *ACes*, thereby producing a library of *ACes* whereby a multiplicity of *ACes* have mutually exclusive portions of the endogenous chromosomal DNA therein;
- d) introducing the isolated multiplicity of *ACes* of step c) into a multiplicity of cells, thereby creating a library of cells;
- e) selecting different cells having mutually exclusive *ACes* therein and clonally expanding or differentiating said different cells into clonal cell cultures, thereby creating one or more cell lines.

These ACes, cell lines and methods utilize the site-specific recombination sites on platform ACes analogous YAC manipulation related to: the methods of generating terminal deletions in normal and

artificial chromosomes (e.g., *ACes*; as described in Vollrath et al., 1988, *PNAS*, *USA*, 85:6027-66031; and Pavan et al., *PNAS*, *USA*, 87:1300-1304); the methods of generating interstitial deletions in normal and artificial chromosomes (as described in Campbell et al., 1991, *PNAS*, *USA*, 888:5744-5748); and the methods of detecting homologous recombination between two *ACes* (as described in Cellini et al., 1991, *Nuc. Acid Res.*, 19(5):997-1000).

# Use of plateform ACes in Pharmacogenomic/toxicology applications (development of "Reporter ACes")

10

15

20

25

In addition to the placement of genes onto *ACes* chromosomes for therapeutic protein production or gene therapy, the platform can be engineered via the IntR lambda integrase to carry reporter-linked constructs (reporter genes) that monitor changes in cellular physiology as measured by the particular reporter gene (or a series of different reporter genes) readout. The reporter linked constructs are designed to include a gene that can be detected (by for example fluorescence, drug resistance, immunohistochemistry, or transcript production, and the like) with well-known regulatory sequences that would control the expression of the detectable gene. Exemplary regulatory promoter sequences are well-known in the art:

# A) Reporter ACes for drug pathway screening

The ACes can be engineered to carry reporter-linked constructs that indicate a signal is being transduced through one or a number of pathways. For example, transcriptionally regulated promoters from genes at the end (or any other chosen point) of particular signal transduction pathways could be engineered on the ACes to express the appropriate readout (either by fluorescent protein production or drug resistance) when the pathway is activated (or down-regulated as well). In one embodiment, a number of reporters from different can be placed on a

ACes chromosome. Cells (and/or whole animals) containing such a Reporter ACes could be exposed to a variety of drugs or compounds and monitored for the effects of the drugs or compounds upon the selected pathway(s) by the reporter gene(s). Thus, drugs or compounds can be classified or identified by particular pathways they excite or down-regulate. Similarly, transcriptional profiles obtained from genomic array experiments can be biologically validated using the reporter ACes provided herein.

## B) Reporter ACes for toxic compound testing

10

15

20

25

Environmental or man-made genotoxicants can be tested in cell lines carrying a number of reporter-genes platform *ACes* linked to promoters that are transcriptionally regulated in response to DNA damage, induced apoptosis or necrosis, and cell-cycle perturbations. Furthermore, new drugs and/or compounds could be tested in a similar manner with the genotoxicant *ACes* reporter for their cellular/genetic toxicity by such a screen. Likewise, toxic compound testing could be carried out in whole transgenic animals carrying the *ACes* chromosome that measures genotoxicant exposure ("canary in a coal mine"). Thus, the same or similar type *ACes* could be used for toxicity testing in either a cell-based or whole animal setting. An example would include *ACes* that carry reporter-linked genes controlled by various cytochrome P450 profiled promoters and the like.

# C) Reporter *ACes* for individualized pharmacogenomics/drug profiling

A common disease may arise via various mechanisms. In many instances there are multiple treatments available for a given disease. However, the success of a given treatment may depend upon the mechanism by which the disease originated and/or by the genetic background of the patient. In order to establish the most effective

PCT/US02/17452 WO 02/097059

treatment for a given patient one could utilize the ACes reporters provided herein. ACes reporters can be used in patient cell samples to determine an individualized drug regimen for the patient. In addition, potential polymorphisms affecting the transcriptional regulation of an individual's particular gene can be assessed by this approach.

# D) Reporter ACes for classification of similar patient tumors

As with other diseases as described in 5.C) above, cancer cells arise via different mechanisms. Furthermore, as a cancerous cell propagates it may undergo genomic alterations. An ACes reporter 10 transferred to cells of different patients having the same disease, i.e. similar cancers, could be used to categorize the particular cancer of each patient, thereby facilitating the identification of the most effective therapeutic regimen. Examples would include the validation of array profiling of certain classes of breast cancers. Subsequently, appropriate drug profiling could be carried out as described above.

#### E) Reporter ACes as a "differentiation" sensor

15

20

25

Using the ACes reporter as a "differentiation" sensor in stem cells or other progenitor cells in order to enrich by selection (either FACS based screening, drug selection and/or use of suicide gene) for a particular class of differentiated or undifferentiated cells. For example, in one embodiment, this assay could also be used for compound screening for small molecule modifiers of cell differentiation.

#### F) Whole animal studies with Reporter ACes

Finally, with whole-body fluorescence imaging technology (Yang et al. (2000) PNAS 97:12278) any of the above Reporter ACes methods could be used in conjunction with whole-body imaging to monitor reporter genes within whole animals without sacrificing the animal. This would allow temporal and spatial analysis of expression patterns under a given set of conditions. The conditions tested may include for example, normal

-94-

differentiation of a stem cell, response to drug or compound treatment whether targeted to the diseased tissue or presented systemically, response to genotoxicants, and the like.

The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention.

#### **EXAMPLE 1**

#### pFK161

5

Cosmid pFK161 (SEQ ID NO: 118) was obtained from Dr. Gyula Hadlaczky and contains a 9 kb Notl insert derived from a murine rDNA repeat (see clone 161 described in PCT Application Publication No. 10 WO97/40183 by Hadlaczky et al. for a description of this cosmid). This cosmid, referred to as clone 161 contains sequence corresponding to nucleotides 10,232-15,000 in SEQ ID NO. 26. It was produced by inserting fragments of the megachromosome (see, U.S. Patent No. 6,077,697 and International PCT application No. WO 97/40183). For example, H1D3, which was deposited at the European Collection of Animal Cell Culture (ECACC) under Accession No. 96040929, is a mouse-hamster hybrid cell line carrying this megachromosome into plasmid pWE15 (Stratagene, La Jolla, California; SEQ ID No. 31) as follows. Half of a 100  $\mu$ l low melting point agarose block (mega-plug) 20 containing isolated SATACs was digested with Not overnight at 37°C. Plasmid pWE15 was similarly digested with Not overnight. The megaplug was then melted and mixed with the digested plasmid, ligation buffer and T4 DNA ligase. Ligation was conducted at 16°C overnight. Bacterial 25 DH5a cells were transformed with the ligation product and transformed cells were plated onto LB/Amp plates. Fifteen to twenty colonies were grown on each plate for a total of 189 colonies. Plasmid DNA was isolated from colonies that survived growth on LB/Amp medium and analyzed by Southern blot hybridization for the presence of DNA that

hybridized to a pUC19 probe. This screening methodology assured that all clones, even clones lacking an insert but yet containing the pWE15 plasmid, would be detected.

Liquid cultures of all 189 transformants were used to generate cosmid minipreps for analysis of restriction sites within the insert DNA. Six of the original 189 cosmid clones contained an insert. These clones were designated as follows: 28 (~9-kb insert), 30 (~ 9-kb insert), 60 (~4-kb insert), 113 (~9-kb insert), 157 (~9-kb insert) and 161 (~9-kb insert). Restriction enzyme analysis indicated that three of the clones (113, 157 and 161) contained the same insert.

10

15

20

25

For sequence analysis the insert of cosmid clone no. 161 was subcloned as follows. To obtain the end fragments of the insert of clone no. 161, the clone was digested with *Not*I and *Bam*HI and ligated with *Not*I/*Bam*HI-digested pBluescript KS (Stratagene, La Jolla, California). Two fragments of the insert of clone no. 161 were obtained: a 0.2-kb and a 0.7-kb insert fragment. To subclone the internal fragment of the insert of clone no. 161, the same digest was ligated with *Bam*HI-digested pUC19. Three fragments of the insert of clone no. 161 were obtained: a

The insert corresponds to an internal section of the mouse ribosomal RNA gene (rDNA) repeat unit between positions 7551-15670 as set forth in GENBANK accession no. X82564, which is provided as SEQ ID NO. 18. The sequence data obtained for the insert of clone no. 161 is set forth in SEQ ID NOS. 19-25. Specifically, the individual subclones corresponded to the following positions in GENBANK accession no. X82564 (SEQ ID NO:18) and in SEQ ID NOs. 19-25:

0.6-kb, a 1.8-kb and a 4.8-kb insert fragment.

-96-

Subclone	Start	End	Site	SEQ ID No.
	in X82564			
161k1	7579	7755	Notl, BamHl	19
161m5	7756	8494	<i>Bam</i> HI	20
161m7	8495	10231	<i>Bam</i> HI	21(shows only sequence corresponding to nt. 8495-8950), 22 (shows only sequence corresponding to nt. 9851-10231)
161m12	10232	15000	<i>Bam</i> Hl	23 (shows only sequence corresponding to nt. 10232-10600), 24 (shows only sequence corresponding to nt. 14267-15000)
161k2	15001	15676	Notl, BamHl	25

The sequence set forth in SEQ ID NOs. 19-25 diverges in some positions from the sequence presented in positions 7551-15670 of GENBANK accession no. X82564. Such divergence may be attributable to random mutations between repeat units of rDNA.

For use herein, the rDNA insert from the clone was prepared by digesting the cosmid with *Not*l and *Bgl*II and was purified as described above. Growth and maintenance of bacterial stocks and purification of plasmids were performed using standard well known methods (see, *e.g.*, Sambrook *et al.* (1989) *Molecular Cloning: A Laboratory Manual*, 2nd Edition, Cold Spring Harbor Laboratory Press), and plasmids were purified from bacterial cultures using Midi - and Maxi-preps Kits (Qiagen, Mississauga, Ontario).

## pDsRed1N1

5

15

20

This vector is available from Clontech (see SEQ ID No. 29) and encodes the red fluorescent protein (DsRed; Genbank accession no. AF272711; SEQ ID Nos. 39 and 40). DsRed, which has a vivid red fluorescence, was isolated from the IndoPacific sea anemone relative Discosoma species. The plasmid pDsRed1N1 (Clontech; SEQ ID No. 29) constitutively expresses a human codon-optimized variant of the

-97-

fluorescent protein under control of the CMV promoter. Unmodified, this vector expresses high levels of DsRed1 and includes sites for creating N-terminal fusions by cloning proteins of interest into the multiple cloning site (MCS). It is Kan and Neo resistant for selection in bacterial or eukaryotic cells.

# Plasmid pMG

10

15

20

25

Plasmid pMG (InvivoGen, San Diego, California; see SEQ. ID. NO. 27 for the nucleotide sequence of pMG) contains the hygromycin phosphotransferase gene under the control of the immediate-early human cytomegalovirus (hCMV) enhancer/promoter with intron A. Vector pMG also contains two transcriptional units allowing for the coexpression of two heterologous genes from a single vector sequence.

The first transcriptional unit of pMG contains a multiple cloning site for insertion of a gene of interest, the hygromycin phosphotransferase gene (hph) and the immediate-early human cytomegalovirus (hCMV) enhancer/promoter with intron A (see, e.g., Chapman et al. (1991) Nuc. Acids Res. 19:3979-3986) located upstream of hph and the multiple cloning site, which drives the expression of hph and any gene of interest inserted into the multiple cloning site as a polycistronic mRNA. The first transcriptional unit also contains a modified EMCV internal ribosomal entry site (IRES) upstream of the hph gene but downstream of the hCMV promoter and MCS for ribosomal entry in translation of the hph gene (see SEQ ID NO. 27, nucleotides 2736-3308). The IRES is modified by insertion of the constitutive E. coli promoter (EM7) within an intron (IM7) into the end of the IRES. In mammalian cells, the E. coli promoter is treated as an intron and is spliced out of the transcript. A polyadenylation signal from the bovine growth hormone (bGh) gene (see, e.g., Goodwin and Rottman (1992) J. Biol. Chem. 267:16330-16334) and a pause site derived from the 3' flanking region of the human a2

globin gene (see, e.g., Enriquez-Harris et al. (1991) EMBO J.10:1833-1842) are located at the end of the first transcription unit. Efficient polyadenylation is facilitated by inserting the flanking sequence of the bGh gene 3' to the standard AAUAAA hexanucleotide sequence.

5 The second transcriptional unit of pMG contains another multiple cloning site for insertion of a gene of interest and an EF-1a/HTLV hybrid promoter located upstream of this multiple cloning site, which drives the expression of any gene of interest inserted into the multiple cloning site. The hybrid promoter is a modified human elongation factor-1 alpha (EF-1 alpha) gene promoter (see, e.g., Kim et al. (1990) Gene 91:217-223) 10 that includes the R segment and part of the U5 sequence (R-U5') of the human T-cell leukemia virus (HTLV) type I long terminal repeat (see, e.g., Takebe et al. (1988) Mol. Cell. Biol 8:466-472). The Simian Virus 40 (SV40) late polyadenylation signal (see Carswell and Alwine (1989) Mol. Cell. Biol. 9:4248-4258) is located downstream of the multiple cloning 15 site. Vector pMG contains a synthetic polyadenylation site for the first and second transcriptional units at the end of the transcriptional unit based on the rabbit  $\beta$ -globin gene and containing the AATAAA hexanucleotide sequence and a GT/T-rich sequence with 22-23 nucleotides between them (see, e.g., Levitt et al. (1989)Genes Dev. 20 3:1019-1025). A pause site derived from the C2 complement gene (see, Moreira et al. (1995) EMBO J. 14:3809-3819) is also located at the 3' end of the second transcriptional unit.

Vector pMG also contains an ori sequence (ori pMB1) located between the SV40 polyadenylation signal and the synthetic polyadenylation site.

25

#### **EXAMPLE 2**

A. Construction of targeting vector and transfection into LMtk- cells for the generation of platform chromosomes

A targeting vector derived from the vector pWE15 (GeneBank Accession # X65279) was modified by replacing the Sall (Klenow filled)/Smal neomycin resistance containing fragment with the Pvull/BamHI (Klenow filled) puromycin resistance containing fragment (isolated from plasmid pPUR, Clontech Laboratories, Inc. Palo Alto, CA; SEQ ID No. 30) resulting in plasmid pWEPuro. Subsequently a 9 Kb Notl fragment from the plasmid pFK161 (SEQ ID NO: 118) containing a portion of the mouse rDNA region was cloned into the Not site of pWEPuro resulting in plasmid pWEPuro9K (Figure 2). The vector pWEPuro9K was 10 digested with Spel to linearize and transfected into LMtk- mouse cells. Puromycin resistant colonies were isolated and subsequently tested for artificial chromosome formation via fluorescent in situ hybridization (FISH) (using mouse major and minor DNA repeat sequences, the puromycin gene and telomeres sequences as probes), and fluorescent activated cell sorting (FACS). From this sort, a subclone was isolated containing an artificial chromosome, designated 5B11.12, which carries 4-8 copies of the puromycin resistance gene contained on the pWEPuro9K vector. FISH analysis of the 5B11.12 subclone demonstrated the presence of telomeres and mouse minor on the ACes. DOT PCR has been done on the 5B11.12 ACes revealing the absence of uncharacterized euchromatic 20 regions on the ACes. A recombination site, such as an att or loxP engineering site or a plurality thereof, was introduced onto this ACes thereby providing a platform for site-specific introduction of heterologous nucleic acid.

# 25 B. Targeting a single sequence specific recombination site onto platform chromosomes

After the generation of the 5B11.12 platform, a single sequencespecific recombination site is placed onto the platform chromosome via homologous recombination. For this, DNA sequences containing the site-

-100-

specific recombination sequence can be flanked with DNA sequences of homology to the platform chromosome. For example, using the platform chromosome made from the pWEPuro9K vector, mouse rDNA sequences or mouse major satellite DNA can be used as homologous sequences to target onto the platform chromosome. A vector is designed to have these homologous sequences flanking the site-specific recombination site and, after the appropriate restriction enzyme digest to generate free ends of homology to the platform chromosome, the DNA is transfected into cells harboring the platform chromosome (Figure 3). Examples of site-specific cassettes that are targeted to the platform chromosome using either mouse rDNA or mouse major repeat DNA include the SV40-attP-hygro cassette and a red fluorescent protein (RFP) gene flanked by loxP sites (Cre/lox, see, e.g., U.S. Patent No. 4,959,317 and description herein). After transfection and integration of the site-specific cassette, homologous recombination events onto the platform chromosome are subcloned and identified by FACS (e.g. screen and single cell subclone via expression of resistance or fluorescent marker) and PCR analysis.

10

15

20

25

For example, a vector can be constructed containing regions of the mouse rDNA locus flanking a gene cassette containing the SV40 early reporter-bacteriophage lambda attP site-hygromycin selectable marker (see Figure 4 and described below). The use of the bacteriophage lambda attP site for lambda integrase-mediated site-specific recombination is described below. Homologous recombination event of the SV40-attP-hygro cassette onto the platform chromosome was identified using PCR primers that detect the homologous recombination and further confirmed by FISH analysis. After identifying subcloned colonies containing the platform chromosome with a single site-specific recombination site, cells carrying the platform chromosome with a single site-specific

PCT/US02/17452 WO 02/097059

recombination site can now be engineered with site-specific recombinases (e.g. lambda INT, Cre) for integrating a target gene expression vector.

#### C. Targeting a red fluorescent protein (RFP) gene flanked by loxP sites onto 5B11.12 platform

As another example, while loxP recombination sites could have been introduced onto the ACes during de novo biosynthesis, it was thought that this might result in multiple segments of the ACes containing a high number of loxP sites, potentially leading to instability upon Cre-10 mediated recombination. A gene targeting approach was therefore devised to introduce a more limited number of loxP recombination sites into a locus of the 5B11-12 ACes containing introduced and possibly coamplified endogenous rDNA sequences. Although there are more than 200 copies of rDNA genes in the haploid mouse genome distributed amongst 5-11 chromosomes (depending on strain), rDNA sequences were chosen as the target on the ACes since they represent a less frequent target than that of the satellite repeat sequences. Moreover, having observed much stronger pWEPuro9K hybridization to the 5B11-12 ACes than to other LMTK chromosomes and in light of the observation that the transcribed spacer sequences within the rDNA may be less conserved than the rRNA coding regions, it was contemplated that a targeting vector based on the rDNA gene segment in pWEPuro9K would have a higher probability of targeting to the ACes rather than to other LMTK chromosomes. Accordingly, a targeting vector, pBSFKLoxDsRedLox, was designed and constructed based on the rDNA sequences contained in pWEPuro9K.

15

20

25

The plasmid pBSFKLoxDsRedLox was generated in 4 steps. First, the Not! rDNA insert of pWEPuro9K (Figure 2) was inserted into pBS SK-(Stratagene) giving rise to pBSFK. Second, a loxP polylinker cassette was

generated by PCR amplification of pNEB193 (SEQ ID NO:32; New England Biolabs) using primers complementary to the M13 forward and reverse priming sites at their 3'end and a 34 bp 5' extension comprising a LoxP site. This cassette was reinserted into pNEB193 generating p193LoxMCSLox. Third, the DsRed gene from pDsRed1-N1 (SEQ ID NO:29; Clontech) was then cloned into the polylinker between the loxP sites generating p193LoxDsRedLox. Fourth, a fragment consisting of the DsRed gene flanked by loxP sites was cloned into a unique *Nde*I within the rDNA insert of pBSFK generating pBSFKLoxDsRedLox.

A gel purified 11 Kb *Pmll |Eco*RV fragment of pBSFKLoxDsRedLox was used for transfection. To detect targeted integration, PCR primers were designed from rDNA sequences within the 5' *Notl-Pmll* fragment of pWEPuro9K that is not present on the targeting fragment (5'primer) and sequence within the LoxDsRedLox cassette (3' primer). If the targeting DNA integrated correctly within the rDNA sequences, PCR amplification using these primers would give rise to a 2.3 Kb band. PCR reactions containing 1-4 µl of genomic DNA were carried out according to the MasterTaq protocol (Eppendorf), using murine rDNA 5' primer (5'-CGGACAATGCGGTTGTGCGT-3'; SEQ ID NO:72) and DsRed 3'primer (5'GGCCCCGTAATGCAGAAGAA-3'; SEQ ID NO:73) and PCR products were analyzed by agarose gel electrophoresis.

10

15

20

25

1.5X10<sup>6</sup> 5B11-12 LMTK<sup>-</sup> cells were transfected with 2  $\mu$ g of the pBSFKLoxDsRedLox targeting DNA described above using Lipofectamine Plus (Invitrogen). For flow sorting, harvested cells were suspended in medium and applied to the Becton Dickinson Vantage SE cell sorter, equipped with 488 nm lasers for excitation and 585/42 bandpass filter for optimum detection of RFP fluorescence. Cells were sorted using dPBS as sheath buffer. Negative control parental 5B11-12 cells and a positive control LMTK<sup>-</sup> cell line stably transfected with DsRed were used to

PCT/US02/17452 WO 02/097059

establish the selection gates. The RFP positive gated populations were recovered, diluted in medium supplemented with 1X penicillinstreptomycin (Invitrogen), then plated and cultured as previously described. After 4 rounds of enrichment, the percentage of RFP positive 5 cells reached levels of 50% or higher. DNA from populations was analyzed by PCR for evidence of targeted integration. Ultimately, single cell subclones were established from positive pools and were analyzed by PCR and PCR-positive clones confirmed by FISH as described below. DNA was purified from pools or single cell clones using previously 10 described methods set forth in Lahm et al., Transgenic Res., 1998; 7:131-134, or in some cases using a Wizard Genomic DNA purification kit (Promega). For FISH analysis, a biotinylated DsRed gene probe was generated by PCR using DsRed specific primers and biotin-labeled dUTP (5' RFP primer: 5'-GGTTTAAAGTGCGCTCCTCCAAGAACGTCATC-3', SEQ ID NO:74; and 3' RFP primer: 15 5'AGATCTAGAGCCGCCGCTACAGGAACAGGTGGTGGCGGCC-3'; SEQ ID NO:75). To maximize the signal intensity of the DsRed probe, Tyramide amplification was carried out according to the manufacturers protocols (NEN).

The process of testing the feasibility of a more general targeting strategy that would not rely on enrichment via drug selection of stably transfected clones can be summarized as follows. A red fluorescent protein gene (RFP; encoded by the DsRed gene) was inserted between the loxP sites of the targeting vector to form pBSFKLoxDsRedLox. After 25 transfection with PBSFKLoxDsRedLox, sequential rounds of high speed flow sorting and expansion of sorted cells in culture could then be used to enrich for stable transformants expressing RFP. In the event of targeted integration, PCR screening with primers that amplify from a spacer region within the segment of the 45s pre-rRNA gene in pWEPuro9K to a specific

20

anchor sequence within the DsRed gene in the targeting cassette would give rise to a diagnostic 2.3 Kb band. However, as rDNA clusters are found on several chromosomes, confirmation of targeting to an *ACes* would require fluorescence in situ hybridization (FISH) analysis. Finally, the flanking of the DsRed gene by loxP sites would allow for its removal and subsequent replacement with other genes of interest.

10

20

25

After transfection of the targeting sequence into 5B11-12 cells, enrichment for targeted clones was carried out using a combination of flow cytometry to detect red-fluorescing cells and PCR screening. Ultimately 17 single cell subclones were identified as potential targeted clones by PCR and of these 16 were found by FISH to contain the DsRed integration event into the ACes. These subclones are referred to herein as D11-C4, D11-C12, D11-H3, C9-C9, C9-B9, C9-F4, C9-H8, C9-F2, C9-G8, C9-B6, C9-G3, C9-E12, C9-A11, C11-E3, C11-A9 and C11-H4. PCR analysis of genomic DNA isolated from the D11-C4 subclone gave rise to a 2.3 Kb band, indicative of a targeted integration into an rDNA locus. Further analysis of the subclone by FISH analysis with a DsRed gene probe demonstrated integration of the LoxDsRedLox targeting cassette on the ACes co-localizing with one of the regions of rDNA staining seen on the 5B11-12 ACes, consistent with a targeted integration into an rDNA locus of the ACes, while integrations on other chromosomes were not observed. Since transfected cells were maintained as heterogeneous populations through several cycles of sorting and replating it was not possible to estimate the frequency of targeted events. In most mammalian cell lines the frequency of gene targeting via homologous recombination is roughly 10<sup>-5</sup>-10<sup>-7</sup> treated cells. Despite the low frequency of these events in mammalian cells, it is clear that an RFP expression based screening paradigm, coupled with PCR analysis, can effectively detect and enrich for such infrequent events in a large

-105-

population. In instances where drug selection is not possible or not desirable, such a system may provide a useful alternative. It was also verified that the modified *ACes* in subclone D11-C4 could be purified by flow cytometry. The results indicate that the flow karyogram of the D11-C4 subclone was unaltered from that of the 5B11-12 cell line. Thus, the D11-C4 *ACes* can be purified in high yield from native chromosomes of the host cell line.

## D. Reduction of LoxP on ACes to a single site.

10

15

20

25

The strong hybridization signal detected by FISH on the *ACes* using the DsRed gene probe suggests that several copies of the targeting cassette may be present on the *ACes* in the D11-C4 line. This also suggests that multiple rDNA genes have been correctly targeted.

Accordingly, in certain embodiments where necessary, the number of loxP sites on the *ACes* can be reduced to a single site by *in situ* treatment with *Cre* recombinase, provided that the sites are co-linear. Such a process is described for multiple loxP-flanked integrations on a native mouse chromosome (Garrick et al., Nature Genet., 1998, Jan;18(1):56-59). Reduction to a single loxP site on the D11-C4 *ACes* would result in the loss of the DsRed gene, forming the basis of a useful screen for this event.

For this purpose, a Cre expression plasmid pCX-Cre/GFP III has been generated by first deleting the EcoRI fragment of pCX-eGFP (SEQ ID NO:71) containing the eGFP coding sequence and replacing it with that of a PCR amplified Cre recombinase coding sequence (SEQ ID NO:58), generating pCX-Cre. Next, the Asel/SspI fragment of pD2eGFP-N1 (containing the CMV promoter driving the D2EGFP gene with SV40 polyA signal; Clontech; SEQ ID NO:87) was inserted into the filled HindIII site of pCX-Cre, generating pCX-Cre\GFP III. Control plasmid pCX-CreRev\GFP

-106-

III was generated in similar fashion except that the Cre recombinase coding sequence was inserted in the antisense orientation. LMTK<sup>-</sup> cell line D11-C4 (containing first generation platform *ACes* with multiple loxP-DsRED sites) and 5B11-12 cell line (containing *ACes* with no loxP-DsRED sites) are maintained in culture as described above. D11C4 cells are transfected with 2  $\mu$ g of plasmid pCX-Cre\GFP III or 2  $\mu$ g pCX-Cre\GFP III using Lipofectamine (Invitrogen) as previously described.

Forty-eight to seventy-two hours after transfection, transfected D11-C4 cells are harvested and GFP positive cells are sorted by cell 10 cytometry using a FACSta Vantage cell sorter (Beckton-Dickinson) as follows: All D11-C4 cells transfected with pCX-Cre\GFP III or control plasmid pCX-CreRev\GFP III that exhibit GFP fluorescent higher than the gate level established by untransfected cells are collected and placed in culture a further 7-14 days. After 7-14 days the initial D11-C4 cells are harvested and analyzed by cell cytometry as follows: Untransfected D11-C4 cells are used to establish the gate that defines the RFP positive population, while 5B11-12 cells are used to set the RFP negative gate. The GFP positive population of D11-C4 transfected with pCX-Cre\GFP III should show decreased red fluorescence compared to pCX-CreRev\GFP III 20 transfected or untransfected control D11-C4 cells. The cells exhibiting greatly decreased or no RFP expression are collected and single cell clones subsequently established. These clones will be expanded and analyzed by fluorescence in-situ hybridization and Southern blotting to confirm the removal of loxP-DsRed gene copies.

25

## **EXAMPLE 3**

Construction of targeting vector and transfection into LMtk- cells for the generation of platform chromosomes containing multiple site-specific recombination sites

PCT/US02/17452 WO 02/097059

-107-

An example of a selectable marker system for the creation of a chromosome-based platform is shown in Figure 4. This system includes a vector containing the SV40 early promoter immediately followed by (1) a 282 base pair (bp) sequence containing the bacteriophage lambda attP site and (2) the puromycin resistance marker. Initially a Pvull/Stul fragment containing the SV40 early promoter from plasmid pPUR (Clontech Laboratories, Inc., Palo Alto, CA; Seq ID No. 30) was subcloned into the EcoRI/CRI site of pNEB193 (a PUC19 derivative obtained from New England Biolabs, Beverly, MA; SEQ ID No. 32) generating the plasmid pSV40193. The only differences between pUC19 10 and pNEB193 are in the polylinker region. A unique Ascl site (GGCGCGCC) is located between the BamHI site and the Smal site, a unique Pacl site (TTAATTAA) is located between the BamHI site and the Xbal site and a unique Pmel site (GTTTAAAC) is located between the Pstl 15 site and the Sall site.

The attP site was PCR amplified from lambda genome (GenBank Accession # NC 001416) using the following primers:

20

attPUP: CCTTGCGCTAATGCTCTGTTACAGG SEQ ID No. 1 attPDWN: CAGAGGCAGGGAGTGGGACAAAATTG SEQ ID No. 2

After amplification and purification of the resulting fragment, the attP site was cloned into the Smal site of pSV40193 and the orientation of the attP site was determined by DNA sequence analysis (plasmid pSV40193attP). The gene encoding puromycin resistance (Puro) was isolated by digesting the plasmid pPUR (Clontech Laboratories, Inc. Palo 25 Alto, CA) with Agel/BamHI followed by filling in the overhangs with Klenow and subsequently cloned into the Ascl site downstream of the attP site of pSV40193attP generating the plasmid pSV40193attPsensePUR (Figure 4; SEQ ID NO:113)).

-108-

The plasmid pSV40193attPsensePUR was digested with *Scal* and co-transfected with the plasmid pFK161 (SEQ ID NO: 118) into mouse LMtk- cells and platform artificial chromosomes were identified and isolated as described above. The process for generating this exemplary platform *ACes* containing multiple site-specific recombination sites is summarized in Figure 5. One platform *ACes* resulting from this experiment is designated B19-18. This platform *ACes* chromosome may subsequently be engineered to contain target gene expression nucleic acids using the lambda integrase mediated site-specific recombination system as described herein in Example 7 and 8.

#### **EXAMPLE 4**

Lambda integrase mediated site-specific recombination of a RFP expressing vector onto artificial chromosomes

In this example, a vector expressing the red fluorescent protein (RFP) was produced and recombined into the attP site residing on an artificial chromosome within LMTK- cells. This recombination is depicted in Figure 7.

## A. Construction of expression vectors containing wildtype and mutant lambda integrase

Mutations at the glutamic acid at position 174 in the lambda integrase protein relaxes the requirement for the accessory protein IHF during recombination and DNA supercoiling in vitro (see, Miller et al. (1980) Cell 20:721-729; Lange-Gustafson et al. (1984) J. Biol. Chem. 259:12724-12732). Mutations at this site promote attP, attB
intramolecular recombination in mammalian cells (Lorbach et al. (2000) J. Mol. Biol 296:1175-1181).

To construct nucleic acid encoding the mutant, lambda integrase was PCR amplified from bacteriophage lambda DNA (cl857 ind Sam 7; New England Biolabs) using the following primers:

30 Lamint1 (SEQ ID No. 3)

-109-

TTCGAATTCATGGGAAGAAGGCGAAGTCATGAGCG)
Lamint2 (SEQ ID No. 4)

(TTCGAATTCTTATTTGATTTCAATTTTGTCCCAC).

The resulting PCR product was digested with *Eco*R I and cloned into the *Eco*R I site of pUC19. Lambda integrase was mutated at amino acid position 174 using QuikChange Site-Directed Mutagenesis Kit (Stratagene) and the following oligos (generating a glutamic acid to arginine change at position 174):

LambdalNTE174R

attB1 (SEQ ID No. 8)

10 (SEQ ID No. 6)

15

20

25

(CGCGCAGCAAAATCTAGAGTAAGGAGATCAAGACTTACGGCTGACG), LamintR174rev (SEQ ID No. 7)

(CGTCAGCCGTAAGTCTTGATCTCCTTACTCTAGATTTTGCTGCGCG).

The resulting site directed mutant was confirmed by sequence analysis. The wildtype and mutant lambda genes were cloned into the *EcoR* I site of pCX creating pCX-LamInt (SEQ ID NO: 127) and pCXLamIntR (Figure 8; SEQ ID NO: 112).

The plasmid pCX (SEQ ID No. 70) was derived from plasmid pCXeGFP (SEQ ID No. 71). Excision of the EcoRI fragment containing the eGFP marker generated pCX. To generate plasmid pCXLamINTR (SEQ ID NO: 112) an EcoRI fragment containing the lambda integrase E174R (SEQ ID No. 37) mutation was cloned into the *Eco*RI site of pCX, and to generate plasmid pCX-LamINT, an *Eco*RI fragment containing the wild-type lambda integrase was cloned into the *Eco*RI site of pCX.

B. Construction of integration vector containing attB and DsRed
The plasmid pDsRedN1 (Clontech Laboratories, Palo Alto, CA; SEQ
ID No. 29) was digested with *Hpa* I and ligated to the following annealed oligos:

-110-

(TGAAGCCTGCTTTTTTATACTAACTTGAGCGAA)
attB2 (SEQ ID No. 9)
(TTCGCTCAAGTTAGTATAAAAAAGCAGGCTTCA)
The resulting vector (pDsRedN1-attB) was confirmed by PCR and

#### C. Transfection into LMtk- cells

sequence analysis.

10

15

20

LM(tk-) cells containing the Prototype A *ACes* (L1-18; Chromos Molecular Systems Inc., Burnaby, BC Canada) were co-transfected with pDsRedN1 or pDsRedN1-attB and either pCXLamInt (SEQ ID NO: 127) or pCXLamIntR (SEQ ID NO: 112) using Lipofectamine Plus Reagent (LifeTechnologies, Gaithersburg, MD). The transfected cells were grown in DMEM (LifeTechnologies, Gaithersburg, MD) with 10% FBS (CanSera) and G418 (CalBiochem) at a concentration of 1 mg/ml.

#### D. Enrichment by cell sorting

The transfected cells were sorted using a FACs Vantage SE cell sorter (Becton Dickenson) to enrich for cells expressing DsRed. The cells were excited with a 488 nm Argon laser at 200 watts and cells fluorescing in the 585/42 detection channel were collected. The sorted cells were returned to growth medium for recovery and expansion. After three successive enrichments for cells expressing DsRed, single cell sorting into 96 well plates was performed using the same parameters. Duplicate plates of the single cell clones were made for PCR analysis.

#### E. PCR analysis of single cell clones

Pools of cells from each row and column of the 96 well plate were used for DNA isolation. DNA was prepared using a Wizard Genomic DNA purification kit (Promega Inc, Madison, WI). Nested PCR analysis on the DNA pools was performed to confirm the site-specific recombination event using the following primer sets:

-111-

attPdwn2 (SEQ ID No. 10) (TCTTCTCGGGCATAAGTCGGACACC)

CMVen (SEQ ID No. 11) (CTCACGGGGATTTCCAAGTCTCCAC)

5 followed by:

30

attPdwn (SEQ ID No. 12) (CAGAGGCAGGGAGTGGGACAAAATTG)

CMVen2 (SEQ ID No. 13) (CAACTCCGCCCCATTGACGCAAATG).

The resulting PCR reactions were analyzed by gel electrophoresis and the potential individual clones containing the site-specific recombination event were identified by combining the PCR results of all of the pooled rows and columns for each 96 well plate. The individual clones were then further analyzed by PCR using the following primers that flank the recombination junction. L1for and F1rev flank the attR junction whereas

REDfor and L2rev flank the attL junction (see Figure 7): L1for (SEQ ID No. 14)

AGTATCGCCGAACGATTAGCTCTTCA F1rev (SEQ ID No. 15)

20 GCCGATTTCGGCCTATTGGTTAAA
REDfor (SEQ ID No. 16)

CCGCCGACATCCCCGACTACAAGAA L2rev (SEQ ID No. 17) TTCCTTCGAAGGGGATCCGCCTACC.

#### 25 F. Sequence analysis of recombination junctions

PCR products spanning the recombination junction were Topocloned into pcDNA3.1D/V5His (Invitrogen Inc., San Diego, CA) and then sequenced by cycle-sequencing. The clones were confirmed to have the correct attR and attL junctions by cycle sequencing.

#### G. Fluorescent In Situ Hybridization (FISH)

The cell lines containing the correct recombination junction sequence were further analyzed by fluorescent *in situ* hybridization (FISH)

-112-

by probing with the DsRed coding region labeled with biotin and visualizing with the Tyramide Signal Amplification system (TSA; NEN Life Science Products). The results indicate that the RFP sequence is present on the *ACes*.

#### H. Southern analysis

5

10

15

20

Genomic DNA was harvested from the cell lines containing an *ACes* with the correct recombinant event and digested with *EcoR* I. The digested DNAs were separated on a 0.7% agarose gel, transferred and fixed to a nylon membrane and probed with RFP coding sequences. The result showed that there is an integrated copy of RFP coding sequence in each clone.

#### **EXAMPLE 5**

Delivery of a second gene encoding GFP onto the RFP platform ACes

A. Construction of integration vector containing attB and GFP (pD2eGFPIresPuroattB).

The plasmid pIRESpuro2 (Clontech, Palo Alto, CA; SEQ ID NO: 88) was digested with *Eco*Rl and *Not*l then ligated to the D2eGFP *Eco*Rl-*Not*l fragment from pD2eGFP-N1 (Clontech, Palo Alto, CA) to create pD2eGFPlresPuro2. Subsequently, oligos encoding the attB site were annealed and ligated into the *Nru*l site of pD2eGFPlresPuro2 to create pD2eGFPlresPuroattB. The orientation of attB in the *Nru*l site was determined by PCR.

#### B. Transfection of LMtk- cells

The LMtk- cells containing the RFP platform *ACes* produced in Example 4, which has multiple attP sites, were co-transfected with pCXLamIntR and pD2eGFPIresPuroattB using LipofectAMINE PLUS reagent. Five  $\mu g$  of each vector was placed into a tube containing 750  $\mu l$  of DMEM (Dulbecco's modified Eagles Medium). Twenty  $\mu l$  of the Plus reagent was added to the DNA and incubated at room temperature for 15

-113-

minutes. A mixture of 30  $\mu$ l of lipofectamine and 750  $\mu$ l DMEM was added to the DNA mixture and incubated an additional 15 minutes at room temperature. The DNA mixture was then added dropwise to approximately 3 million cells attached to a 10cm dish in 5 mls of DMEM.

The cells were incubated 4 hours (37°C, 5% CO<sub>2</sub>) with the DNA-lipid mixture, after which DMEM with 20% fetal bovine serum was added to the dishes to bring the culture medium to 10% fetal bovine serum. The dishes were incubated at 37°C with 5% CO<sub>2</sub>.

Plasmid pD2eGFPIresPuroattB has a puromycin gene
transcriptionally linked to the GFP gene via an IRES element. Two days after the transfection the cells were placed in medium containing puromycin at 4µg/ml to select for cells containing the pD2eGFPIresPuroattB plasmid integrated into the genome. Twenty-three clones were isolated after 17 days of selection with puromycin. These clones were expanded and then analyzed for the presence of the GFP gene on the ACes by 2-color (RFP/biotin & GFP/digoxigenin) TSA-FISH (NEN) according to the manufacturers protocol. Sixteen of the 23 clones produced a positive FISH signal on the ACes with a GFP probe.

#### **EXAMPLE 6**

#### 20 Delivery Of ACes Into human Mesenchymal Stem Cells (hMSC)

#### A. Transfection

25

Transfection conditions for the most efficient delivery of the *ACes* into hMSCs (Cambrex BioWhittaker Product Code PT-2501, lot# F0658, East Rutherford, New Jersey) were assayed using LipofectAMINE PLUS and Superfect. One million prototype B *ACes*, which is a murine derived 60Mb *ACes* having primarily murine pericentric heterochromatin, and carrying a "payload" containing a hygromycin B selectable marker gene and a *lac*Z reporter gene (see , Telenius et al., 1999, <u>Chrom. Res.</u>, 7:3-7; and Kereso et al., 1996, <u>Chrom. Res.</u>, 4:226-239; each of which is

-114-

incorporated herein by reference in its entirety), were combined with 1-12  $\mu$ I of the transfection agent. In the case of LipofectAMINE PLUS, the PLUS reagent was combined with the ACes for 15 minutes followed by LipofectAMINE for a further 15 minutes. Superfect was complexed for 10 minutes at a ratio of  $2\mu$ l Superfect per 1 million ACes. The ACes/transfection agent complex was then applied to 0.5 million recipient cells and the transfection was allowed to proceed according to the manufacturer's protocol. Percent transfected cells was determined on a FACS Vantage flow cytometer with argon laser tuned to 488 nm at 200mW and FITC fluorescence collected through a standard FITC 530/30 10 nm band pass filter. After 24 hours, IdUrd labeled ACes were delivered to human MSCs in the range of 30-50%, varying with transfection agent and dose. ACes delivery curves were generated from data collected in experiments that varyied the dose of the transfection reagents. Dose response curves of Superfect and LipofectAMINE PLUS, showing delivery 15 of ACes into recipient hMSCs cells, were prepared, measured by transfer of IdUrd labeled ACes and detected by flow cytometry. Superfect shows maximum delivery in the range of 30-50% at doses greater than 2  $\mu$ l per million ACes. LipofectAMINE PLUS has a 42-48% delivery peak around 5-8 µl per million ACes. These dose curves were then correlated with 20 toxicity data to determine the transfection conditions that will allow for highest potential transfection efficiency. Toxicity was determined by a modified plating efficiency assay (de Jong et al., 2001, Chrom. Research, 9:475-485). The population's normalized plating efficiency (at maximum % delivery doses) was in the range of 0.2 - 0.4 for Superfect and 0.5 -25 0.6 with LipofectAMINE PLUS.

Due to the transfected population consisting of mixed cell types, flow cytometry allowed for the assessment of *ACes* delivery into each sub-population and the purification of the target population. Flow profiles

PCT/US02/17452 WO 02/097059

-115-

showing forward scatter (cell size) and side scatter (internal cell granularity) revealed three distinct hMSC populations that were gated into three regions: R3 (small cell region), R4 (medium cell region), R5 (large cell region). Transfection conditions were further optimized by re-5 analyzing delivery curves and assessing the differences in delivery to each sub-population. Dose response curves of Superfect and LipofectAMINE were prepared showing % delivery to each sub-population represented by the gating on basis of cell size and granularity properties of the mixed population. Three distinct hMSC populations were gated and % delivery 10 dose curves generated. Using Superfect and LipofectAMINE PLUS the overall % delivery increased with cell size (80-90% delivery in large cells). LipofectAMINE PLUS at high doses (8-12  $\mu$ l per 1 million ACes) shows an increase in the overall proportion of chromosome transfer to the small population (10-20%). This suggests an advantage to using this transfection agent if the small-undifferentiated cell population is the desired target host cell.

#### В. Expression from Genes on ACes IN hMSCs

15

20

25

Following the delivery screening process conducted in section (A) above, the most promising results were subjected to further analyses to monitor expression and verify the presence of structurally intact ACes. The transfection conditions employed for these experiments were exactly ' the same as those that had been used during the screening process. Short-term expression was monitored by transfecting hMSCs with ACes containing a RFP gene (red fluorescent protein) set forth in Example 2C as "D11C4". The unselected population was harvested at 72-96 hours post transfection and % positive fluorescent cells measured by flow cytometry. RFP expression was in the range of 1-20%.

Long term-gene expression was assayed by selecting for hygromycin B resistant cells over a period of 7-10 days. Cytogenetic

-116-

analysis was done to detect presence of intact *ACes* by Fluorescent *In Situ* hybridization (FISH), where metaphase chromosomes were hybridized to a mouse major satellite-DNA probe (targeting murine pericentric heterochromatin) and a lambda probe (hybridizing to the *lac*Z gene). The human mesenchymal transfected culture could not undergo standard subcloning as diffuse colonies form with limited doublings available for expansion. Cytogenetic analysis was performed on the entire population, sampling over a period of 3-10 days post-transfection. The hygromycin resistant population was then blocked in mitosis with colchicine and analyzed for presence of intact *ACes* by FISH. Preliminary FISH results show approximately 2-8% of the hMSC-transfected population had an intact *ACes*. This compared to rat skeletal muscle myoblast clones, which were in the range of 60-95%. To increase the % of intact *ACes* in the hMSC-transfected population an enrichment step can be utilized as described in Example 2C.

#### C. Differentiation of The hMSCs

10

15

20

25

In initial experiments where transfected hMSCs cells have been induced to differentiate into adipose or osteocytes, the results indicate that the transfected cells appear to be differentiating at a rate comparable to the untransfected controls and the cultures are lineage specific as tested by microscopic examination, FISH, Oil Red O staining (adipocyte assay), and calcium secretion (osteocyte assay).

Accordingly, these results indicate that the artificial chromosomes (ACes) provided herein can be successfully transferred into hMSC target cells. Targeting MSCs (such as hMSCs) permits gene transfer into cells in an undifferentiated state where the cells are easier to expand and purify. The genetically modified cells can then be differentiated in vitro or injected into a site in vivo where the microenvironment will induce transformation into specific cell lineages.

-117-

#### **EXAMPLE 7**

### Delivery of a Promoterless Marker Gene to a Platform ACes

Platform *ACes* containing pSV40attPsensePURO (Figure 4) were constructed as set forth in Examples 3 and 4.

#### 5 A. Construction of Targeting Vectors.

25

The base vector p18attBZeo (3166bp; SEQ ID NO: 114) was constructed by ligating the 1067bp *HindIII-SspI* fragment containing attBZeo, obtained from pLITattBZeo (SEQ ID NO:91), into pUC18 (SEQ ID NO: 122) digested with *HindIII* and *SspI*.

- 1. p18attBZEO-eGFP (6119bp; SEQ ID NO: 126) was constructed by inserting the 2977bp Spel-HindIII fragment from pCXeGFP (SEQ ID NO:71; Okabe, et al. (1997) FEBS Lett 407:313-319) containing the eGFP gene into p18attBZeo (SEQ ID NO: 114) digested with HindIII and Xbal.
- p18attBZEO-5'6XHS4eGFP (Figure 10; 7631bp; SEQ ID NO:
   116) was constructed by ligating the 4465bp HindIII fragment from pCXeGFPattB(6XHS4)2 (SEQ ID NO: 123) which contains the eGFP gene, under the regulation of the chicken beta actin promoter, 6 copies of the HS4 core element located 5' of the chicken beta actin promoter and the polyadenylation signal into the HindIII site of p18attBZeo (SEQ ID NO: 114).
  - 3. p18attBZEO-3'6XHS4eGFP (Figure 11; 7600bp; SEQ ID NO: 115) was created by removing the 5'6XHS4 element from p18attBZeo-(6XHS4)2eGFP (SEQ ID NO: 110). p18attBZeo-(6XHS4)2eGFP was digested with *Eco*RV and *Spe*I, treated with Klenow and religated to form p18attBZeo3'6XHS4eGFP (SEQ ID NO: 115).
  - 4. p18attBZEO-(6XHS4)2eGFP (Figure 12; 9080bp; SEQ ID NO: 110) was created in two steps. First, the *EcoRI-SpeI* fragment from pCXeGFPattB(6XHS4)2 (SEQ ID NO: 123) which contains 6 copies of the HS4 core element was ligated into p18attBZeo (SEQ ID NO: 114)

PCT/US02/17452 WO 02/097059

-118-

digested with EcoRI and XbaI to create p18attBZeo6XHS4 (4615bp; SEQ ID NO: 117). Next, p18attBZeo6XHS4 was digested with Hindll and ligated to the 4465bp HindIII fragment from pCXeGFPattB(6XHS4)2 which contains the eGFP gene, under the regulation of the chicken beta 5 actin promoter, 6 copies of the HS4 core element located 5' of the chicken beta actin promoter and the polyadenylation signal.

Table 2

Targeting plasmid	No. zeocin resistant clones	No. clones with expected PCR product size	No. clones with correct sequence at recombination junction
p18attBZEO-eGFP	12	12	NT*
p18attBZEO-5'6XHS4eGFP	11	11	NT
p18attBZEO-3'6XHS4eGFP	11	11	NT
p18attBZEO-(6XHS4)2eGFP	9	9	4/4

\*NT = not tested

10

15

#### Transfection and Selection with Drug. В.

The mouse cell line containing the 2<sup>nd</sup> generation platform ACE, B19-38 (constructed as set forth in Example 3), was plated onto four 10cm dishes at approximately 5 million cells per dish. The cells were incubated overnight in DMEM with 10% fetal calf serum at 37°C and 5%  $CO_2$ . The following day the cells were transfected with  $5\mu g$  of each of the 4 vectors listed in Example 7.A. above and 5µg of pCXLamIntR (SEQ ID NO: 112), for a total of  $10\mu g$  per 10cm dish. Lipofectamine Plus reagent was used to transfect the cells according to the manufacturers protocol. Two days post-transfection zeocin was added to the medium at 500ug/ml. The cells were maintained in selective medium until colonies 25 formed. The colonies were then ring-cloned (see, e.g., McFarland, 2000, Methods Cell Sci, Mar;22(1):63-66).

#### Analysis of Clones (PCR, SEQUENCING). C.

-119-

Genomic DNA was isolated from each of the candidate clones with the Wizard kit (Promega) and following the manufacturers protocol. The following primer set was used to analyze the genomic DNA isolated from the zeocin resistant clones: 5PacSV40 -

5 CTGTTAATTAACTGTGGAATGTGTG TCAGTTAGGGTG (SEQ ID NO:76);
Antisense Zeo - TGAACAGGGTCACGTCGTCC (SEQ ID NO:77). PCR
amplification with the above primers and genomic DNA from the sitespecific integration of any of the 4 zeocin vectors would result in a 673bp
PCR product.

As set forth in Table 2, of the 4 zeocin resistant candidate clones thusfar analyzed by PCR, all 4 exhibit the correct sequence for a site-specific integration event.

#### **EXAMPLE 8**

Integration of a PCR product by site-specific recombination. In this example a gene is integrated onto the platform *ACes* by site-specific recombination without cloning said gene into a vector.

#### A. PCR PRIMER DESIGN.

10

15

20

25

PCR primers are designed to contain an attB site at the 5' end of one of the primers in the primer set. The remaining primers, which could be one or more than one primer, do not contain an attB site, but are complementary to sequences flanking the gene or genes of interest and any associated regulatory sequences. In first example, 2 primers (one containing an attB site) are used to amplify a selective gene such as puromycin.

In a second example as shown in Figure 13, the primer set includes primers 1 & 2 that amplify the GFP gene without amplification of an upstream promoter. Primer 1 contains the attB site at the 5' end of the oligo. Primers 3 & 4 are designed to amplify the IRES-blasticidin DNA sequences from the vector pIRESblasticidin. The 5'end of primer 3

-120-

contains sequences complementary to the 5' end of primer 2 such that annealing can occur between 5' ends of the two primers.

## B. PCR REACTION AND SUBSEQUENT LIGATION TO CREATE CIRCULAR MOLECULES FROM THE PCR PRODUCT

5

10

15

20

25

In the first example set forth above in Section A, the two PCR primers are combined with a puromycin DNA template such as pPUR (Clontech), a heat stable DNA polymerase and appropriate conditions for DNA amplification. The resulting PCR product (attB-Puromycin) is then then purified and self-ligated to form a circular molecule.

In the second example set forth above in Section A, amplification of the GFP gene and IRES-blasticidin sequences is accomplished by combining primers 1 & 2 with DNA template pD2eGFP and primers 3 & 4 with template pIRESblasticidin under appropriate conditions to amplify the desired template. After initial amplification of the two products (attB-GFP & IRES-blasticidin) in separate reactions, a second round of amplification using both of the PCR products from the first round of amplification together with primers 1 and 4 amplifies the fusion product attB-GFP-IRES-blasticidin (Figure 13). This technique of using complementary sequences in primer design to create a fusion product is employed in *Saccharomyces cerevisiae* for allele replacement (Erdeniz *et al* (1997) *Gen Res* 7:1174-1183). The amplified product is then purified from the PCR reaction mixture by standard methods and ligated to form a circular molecule.

## C. INTRODUCTION OF PCR PRODUCT ONTO THE *ACes* USING A RECOMBINASE

The circular PCR product is then be introduced to the platform *ACes* using the bacteriphage lambda integrase E174R. The introduction can be performed *in vivo* by transfecting the pCXLamIntR (SEQ ID NO: 112) vector encoding the lambda integrase mutant E174R together with the circularized PCR product into a cell line containing the platform ACE.

-121-

### D. SELECTION FOR MARKER GENE

The marker gene (in this case either puromycin, blasticidin or GFP) is used to enrich the population for cells containing the proper integration event. A proper integration event in the second example (Figure 14)

5 juxtaposes a promoter residing on the platform *ACes* 5' to the attB-GFP-IRES-Blasticidin PCR product, allowing for transcription of both GFP and blasticidin. If enrichment is done by drug selection, blasticidin is added to the medium on the transfected cells 24-48 hours post-transfection.

Selection is maintained until colonies are formed on the plates. If

10 enrichment is done by cell sorting, cells are sorted 2-4 days post-transfection to enrich for cells expressing the fluorescent marker (GFP in this case).

#### E. ANALYSIS OF CLONES

Clonal isolates are analyzed by PCR, FISH and sequence analysis to confirm proper integration events.

#### **EXAMPLE 9**

Construction of a human platform ACes "ACE 0.1"

### A. CONSTRUCTION OF THE TARGETING VECTOR pPACrDNA

Genome Systems (IncyteGenomics) was supplied with the primers
5'HETS (GGGCCGAAACGATCTCAACCTATT; SEQ ID NO:78), and
3'HETS (CGCAGCGGCCCTCCTACTC; SEQ ID NO:79), which were used
to amplify a 538bp PCR product homologous to nt 9680-10218 of the
human rDNA sequences (GenBank Accession No. <u>U13369</u>) and used as a
probe to screen a human genomic P1AC (P1 Artificial Chromosome)
library constructed in the vector pCYPAC2 (Ioannou *et al.* (1994) *Nat. Genet.* 6(1): 84-89). Genome Systems clone #18720 was isolated in this
screen and contains three repeats of human rDNA as assessed by
restriction analysis. GS clone #18720, was digested with Pmel, a
restriction enzyme unique to a single repeat of the human rDNA (45Kbp),

-122-

and then religated to form pPACrDNA (Figure 15). The insert in pPACrDNA was analyzed by restriction digests and sequence analysis of the 5' and 3' termini. The pPACrDNA, rDNA sequences are homologous to Genbank Accession #U13369, containing an insert of about 45 kB comprising a single repeat beginning from the end of one repeat at ~33980 (relative to the Genbank sequence) through the beginning of the next repeat up to approximately 35120 (the repeat offset from that listed in the GenBank file). Thus, the rDNA sequence is just over 1 copy of the repeat extending from 33980 (+/-10bp) to the end of the first repeat (43Kbp) and continuing into the second repeat to bp 35120 (+/-10bp).

#### B. TRANSFECTION AND ACes FORMATION.

10

15

20

Five hundred thousand MSU1.1 cells (Morgan et al., 1991, Exp. Cell Res., Nov;197(1):125-136; provided by Dr. Justin McCormick at Michigan State University) were plated per 6cm plate (3 plates total) and allowed to grow overnight. The cells were 70-80% confluent the following day. One plate was transfected with 15µg pPACrDNA (linearized with *Pme* I) and 2µg pSV40attPsensePuro (linearized with *Sca* I; see Example 3). The remaining plates were controls and were transfected with either 20µg pBS (Stratagene) or 20µg pSV40attBsensePuro (linearized with *Sca* I). All three plates were transfected using a CaPO<sub>4</sub> protocol.

#### C. SELECTION OF PUROMYCIN RESISTANT COLONIES

One day post-transfection the cells were "glycerol shocked" by the addition of PBS medium containing 10% glycerol for 30 seconds.

25 Subsequently, the glycerol was removed and replaced with fresh DMEM. Four days post-transfection selective medium was added. Selective medium contains 1ug/ml puromycin. The transfection plates were maintained at 37°C with 5% CO<sub>2</sub> in selective medium for 2 weeks at which point colonies could be seen on the plate transfected with

-123-

pPACrDNA and pSV40attPsensePuro. The colonies were ring-cloned from the plate on day 17 post-selection and expanded in selective medium for analysis. Only two colonies (M2-2d & M2-2b) were able to proliferate in the selective medium after cloning. No colonies were seen on the control plates after 37 days in selective medium.

#### D. ANALYSIS OF CLONES

15

20

25

FISH analysis was performed on the candidate clones to detect *ACes* formation. Metaphase spreads from the candidate clones were probed in multiple probe combinations. In one experiment, the probes used were biotin-labeled human alphoid DNA (pPACrDNA) and digoxigenin-labeled mouse major DNA (pFK161) as a negative control. Candidate M2-2d was single cell subcloned by flow sorting and the candidate subclones were reanalyzed by FISH. Subclone 1B1 of M2-2d was determined to be a platform *ACes* and is also designated human Platform ACE 0.1.

#### **EXAMPLE 10**

### Site-specific integration of a marker gene onto a human platform ACE 0.1

The promoterless delivery method was used to deliver a promoterless blasticidin marker gene onto the human platform *ACes* with excellent results. The human *ACes* platform with a promoterless blasticidin marker gene resulted in 21 of 38 blasticidin resistant clones displaying a PCR product of the expected size from the population cotransfected with pLIT38attBBSRpolyA10 and pCXLamIntR (Figure 8; SEQ ID NOs. 111 and 112). Whereas, the population transfected with pBlueScript resulted in 0 blasticidin resistant colonies.

# A. CONSTRUCTION OF pLIT38attB-BSRpolyA10 & pLIT38attB-BSRpolyA2.

The vector pLITMUS 38 (New England Biolabs; U.S. Patent No. 5,691,140; SEQ ID NO: 119) was digested with *EcoRV* and ligated to

-124-

two annealed oligomers, which form an attB site (attB1 5'TGAAGCCTGCTTTTTTATACTAACTTGAGCGAA-3' (SEQ ID NO:8); attB2
5'-TTCGCTCAAGTTAGTATAAAAAAGCAGGCTTCA-3'; SEQ ID NO:9).
This ligation reaction resulted in the vector pLIT38attB (SEQ ID NO: 120).

The blasticidin resistance gene and SV40 polyA site was PCR amplified with primers: 5BSD (ACCATGAAAACATTTAACATTTCTCAACA; SEQ ID NO:80) and SV40polyA (TTTATTTGTGAAATTTGTGATGCTATTGC; SEQ ID NO:81) using pPAC4 (Frengen, E., et al. (2000) Genomics 68 (2), 118-126; GenBank Accession No. U75992) as template. The blasticidinSV40polyA PCR product was then ligated into pLIT38attB at the BamHI site, which was Klenow treated following digestion with BamHI.
pLIT38attB-BSDpolyA10 (SEQ ID NO: 111) and pLIT38attB-BSDpolyA2 (SEQ ID NO: 121) are the two resulting orientations of the PCR product ligated into the vector.

## 15 B. TRANSFECTION OF MSU1.1 CELLS CONTAINING HUMAN PLATFORM ACE 0.1.

bovine serum following the transfection.

MSU1.1 cells containing human platform ACE 0.1 (see Example 9) was expanded and plated to five 10cm dishes with 1.3x10<sup>6</sup> cells per dish. The cells were incubated overnight in DMEM with 10% fetal bovine serum, at 37°C and 5% CO<sub>2</sub>. The following day the cells were transfected with 5μg of each plasmid as set forth in Table 3, for a total of 10μg of DNA per plate of cells transfected (see Table 3) using ExGen 500 in vitro transfection reagent (MBI fermentas, cat. no. R0511). The transfection was performed according to the manufacturers protocol.

25 Cells were incubated at 37°C with 5% CO<sub>2</sub> in DMEM with 10% fetal

-125-

Table 3

Plate #	Plasmid 1	Plasmid 2	No. Bsd <sup>R</sup> Colonies
1	pBS	None	0
2	pCXLamInt	pLIT38attB- BSRpolyA10	16
3	pCXLamIntR	pLIT38attB- BSRpolyA10	40
4	pCXLamInt	pLIT38attB- BSRpolyA2	28
5	pCXLamIntR	pLIT38attB- BSRpolyA2	36

#### 10 C. SELECTION OF BLASTICIDIN RESISTANT CLONES.

Three days following the transfection the cells were split from a 10 cm dish to two 15cm dishes. The cells were maintained in DMEM with 10% fetal bovine serum for 4 days in the 15 cm dishes. Seven days post-transfection blasticidin was introduced into the medium. Stably transfected cells were selected with 1µg/ml blasticidin. The number of colonies formed on each plate is listed in Table 3. These colonies were ring-cloned and expanded for PCR analysis. Upon expansion in blasticidin containing medium some clones failed to live and therefore do not have corresponding PCR data.

#### 20 D. PCR ANALYSIS

5

25

Thirty-eight of the 40 clones from plate 3 grew after ring-cloning. Genomic DNA was isolated from these clones with the Promega Wizard Genomic cDNA purification kit, digested with *Eco*Rl and used as template in a PCR reaction with the following primers: 3BSP – TTAATTTCGGG TATATTTGAGTGGA (SEQ ID NO:82); 5PacSV40 – CTGTTAATTAACTGTGGAA TGTGTGTCAGTTAGGGTG (SEQ ID NO:76). The PCR conditions were as follows. 100ng of genomic DNA was

PCT/US02/17452 WO 02/097059

-126-

amplified with 0.5ul Herculase polymerase (Stratagene) in a 50ul reaction that contained 12.5pmole of each primer, 2.5mMof each dNTP, and 1X Herculase buffer (Stratagene). The reactions were placed in a PerkinElmer thermocycler programmed as follows: Initial denaturation at 95°C for 10 5 minutes; 35 cycles of 94°C for 1 minute, 53°C for 1 minute, 72°C for 1 minute, and 72°C for 1 minute; Final extension for 10 minutes at 72°C; and 4°C hold. If pLIT38attB-BSRpolyA10 integrates onto the human platform ACE 0.1 correctly, PCR amplification with the above primers should yield an 804bp product. Twenty-one of the 38 clones from plate 3 produced a PCR product of the expected 804bp size.

#### **EXAMPLE 11**

Delivery of a Vector comprising a Promoterless Marker Gene and a gene encoding a therapeutic product to a Platform ACes

Platform ACes containing pSV40attPsensePURO (Figure 4) were 15 constructed as set forth in Examples 3 and 4.

#### Α. **CONSTRUCTION OF DELIVERY VECTORS**

10

1. Erythropoietin cDNA vector, p18EPOcDNA.

The erythropoietin cDNA was PCR amplified from a human cDNA library (E. Perkins et al., 1999, Proc. Natl. Acad. Sci. USA 96(5): 2204-20 2209) using the following primers: EPO5XBA -TATCTAGAATGGGGGTGC ACGAATGTCCTGCC (SEQ ID NO: 83); EPO3BSI - TACGTACGTCATC TGTCCCCTGTCCTGCAGGC (SEQ ID NO: 84). The cDNA was amplified through two successive rounds of PCR using the following conditions: heat denaturation at 95°C for 3 minutes; 25 35 cycles of a 30 second denaturation (95°C), 30 seconds of annealing (60°C), and 1 minute extension (72°C); the last cycle is followed by a 7 minute extension at 72°C. BIO-X-ACT (BIOLINE) was used to amplify the erythropoietin cDNA from 2.5ng of the human cDNA library in the first round of amplification. Five  $\mu$ I of the first amplification product was used

-127-

as template for the second round of amplification. Two PCR products were produced from the second amplification with Taq polymerase (Eppendorf), each product was cloned into pCR2.1-Topo (Invitrogen) and sequenced. The larger PCR product contained the expected cDNA sequence for erythropoietin. The erythropoietin cDNA was moved from pTopoEPO into p18attBZeo(6XHS4)2eGFP (SEQ ID NO: 110). pTopoEPO was digested with BsiWI and Xbal to release a 588 bp EPO cDNA. BsrGl and BsiWI create compatable ends. The eGFP gene was removed from p18attBZeo(6XHS4)2eGFP by digestion with BsiWI and Xbal, the 8.3 Kbp vector backbone was gel purified and ligated to the 588 bp EPO cDNA to create p18EPOcDNA (SEQ ID NO: 124).

#### 2. Genomic erythropoietin vector, p18genEPO.

10

The erythropoietin genomic clone was PCR amplified from a human genomic library (Clontech) using the following primers: GENEPO3BSI -CGTACGTCATCTGTCCCCT GTCCTGCA (SEQ ID NO: 85); GENEPO 15 5XBA -TCTAGAATGGGGGT GCACGGTGAGTACT (SEQ ID NO: 86). The reaction conditions for the amplification were as follows: heat denaturation for 3 minutes (95°C); 30 cycles of a 30 second denaturation (95°C), 30 seconds annealing (from 65°C decreasing 0.5°C per cycle to 50°C), and 3 minutes extension (72°C); 15 cycles of a 30 second 20 denaturation (95°C), 30 seconds annealing (50°C), and 3 minute extension (72°C); the last cycle is followed by a 7 minute extension at 72°C. The erythropoietin genomic PCR product (2147 bp) was gel purified and cloned into pCR2.1Topo to create pTopogenEPO. Sequence analysis revealed 2bp substitutions and insertions in the intronic 25 sequences of the genomic clone of erythropoietin. A partial digest with Xbal and complete digest with BsiWl excised the erythropoietin genomic insert from pTopogenEPO. The resulting 2158 bp genomic erythropoietin fragment was ligated into the 8.3 Kbp fragment resulting from the

-128-

digestion of p18attBZeo(6XHS4)2eGFP (SEQ ID NO: 110) with Xbal and BsrGl to create p18genEPO (SEQ ID NO: 125).

#### B. TRANSFECTION AND SELECTION WITH DRUG

The erythropoietin genomic and cDNA genes were each moved
onto the platform ACes B19-38 (constructed as set forth in Example 3) by
co-transfecting with pCXLamIntR. Control transfections were also
performed using pCXLamInt (SEQ ID NO: 127) together with either
p18EPOcDNA (SEQ ID NO: 124) or p18genEPO (SEQ ID NO: 125).
Lipofectamine Plus was used to transfect the DNA's into B19-38 cells
according to the manufacturer's protocol. The cells were placed in
selective medium (DMEM with 10% FBS and Zeocin @ 500ug/ml) 48
hours post-transfection and maintained in selective medium for 13 days.
Clones were isolated 15 days post-transfection.

#### C. ANALYSIS OF CLONES (ELISA, PCR)

#### 1. ELISA Assays

15

Thirty clones were tested for erythropoietin production by an ELISA assay using a monoclonal anti-human erythropoietin antibody (R&D Systems, Catalogue # MAB287), a polyclonal anti-human erythropoietin antibody (R & D Systems, Catalogue # AB-286-NA) and alkaline

20 phosphotase conjugated goat-anti-rabbit IgG (heavy and light chains) (Jackson ImmunoResearch Laboratories, Inc., Catalogue # 111-055-144). The negative control was a Zeocin resistant clone isolated from B19-38 cells transfected with p18attBZeo(6XHS4) (SEQ ID NO: 117; no insert control vector) and pCXLamIntR (SEQ ID NO: 112). The preliminary

25 ELISA assay was executed as follows: 1) Nunc-Immuno Plates (MaxiSorb 96-well, Catalogue # 439454) were coated with 75ul of a 1/200 dilution (in Phosphate buffered Saline, pH 7.4 (PBS), Sigma Catalogue # P-3813) of monoclonal anti-human erythropoietin antibody overnight at 4°C. 2) The following day the plates were washed 3 times with 300ul PBS

containing 0.15% Tween 20 (Sigma, Catalogue # P-9416). 3) The plates were then blocked with 300ul of 1% Bovine Serum Albumin (BSA; Sigma Catalogue # A-7030) in PBS for 1 hour at 37°C. 4) Repeat the washes as in step 2. 5) The clonal supernatants (75ul per clone per well of 96-well 5 plate) were then added to the plate and incubated for 1 hour at 37°C. The clonal supernatant analyzed in the ELISA assay had been maintained on the cells 7 days prior to analysis. 6) Repeat the washes of step 2. 7) Add 75ul of polyclonal anti-human erythropoietin antibody (1/250 dilution in dilution buffer (0.5% BSA, 0.01% Tween 20, 1X PBS, pH 7.4) and incubate 1 hour at 37°C. 8) Repeat washes of step 2. 9) Add 75ul of goat anti-rabbit conjugated alkaline phosphatase diluted 1/4000 in dilution buffer and incubate 1 hour at 37°C. 10) Repeat washes of step 2. 11) Add 75ul substrate, p-nitrophenyl phosphate (Sigma N2640), diluted to 1mg/ml in substrate buffer (0.1 Ethanolamine-HCl (Sigma, Catalogue # E-6133), 5mM MgCl2 (Sigma, Catalogue # M-2393), pH 9.8). Incubate the plates in the dark for 1 hour at room temperature (22°C). 12) Read the absorption at 405nm (reference wavelength 495nm) on an Universal Microplate Reader (Bio-Tek Instruments, Inc., model # ELX800 UV). The erythropoietin standard curve was derived from readings of diluted human recombinant Erythropoietin (Roche, catalogue # 1-120-166; dilution range 125 - 7.8mUnits/ml). From this preliminary assay the 21 clones displaying the highest expression of erythropoietin were analyzed a second time in the same manner using medium supernatants that had been on the clones for 24 hours and a 1:3 dilution therof.

#### 2. PCR Analysis

10

15

20

25

Genomic DNA was isolated from the 21 clones with the best expression (as assessed by the initial ELISA assay above) as well as the B19-38 cell line and used for PCR analysis. Genomic DNA was isolated using the Wizard genomic DNA purification kit (Promega) according to the

-130-

manufacturers protocol. Amplification was performed on 100ng of genomic DNA as template with MasterTaq DNA Polymerase (Eppendorf) and the primer set 5PacSV40 – CTGTTAATTAACTGTGGAATGTGTG TCAGTTAGGGTG (SEQ ID NO: 76) and Antisense Zeo -

5 TGAACAGGGTCACGTCGTCC (SEQ ID NO: 77). The amplification conditions were as follows: heat denaturation for 3 minutes (95°C); 30 cycles of a 30 second denaturation (95°C), 30 seconds annealing (from 65oC decreasing 0.5oC per cycle to 50°C), and 1 minutes extension (72°C); 15 cycles of a 30 second denaturation (95°C), 30 seconds
10 annealing (50°C), and 1 minute extension (72°C); the last cycle is followed by a 10 minute extension at 72°C. PCR products were size separated by gel electrophoresis. Of the 21 clones analyzed 19 produced a PCR product of 650 bp as expected for a site-specific integration event. All nineteen clones were the result of transformations with p19EPOcDNA
15 or p18genEPO (14) and pCXLamIntR (i.e. mutant integrase). The remaining two clones, both of which were the result of transformation with p18genEPO (SEQ ID NO: 125) and pCXLamInt (i.e. wildtype

#### Example 12

## 20 Preparation of a Transformation Vector Useful for the Induction of Plant Artificial Chromosome Formation

integrase; SEQ ID NO: 127), produced a 400 bp PCR product.

25

Plant artificial chromosomes (PACs) can be generated by introducing nucleic acid, such as DNA, which can include a targeting DNA, for example rDNA or lambda DNA, into a plant cell, allowing the cell to grow, and then identifying from among the resulting cells those that include a chromosome with a structure that is distinct from that of any chromosome that existed in the cell prior to introduction of the nucleic acid. The structure of a PAC reflects amplification of chromosomal DNA, for example, segmented, repeat region-containing and heterochromatic

structures. It is also possible to select cells that contain structures that are precursors to PACs, for example, chromosomes containing more than one centromere and/or fragments thereof, and culture and/or manipulate them to ultimately generate a PAC within the cell.

5

In the method of generating PACs, the nucleic acid can be introduced into a variety of plant cells. The nucleic acid can include targeting DNA and/or a plant expressable DNA encoding one or multiple selectable markers (e.g., DNA encoding bialophos (bar) resistance) or scorable markers (e.g., DNA encoding GFP). Examples of targeting DNA 10 include, but are not limited to, N. tabacum rDNA intergenic spacer sequence (IGS) and Arabidopsis rDNA such as the 18S, 5.8S, 26S rDNA and/or the intergenic spacer sequence. The DNA can be introduced using a variety of methods, including, but not limited to Agrobacteriummediated methods, PEG-mediated DNA uptake and electroporation using, 15 for example, standard procedures according to Hartmann et al [(1998) Plant Molecular Biology 36:741]. The cell into which such DNA is introduced can be grown under selective conditions and can initially be grown under non-selective conditions and then transferred to selective media. The cells or protoplasts can be placed on plates containing a selection agent to grow, for example, individual calli. Resistant calli can be scored for scorable marker expression. Metaphase spreads of resistance cultures can be prepared, and the metaphase chromosomes examined by FISH analysis using specific probes in order to detect amplification of regions of the chromosomes. Cells that have artificial 25 chromosomes with functioning centromeres or artificial chromosomal intermediate structures, including, but not limited to, dicentric chromosomes, formerly dicentric chromosomes, minichromosomes, heterochromatin structures (e.g. sausage chromosomes), and stable selfreplicating artificial chromosomal intermediates as described herein, are

PCT/US02/17452 WO 02/097059

· -132-

identified and cultured. In particular, the cells containing self-replicating artificial chromosomes are identified.

The DNA introduced into a plant cell for the generation of PACs can be in any form, including in the form of a vector. An exemplary 5 vector for use in methods of generating PACs can be prepared as follows.

For the production of artificial chromosomes, plant transformation vectors, as exemplified by pAglla and pAgllb, containing a selectable marker, a targeting sequence, and a scorable marker were constructed using procedures well known in the art to combine the various fragments. 10 The vectors can be prepared using vector pAg1 as a base vector and inserting the following DNA fragments into pAg1: DNA encoding  $\beta$ glucoronidase under the control of the nopaline synthase (NOS) promoter fragment and flanked at the 3' end by the NOS terminator fragment, a fragment of mouse satellite DNA and an N. tabacum rDNA intergenic spacer sequence (IGS). In constructing plant transformation vectors, vector pAg2 can also be used as the base vector.

#### 1. Construction of pAG1

15

20

Vector pAg1 (SEQ. ID. NO: 89) is a derivative of the CAMBIA vector named pCambia 3300 (Center for the Application of Molecular Biology to International Agriculture, i.e., CAMBIA, Canberra, Australia; www.cambia.org), which is a modified version of vector pCambia 1300 to which has been added DNA from the bar gene confering resistance to phosphinothricin. The nucleotide sequence of pCambia 3300 is provided in SEQ. ID. NO: 90. pCambia 3300 also contains a lacZ alpha sequence containing a polylinker region.

pAg1 was constructed by inserting two new functional DNA fragments into the polylinker of pCambia 3300: one sequence containing an attB site and a promoterless zeomycin resistance-encoding DNA flanked at the 3' end by a SV40 polyA signal sequence, and a second

sequence containing DNA from the hygromycin resistance gene (hygromycin phosphotransferase) confering resistance to hygromycin for selection in plants. Although the zeomycin-SV40 polyA signal fusion is not expected to function in plant cells, it can be activated in mammalian cells by insertion of a functional promoter element into the attB site by site-specific recombination catalyzed by the Lambda att integrase. Thus, the inclusion of the attB-zeomycin sequences allows for evaluation of functionality of plant artificial chromosomes in mammalian cells by activation of the zeomycin resistance-encoding DNA, and provides an att 10 site for further insertion of new DNA sequences into plant artificial chromosomes formed as a result of using pAg1 for plant transformation. The second functional DNA fragment allows for selection of plant cells with hygromycin. Thus, pAg1 contains DNA from the bar gene confering resisance to phosphinothricin, DNA from the hygromycin resistance gene, both resistance-encoding DNAs under the control of a separate cauliflower mosaic virus (CaMV) 35S promoter, and the attB-promoterless zeomycin resistance-encoding DNA.

pAg1 is a binary vector containing *Agrobacterium* right and left T-DNA border sequences for use in *Agrobacterium*-mediated transformation of plant cells or protoplasts with the DNA located between the border sequences. pAg1 also contains the pBR322 Ori for replication in *E.coli*. pAg1 was constructed by ligating *Hind*III/*Pst*I-digested p3300attBZeo with *Hind*III/*Pst*I-digested pBSCaMV35SHyg as follows.

#### a. Generation of p3300attBZeo

20

25

Plasmid pCambia 3300 was digested with *Pstl/Ecl*136 II and ligated with *Pstl/Stul*-digested pLITattBZeo (the nucleotide sequence of pLITattBZeo is provided in SEQ. ID. NO: 91. (containing DNA encoding the zeocin resistance gene and an attB Integrase recognition sequence) to generate p3300attBZeo which contains an attB site, a promoterless

-134-

zeomycin resistance-encoding DNA flanked at the 3' end by a SV40 polyA signal, and a reconstructed *Pst*I site.

#### b. Generation of pBSCaMV35SHyg

A DNA fragment containing DNA encoding hygromycin
phosphotransferase flanked by the CaMV 35S promoter and the CaMV
35S polyA signal sequence was obtained by PCR amplification of plasmid
pCambia 1302 (GenBank Accession No. AF234298 and SEQ. ID. NO:
92). The primers used in the amplification reaction were as follows:
CaMV35SpolyA:

10 5'-CTGAATTAACGCCGAATTAATTCGGGGGATCTG-3' SEQ. ID. NO: 93 CaMV35Spr:

5'-CTAGAGCAGCTTGCCAACATGGTGGAGCA-3' SEQ. ID. NO: 94
The 2100-bp PCR fragment was ligated with *Eco*RV-digested pBluescript II SK+ (Stratagene, La Jolla, CA, U.S.A.) to generate pBSCaMV35SHyg.

#### c. Generation of pAg1

To generate pAg1, pBSCaMV35SHyg was digested with HindIII/Pstl and ligated with HindIII/Pstl-digested p3300attBZeo. Thus, pAg1 contains the pCambia 3300 backbone with DNA conferring resistance to phophinothricin and hygromycin under the control of separate CaMV 35S promoters, an attB-promoterless zeomycin resistance-encoding DNA recombination cassette and unique sites for adding additional markers, e.g., DNA encoding GFP. The attB site can be used as decribed hereing for the addition of new DNA sequences to plant artificial chromosomes, including PACs formed as a result of using the pAg1 vector, or derivatives thereof, in the production of PACs. The attB site provides a convenient site for recombinase-mediated insertion of DNAs containing a homologous att site.

#### 2. pAG2

15

20

25

The vector pAg2 (SEQ. ID. NO: 95) is a derivative of vector pAg1 formed by adding DNA encoding a green fluorescent protein (GFP), under the control of a NOS promoter and flanked at the 3' end by a NOS polyA signal, to pAg1. pAg2 was constructed as follows. A DNA fragment containing the NOS promoter was obtained by digestion of pGEM-T-NOS, or pGEMEasyNOS (SEQ. ID. NO: 96), containing the NOS promoter in the cloning vector pGEM-T-Easy (Promega Biotech, Madison, WI, U.S.A.), with Xbal/Ncol and was ligated to an Xbal/Ncol fragment of pCambia 1302 containing DNA encoding GFP (without the CaMV 35S promoter) to generate p1302NOS (SEQ. ID. NO: 97) containing GFP-encoding DNA in 10 operable association with the NOS promoter. Plasmid p1302NOS was digested with Smal/BsiWI to yield a fragment containing the NOS promoter and GFP-encoding DNA. The fragment was ligated with Pmel/BsiWI-digested pAg1 to generate pAg2. Thus, pAg2 contains DNA from the bar gene confering resistance to phosphinothricin, DNA 15 conferring resistance to hygromycin, both resistance-encoding DNAs under the control of a cauliflower mosaic virus 35S promoter, DNA encoding kanamycin resistance, a GFP gene under the control of a NOS promoter and the attB-zeomycin resistance-encoding DNA. One of skill in the art will appreciate that other fragments can be used to generate the 20 pAg1 and pAg2 derivatives and that other heterlogous DNA can be incorporated into pAg1 and pAg2 derivatives using methods well known in the art.

### 3. pAglla and pAgllb transformation vectors

25

Vectors pAglla and pAgllb were constructed by inserting the following DNA fragments into pAg1: DNA encoding  $\beta$ -glucoronidase, the nopaline synthase terminator fragment, the nopaline synthase (NOS) promoter fragment, a fragment of mouse satellite DNA and an *N. tabacum* 

-136-

rDNA intergenic spacer sequence (IGS). The construction of pAglla and pAgllb was as follows.

An N. tabacum rDNA intergenic spacer (IGS) sequence (SEQ. ID. NO: 98; see also GenBank Accession No. YO8422; see also Borysyuk et al. (2000) Nature Biotechnology 18:1303-1306; Borysyuk et al. (1997) Plant Mol. Biol. 35:655-660; U.S. Patent Nos. 6,100,092 and 6,355,860) was obtained by PCR amplification of tobacco genomic DNA. The IGS can be used as a targeting sequence by virtue of its homology to tobacco rDNA genes; the sequence is also an amplification promoter sequence in plants. This fragment was amplified using standard PCR conditions (e.g., as described by Promega Biotech, Madison, WI, U.S.A.) from tobacco genomic DNA using the primers shown below:

NTIGS-FI

5'- GTG CTA GCC AAT GTT TAA CAA GAT G- 3' (SEQ ID No. 99) and 15 NTIGS-RI

5'-ATG TCT TAA AAA AAA AAA CCC AAG TGA C- 3' (SEQ ID No. 100)
Following amplification, the fragment was cloned into pGEM-T Easy to
give pIGS-I A fragment of mouse satellite DNA (Msat1 fragment;
GenBank Accession No. V00846; and SEQ ID No. 101) was amplified via
PCR from pSAT-1 using the following primers:

MSAT-F1

5'- AAT ACC GCG GAA GCT TGA CCT GGA ATA TCG C -3'(SEQ ID No. 102) and MSAT-Ri

5'-ATA ACC GCG GAG TCC TTC AGT GTG CA T- 3' (SEQ ID No. 103)
This amplification added a SacII and a HindIII site at the 5'end and a SacII site at the 3' end of the PCR fragment. This fragment was then cloned into the SacII site in pIGS-1 to give pMIGS-1, providing a eukaryotic

centromere-specific DNA and a convenient DNA sequence for detection via FISH.

A functional marker gene containing a NOS-promoter:GUS:NOS terminator fusion was then constructed containing the NOS promoter

(GenBank Accession No. U09365; SEQ ID No. 104), *E. coli*β-glucuronidase coding sequence (from the GUS gene; GenBank Accession No. S69414; and SEQ ID No. 105), and the nopaline synthase terminator sequence (GenBank Accession No. U09365; SEQ ID No. 107). The NOS promoter in pGEM-T-NOS was added to a promoterless GUS gene in pBlueScript (Stratagene, La Jolla, CA, U.S.A.) using *Notl/Spel* to form pNGN-1, which has the NOS promoter in the opposite orientation relative to the GUS gene.

pMIGS-1 was digested with *Notl/Spe*l to yield a fragment containing the mouse major satellite DNA and the tobacco IGS which was then added to *Not*l-digested pNGN-1 to yield pNGN-2. The NOS promoter was then re-oriented to provide a functional GUS gene, yielding pNGN-3, by digestion and religation with *Spe*l. Plasmid pNGN-3 was then digested with *Hind*III, and the *Hind*III fragment containing the β-glucuronidase coding sequence and the rDNA intergenic spacer, along with the Msat sequence, was added to pAG-1 to form pAgIIa (SEQ ID NO: 108), using the unique *Hind*III site in pAg1 located near the right T-DNA border of pAg1, within the T-DNA region.

20

Another plasmid vector, referred to as pAgIIb, was also recovered, which contained the inserted HindIII fragment (SEQ ID NO: 108) in the opposite orientation relative to that observed in pAgIIa. Thus, pAgIIa and pAgIIb differ only in the orientation of the HindIII fragment containing the mouse major satellite sequence, the GUS DNA sequence and the IGS sequence. The nucleotide sequences of pAgIIa is provided in SEQ. ID. NOS: 109.

-138-

Since modifications will be apparent to those of skill in this art, it is intended that this invention be limited only by the scope of the appended claims.

-139-

#### WHAT IS CLAIMED IS:

5

20

25

1. A eukaryotic chromosome comprising one or a plurality of att site(s), wherein:

an att site is heterologous to the chromosome; and an att site permits site-directed integration in the presence of lambda integrase.

- 2. The eukaryotic chromosome of claim 1, wherein the att sites are selected from the group consisting of attP and attB or attL and attR, or variants thereof.
- 10 3. The eukaryotic chromosome of claim 1 that is an artificial chromosome.
  - 4. The eukaryotic chromosome of claim 1 that is an artificial chromosome expression system (ACes).
- 5. The eukaryotic chromosome of claim 4 that is predominantly heterochromatin.
  - 6. The chromosome of claim 1 that is an artificial chromosome that contains no more than about 30%, 40%, 50%, 60%, 70%, 80%, 90% or 95% euchromatin.
    - 7. The chromosome of claim 1 that is a plant chromosome.
    - 8. The chromosome of claim 1 that is an animal chromosome.
  - 9. The chromosome of claim 7 that is a plant artificial chromosome.
  - 10. The chromosome of claim 8 that is an animal artificial chromosome.
  - 11. The chromosome of claim 8 that is a mammalian chromosome.
  - 12. The chromosome of claim 11 that is a mammalian artificial chromosome.

-140-

13. The chromosome of claim 6 that is an artificial chromosome expression system (*ACes*).

- 14. A platform artificial chromosome expression system (*ACes*) comprising one or a plurality of sites that participate in recombinase catalyzed recombination.
  - 15. The ACes of claim 14 that contains one site.
  - 16. The ACes of claim 14 that is predominantly heterochromatin.
- 17. The *ACes* of claim 14 that contains no more than about 30%, 40%, 50%, 60%, 70%, 80%, 90% or 95% euchromatin.
  - 18. The ACes of claim 14 that is a plant ACes.

10

25

- 19. The ACes of claim 14 that is an animal ACes.
- 20. The ACes of claim 14 that is selected from a fish, insect, reptile, amphibian, arachnid or a mammalian ACes.
  - 21. The ACes of claim 14 that is a fish ACes.
- 15 22. The artificial chromosome expression system (*ACes*) of claim 14, wherein the recombinase and site(s) are from the Cre/lox system of bacteriophage P1, the int/att system of lambda phage, the FLP/FRT system of yeast, the Gin/gix recombinase system of phage Mu, the Cin recombinase system, the Pin recombinase system of *E. coli* and the R/RS system of the pSR1 plasmid, or any combination thereof.
  - 23. A method of introducing heterologous nucleic acid into a chromosome, comprising:

contacting a chromosome of any of claims 1 or 14 with a nucleic acid molecule comprising both the heterologous nucleic acid and a recombination site, in the presence of a recombinase that promotes recombination between the sites in the chromosome and in the nucleic acid molecule.

- 24. The method of claim 23, wherein the recombinase is selected from the group consisting of Cre, Gin, Cin, Pin, FLP, a phage integrase and R from the pSR1 plasmid.
- 25. The method of claim 23, wherein the nucleic acid molecule encodes a therapeutic protein, antisense nucleic acid, or comprises an artificial chromosome.
  - 26. The method of claim 25, wherein the nucleic acid molecule comprises a yeast artificial chromosomes (YAC), a bacterial artificial chromosome (BAC) or an insect artificial chromosome (IAC).
- 10 27. A combination, comprising, the chromosome of claim 1 and a first vector comprising the cognate recombination site, wherein the cognate recombination site is a site that recombines with the site engineered into the chromosome.
  - 28. The combination of claim 27, further comprising nucleic acid encoding a recombinase, wherein the nucleic acid is on a second vector or on the first vector, or on the *ACes* under an inducible promoter.

15

20

- 29. The combination of claim 28, wherein the recombinase and sites are from the Cre/lox system of bacteriophage P1, the int/att system of lambda phage, the FLP/FRT system of yeast, the Gin/gix recombinase system of phage Mu, the Pin recombinase system of *E. coli* and the R/RS system of the pSR1 plasmid, or any combination thereof.
- 30. The combination of claim 28, wherein a vector is the plasmid pCXLamIntR.
- 31. The combination of claim 27, wherein a vector is the plasmid 25 pDsRedN1-attB.
  - 32. A kit, comprising the combination of claim 27 and optionally instructions for introducing heterologous nucleic acid into the chromosome.

- 33. A method for introducing heterologous nucleic acid into a platform artificial chromosome, comprising:
- (a) mixing an artificial chromosome comprising at least a first recombination site and a vector comprising at least a second recombination site and the heterologous nucleic acid;
- (b) incubating the resulting mixture in the presence of at least one recombination protein under conditions whereby recombination between the first and second recombination sites is effected, thereby introducing the heterologous nucleic acid into the artificial chromosome.
- 10 34. The method of claim 33, wherein the artificial chromosome is an *ACes*.
  - 35. The method of claim 33, wherein said mixing step (a) is conducted in cells ex vivo.
- 36. The method of claim 33, wherein said mixing step (a) is conducted extracellularly in an in vitro reaction mixture.
  - 37. The method of claim 33, wherein the at least one recombination protein is encoded by a bacteriophage selected from the group consisting of bacteriophage lambda, phi 80, P22, P2, 186, P4 and P1.
- 20 38. The method of claim 37, wherein the at least one recombination protein is encoded by bacteriophage lambda, or mutants thereof.

25

- 39. The method of claim 33, wherein at least one recombination protein is selected from the group consisting of Int, IHF, Xis and Cre,  $\gamma\delta$ , Tn3 resolvase, Hin, Gin, Cin and Flp.
- 40. The method of claim 32, wherein the recombination sites are selected from the group consisting of att and lox P sites.

-143-

- 41. The method of claim 33, wherein the first and/or second recombination site contains at least one mutation that removes one or more stop codons.
- 42. The method of claim 33, wherein the first and/or second recombination site contains at least one mutation that avoids hairpin formation.
  - 43. The method of claim 33, wherein the first and/or second recombination site comprises at least a first nucleic acid sequence selected from the group consisting of SEQ ID NOs:41-56:
  - a) RKYCWGCTTTYKTRTACNAASTSGB (m-att) (SEQ ID NO:41);

10

25

- b) AGCCWGCTTTYKTRTACNAACTSGB (m-attB) (SEQ ID NO:42);
- c) GTTCAGCTTTCKTRTACNAACTSGB (m-attR) (SEQ ID NO:43);
- d) AGCCWGCTTTCKTRTACNAAGTSGB (m-attL) (SEQ ID NO:44);
- e) GTTCAGCTTTYKTRTACNAAGTSGB (m-attP1) (SEQ ID NO:45);
- 15 f) AGCCTGCTTTTTTGTACAAACTTGT (attB1) (SEQ ID NO:46);
  - g) AGCCTGCTTTCTTGTACAAACTTGT (attB2) (SEQ ID NO:47);
  - h) ACCCAGCTTTCTTGTACAAACTTGT (attB3) (SEQ ID NO:48);
  - i) GTTCAGCTTTTTTGTACAAACTTGT (attR1) (SEQ ID NO:49);
  - j) GTTCAGCTTTCTTGTACAAACTTGT (attR2) (SEQ ID NO:50);
- 20 k) GTTCAGCTTTCTTGTACAAAGTTGG (attR3) (SEQ ID NO:51);
  - I) AGCCTGCTTTTTTGTACAAAGTTGG (attL1) (SEQ ID NO:52);
  - m) AGCCTGCTTTCTTGTACAAAGTTGG (attL2) (SEQ ID NO:53);
  - n) ACCCAGCTTTCTTGTACAAAGTTGG (attL3) (SEQ ID NO:54);
  - o) GTTCAGCTTTTTTGTACAAAGTTGG (attP1) (SEQ ID NO:55);
  - p) GTTCAGCTTTCTTGTACAAAGTTGG (attP2, P3) (SEQ ID NO: 56);

and a corresponding or complementary DNA or RNA sequence, wherein R=A or G, K=G or T/U, Y=C or T/U, W=A or T/U, N=A or C or G or T/U, S=C or G, and B=C or G or T/U; and

the core region does not contain a stop codon in one or more reading frames.

- 44. The method of claim 33, wherein the first and/or second recombination site comprises at least a first nucleic acid sequence selected from the group consisting of a mutated att recombination site containing at least one mutation that enhances recombinational specificity, a complementary DNA sequence thereto, and an RNA sequence corresponding thereto.
- 45. The method of claim 33, wherein the vector comprising the 10 second site further encodes at least one selectable marker.
  - 46. The method of claim 45, wherein the marker is a promoterless marker, which, upon recombination is under the control of a promoter and is thereby expressed.
- 47. The method of claim 46, wherein the first recombination site is attP and is in the sense orientation prior to recombination.
  - 48. The method of claim 46, wherein the selectable marker is selected from the group consisting of an antibiotic resistance gene, and a detectable protein, wherein the detectable protein is chromogenic, fluorescent, or capable of being bound by an antibody and FACs sorted.
  - 49. The method of claim 48, wherein the selectable marker is selected from the group consisting of green fluorescent protein (GFP), red fluorescent protein (RFP), blue fluorescent protein (BFP), and *E. coli* histidinol dehydrogenase (hisD).
    - 50. A cell comprising, the chromosome of claim 1.

20

- 51. The cell of claim 50, wherein the cell is a nuclear donor cell.
- 52. The cell of claim 50, wherein the cell is a stem cell.
- 53. The stem cell of claim 52, wherein said stem cell is human and is selected from the group consisting of a mesenchymal stem cell, a hematopoietic stem cell, an adult stem cell and an embryonic stem cell.

- 54. The cell of claim 50, wherein the cell is mammalian.
- 55. The cell of claim 54, wherein the mammal is selected from the group consisting of humans, primates, cattle, pigs, rabbits, goats, sheep, mice, rats, guinea pigs, hamsters, cats, dogs, and horses.
  - 56. The cell of claim 50, wherein the cell is a plant cell.
  - 57. A cell comprising the platform ACes of claim 14.

5

20

- 58. The cell of claim 57, wherein the cell is a nuclear donor cell.
- 59. The cell of claim 57, wherein the cell is a stem cell.
- 60. The stem cell of claim 59, wherein said stem cell is human and is selected from the group consisting of a mesenchymal stem cell, a hematopoietic stem cell, an adult stem cell and an embryonic stem cell.
  - 61. A human mesenchymal cell comprising an artificial chromosome.
- 62. The human mesenchymal cell of claim 61, wherein said 15 artificial chromosome is an *ACes*.
  - 63. The human mesenchymal cell of claim 62, wherein the *ACes* is a platform-*ACes*.
  - 64. A method for introducing heterologous nucleic acid into the mesenchymal cell of claim 63, comprising:
  - (a) introducing into the cell of claim 63, wherein the platform-ACes has a first recombination site, a vector comprising at least a second recombination site and the heterologous nucleic acid;
  - (b) incubating the resulting mixture in the presence of at least one recombination protein under conditions whereby recombination between the first and second recombination sites is effected, thereby introducing the heterologous nucleic acid into the platform-ACes within the mesenchymal cell.
  - 65. A lambda-intR mutein comprising a glutamic acid to arginine change at position 174 of wild-type lambda-intR.

- 66. The lambda-intR mutein of claim 65, wherein the lambda-intR mutein comprises SEQ ID NO:37.
- 67. The method of claim 46 wherein the promoterless marker is transcriptionally downstream of the heterologous nucleic acid, wherein the heterologous nucleic acid encodes a heterologous protein, and wherein the expression level of the selectable marker is transcriptionally linked to the expression level of the heterologous protein.
- 68. The method of claim 67, wherein the selectable marker and the heterologous nucleic acid are transcriptionally linked by the presence of a IRES between them.

- 69. The method of claim 68, wherein the selectable marker is selected from the group consisting of an antibiotic resistance gene, and a detectable protein, wherein the detectable protein is chromogenic or fluorescent.
- 15 70. The method of claim 69, wherein the selectable marker is selected from the group consisting of green fluorescent protein (GFP), red fluorescent protein (RFP), blue fluorescent protein (BFP), and *E. coli* histidinol dehydrogenase.
- 71. The method of claim 67 further comprising expressing the20 heterologous protein and isolating the heterologous protein.
  - 72. A method for producing a transgenic animal, comprising introducing a platform-ACes into an embryonic cell.
  - 73. The method of claim 72, wherein the embryonic cell is a stem cell.
- 74. The method of claim 72, wherein the embryonic cell is in an embryo.
  - 75. The method of claim 72, wherein the platform-ACes comprises heterologous nucleic acid that encodes a therapeutic product.

- 76. The method of claim 72, wherein the transgenic animal is a fish, insect, reptile, amphibians, arachnid or mammal.
- 77. The method of claim 72, wherein the *ACes* is introduced by cell fusion, lipid-mediated transfection by a carrier system, microinjection, microcell fusion, electroporation, microprojectile bombardment or direct DNA transfer.
  - 78. A transgenic animal produced by the method of claim 72.
- 79. A cell line useful for making a library of *ACes*, comprising a multiplicity of heterologous recombination sites randomly integrated throughout the endogenous chromosomes.

10

- 80. A method of making a library of *ACes* comprising random portions of a genome, comprising introducing one or more *ACes* into the cell line of claim 79, under conditions that promote the site-specific chromosomal arm exchange of the *ACes* into, and out of, a multiplicity of the heterologous recombination sites within the cell's chromosomal DNA; and isolating said multiplicity of *ACes*, thereby producing a library of *ACes* whereby multiple *ACes* have different portions of the genome within.
- 81. A library of cells useful for genomic screening, said library comprising a multiplicity of cells, wherein each cell comprises an *ACes* having a mutually exclusive portion of a chromosomal nucleic acid therein.
- 82. The library of cells of claim 81, wherein the cells of the library are from a different species than the chromosomal nucleic acid within the *ACes*.
  - 83. A method of making one or more cell lines, comprising
  - a) integrating into endogenous chromosomal DNA of a selected cell species, a multiplicity of heterologous recombination sites,

- b) introducing a multiplicity of *ACes* under conditions that promote the site-specific chromosomal arm exchange of the *ACes* into, and out of, a multiplicity of the heterologous recombination sites integrated within the cell's endogenous chromosomal DNA;
- c) isolating said multiplicity of *ACes*, thereby producing a library of *ACes* whereby a multiplicity of *ACes* have mutually exclusive portions of the endogenous chromosomal DNA therein;
- d) introducing the isolated multiplicity of *ACes* of step c) into a multiplicity of cells, thereby creating a library of cells;

- e) selecting different cells having mutually exclusive *ACes* therein and clonally expanding or differentiating said different cells into clonal cell cultures, thereby creating one or more cell lines.
  - 84. The method of claim 23, wherein the nucleic acid molecule with a recombination site is a PCR product.
- 15 85. Method of claim 23 wherein the recombinase is a protein and the recombination event occurs in vitro.
  - 86. The method of claim 33, wherein the vector is a PCR product comprising a second recombination site.
- 87. The lambda-intR mutein of claim 65, wherein the mutein 20 further comprises an amino acid signal for nuclear localization.
  - 88. The lambda-intR mutein of claim 65, wherein the mutein further comprises an epitope tag for protein purification.
  - 89. A modified iron-induced promoter comprising SEQ ID NO:128.
- 25 90. A plasmid or expression cassette comprising the promoter of claim 89.
  - 91. A vector, comprising:a recognition site for recombination; and

a sequence of nucleotides that targets the vector to an amplifiable region of a chromosome.

- 92. The vector of claim 91, wherein the amplifiable region comprises heterochromatic nucleic acid.
- 93. The vector of claim 91, wherein the amplifiable region comprises rDNA.

5

20

- 94. The vector of claim 93, wherein the rDNA comprises an intergenic spacer.
- 95. The vector of claim 91, further comprising nucleic acid10 encoding a selectable marker that is not operably associated with any promoter.
  - 96. The vector of claim 91, wherein the chromosome is a mammalian chromosome.
- 97. The vector of claim 91, wherein the chromosome is a plant 15 chromosome.
  - 98. A cell of claim 57 that is a plant cell, wherein the ACes platform is a MAC.
  - 99. The plant cell of claim 98, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.
  - 100. The plant cell of claim 99, wherein the regulatory sequence is selected from the group consisting of promoters, terminators, enhancers, silencers and transcription factor binding sites.
  - 101. A cell of claim 57 that is an animal cell, wherein the ACes platform is a plant artificial chromosome (PAC).
    - 102. The cell of claim 101 that is a mammalian cell.
  - 103. The cell of claim 98, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.
  - 104. The cell of claim 102, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.

-150-

105. The cell of claim 104, wherein the regulatory sequence is selected from the group consisting of promoters, terminators, enhancers, silencers and transcription factor binding sites.

106. A method, comprising:

5 introducing a vector of claim 91 into a cell;

growing the cells; and

selecting a cell comprising an artificial chromosome that comprises one or more repeat regions.

- 107. The method of claim 106, wherein sufficient portion of thevector integrates into a chromosome in the cell to result in amplification of chromosomal DNA.
  - 108. The method of claim 106, wherein the artificial chromsome is an *ACes*.
    - 109. A method for screening, comprising:
- 15 contacting a cell comprising a reporter *ACes* with test compounds or known compounds, wherein:

the reporter ACes comprises one or a plurality of reporter constructs;

a reporter construct comprises a reporter gene in operative linkage
with a regulatory region responsive to test or known compounds; and

detecting any increase or decrease in signal output from the reporter, wherein a change in the signal is indicative of activity of the test or known compound on the regulatory region.

110. The method of claim 109, wherein the reporter is operatively linked to a promoter that controls expression of a gene in a signal transduction pathway, whereby activation or reduction in the signal indicates that the pathway is activated or down-regulated by the test compound.

- 111. The method of claim 109, wherein the reporter in the construct encodes drug resistance or encodes a fluorescent protein.
- 112. The method of claim 111, wherein the fluorescent protein is selected from the group consisting of red, green and blue fluorescent proteins.
- 113. The method of claim 109, wherein the ACes comprises a plurality of reporter-linked constructs, each with a different reporter, whereby the pathway(s) affected by the test compounds can be elucidated.
- 10 114. The method of claim 109, wherein a reporter is operatively linked to a promoter that is transcriptionally regulated in resonnse to DNA damage, and the test compounds are genotoxicants.
  - 115. The method of claim 114, wherein the DNA damage is induced by apoptosis, necrosis or cell-cycle perturbations.
- 15 116. The method of claim 114, wherein unknown compounds are screened to assess whether they are genotoxicants.
  - 117. The method of claim 114, wherein the promoter is a cytochrome P450-profiled promoter.
- 118. The method of claim 114, wherein the cell is in a transgenic 20 animal and toxicity is assessed in the animal.
  - 119. The method of claim 109, wherein: the cell is a patient cell sample; the patient has a disease; the regulatory region is one targeted by a drug or drug regimen;
- 25 the method assesses the effectiveness of a treatment for the disease for the particular patient.

and

- 120. The method of claim 119, wherein the cell is a tumor cell.
- 121. The method of claim 109, wherein the cell is a stem cell or a progenitor cell, whereby expression of the reporter is operatively linked to

-152-

a regulatory region exprssed in the cells to thereby identify stem cells or progenitor cell.

- 122. The method of claim 109, wherein the cell is in an animal;and the method comprises whole-body imaging to monitor expression ofthe reporter in the animal.
  - 123. A reporter *ACes* comprises one or a plurality of reporter constructs, wherein the reporter construct comprises a reporter gene in operative linkage with a regulatory region responsive to test or known compounds.

Fig. 1 Generation of ACes for Platform Chromosome Engineering






Fig. 2 Targeting plasmid pWEPuro9K




3/15

Platform chromosome containing mouse rDNA, mouse major/minor repeat DNA and puromycin resistant cassette

Fig. 3 Platform Chromosome with single recombination site



ր 4






Fig. 6  $\lambda$  integrase recombination

attP x attB === attL x attR

	Core Region
attP	CAGCTTTTTATACTAAGTTG
attB	CTGCTTTTTATACTAACTTG
attL	CTGCTTTTTATACTAAGTTG
attR	attR CAGCTTTTTTATACTAACTTG

Fig. 7 λINT recombination on artificial chromosome




Fig. 8 pCXL amIntR integrase expression vector





Fig. 9 Platform Technology






Fig. 10




Fig. 1







Fig. 12

Fig. 13







-1-

## SEQUENCE LISTING

<110> CHROMOS MOLECULAR SYSTEMS, INC. Perkins, Edward Perez, Carl Lindenbaum, Michael Greene, Amy Leung, Josephine Fleming, Elena Stewart, Sandra Shellard, Joan <120> CHROMOSOME-BASED PLATFORMS <130> 24601-420PC <140> Not Yet Assigned <141> Herewith <150> 60/294,758 <151> 2001-05-30 <150> 60/366,891 <151> 2002-03-21 <160> 129 <170> FastSEQ for Windows Version 4.0 <210> 1 <211> 25 <212> DNA <213> Artificial Sequence <220> <223> Primer: attPUP 25 ccttgcgcta atgctctgtt acagg <210> 2 <211> 26 <212> DNA <213> Artificial Sequence <220> <223> Primer: attPDWN <400> 2 26 cagaggcagg gagtgggaca aaattg <210> 3 <211> 35 <212> DNA <213> Artificial Sequence <220> <223> Primer: Lamint 1 ttcgaattca tgggaagaag gcgaagtcat gagcg 35 <210> 4 <211> 34 <212> DNA <213> Artificial Sequence

WO 02/097059

-2-

PCT/US02/17452

<220> <223>	Primer: Lamint 2	
<400> ttcgaa	4 attct tatttgattt caattttgtc ccac	34
<210><211><212><213>	20	
<220> <223>	Primer	
<400> cggaca	5 aatgc ggttgtgcgt	20
<210><211><211><212><213>	46	
<220> <223>	primer	
<400> cgcgca	6 agcaa aatctagagt aaggagatca agacttacgg ctgacg	46
<210><211><211><212><213>	46	
<220> <223>	LambdaINTER174rev	
<400> cgtcag	7 geegt aagtettgat eteettaete tagattttge tgegeg	46
<210> <211> <212> <213>	33	
<220> <223>	attB1	
<400> tgaago	8 cctgc ttttttatac taacttgagc gaa	33
<210> <211> <212> <213>	33	
<220> <223>	attB2	
<400> ttcgct	9 ccaag ttagtataaa aaagcagget tca	33
<210><211><212><213>	25	
<220>		

-3-

<223> Primer: attPdwn2	
<400> 10 tcttctcggg cataagtcgg acacc	25
<210> 11 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:CMVen	
<400> 11 ctcacgggga tttccaagtc tccac	25
<210> 12 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:attPdwn	
<400> 12 cagaggcagg gagtgggaca aaattg	26
<210> 13 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer: CMVEN2	
<400> 13 caactccgcc ccattgacgc aaatg	25
<210> 14 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:L1	
<400> 14 agtatcgccg aacgattagc tcttca	26
<210> 15 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:F1 rev	
<400> 15 gccgatttcg gcctattggt taaa	24
<210> 16 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:RED	

-4-

```
<400> 16
                                                                              25
ccgccgacat ccccgactac aagaa
<210> 17
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer:L2rev
<400> 17
                                                                              25
ttccttcgaa ggggatccgc ctacc
<211> 22118
<212> DNA
<213> Mus musculus
<300>
<308> GenBank X82564
<309> 1996-04-09
<400> 18
gaattcccct atccctaatc cagattggtg gaataacttg gtatagatgt ttgtgcatta aaaaccctgt aggatcttca ctctaggtca ctgttcagca ctggaacctg aattgtggcc
                                                                             60
                                                                             120
                                                                             180
ctgagtgata ggtcctggga catatgcagt tctgcacaga cagacagaca gacagacaga
                                                                             240
caqacaqaca qacaqacgtt acaaacaaac acgttgagcc gtgtgccaac acacacacaa
300
                                                                             360
                                                                             420
                                                                             480
540
                                                                             600
tgtcttgaag acactttgta ggcctcaatc ctgtaagagc cttcctctgc ttttcaaatg ctggcatgaa tgttgtacct cactatgacc agcttagtct tcaagtctga gttactggaa
                                                                             660
                                                                            720
                                                                           - 780
aggagttcca agaagactgg ttatatittt catttattat tgcattttaa ttaaaattta
atttcaccaa aagaatttag actgaccaat tcagagtctg ccgtttaaaa gcataaggaa aaagtaggag aaaaacgtga ggctgtctgt ggatggtcga ggctgcttta gggagcctcg tcaccattct gcacttgcaa accgggccac tagaacccgg tgaagggaga aaccaaagcg
                                                                            840
                                                                            900
                                                                            960
acctggaaac aataggtcac atgaaggcca gccacctcca tettgttgtg egggagttca
                                                                           1020
gttagcagac aagatggctg ccatgcacat gttgtctttc agcttggtga ggtcaaagta caaccgagtc acagaacaag gaagtataca cagtgagttc caggtcagcc agagtttaca cagagaaacc acatcttgaa aaaaacaaaa aaataaatta aataaatata atttaaaaat
                                                                           1080
                                                                           1140
                                                                           1200
ttaaaaatag ccgggagtga tggcgcatgt ctttaatccc agctctcttc aggcagagat
                                                                           1260
1320
                                                                           1380
                                                                           1440
aatataaaat aaaaatttta aagaatttta aaaaactaca gaaatcaaac ataagcccac
gagatggcaa gtaactgcaa tcatagcaga aatattatac acacacacac acacagactc
                                                                           1500
tgicataaaa tccaatgtgc cttcatgatg atcaaatttc gatagtcagt aatactagaa
                                                                           1560
gaatcatatg totgaaaata aaagccagaa cottttotgo ttttgtttto ttttgcccca agatagggtt tototcagtg tatccctggo atccctgcot ggaacttcot ttgtaggttt
                                                                           1620
                                                                           1680
                                                                           1740
1800
                                                                           1860
ctttctttct ttcttattca attagttttc aatgtaagtg tgtgtttgtg ctctatctgc tgcctatagg cctgcttgcc aggagaggc aacagaacct aggagaaacc accatgcagc
                                                                           1920
                                                                           1980
tootgagaat aagtgaaaaa acaacaaaaa aaggaaatto taatcacata gaatgtagat
                                                                           2040
2100
                                                                           2160
                                                                           2220
                                                                           2280
                                                                           2340
tttctttttt ctttttttt tttttttaa aatttgccta aggttaaagg tgtgctccac
                                                                           2400
aattgcctca gctctgctct aattctcttt aaaaaaaaac aaacaaaaaa aaaaccaaaa
                                                                           2460
cagtatgtat gtatgtatat ttagaagaaa tactaatcca ttaataactc ttttttccta
                                                                           2520
agattcatgt cattettgtt ccacagagtg agttccagga cttaccagag agaccetgtg
                                                                           2580
```

ttcaaatttc tgtgttcaag gtcaccctgg cttacaaagt gagttccaag tccgataggg ctacacagaa aaaccatatc tcagaaaaaa aaaaagttcc aaacacaca acacacac aactctgaat ttagtcttgg aaaagggggc gggtgtgggt gagtgagggc gagcgagcag acgggcgggc gggcgggtga gtggccggcg gcggtggcag cgagcaccag aaaacaacaa accccaagcg gtagagtgtt ttaaaaatga gacctaaatg tggtggaacg gaggtcgccg ccaccetect ettecactge tragatgete cetteceett actgigetee ettecectaa ctgtgcctaa ctgtgcctgt tccctcaccc cgctgattcg ccagcgacgt actttgactt caagaacgat ttigcctgit ttcaccgctc cctgicatac tttcgittit gggtgcccga gtctagcccg ttcgctatgt tcgggcggga cgatggggac cgtttgtgcc actcgggaga agtggtgggt gggtacgctg ctccgtcgtg cgtgcgtgag tgccggaacc tgagctcggg agaccctccg gagagacaga atgagtgagt gaatgtggcg gegegtgacg gatetgtatt ggtttgtatg gttgatcgag accattgtcg ggcgacacct agtggtgaca agtttcggga acgctccagg cctctcaggt tggtgacaca ggagagggaa gtgcctgtgg tgaggcgacc agggtgacag gaggccgggc aagcaggcgg gagcgtctcg gagatggtgt cgtgtttaag gacggtctct aacaaggagg tcgtacaggg agatggccaa agcagaccga gttgctgtac geocytete addaggagg tegtadaggag agatyscha agesgeta geocyteta geaaagetta aggettagt geaacgttac taggtegac agaaggetta agtectace cecececet tititititit titicetecag aagecetet tigtececyt caceggggg acegtacate tgaggeegag aggacgegat gggeeegget tecaageegg tgtggetegg ecagetgge citegggtet titititit titititit titieeteca gaageegegat cegtagggg getgtactit tgaggeegag aggacgegat tecaageeggge getgtactit tgaggeegag aggacgegat thittitit gggccccggc ttccaagccg gtgtggctcg gccagctgga gcttcgggtc ttttttttt
tttttttt ttttttctc cagaagcctt gtctgtcgct gtcaccgggg gcgctgtact
tctgaggccg agaggacgcg atgggtcggc ttccaagccg atgtggcggg gccagctgga getlegggtt tittittite etccagaage cetetettgt cecegicace gggggegetg tacttctgag gccgagagga cgtgatgggc ccgggttcca ggcggatgtc gcccggtcag ctggagcttt ggatcttttt ttttttttt cctccagaag ccctctcttg tccccgtcac cgggggcacc ttacatctga gggcgagagg acgtgatggg tccggcttcc aagccgatgt ggcggggcca gctggagctt cgggtttttt tttttcctc cagaagccct ctcttgtccc egtcaceggg ggcgetgtac ttetgaggee gagaggaegt gatgggeeg ggttcaagge ggatgtegee eggtcagetg gagetttgga teatttttt ttttcctce agaagceete tettgteece gtcaceggg geacegtaca tetgaggeeg agaggaeaeg atgggeetgt ettecaagee gatgtggee ggccagetgg agettegggt etttttttt ttttteete cagaagcett gtetgteget gteacceggg gegetgtaet tetgaggeeg agaggaegeg atgggeeegg ettecaagee ggtgtggete ggeeagetgg agettegggt ettttttt ttttttttt ttcctccaga aaccttgtct gtcgctgtca cccggggcgc ttgtacttct gatgccgaga ggacgcgatg ggcccgtctt ccaggccgat gtggcccggt cagctggagc tttggatctt tttttttt ttttcctcca gaagccctct cttgtccccg tcaccggggg caccttacat ctgaggccta gaggacacga tgggcccggg ttccaggccg atgtggcccg gtcagctgga gctttggatc ttttttttt ttttcttcca gaagccctct tgtccccgtc accggtggca ctgtacatct gaggcggaga ggacattatg ggcccggctt ccaatccgat gtggcccggt cagctggagc tttggatctt attttttt taattttttc ttccagaagc cctcttgtcc ctgtcaccgg tggcacggta catctgaggc cgagaggaca ttatgggccc cctcttgtcc ctgtcaccgg tggcacggta catctgaggc cgagaggaca ttatgggccc ggcttcagg ccgatgtggc ccggtcagct ggagctttgg atctttttt ttttttct tttttcctc agaagccctc tctgtccctg tcaccggggg ccctgtacgt ctgaggccga gggaaagcta tgggcgggt tttctttcat tgacctgtcg gtcttatcag ttctccgggt tggcacctc cccaggtatg acttcaggc gtcgttctt ttcgttatgg ggcacactt tccttttat gcttgtagt ttttctatct gtcctattg gacctggaga taggtactga cacgetgtc tttccctatt aacactaaag gacactataa agagaccctt tcgattaag gtgttttgc ttgtccagc tattctttt actggcttgg gtctgtcgc gtcctgaag ctgtcccga gccacqcttc ctqctttcc qqqcttqct cttqcctqaag ctgtcccga qccacqcttc ctqctttcc qqqcttqctc cttqctqaa ctgtccccga gccacgcttc ctgctttccc gggcttgctg cttgcgtgtg cttgctgtgg gcagcttgtg acaactgggc gctgtgactt tgctgcgtgt cagacgtttt tcccgatttc cccgaggtgt cgttgtcaca cctgtcccgg ttggaatggt ggagccagct gtggttgagg gccaccttat ttcggctcac ttttttttt ttttttctc ttggagtcc gaacctccgc tettttetet teeeggtett tetteeacat geeteeegag tgeatitett titgittitt ttctttttt ttttttt ttggggaggt ggagagtccc gagtacttca ctcctgtctg tggtgtccaa gtgttcatgc cacgtgcctc ccgagtgcac ttttttttgt ggcagtcgct cgttgtgtte tettgttetg tgtetgeeeg tateagtaae tgtettgeee egegtgtaag acatteetat etegettgtt tetecegatt gegegtegtt geteaetett agategatgt ggtgeteegg agttetette gggeeaggge caageegge caggegaggg aeggaeatte atggegaatg geggeegete ttetegttet geeageggge cetegtetet ceaecceate egtetgeegg tggtgtgtgg aaggeaggg tgeggetete eggeeegaeg etgeeeggg egeaetttte teagtggtte gegtggteet tgtggatgtg tgaggegeee ggttgtgeee tcacgtgttt cacttiggtc gigicicgct tgaccatgit cccagagicg giggatgig 

ccggtggcgt tgcataccct tcccgtctgg tgtgtgcacg cgctgtttct tgtaagcgtc gaggtgctcc tggagcgttc caggtttgtc tcctaggtgc ctgcttctga gctggtggtg gegetececa treectggtg tgeeteeggt geteegtetg getgtgtgee treecgtttg tgtctgagaa gcccgtgaga ggggggtcga ggagagaagg aggggcaaga cccccttct togtoggttg aggogoccac cooggacta gtacgootgt gogtagggot ggtgotgago ggtcgcggct ggggttggaa agtttctcga gagactcatt gctttcccgt ggggagcttt gagaggcctg gctttcgggg gggaccggtt gcagggtctc ccctgtccgc ggatgctcag aatgcccttg gaagagaacc ttcctgttgc cgcagacccc cccgcgcggt cgcccgcgtg ttggtettet ggttteeetg tgtgetegte geatgeatee teteteggtg geeggggete gteggggttt tgggteegte eegeceteag tgagaaagtt teetteteta getatettee ggaaagggtg cgggcttctt acggtctcga ggggtctctc ccgaatggtc ccctggaggg ctcgcccct gaccgcctcc cgcgcgcgca gcgtttgctc tctcgtctac cgcggcccgc ggcctccccg ctccgagttc ggggagggat cacgcggggc agagcctgtc tgtcgtcctg ccgttgctgc ggagcatgtg gctcggcttg tgtggttggt ggctggggag agggctcgt gcacaccccc gcgtgcgcgt actttcctcc cctcctgagg gccgccgtgc ggacggggtg tgggtaggcg acggtggct cccgggtccc cacccgtctt cccgtgcctc acccgtgcct teggetegegt gegtecetet egetegegte caegaetttg geegeteeeg egaeggege etgegeegeg egtggtgegt teceaegge tegegaaate gegggagtee teetteeeet eetegggte gagagggtee gtgtetggeg tegatgatee tegeteeegt egeegggaetee eeteggggte gagagggtee gtgtetggeg tegatgate tegeteeegt ggaegggaee gttctgtggg agaacggctg ttggccgcgt ccggcgcgac gtcggacgtg gggacccact gccgctcggg ggtcttcgtc ggtaggcatc ggtgtgtcgg catcggtctc tctctcgtgt cggtgtcgcc tcctcgggct cccggggggc cgtcgtgttt cgggtcggct cggcgctgca ggtgtggtgg gactgctcag gggagtggtg cagtgtgatt cccgccggtt ttgcctcgcg tgccctgacc ggtccgacgc ccgagcggtc tctcggtccc ttgtgaggac ccccttccgg gaggggcccg tttcggccgc ccttgccgtc gtcgccggcc ctcgttctgc tgtgtcgttc ccccttccc gctcgccgca gccggtcttt tttcctctct ccccctctc cctctgactg accegtggcc gtgctgtegg accececgca tgggggeggc egggcacgta egegteeggg catchetege geaatggege egecegagtt caeggtgggt tegteeteeg ceteegette tegeegggg etggeegetg teeggtetet cetgeecgae eccegttgge gtggtettet etegeegget tegeggaete etggettege eeggagggte agggggette eeggtteece tegtegegt egggagegtg teegeetege eggegetaga egegggtgte eeggtggtgg etatecaggg etegeeceeg eegaceceeg eetgeeegte eeggtggtgg tegtegtggtgg eggtagtgaa tegtegetace eggtegteec teeegegtgg tetgaetgte togooggtgt ogogottoto tttoogocaa coccoacgoo aaccoaccac cotgototoo cggcccggtg cggtcgacgt tccggctctc ccgatgccga ggggttcggg atttgtgccg gggacggagg ggagagcggg taagagaggt gtcggagagc tgtcccgggg cgacgctcgg gttggctttg ccgcgtgcgt gtgctcgcg acgggttttg tcggaccccg acgggtcgg tccggccgca tgcactctc cgttccgcg gagcgcccgc ccggctcacc cccggtttgt cctcccgcga ggctctccgc cgccgccgcc tcctcctcct ctctcgcgct ctctgtcccg cctggtcctg tcccacccc gacgctccgc tcgcgcttcc ttacctggtt gatcctgcca ggtagcatat gcttgtctca aagattaagc catgcatgtc taagtacgca cggccggtac agtgaaactg cgaatggete attaaateag ttatggttee tttggteget egeteetete ctacttggat aactgtggta attictagage taatacatge egaegggege tgaccecet tcccgggggg ggatgcgtgc atttatcaga tcaaaaccaa cccggtgagc tccctcccgg ctccggccgg gggtcgggcg ccggcggctt ggtgactcta gataacctcg ggccgatcgc acgcccccg tggcggcgac gacccattcg aacgtctgcc ctatcaactt tcgatggtag togcogtgcc taccatggtg accacgggtg acgggggaatc agggttcgat tocggagagg gagcetgaga aacggetace acatecaagg aaggeageag gegegeaaat tacceaetee egaceegggg aggtagtgae gaaaaataac aatacaggae tetttegagg ecetgtaatt ggaatgagtc cactttaaat cctttaacga ggatccattg gagggcaagt ctggtgccag cagccgcggt aattccagct ccaatagcgt atattaaagt tgctgcagtt aaaaagctcg tagttggate ttgggagegg gegggeggte egeogegagg egagteaceg ecegteceeg eceettgeet eteggegee eetegatget ettagetgag tgteeegegg ggeeegaage gtttactttg aaaaattag agtgttcaaa gcagcccga gccgcctgga taccgcagct aggaataatg gaataggacc gcggttctat tttgttggtt ttcggaactg aggccatgat taagagggac ggccgggggc attcgtattg cgccgctaga ggtgaaattc ttggaccggc 

gcaagacgga ccagagcgaa agcatttgcc aagaatgttt tcattaatca agaacgaaag toggaggtto gaagacgato agatacogto gtagttocga coataaacga tgccgactgg cgatgcggcg gcgttattcc catgaccegc cgggcagctt ccgggaaacc aaagtctttg ggttccgggg ggagtatggt tgcaaagctg aaacttaaag gaattgacgg aagggcacca ccaggagtgg gcctgcggct taatttgact caacacggga aacctcaccc ggcccggaca cggacaggat tgacagattg atagctcttt ctcgattccg tgggtggtgg tgcatggccg ttcttagttg gtggagcgat ttgtctggtt aattccgata acgaacgaga ctctggcatg ctaactagtt acgcgacccc cgagcggtcg gcgtccccca acttcttaga gggacaagtg gcgttcagcc acccgagatt gagcaataac aggtctgtga tgcccttaga tgtccggggc tgcacgcgg ctacactgac tggctcagcg tgtgcctacc ctgcgccggc aggcgcgggt aaccegttga accecatteg tgatggggat cggggattge aattatteec catgaacgag gaattcccag taagtgcggg tcataagctt gcgttgatta agtccctgcc ctttgtacac accgcccgtc gctactaccg attggatggt ttagtgaggc cctcggatcg gcccgccgg ggtcggccca cggccctggc ggagcgctga gaagacggtc gaacttgact atctagagga agtaaaagtc gtaacaaggt ttccgtaggt gaacctgcgg aaggatcatt aaacgggaga ctgtggagga geggeggegt ggeeegetet ceeegtettg tgtgtgteet egeegggagg egegtagegte eegggteeg tegecegegt gtggagega gtgtetagag tgaggtgaga gaaggggtgg gtggggtegg tetggteeg tetgggaeeg ceteegatt ceceteece teceetetee etegteegge tetgaceteg eeaccetace geggeggegg etgeteggg gcgtcttgcc tctttcccgt ccggctcttc cgtgtctacg aggggcggta cgtcgttacg ggtttttgac ccgtcccgg ggcgttcggt cgtcggggg ggcggttgc tctccggca cccatcccg ccgcggctct ggcttttcta cgttggctgg ggcggttgtc gcgtgtggg ggatgtgagt gtcgcgtgtg ggctcgccg tcccgatgc acgcttttct ggcctcgcgt giccicccg ctcctgiccc gggtacctag ctgtcgcgtt ccggcgcgga ggtttaagga ccccgggggg gtcgccctgc cgcccccagg gtcggggggc ggtggggccc gtagggaagt cggtcgttcg ggcggctctc cctcagactc catgaccctc ctccccccgc tgccgccgtt cccgaggcgg cggtcgtgtg gggggtgga tgtctggagc cccctcgggc gccgtggggg cccgacccgc gccgccgct tgcccgattt ccgcgggtcg gtcctgtcgg tgccggtcgt gggttcccgt gtcgttcccg tgtttttccg ctcccgaccc ttttttttc ctcccccca cacgtgtctc gtttcgttcc tgctggccgg cctgaggcta cccctcggtc catctgttct cctctctctc cggggagagg agggcggtgg tcgttggggg actgtggccgt cgtcagcacc cqtqaqttcg ctcacacccg aaataccgat acgactctta gcggtggatc actcggctcg tgcgtcgatg aagaacgcag ctagctgcga gaattaatgt gaattgcagg acacattgat catcgacact tcgaacgcac ttgcggcccc gggttcctcc cggggctacg cctgtctgag cgtcggttga cgatcaatcg cgtcacccgc tgcggtgggt gctgcgcggc tgggagtttg ctcgcagggc caaccccca acccgggtcg ggccctccgt ctcccgaagt tcagacgtgt gggcggttgt cggtgtggcg cgcgcgccg cgtcgcggag cctggtctcc cccgcgcatc cgcgctcgcg gcttcttccc gctcgccgt tcccgcctc gccegtgcac cccggtcctg gcctcgcgtc ggcgcctcc ggaccgctgc ctcaccagtc tttctcggtc ccgtgcccg tgggaaccca ccgcgccccc gtggcgcccg ggggtgggcg cgtccgcatc tgctctggtc gaggttggcg gttgagggtg tgcgtgcccc gaggtggtgg tcggtcccct gcggccgcgg ceteggtegg egeettegeg eggeaegegg eegetagggg eggtegggge eegtggeece egtggetett ettegtetee getteteett eaccegggeg gtaccegete eggegeegge eegeggggaeg eegegggegte egtgegeega tgegagteae eeeegggtgt tgegagtteg gggagggaga gggcctcgct gacccgttgc gtcccggctt ccctgggggg gacccggcgt etgtgggetg tgegtecegg gggttgegtg tgagtaagat cetecacee egeeggeete ecetecege ggetetete egeeggetee etecegtgee geegggtgee gtetettee egeeggete etegetetet tettecegeg getgggegeg tgtcccccct ttctgaccgc gacctcagat cagacgtggc gacccgctga atttaagcat attagtcage ggaggaaaag aaactaacca ggatteecte agtaacggeg agtgaacagg gaagagecca gegeegaate eeggegege gtegeggegt gggaaatgtg gegtaeggaa geccageeg tegtaggggg eecaagteet tetgategag geccageeg tggaeggtgt gaggeeggta geggeegg egegeeggge tegggtette eeggagtegg gttgcttggg aatgcagccc aaagcgggtg gtaaactcca tctaaggcta aataccggca cgagaccgat agtcaacaag taccgtaagg gaaagttgaa aagaactttg aagagagagt tcaagagggc gtgaaaccgt taagaggtaa acgggtgggg tccgcgcagt ccgcccggag gattcaaccc ggcggcgcgc gtccggccgt gcccggtggt cccggcggat ctttcccgct ccccgttect ecegaceet ccaecegege gtegtteece tetteeteec egegteegge ggggggggg cgcgtctcag ggcgcccga accacctcac cccgagtgtt acagccctcc ggccgcgctt tcgccgaatc ccggggccga ggaagccaga tacccgtcgc cgcgctctcc 

ctetececec gtecgectec egggegggeg tgggggtggg ggcegggecg ceceteceae ggegeggaceg eteteceaec ecetecgte geeteteteg gggeeeggtg gggaeeggeg eggaeegtee ecagtgegee tegegeegte gggteeeggg gggaeegteg gtcacgcgtc tcccgacgaa gccgagcgca cggggtcggc ggcgatgtcg gctacccacc cgacccgtct tgaaacacgg accaaggagt ctaacgcgtg cgcgagtcag gggctcgtcc gaaagccgcc gtggcgcaat gaaggtgaag ggccccgccc gggggcccga ggtgggatcc cgaggcctct ccagtccgcc gagggcgcac caccggcccg tctcgcccgc cgcgccgggg aggtggagca cgagcgtacg cgttaggacc cgaaagatgg tgaactatgc ttgggcaggg aggtggagca cgagcgtacg cgttaggacc cgaaagatgg tgaactatgc ttggggaggg cgaagccaga ggaaactctg gtggaggtcc gtagcggtcc tgacgtgcaa atcggtcgtc cgacctgggt ataggggcg aagactaatc gaaccatcta gtagctggt ccctccgaag tttccctcag gatagctggc gctctcgctc ccgacgtacg cagttttatc cggtaaagcg aatgattaga ggtcttgggg ccgaaacgat ctcaacctat tctcaaactt taaatgggta agaagcccgg ctcgctggcg tggagccggg cgtggaatgc gagtgcctag tgggccactt ttggtaagca gaactggcgc tgcgggatga accgaacgc gggttaagc gccgatgcc gacgctcatc agaccccaga aaaggtgttg gttgatatag acagcaggac ggtggccaga gaagteggaa teegetaagg agtgtgtaae aacteacetg eegaateaae tageeetgaa gaagteggad getggaget egggeceata cecegegge gtegggece geggageeta ceceegete cecteegeg geegggtteg ceceegege gtegggece geggageeta cgccgcgacg agtaggaggg ccgctgcggt gagccttgaa gcctagggcg cgggcccggg tggagccgcc gcaggtgcag atcttggtgg tagtagcaaa tattcaaacg agaactttga aggccgaagt ggagaagggt tccatgtgaa cagcagttga acatgggtca gtcggtcctg agagatgggc gagtgccgtt ccgaagggac ggcgatggc ctccgttgcc ctcggccgat cgaaagggag tcgggttcag atccccgaat ccggagtggc ggagatggc gccgcgaggc cyaaaggag tegggtteag acceegaat eeggagtgge ggagatgge geegegagge cagtgeggta acgegacga teeeggagaa geeggegga ggeetegggg agagttetet tttetttgtg aagggeaggg egeettggaa tegggtteege eegagagagg ggeeegtgee teggaaageg tegeggttee ggeggegtee ggtgagetet egetggeeet tgaaaateeg ggagagaggg tegeaateeggagge gtaceeataa ggtaaggeagg eeggateeggaggaaaageete tggeatgtag gaacaattag ggtaaggaa gteggeaage eggateeggta acttegggat aaggattggc tetaaggget gggteggteg ggetggggeg cgaagegggg etgggegege geegeggetg gaegaggege egeegeeete teccaegtee ggggagaeee cocglectit cogocoggge cogocoloco eteticocog cggggeccog tegicococg cqtcqtcqcc acctctcttc ccccctcctt cttcccgtcg gggggcgggt cgggggtcgg cgcgcggcgc gggctccggg gcggcgggtc caaccccgcg ggggttccgg agcggggagga accagcggtc cccggtgggg cggggggcc ggacactcgg ggggccggcg gcgcgggcg ctctggacgc gagccggcgg gtgccggcg gggtcccctc cccgcggggg cgtcgcggc gctcccgggg agcccgcgg gtgccggcg gggtcccctc cccgcggggg ctcgctcaa cgcggcgccc ccgcctcggc cggcgcctag cagccgactt agaactggtg cggaccaggg gaatccgact gtttaattaa aacaaagcat cgcgaaggcc cgcggcgggt gttgacgcga tgtgatttct gcccagtgct ctgaatgtca aagtgaagaa attcaatgaa gcgcgggtaa acggcgggag taactatgac tctcttaagg tagccaaatg cctcgtcatc taattagtga cgcgcatgaa tggatgaacg agattcccac tgtccctacc tactatccag cgaaaccaca gccaagggaa cgggcttggc ggaatcagcg gggaaagaag accctgttga gcttgactct agtctggcac ggtgaagaga catgagaggt gtagaataag tgggaggccc ccggcgccg gccccgtcct cgcgtcggg tcggggcacg ccggcctcgc gggccgccgg tgaaatacca ctactctcat cgttttttca ctgacccggt gaggcggggg ggcgagcccc gaggggctct egettetge gecaagegte egteeggeg gegegaeeeg eteegggae agtgeeage teagggagg cagaaeete eegteggegg gegegaeeeg eteegggae taaggegage teagggagga cagaaaeete eegtggagea gaagggeaaa agetegettg atettgatt teagtaegaa tacagaeegt gaaagegggg ceteaegate ettetgaeet tttggttt aagcaggag tgtcagaaaa gttaccacag ggataactgg cttgtggcgg ccaagcgttc atagcagg tgtcagaaaa gttaccacag ggataactgg cttgtggcgg ccaagcgttc atagcagcg tggattgtt cacccactaa tagggaacgt gagctgggtt tagaccgtcg tgagacaggt tagttttacc ctactgatga tgtgttgttg ccatggtaat cctgctcagt acgagaggaa ccgcaggttc agacatttgg tgtatgtgct tggctgagga gccaatgggg cgaagctacc atctgtggga ttatgactga acgcctctaa gtcagaatcc gcccaagggg tgaagctace attrigtegga ttaatetga agcetteg gegggggg caccaggg atagcccagg ttagcccag gggtccccc cagccggac tcaggaccag gggtccccc ggaagaccgt tagtcttagg aaacaggggt cagccggaaa ggaggccgc ctctcgcccg tcacgttgaa cgcacgttcg tgtggaacct ggcgctaaac cattcgtaga cgacctgctt ctgggtcggg gtttcgtacg tagcagagca gctccctcgc tgcgatctat tgaaagtcag ccctcgacac aagggtttgt ctctgcgggc tttcccgtcg cacgccgct cgctcgcacg cgaccgtgtc gccgccggg cgtcacgggg geggtegeet eggeeeege geggttgeee gaacgacegt gtggtggttg ggggggggat egtettetee teegteteee gaggaeggtt egtttetett teecetteeg tegeteteet 

		•			
tgggtgtggg agcctcgtgc	catcacaacc	acaacctacc	atcacctacc	gccgcagccc	18720
cttgccctcc ggccttggcc	aagccggagg	acadadaaaa	gggat.cggcg	acaacaacaa	18780
ccdcddcdcd dfdccacd	atagastaga	2022022022	acatacataa	addacaacca	18840
atternace accord	ttttaaaata	cacccccggc	togggggggg	acctatages	18900
gttggagggg cgggaggggt		aacgccgcgc	Leggegeeag	55555555	18960
gccgggggg cgctctctcc	gecegageat	CCCCACTCCC	geeceteere	Lucycycyc	19020
gcggcggcga cgtgcgtacg	aggggaggat	gregeggege	ggaggcggag	agggtccggc	
gcggcgcctc ttccattttt	tcccccccaa	cttcggaggt	cgaccagtac	tccgggcgac	19080
actitgtttt tttttttcc	cccgatgctg	gaggtcgacc	agatgtccga	aagtgtcccc	19140
cccccccc cccccggcg	cqqaqcqqcq	gggccactct	ggactctttt	tttttttt	19200
ttttttttt ttaaattcct	ggaaccttta	gatcaaccag	ttatccatct	tttactcctt	19260
catataggtc gaccagtact	ccaaataata	ctttatcttt	ttctgaaaat	cccagaggtc	19320
gaccagatat ccgaaagtcc	tetettteee	tttactcttc	cccacaacaa	ttctctttt	19380
tttttttt tttggtgtgc	ctcttttt	cttatataca	totabasesat	atatecattt	19440
ttttttttt tttggtgtg	cccccccga	teracaca	cycaaacayc	tettett	19500
atatacttat aggaggaggt	egaceagtae	ceegggegae	actingtice		19560
tccaccgatg atggaggtcg	accagatgtc	cgaaagtgtc	cegreecee	dereceded	
ccgcgacgcg gcgggctcac	tctggactct	tttttttt	tttttttt	tttaaatttc	19620
tggaacctta aggtcgacca	gttgtccgtc	tttcactcat	tcatataggt	cgaccggtgg	19680
tactttqtct ttttctqaaa	atcqcagagg	tcgaccagat	gtcagaaagt	ctggtggtcg	19740
ataaattatc tgatctagat	ttatttttt	gtttttcagt	tttgtgttgt	tttgtgttgt	19800
tttgtgttgt tttgttttgt	tttatttat	tttatttat	tttatttat	tttattttat	19860
tttgtgttgt gttgtgttgt	attatattaa	attagattag	attagattag	attagattag	19920
gttgggttgg gttgggttgt	attatttaat	tttatattat	ttaatattat	taatttatt	19980
gregggregg gregggrege	guuguuuggu	cccgcgccgc	teastande	29555555	20040
ttgtttgctg ttgttttgtg	rrrrgegggr	cgaacagttg	teeetaateg	ageteeteg	20100
tacacaaaca tgcacttttt	ttaaaataaa	tttttaaaat	aaatgcgaaa	ategaceaat	
tatecettte ettetetete	ttttttaaaa	attttctttg	tgtgtgtgtg	tgtgtgtgtg	20160
tgtgtgtgt tgcgtgtgtg	tgtgtgtgtg	cgtgcagcgt	gcgcgcgctc	gttttataaa	20220
tacttataat aataggtcgc	cgggtggtgg	tagcttcccg	gactccagag	gcagaggcag	20280
gcagacttct gagttcgagg	ccaqcctqqt	ctacagagga	accetgtete	gaaaaatgaa	20340
aataaataca tacatacata	catacataca	tacatacata	catacataca	tacatatgag	20400
gttgaccagt tgtcaatcct	ttagaatttt	gtttttaatt	aatotoatao	agagatagat	20460
aatagataga tggatagagt	catacaaata	taggttttt	tttcagtaaa	tatgaggttg	20520
attaaccact tttccctttt	tacatatata	tttttt	ctctccetct	cattactaca	20580
attaceaet titteettit			ttttttt	atataaataa	20640
atttgaactc aggaccctgg	caggicaact	ggaaaacgrg	tettetatat	atataaatay	20700
tggtctgtct gctgtttgtt	carractra	cttgettget	egeergeerg	cccgcccgcc	
tgetttett tttettetga	gacagtattt	ctctgtgtaa	cctggtgccc	tgaaactcac	20760
totgtagace ageotggeet	caatcgaact	cagaaatcct	cctgcctctt	gtctacctcc	20820
caattttgga gtaaaggtgt	gctacaccac	tgcctggcat	tattatcatt	atcattatta	20880
attttattat tagacagaac	gaaatcaact	agttggtcct	gtttcgttaa	ttcatttgaa	20940
attagttgga ccaattagtt	ggctggtttg	ggaggtttct	tttgtttccg	atttgggtgt	21000
ttgtggggct ggggatcagg	tatctcaacq	gaatgcatga	aggttaaggt	gagatggctc	21060
gatttttgta aagattactt	ttcttagtct	gaggaaaaaa	taaaataata	ttgggctacg	21120
tttcattgct tcatttctat	ttetettet	ttctttcttt	ctttcagata	aggaggtcgg	21180
ccagttcctc ctgccttctg	gaagatgtag	gasttgastt	accessaces	ttatttaaga	
edagiteete etgeettetg	gaagatgtag	bassage	tastattat	tagaatataga	21300
gatgtgctag tgaaccagag	agtttggatg	ccaagccgca	taatyttat	tacaacacag	21360
aaaagttcta acaaagtgat	ctttaacttt	CCCCCCCCC	ttteteette	tacttctact	
tgttctcact ctgccaccaa	cgcgctttgt	acattgaatg	tgagctttgt	tttgcttaac	21420
agacatatat tttttctttt	ggttttgctt	gacatggttt	ccctttctat	ccgtgcaggg	21480
ttcccagacg gccttttgag	aataaaatgg	gaggccagaa	ccaaagtett	ttgaataaag	21540
caccacact ctaacctgtt	tggctgtttt	ccttcccaag	gcacagatct	ttcccagcat	21600
ggaaaagcat gtagcagttg	taggacacac	tagacgagag	caccagatct	cattgtgggt	21660
ggttgtgaac cacccaccat	ataattacct	gggatttgaa	ctcaggatct	tcagaagacg	21720
agtcagggct ctaaaccgat	gagccatctc	tccaccctc	ctacattcct	tcttaaggca	21780
tgaatgatcc cagcatggga	agacacteta	ccctctttat	ggtatatcac	catatactca	21840
ataaaataat gaaatgaatg	agacagcccg	~+ > + + + + + +	cttccaccta	tetasattet	21900
ctcacagcac ctcccctcc	aagtettet	atttataatt	atatttaaat	acacactacac	21960
eleacageae elececetee	cocacactge		acguingggu	333344339	22020
gaggggtggg gtgggggcag	ygarctgcat	gcccccccgc	ayyuctgtga	actactigeg	
atggcctggt tctctgaact	gttgagcctt	gtctatccag	aggctgactg	gctagttttc	22080
tacctgaagt ccctgagtga	tgatttccct	gtgaattc			22118
<210> 19					
<211× 175		•			
<212> DNA					
<213> Mus musculus					

-10-

gcgttcccac ggttggggac caceggtgac ctcgccctct tcgggcctgg atccg	175
<210> 20 <211> 755 <212> DNA <213> Mus musculus	
questigned gastigned cottegeter gagined through a geographic geogr	60 120 180 240 360 420 480 540 660 725
<210> 21 <211> 463 <212> DNA <213> Mus musculus	
equal services of the services	60 120 180 240 300 360 420 463
<210> 22 <211> 378 <212> DNA <213> Mus musculus	
<pre>&lt;400&gt; 22 ggattcttca ggattgaaac ccaaaccggt tcagtttcct ttccggctcc ggcgggggg ggcgccccg ggcggtttgg tgagttagat aacctcgggc cgatcgcacg ccccccgtgg cggcgacgac ccattcgaac gtctgcccta tcaactttcg atggtagtcg atgtgcctac ggctaccaca tccaaggaag gcagcaggcg cgcaaattac cactcccga cccggggagg tagtgacgaa aaataacaat acaggactct ttcgaggcc tgtaattgga atgagtccac tttaaatcct ttaagcag</pre>	60 120 180 240 300 360 378
<210> 23 <211> 378 <212> DNA <213> Mus musculus	
cettattgg coccecta  gatccattgg agggcaagte tggtgccage agcegeggta attecagete caatagegta tattaaagtt getgcagtta aaaagetegt agttggatet tgggageggg egggeggtee eegteegge tageaggg ggccegaage ggccegaage ggttaeettg aageaggee gageegeetg gataeegeea getaggaaat aatggaatag gacegeggtt egggageggee eetattttg teggttteeg gaactgagee eatgattaag ggaaaeggee gggggeatte	60 120 180 240 300 360 378
<210> 24 <211> 719	

-11-

<212> DNA <213> Mus musculus ggatctttcc cgctccccgt tcctcccggc ccctccaccc gegcgtctcc ccccttcttt 60 tecectetee ggagggggg gaggtggggg egegtgggeg gggteggggg tggggtegge gggggaeege eeeeggeegg caaaaggeeg eeeegggeg caetteaace gtageggtge 120 180 gccgcgaccg gctacgagac ggctgggaag gcccgacggg gaatgtggct cgggggggc ggcgcgtctc agggcgcgcc gaaccacctc accccgagtg ttacagccct ccggccgcgc tttcgcggaa tcccggggcc gaggggaagc ccgatacccg tcgccgcgct tttcccctcc 240 300 360 420 480 ggactgteet cagtgegee egggegtegt cgegegteg ggecegggg gttetetegg teaccegege ceegacgaag cegagegeac ggggteggeg gegatgtegg ggetegeacg gaccegtett gaaacacgga ceaaggagte taacgegtge gegagteagg ggetegeacg 540 600 660 719 aaagccgccg tggcgcaatg aaggtgaagg gccccgtccg ggggcccgag gtgggatcc <210> 25 <211> 685 <212> DNA <213> Mus musculus <400> 25 60 120 180 240 titccctcag gatagctggc gctctcgcaa ccttcggaag cagttttatc cgggtaaagg 300 cggaatggat taggaggtet tggggccgga aacgatetea aactattet caaactttaa atgggtaagg aagcccgget cgctggcgtg gagccgggcg tggaatgcag gtgcctagtg ggccactttt ggtaagcaga actggcgtg cgggatgaac cgaacgccgg gttaaggcgc ccgatgccga cgctcatcag accccagaaa aggtgttggt tgatatagac agcaggacgg tggcaatgaa ctcacctgcc gaatcaacga agcaggacgg tggcataaga cgctaatgaa cgctaaggaag tggtaacaa ctcacctgcc gaatcaacta 360 420 480 540 600 gecetgaaaa tggatggege tggagegteg ggeceatace eggeegtege eggeagtegg 660 685 aacgggacgg gacgggagcg gccgc <210> 26 <211> 5162 <212> DNA <213> Artificial Sequence <220> <223> Chimeric bacterial plasmid <400> 26 gacggatcgg gagatctccc gatcccctat ggtcgactct cagtacaatc tgctctgatg ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 120 1.80 ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata 240 300 tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360 420 cocgcccatt gacgtcaata atgacgtatg ttoccatagt aacgccaata gggactttoc attgacgtca atgggtggac tatttacggt aaactgccca cttggcagta catcaagtgt 480 atcatatgcc aagtacgcc cctattgacg tcaatgacgg taaatggcc gcctggcatt atgcccagta catgacctta tgggactttc ctacttggca gtacatctac gtattagtca tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 540 600 660 actcacgggg atticcaagt ctccacccca tigacgtcaa tgggagttig ttttggcacc 720 aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg gtaggcgtgt acggtgggag gtctatataa gcagagctct ctggctaact agagaaccca 780 840 ctgcttactg gcttatcgaa attaatacga ctcactatag ggagacccaa gcttggtacc gagctcggat cgatatctgc ggccgcgtcg acggaattca gtggatccac tagtaacggc cgccagtgtg ctggaattaa ttcgctgtct gcgagggcca gctgttgggg tgagtactcc 900 960 1020 ctctcaaaag cgggcatgac ttctgcgcta agattgtcag tttccaaaaa cgaggaggat 1080 ttgatattca cctggcccgc ggtgatgcct ttgagggtgg ccgcgtccat ctggtcagaa 1140 aagacaatet tittgitigte aagetigagg tigtgeagge tigagatetig gecatacaet tigagitigacaa tigacatecae tittgeettie tetecacagg tigtecaetee caggitecaae tigeaggitega geatigeatet aggigeggeea atteegeece teteceteee cececeetaa 1200 1260 1320

cgttactggc cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgtgattttc caccatattg ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg aaccccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata tcaagatccg ccacaacatc gaggacggca gcgtgcagct cgccgaccac taccagcaga acacccccat cggcgacggc cccgtgctgc tgcccgacaa ccactacctg agcacccagt ccgccctgag caaagacccc aacgagaagc gcgatcacat ggtcctgctg gagttcgtga ccgccgccgg gatcactctc ggcatggacg agctgtacaa gtaaagcggc cctagagctc gctgatcagc ctcgactgtg cctctagttg ccagccatct gttgtttgcc cctcccccgt gccttccttg acctggaag gtgccactcc cactgtcctt tcctaataaa atgaggaaat catggtcata gctgtttcct gtgtgaaatt gttatccgct cacaattcca cacaacatac catggteata getgttteet gtgtgaaatt gttateeget cacaatteea cacaacatae gageeggaag cataaagtgt aaageetggg gtgeetaatg agtgagetaa etecaettaa ttgegttgeg eteaetgee gettteeagt eggaaacet gtegtgeeag etgeattaat gaateeggeea aegeegggg agaggeggtt tgegtattgg gegetettee getteetege teaetgaete getgaataeg gtateeaea gaateaggg ataaegeagg agagaaeatg tgageaaaag geeageaaaa ggeeaggaae egtaaaaagg eegettget ggegttttte cataggetee gaetataaag ataceaggeg ttteeeea gaageteest eetgegetet eetgteea gactataaag atacaggcg tttccccctg gaagetecet egtgegetet ectgttccga cectgeeget taceggatae etgteeget ttctccctte gggaagegtg gegetttete aatgeteacg etgtaggtat etcagttegg tgtaggtegt tegetecaag etgggetgtg tegeacgaace eccegtteag eccaacceget gegeettate eggtaactat egtettgagt ecaacceggt aagacacgae ttategecae tgggaagaag eactggtaac aggattagea gagcgaggta tgtaggcggt gctacagagt tcttgaagtg gtggcctaac tacggctaca ctagaaggac agtatttggt atctgcgctc tgctgaagcc agttaccttc ggaaaaagag ttggtagctc ttgatccggc aaacaaacca ccgctggtag cggtggtttt tttgtttgca agcagcagat tacgcgcaga aaaaaaggat ctcaagaaga tcctttgatc ttttctacgg tacqqqaqqq cttaccatct ggccccagtg ctgcaatgat accgcgagac ccacgctcac cggctccaga tttatcagca ataaaccagc cagccggaag ggccgagcgc agaagtggtc ctgcaacttt atccgcctcc atccagtcta ttaattgttg ccgggaagct agagtaagta gttcgccagt taatagtttg cgcaacgttg ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggtatggct tcattcagct ccggttccca acgatcaagg cgagttacat gatcccccat gttgtgcaaa aaagcggtta gctccttcgg tcctccgatc gttgtcagaa gtaagttggc cgcagtgtta tcactcatgg ttatggcagc actgcataat tctcttactg tcatgccatc cgtaagatgc ttttctgtga ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg agttgctctt gccgggggtc aatacgggat aatacgggc cacatagcag aactttaaaa gtgctcatca ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg agatccagtt cgatgtaacc cactcgtgca cccaactgat cttcagcatc ttttactttc accagcgttt ctgggtgagc aaaaacagga aggcaaaatg ccgcaaaaaa gggaataagg gcgacacgga aatgttgaat actcatactc ttcctttttc aatattattg aagcatttat cagggttatt gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata ggggttccgc gcacatttcc ccgaaaagtg ccacctgacg 

<211> 5627

```
<212> DNA
<213> Artificial Sequence
<220>
<223> pMG plasmid from InvivoGen; IRES sequence modified
              EMCV nucleotides 2736-3308
<400> 27
caccggcgaa ggaggcctag atctatcgat tgtacagcta gctcgacatg ataagataca ttgatgagtt tggacaaacc acaactagaa tgcagtgaaa aaaatgcttt atttgtgaaa
                                                                                                                                                            60
                                                                                                                                                          120
tttgtgatgc tattgcttta tttgtgaaat ttgtgatgct attgctttat ttgtaaccat
                                                                                                                                                           180
tataagctgc aataaacaag ttaacaacaa caattgcatt cattttatgt ttcaggttca gggggaggtg tgggaggttt tttaaagcaa gtaaaacctc tacaaatgtg gtagatccat
                                                                                                                                                          240
                                                                                                                                                          300
ttaaatgtta attaagaaca tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa ggccgcgttg ctggcgtttt tccataggct ccgccccct gacgagcatc acaaaaatcg
                                                                                                                                                          360
                                                                                                                                                          420
acgeteaagt cagaggtege gaaaccegae aggactataa agataccagg cgtttccccc tggaagetec etcgtgeget etcetgttce gaccetgecg ettaceggat acetgtccgc etttetccct tegggaageg tggegettte teatagetea egetgtaggt ateteagtte
                                                                                                                                                          480
                                                                                                                                                          540
                                                                                                                                                          600
ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa ccccccgttc agcccgaccg
                                                                                                                                                          660
ctgcgcctta tccggtaact atcgtcttga gtccaacccg gtaagacacg acttatcgcc actggcagca gccactggta acaggattag cagagcgagg tatgtaggcg gtgctacaga gttcttgaag tggtggccta actacggcta cactagaaga acagtatttg gtatctgcg tctgctgaaag ccagttacct tcggaaaaaaa agttggtagc tcttgatccg gcaaacaaac tctgctgaac cactagaaga tcttgatccc
                                                                                                                                                          720
                                                                                                                                                          780
                                                                                                                                                          840
                                                                                                                                                          900
caccgctggt agcggtggtt tttttgtttg caagcag attacgcgca gaaaaaaagg atctcaagaa gatcctttga tcttttctac ggggtctgac gctcagtgga acgaaaactclacgttaaggg attttggtca tggctagtta attaagctgc aataaacaat cattatttc
                                                                                                                                                          960
                                                                                                                                                        1020
                                                                                                                                                        1080
attggatetg tgtgttggtt ttttgtgtgg gettggggga gggggaggee agaatgaete caatgaetae aggaaggeag gtcagagaee ceaetggaea aacagtgget ggaetetgea ceataacaca caateaacag gggagtgage tggategage tagagteegt tacataactt acggtaaatg gecegeetgg etgacegeee aacgaeeeee geceaetgae gtcaataatg acgtatgtte ceatagtaae gecaataggg actttecatt gaegteaatg ggtggagtat
                                                                                                                                                        1140
                                                                                                                                                        1200
                                                                                                                                                        1260
                                                                                                                                                        1320
                                                                                                                                                        1380
                                                                                                                                                        1440
ttacggtaaa ctgcccactt ggcagtacat caagtgtatc atatgccaag tacgcccct
attgacgtca atgacggtaa atggcccgcc tggcattatg cccagtacat gaccttatgg gactttccta cttggcagta catctacgta ttagtcatcg ctattaccat ggtgatgcgg ttttggcagt acatcaatgg gcgtggatag cggtttgact cacggggatt tccaagtctc caccccattg acgtcaatgg gagtttgttt tggcaccaaa atcaacggga ctttccaaaa tgtcgtaaca actccgcccc attgacgcaa atggcggta ggcgtgtacg gtgggaggtc
                                                                                                                                                        1500
                                                                                                                                                        1560
                                                                                                                                                        1620
                                                                                                                                                        1680
                                                                                                                                                        1740
tatataagca gagctcgttt agtgaaccgt cagatcgcct ggagacgcca tccacgctgt tttgacctcc atagaagaca ccgggaccga tccagcctcc gcggccggga acggtgcatt
                                                                                                                                                        1800
                                                                                                                                                        1860
ggaacgegga tteccegtge caagagtgae gtaagtaeeg cetatagagt etataggeee accecettgg ettettatge atgetataet gtttttgget tggggtetat acaceceege ttecteatgt tataggtgat ggtatagett ageetatagg tgtgggttat tgaceattat
                                                                                                                                                        1920
                                                                                                                                                        1980
                                                                                                                                                        2040
tgaccactcc cctattggtg acgatacttt ccattactaa tccataacat ggctctttgc cacaactctc tttattggct atatgccaat acactgtcct tcagagactg acacggactc
                                                                                                                                                        2100
                                                                                                                                                        2160
tgtattttta caggatgggg tctcatttat tatttacaaa ttcacatata caacaccacc gtccccagtg cccgcagttt ttattaaaca taacgtggga tctccacgcg aatctcgggt
                                                                                                                                                        2220
                                                                                                                                                        2280
acetylticeg gacategget etteteceget ageggeggag ettetacate egagecetge teccatgeet caagegacte atggtegete ggcageteet tgetectaae agtggaggee agaettagge acageacgat geccaccace aceagtgtge egeacaagge egtggeggta
                                                                                                                                                        2340
                                                                                                                                                        2400
                                                                                                                                                        2460
gggtatgggt ctgaaaatga gctcggggag cgggcttgca ccgctgacgc atttggaaga cttaaggcag cggcagaaga agatgcaggc agctgagttg ttgtgttctg ataagagtca gaggtaactc ccgttgcggt gctgttaacg gtggagggca gtgtagtctg agcagtactc
                                                                                                                                                        2520
                                                                                                                                                        2580
                                                                                                                                                        2640
gtgetgetg cgcgcgccac cagacataat agetgacaga etaacagact gtteetttee atggtettt tetgeagtea eeeggggat eettegaacg tagetetaga ttgagtegac gttactggee gaageegett ggaataagge eggtgtgegt ttgtetatat gttattttee
                                                                                                                                                        2700
                                                                                                                                                        2760
                                                                                                                                                        2820
accatattgc cgtcttttgg caatgtgagg gcccggaaac ctggccctgt cttcttgacg agcattccta ggggtctttc ccctctcgcc aaaggaatgc aaggtctgtt gaatgtcgtg
                                                                                                                                                        2880
                                                                                                                                                        2940
aaggaagcag ttoctotgga agottottga agacaaacaa cgtotgtago gaccotttgo
                                                                                                                                                        3000
aggeagegga accececace tggegacagg tgcetetgeg gccaaaagec acgtgtataa gatacacetg caaaggegge acaaceceag tgccacgttg tgagttggat agttgtggaa agagtcaaat ggeteteete aagegtatte aacaagggge tgaaggatge ccagaaggta
                                                                                                                                                        3060
                                                                                                                                                        3120
                                                                                                                                                        3180
                                                                                                                                                        3240
cccattgta tgggatctga tctggggcct cggtgcacat gctttacatg tgtttagtcg
```

aggttaaaaa aacgtctagg ccccccgaac cacggggacg tggttttcct ttgaaaaaca

cgataatacc atgggtaagt gatatctact agttgtgacc ggcgcctagt gttgacaatt aatcatcggc atagtatatc ggcatagtat aatacgactc actataggag ggccaccatg

togactacta accetettet ettecetaca getgagatea ceggtaggag ggccateatg

-14-

```
3540
aaaaagcctg aactcaccgc gacgtctgtc gcgaagtttc tgatcgaaaa gttcgacagc
                                                                                         3600
gtotocgaco tgatgcagot otoggagggo gaagaatoto gtgotttoag ottogatgta
ggagggcgtg gatatgtcct gcgggtaaat agctgcgccg atggtttcta caaagatcgt tatgtttatc ggcactttgc atcggccgcg ctcccgattc cggaagtgct tgacattggg
                                                                                         3660
                                                                                         3720
                                                                                         3780
gaatteageg agageetgae etattgeate teeegeegtg cacagggtgt cacgttgeaa
                                                                                         3840
gacetgeetg aaacegaact geeegetgtt etgeaaceeg tegeggaget catggatgeg
                                                                                         3900
ategetgegg cegatettag ceagacgage gggtteggee catteggace geaaggaate
ggtcaataca ctacatggcg tgatttcata tgcgcgattg ctgatcccca tgtgtatcac
                                                                                         3960
tggcaaactg tgatggacga caccgtcagt gcgtccgtcg cgcaggctct cgatgagctg
                                                                                         4020
                                                                                         4080
atgetttggg cegaggactg ceeegaagte eggeaceteg tgeaegegga ttteggetee
aacaatgtcc tgacggacaa tggccgcata acagcggtca ttgactggag cgaggcgatg
ttcggggatt cccaatacga ggtcgccaac atcttcttct ggaggccgtg gttggcttgt
                                                                                         4140
                                                                                         4200
atggagcagc agacgcgcta cttcgagcgg aggcatccgg agcttgcagg atcgccgcgg
                                                                                         4260
ctccgggcgt atatgctccg cattggtctt gaccaactct atcagagctt ggttgacggc aatttcgatg atgcagcttg ggcgcagggt cgatgcgacg caatcgtccg atccggagcc
                                                                                         4320
                                                                                         4380
gggactgtcg ggcgtacaca aatcgcccgc agaagcgcgg ccgtctggac cgatggctgt gtagaagtac tcgccgatag tggaaaccga cgcccagca ctcgtccgag ggcaaaggaa
                                                                                         4440
                                                                                         4500
                                                                                         4560
tgagtcgaga attcgctaga gggccctatt ctatagtgtc acctaaatgc tagagctcgc
tgatcagect cgactgtgcc ttctagttgc cagccatctg ttgtttgccc ctcccccgtg ccttccttga ccctggaagg tgccactccc actgtccttt cctaataaaa tgaggaaatt
                                                                                         4620
                                                                                         4680
4740
                                                                                         4800
                                                                                         4860
4920
ccagtgcaag tgcaggtgcc agaacatttc tctatcgaag gatctgcgat cgctccggtg
                                                                                         4980
cccgtcagtg ggcagagcgc acatcgccca cagtccccga gaagttgggg ggagggtcg gcaattgaac cggtgcctag agaaggtggc gcggggtaaa ctgggaaagt gatgtcgtgt actggctccg cctttttccc gagggtgggg gagaaccgta tataagtgca gtagtcgcg
                                                                                         5040
                                                                                         5100
                                                                                         5160
tgaacgttct ttttcgcaac gggtttgccg ccagaacaca gctgaagctt cgaggggctc
                                                                                         5220
gcatctetee tteaegegee egeegeeeta cetgaggeeg ceatceaege eggttgagte gegttetgee geeteeegee tgtggtgeet eetgaactge gteegeegte taggtaagtt
                                                                                         5280
                                                                                         5340
taaagctcag gtcgagaccg ggcctttgtc cggcgctccc ttggagccta cctagactca gccggctctc cacgctttgc ctgaccctgc ttgctcaact ctacgtcttt gtttcgtttt
                                                                                         5400
                                                                                         5460
ctqttctqcg ccgttacaga tccaagctgt gaccggcgcc tacgtaagtg atatctacta
                                                                                         5520
gatttatcaa aaagagtgtt gacttgtgag cgctcacaat tgatacttag attcatcgag agggacacgt cgactactaa ccttcttctc tttcctacag ctgagat
                                                                                         5580
                                                                                         5627
<210> 28
<211> 553
<212> DNA
<213> Artificial Sequence
<223> pMG plasmid from InvivoGen: EMCV IRES sequence
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt tccaccatat tgcggtctt tggcaatgtg agggcccgga acctggccc tgtcttcttg acgagcattc ctaggggtct ttcccctctc gccaaaggaa tgcaaggtct gttgaatgtc
                                                                                              60
                                                                                             120
                                                                                             180
240
                                                                                             300
                                                                                             360
                                                                                             420
                                                                                             480
                                                                                             540
tcgaggttaa aaaacgtcta ggccccccga accacgggga cgtggttttc ctttgaaaaa
cacgatgata ata
                                                                                             553
<210> 29
<211> 4692
<212> DNA
<213> Artificial Sequence
<223> pDSred1-N1 plasmid from Clontech
<400> 29
```

tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata tggagttccg

60

WO 02/097059

cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc cccgcccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc attgacgtca atgggtggag tatttacggt aaactgccca cttggcagta catcaagtgt atcatatgcc aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt atgcccagta catgacetta tgggacette ctacttggca gtacatetac gtattagtca tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg actcacgggg atttccaagt ctccaccca ttgacgtcaa tgggagtttg ttttggcacc aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg gtaggcgtgt acggtgggag gtctatataa gcagagctgg tttagtgaac cgtcagatcc gctagcgcta coggaeticag atotogaget caagettega attetgeagt egaeggtace gegggeeegg gatccaccgg tcgccaccat ggtgcgctcc tccaagaacg tcatcaagga gttcatgcgc ttcaaggtgc gcatggaggg caccgtgaac ggccacgagt tcgagatcga gggcgagggc gagggccgcc cctacgaggg ccacaacacc gtgaagctga aggtgaccaa gggcggcccc ctgcccttcg cctgggacat cctgtccccc cagttccagt acggctccaa ggtgtacgtg aagcacccg ccgacatccc cgactacaag aagctgtcct tccccgaggg cttcaagtgg gagogogtga tgaacttoga ggaoggoggo gtggtgacog tgaccoagga otoctootg caggaoggot gottoatota caaggtgaag ttoatoggog tgaacttooc otocgaoggo cccgtaatgc agaagaagac catgggctgg gaggcctcca ccgagcgcct gtaccccgc gacggcgtgc tgaagggcga gatccacaag gccctgaagc tgaaggacgg cggccactac ctggtggagt tcaagtccat ctacatggcc aagaagcccg tgcagctgcc cggctactac tacgtggact ccaagctgga catcacctcc cacaacgagg actacaccat cgtggagcag tacgagegea eegagggeeg ceaceacetg tteetgtage ggeegegaet etagateata ateageeata ceacatttgt agaggtttta ettgetttaa aaaaceteee acaceteece ctgaacctga aacataaaat gaatgcaatt gttgttgtta acttgtttat tgcagcttat aatggttaca aataaagcaa tagcatcaca aatttcacaa ataaagcatt tttttcactg cattctagtt gtggtttgtc caaactcatc aatgtatctt aaggcgtaaa ttgtaagcgt taatattttg ttaaaattcg cgttaaattt ttgttaaatc agctcatttt ttaaccaata ggccgaaatc ggcaaaatcc cttataaatc aaaagaatag accgagatag ggttgagtgt tgttccagtt tggaacaaga gtccactatt aaagaacgtg gactccaacg tcaaagggcg aaaaaccgtc tatcagggcg atggcccact acgtgaacca tcaccctaat caagtttttt ggggtcgagg tgccgtaaag cactaaatcg gaaccctaaa gggagcccc gatttagagc ttgacgggga aagccggcga acgtggcgag aaaggaaggg aagaaagcga aaggagcggg cgctagggcg ctggcaagtg tagcggtcac gctgcgcgta accaccacac ccgccgcgct taatgegeeg etacagggeg egteaggteg eacttttegg ggaaatgteg egggaacce tatttgtta ttttetaaa tacatteaaa tatgtateeg etcatgagae aataaccetg ataaatget caataatatt gaaaaaggaa gagteetgag geggaaagaa ceagetgtgg aatgtgtgte agttagggtg tggaaagtee ecaggeteee cageaggeag aagtatgeaa agcatgcatc tcaattagtc agcaaccagg tgtggaaagt ccccaggctc cccagcaggc agaagtatgc aaagcatgca totcaattag toagcaacca tagtoocgco cotaactoog cccatcccgc ccctaactcc gcccagttcc gcccattctc cgccccatgg ctgactaatt ttttttattt atgcagaggc cgaggccgcc tcggcctctg agctattcca gaagtagtga ggaggetttt ttggaggeet aggettttge aaagategat caagagacag gatgaggate gtttegeatg attgaacaag atggattgea egeaggttet eeggeegett gggtggagag getattegge tatgaetggg cacaacagae aateggetge tetgatgeeg eegtgtteeg gctgtcagcg caggggcgcc cggttctttt tgtcaagacc gacctgtccg gtgccctgaa tgaactgcaa gacgaggcag cgcggctatc gtggctggcc acgacgggcg ttccttgcgc agetgtgete gaegttgtea etgaageggg aagggaetgg etgetattgg gegaagtgee ggggeaggat eteetgteat eteacettge teetgeegag aaagtateea teatggetga tgeaatgegg eggetgeata egettgatee ggetacetge eeattegace accaagegaa acategeate gagegageae gtacteggat ggaageeggt ettgtegate aggatgatet ggaegaagag cateagggge tegegeeage egaactgtte geeaggetea aggegageat geeegaegge gaggateteg tegtgaeeea tggegatgee tgettgeega atateatggt ggaaaatggc cgcttttctg gattcatcga ctgtggccgg ctgggtgtgg cggaccgcta tcaggacata gcgttggcta cccgtgatat tgctgaagag cttggcggcg aatgggctga ecgetteete gtgetttacg gtategeege tecegatteg cagegeateg cettetateg cettettgae gagttettet gagegggaet etggggtteg aaatgaeega eeaagegaeg eecaacetge cateaegaga tttegattee aeegeegeet tetatgaaag gttgggette ggaategtit teegggaege eggeiggatg atecteeage geggggatei eatgeiggag ttettegece accetagggg gaggetaact gaaacacgga aggagacaat accggaagga accegegeta tgaeggeaat aaaaagacag aataaaacge acggtgttgg gtegtttgtt cataaacgcg gggttcggtc ccagggctgg cactctgtcg ataccccacc gagacccat tggggccaat acgcccgcgt ttcttccttt tccccaccc acccccaag ttcgggtgaa ggcccagggc tcgcagccaa cgtcggggcg gcaggccctg ccatagcctc aggttactca tatatacttt agattgattt aaaacttcat ttttaattta aaaggatcta ggtgaagatc ctttttgata atctcatgac caaaatccct taacgtgagt tttcgttcca ctgagcgtca gaccccgtag aaaagatcaa aggatcttct tgagatcctt tttttctgcg cgtaatctgc tgcttgcaaa caaaaaaacc accgctacca gcggtggttt gtttgccgga tcaagagcta 

-16-

```
ccaactcttt ttccgaaggt aactggcttc agcagaggc agataccaaa tactgtcctt
                                                                                             4140
                                                                                             4200
ctagtgtagc cgtagttagg ccaccacttc aagaactctg tagcaccgcc tacatacctc
                                                                                             4260
gctctgctaa tcctgttacc agtggctgct gccagtggcg ataagtcgtg tcttaccggg
ttggactcaa gacgatagtt accggataag gcgcagcggt cgggctgaac ggggggttcg tgcacacagc ccagcttgga gcgaacgacc tacaccgaac tgagatacct acagcgtgag
                                                                                             4320
                                                                                             4380
ctatgagaaa gcgccacgct tcccgaaggg agaaaggcgg acaggtatcc ggtaagcggc
                                                                                             4440
agggteggaa caggagageg caegagggag ettecagggg gaaacgeetg gtatetttat
                                                                                             4500
agtoctgtcg ggtttcgcca cototgactt gagcgtcgat ttttgtgatg ctcgtcaggg
                                                                                             4560
gggcggagcc tatggaaaaa cgccagcaac gcggcctttt tacggttcct ggccttttgctggccttttg ctcacatgtt ctttcctgcg ttatcccctg attctgtgga taaccgtatt
                                                                                             4620
                                                                                             4680
                                                                                             4692
accgccatgc at
<210> 30
<211> 4257
<212> DNA
<213> Artificial Sequence
<220>
<223> pPur plasmid from Clontech
<400> 30
ctgtggaatg tgtgtcagtt agggtgtgga aagtccccag gctccccagc aggcagaagt atgcaaagca tgcatctcaa ttagtcagca accaggtgtg gaaagtcccc aggctcccca
                                                                                                60
                                                                                              120
                                                                                              180
geaggeagaa glatgeaaag catgeatete aattagteag caaccatagt ceegeeeeta
acteogecca tecegeceet aacteogece agtteogece atteteogec ceatggetga
                                                                                              240
ctaatttttt ttatttatge agaggeegag geegeetegg cetetgaget attecagaag tagtgaggag gettttttgg aggeetagge ttttgcaaaa agettgcatg cetgcaggte
                                                                                              300
                                                                                              360
                                                                                              420
ggeegecaeg aceggtgeeg ceaecatece etgaeceaeg eccetgaece etcaeaagga
gacgacette catgacegag tacaageeca eggtgegeet egecaceege gacgaegtee
                                                                                              480
cccgggccgt acgcaccte gccgccgcgt tcgccgacta ccccgccacg cgccacaccg tcgacccgga ccgccacatc gagcgggtca ccgagctgca agaactcttc ctcacgcgcg
                                                                                              540
                                                                                              600
tegggetega categgeaag gtgtgggteg eggaegaegg egeegeggtg geggtetgga
                                                                                              660
ccacgccgga gagcgtcgaa gcgggggcgg tgttcgccga gatcggcccg cgcatggccg agttgagcgg ttcccggctg gccgcgcagc aacagatgga aggcctcctg gcgccgcacc
                                                                                              720
                                                                                              780
ggeccaagga gecegegtgg tteetggeca eegteggegt etegecegae caccagggea
                                                                                              840
agggtetggg cagegeegte gtgeteceeg gagtggagge ggeegagege geeggggtge eegeetteet ggagacetee gegeeegga aceteeeett etaegagegg eteggettea
                                                                                              900
                                                                                              960
ccgtcaccgc cgacgtcgag gtgcccgaag gaccgcgcac ctggtgcatg acccgcaagc ccggtgcctg acgcccgcc cacgacccgc agcgcccgac cgaaaggagc gcacgacccc
                                                                                             1020
                                                                                             1080
atggeteega eegaageega eeegggegge eeegeegaee eegeaceege eeeegaggee
                                                                                             1140
caccgactet agaggateat aatcagecat accacatttg tagaggtttt acttgettta
                                                                                             1200
aaaaacctcc cacacctccc cctgaacctg aaacataaaa tgaatgcaat tgttgttgtt aacttgttta ttgcagctta taatggttac aaataaagca atagcatcac aaatttcaca aataaagcat ttttttcact gcattctagt tgtggtttgt ccaaactcat caatgtatct
                                                                                             1260
                                                                                             1320
                                                                                             1380
tatcatgtet ggateecag gaageteete tgtgteetea taaaceetaa ceteetetae
                                                                                             1440
ttgagaggac attocaatca taggotgooc atcoaccoto tgtgtcotoo tgttaattag
                                                                                             1500
gtcacttaac aaaaaggaaa ttgggtaggg gtttttcaca gaccgctttc taagggtaat
                                                                                             1560
tttaaaatat ctgggaagtc ccttccactg ctgtgttcca gaagtgttgg taaacagccc
                                                                                             1620
acaaatgtca acagcagaaa catacaagct gtcagctttg cacaagggcc caacaccctg
                                                                                             1680
ctcatcaaga agcactgtgg ttgctgtgtt agtaatgtgc aaaacaggag gcacattttc ccacctgtg taggttccaa aatatctagt gttttcattt ttacttggat caggaaccca gcactccact ggataagcat tatccttatc caaaacagcc ttgtggtcag tgttcatctg
                                                                                             1740
                                                                                             1800
                                                                                             1860
                                                                                             1920
ctgactgtca actgtagcat tttttggggt tacagtttga gcaggatatt tggtcctgta
gtttgctaac acaccetgca gctccaaagg ttccccacca acagcaaaaa aatgaaaatt tgaccettga atgggttttc cagcaccatt ttcatgagtt ttttgtgtcc ctgaatgcaa
                                                                                             1980
                                                                                             2040
gtttaacata gcagttaccc caataacctc agttttaaca gtaacagctt cccacatcaa
                                                                                             2100
aatatttcca caggitaagt cctcatttaa attaggcaaa ggaattcttg aagacgaaag
                                                                                             2160
ggcctcgtga tacgcctatt tttataggtt aatgtcatga taataatggt ttcttagacg
                                                                                             2220
tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca ataatattga
                                                                                             2280
                                                                                             2340
aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt ttttgcggca
                                                                                             2400
ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga tgctgaagat
                                                                                             2460
cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa gatccttgag
                                                                                             2520
agttttcgcc ccgaagaacg ttttccaatg atgagcactt ttaaagttct gctatgtggc gcggtattat cccgtgttga cgccgggcaa gagcaactcg gtcgccgcat acactattct
                                                                                             2580
                                                                                             2640
cagaatgact tggttgagta ctcaccagtc acagaaaagc atcttacgga tggcatgaca
                                                                                             2700
gtaagagaat tatgcagtgc tgccataacc atgagtgata acactgcggc caacttactt
                                                                                             2760
```

WO 02/097059

-17-

```
2820
ctgacaacga tcggaggacc gaaggagcta accgcttttt tgcacaacat gggggatcat
                                                                                                                                                2880
gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa cgacgagcgt gacaccacga tgcctgcagc aatggcaaca acgttgcgca aactattaac tggcgaacta
                                                                                                                                                2940
cttactctag cttcccggca acaattaata gactggatgg aggcggataa agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc tggagccggt gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc ctcccgtatc
                                                                                                                                                3000
                                                                                                                                                3060
                                                                                                                                                3120
gtagttatet acacgacggg gagtcaggca actatggatg aacgaaatag acagateget gagataggtg ceteactgat taagcattgg taactgtcag accaagttta etcatatata etttagattg atttaaaact teattttaa tttaaaagga tetaggtgaa gateetttt
                                                                                                                                                3180
                                                                                                                                                3240
                                                                                                                                                3300
gataatctca tgaccaaaat cccttaacgt gagttttcgt tccactgagc gtcagacccc gtagaaaaga tcaaaggatc ttcttgagat ccttttttc tgcgcgtaat ctgctgcttg
                                                                                                                                                3360
                                                                                                                                                3420
caaacaaaaa aaccaccgct accagcggtg gtttgtttgc cggatcaaga gctaccaact
                                                                                                                                                3480
ctttttccga aggtaactgg cttcagcaga gcgcagatac caaatactgt ccttctagtg tagccgtagt taggccacca cttcaagaac tctgtagcac cgcctacata cctcgctctg
                                                                                                                                                3540
                                                                                                                                                3600
ctaatcctgt taccagtggc tgctgccagt ggcgataagt cgtgtcttac cgggttggac
                                                                                                                                                3660
tcaagacgat agttaccgga taaggegcag cggtcgggct gaacggggggg ttcgtgcaca cagcccagct tggagcgaac gacctacacc gaactgagat acctacagcg tgagctatga
                                                                                                                                                3720
                                                                                                                                                3780
gaaagcgcca cgcttcccga agggagaaag gcggacaggt atccggtaag cggcagggtc ggaacaggag agcgcacgag ggagcttcca gggggaaacg cctggtatct ttatagtcct gtcgggtttc gccacctctg acttgagcgt cgatttttgt gatgctcgtc aggggggggg agcctatgga aaaacgccag caacgcggcc tttttacggt tcctggcctt ttgctggcct ttgctcaca tgttctttcc tgcgttatcc cctgattctg tggataaccg tattaccgcc
                                                                                                                                                3840
                                                                                                                                                3900
                                                                                                                                                3960
                                                                                                                                                4020
                                                                                                                                                4080
                                                                                                                                                4140
tttgagtgag ctgataccgc tcgccgcagc cgaacgaccg agcgcagcga gtcagtgagc
gaggaagegg aagagegeet gatgeggtat ttteteetta egeatetgtg eggtatttea cacegeatat ggtgeactet cagtacaate tgetetgatg eegeatagtt aagecag
                                                                                                                                                4200
                                                                                                                                                4257
<210> 31
<211> 8136
<212> DNA
 <213> Artificial Sequence
<220>
<223> pWE15 cosmid vector
<300>
<308> GenBank X65279
<309> 1995-04-14
 <400> 31
ctatagtgag tegtattatg eggeegegaa ttettgaaga egaaagggee tegtgataeg eetattttta taggttaatg teatgataat aatggtttet tagaegteag gtggeaettt teggggaaat gtgegeggaa eccetatttg tttatttte taaataeat eaaatagta teegeteatg agaeaataae eetgataaat getteaataa tattgaaaaa ggaaagagtat
                                                                                                                                                    60
                                                                                                                                                  120
                                                                                                                                                  180
                                                                                                                                                  240
gagtattcaa catttccgtg tcgcccttat tccctttttt gcggcatttt gcttcctgtt tttgctcacc cagaaacgct ggtgaaagta aaagatgctg aagatcagtt gggtgcacga gtgggttaca tcgaactgga tctcaacagc ggtaagatcc ttgagagttt tcgccccgaa
                                                                                                                                                  300
                                                                                                                                                  360
                                                                                                                                                  420
gaacgttttc caatgatgag cacttttaaa gttctgctat gtggcgcggt attatcccgt gttgacgccg ggcaagagca actcggtcgc cgcatacact attctcagaa tgacttggtt
                                                                                                                                                  480
                                                                                                                                                  540
gagtactcac cagtcacaga aaagcatctt acggatggca tgacagtaag agaattatgc
                                                                                                                                                  600
agtgctgcca taaccatgag tgataacact gcggccaact tacttctgac aacgatcgga ggaccgaagg agctaaccgc ttttttgcac aacatggggg atcatgtaac tcgccttgat
                                                                                                                                                  660
                                                                                                                                                  720
ggaccgaagg agctatecge ttttttgeat accatggggg ateatgtaat tegetetgat
cgttgggaac eggagetgaa tgaagccata ecaaacgaeg agegtgacae caegatgeet
geagcaatgg caacaacgtt gegcaaacta ttaactggeg aactacttae tetagettee
eggcaacaat taatagaetg gatggaggeg gataaagttg caggaccaet tetgegeteg
gecetteegg etggetggtt tattgetgat aaatetggag eeggtgageg tgggtetege
ggtateattg eagcaetggg gecagatggt aageceteee gtategtagt tatetacaeg
aeggggagte aggcaactat ggatgaacga aatagacaga tegetgagat aggtgeetea
                                                                                                                                                  780
                                                                                                                                                  840
                                                                                                                                                  900
                                                                                                                                                  960
                                                                                                                                                1020
                                                                                                                                                1080
1140
                                                                                                                                                1200
                                                                                                                                                1260
ggatettett gagateett tittetgege gtaatetget getigeaaac aaaaaaacca cegetaccag eggtgettig titgeeggat caagagetae caactettit teegaaggta actggettea geagagegea gataccaaat actgteette tagtgtagee gtagttagge caccacttea agaactetgt agcacegeet acataceteg etetgetaat cetgttacca
                                                                                                                                               1320
                                                                                                                                                1380
                                                                                                                                                1440
                                                                                                                                               1500
gtqqctgctg ccagtggcga taagtcgtgt cttaccgggt tggactcaag acgatagtta
                                                                                                                                               1560
ccggataagg cgcagcgtc gggctgaacg gggggttcgt gcacacagcc cagcttggag cgaacgacct acaccgaact gagataccta cagcgtgagc tatgagaaag cgccacgctt
                                                                                                                                                1620
                                                                                                                                               1680
```

ccgaagggag aaaggcggac aggtatccgg taagcggcag ggtcggaaca ggagagcgca cgagggaget tecaggggga aacgeetggt atetttatag teetgteggg gtttegeeac ctctgacttg agcgtcgatt tttgtgatgc tcgtcagggg ggcggagcct atggaaaaac gccagcaacg cggccttttt acggttcctg gccttttgct ggccttttgc tcacatgttc tttcctgcgt tatccctga ttctgtggat aaccgtatta ccgcctttga gtgagctgat accyctegec geagecgaac gaccgagege agegagteag tgagegagga ageggaagag cgctgacttc cgcgtttcca gactttacga aacacggaaa ccgaagacca ttcatgttgt tgctcaggtc gcagacgttt tgcagcagca gtcgcttcac gttcgctcgc gtatcggtga ttcattctgc taaccagtaa ggcaaccccg ccagcctagc cgggtcctca acgacaggag cacgatcatg cgcacccgtc agatccagac atgataagat acattgatga gtttggacaa accacaacta gaatgcagtg aaaaaaatgc tttatttgtg aaatttgtga tgctattgct ttatttgtaa ccattataag ctgcaataaa caagttaaca acaacaattg cattcatttt atgittcagg ticaggggga ggigtgggag gittittaaa gcaagtaaaa ccictacaaa tgiggtatgg cigattatga tcictagica aggcactata caicaaatat tccitattaa cccctttaca aattaaaaag ctaaaggtac acaatttttg agcatagtta ttaatagcag acactctatg cctgtgtgga gtaagaaaaa acagtatgtt atgattataa ctgttatgcc tacttataaa ggttacagaa tatttttcca taattttctt gtatagcagt gcagcttttt cotttgtggt gtaaatagca aagcaagcaa gagttctatt actaaacaca gcatgactca aaaaaacttag caattctgaa ggaaagtcct tggggtcttc tacctttctc ttcttttttg gaggagtaga atgttgagag tcagcagtag cctcatcatc actagatggc atttcttctg agcaaaacag gttttcctca ttaaagcat tccaccactg ctccattca tcagttccat aggttggaat ctaaaataaca caaacaatta ggattggaat ttaacactt tatacactta aaaattttat atttacctta gagctttaaa tctctgtagg tagtttgtcc aattatgtca caccacagaa gtaaggttcc ttcacaaaga tccggaccaa agcggccatc gtgcctcccc actcctgcag ttcgggggca tggatgcgcg gatagccgct gctggtttcc tggatgccga cggatttgca ctgccggtag aactcgcgag gtcgtccagc ctcaggcagc agctgaacca actcgcgagg ggatcgagcc cggggtgggc gaagaactcc agcatgagat ccccgcgctg gaggatcatc cagccggcgt cccggaaaac gattccgaag cccaaccttt catagaaggc ggeggtggaa tegaaatete gtgatggeag gttgggegte gettggtegg teatttegaa eeccagagte eegeteagaa gaactegtea agaaggegat agaaggegat gegetgegaa teggaagegg egatacegta aageaegagg aageggteag eccattegee gecaagetet teageaatat caegggtage caaegetatg teetgatage ggteegeeae acceageegg ecaeagtega tgaateeaga aaageggeea ttttecaeca tgatattegg caageaggea ccacagtcga tgaatccaga aaageggcca ttttccacca tgatattcgg cagcaggca tegecatggg teacgacgag atcetegeg tegggatggg egecttgagg etggeggaca gtteggetgg egegagece tgatgetet egtecagate atcetgateg acaagacegg ettecateeg agtacgtget egetegatge gatgtttege ttggtggteg aatgggeagg tageeggate aagegtatge ageegeegea ttgeatcage eatgatggat aetttetegg eaggageaag gtgagatgae aggagateet geeceggeae ttegeceaat ageageagt ecetteeege tteagtgaca aegtegagea eagetgegea aggaacgee gtegtggea gccacgatag ccgcgctgcc tcgtcctgca gttcattcag ggcaccggac aggtcggtct tgacaaaaag aaccgggcgc ccctgcgctg acagccggaa cacggcggca tcagagcagc cgattgtctg ttgtgcccag tcatagccga atagcctctc cacccaagcg gccggagaac ctgcgtgcaa tccatcttgt tcaatcatgc gaaacgatcc tcatcctgtc tcttgatcag atottgatee cetgegeeat cagateettg geggeaagaa agceateeag tttaetttge agggettee aacettacea gagggegee cagetggeaa tteeggtteg ettgetgtee ataaaacege ceagtetage tategeeatg taageeeact geaagetace tgettteet ttgcgcttgc gttttccctt gtccagatag cacagtagct gacattcatc cggggtcagc accgtttctg gttttccctt gtccagatag cccagtagct gacattcatc cggggtcagc accgtttctg cggactggct ttctacgtgt tccgcttcct ttagcagccc ttgcgccctg agtgcttgcg gcagcgtgaa agctttttgc aaaagcctag gcctccaaaa aagcctcctc actacttctg gaatagctca gaggccgagg cggcctaaat aaaaaaaatt agtcagccat ggggcggaga atgggcggaa ctgggcggag ttaggggcgg gatgggcgga gttaggggcg ggactatggt tgctgactaa ttgagatgca tgctttgcat acttctgcct gctggggagc ctggggactt tccacacctg gttgctgact aattgagatg catgctttgc atacttctgc ctgctgggga gcctggggac tttccacacc ctaactgaca cacattccac agccggatct gcaggaccca acgctgcccg agatgcgccg cgtgcggctg ctggagatgg cggacgcgat ggatatgttc tgccaagggt tggtttgcgc attcacagtt ctccgcaaga attgattggc ggatatgttc tgccaagggt tggtttgcgc attcacagtt ctccgcaaga attgattggc
tccaattctt ggagtggtga atccgttagc gaggtgcccgc cggcttccat tcaggtcgag
gtggcccggc tccatgcacc gcgacgcaac gcgggaggc agacaaggta tagggcggc
cctacaatcc atgccaaccc gttccatgtg ctcgccgagg cgcataaatc gccgtgacga
tcagcggtcc aatgatcgaa gttaggctgg taagagccgc gagcgatcct tgaagctgtc
cctgatggtc gtcatctacc tgcctggaca gcatggcctg caacgcggca tcccgatgcc
gccggaaggcg agaagaatca taatggggaa ggcatccag cctcgcgtcg cgaacgccag
caagacgtag cccagcgcgt cgggccgcca tgccggaag cttcgcgat aatggcctgc ttctcgccga
aacgtttoot ggcgggacca gtgacgaagg cttgaggaag ggccatcgaag attccgaata aacgtttggt ggcgggacca gtgacgaagg cttgagcgag ggcgtgcaag attccgaata ccgcaagcga caggccgatc atcgtcgcgc tccagcgaaa gcggtcctcg ccgaaaatga cccagagege tgccggcacc tgtcctacga gttgcatgat aaagaagaca gtcataagtg cggcgacgat agtcatgcc cgcgcccacc ggaaggaget gactgggttg aaggctctca 

agggcatcgg tcgacgctct	cccttatqcq	actcctqcat	taggaagcag	cccagtagta	5760
ggttgaggcc gttgagcacc	gccgccgcaa	ggaatggtgc	atgcaaggag	atggcgccca	5820
acagtecece ggecacggge	ctgccaccat	acccacgccg	aaacaagcgc	tcatgagccc	5880
gaagtggcga gcccgatctt	ccccatcggt	gatgtcggcg	atataggcgc	cagcaaccgc	5940
acctgtggcg ccggtgatgc	cggccacgat	gcgtccggcg	tagaggatct	tggcagtcac	6000
agcatgcgca tatccatgct	tcgaccatgc	gctcacaaag	taggtgaatg	cgcaatgtag	6060
tacccacatc gtcatcgctt	tccactgctc	tcgcgaataa	agatggaaaa	tcaatctcat	6120
ggtaatagtc catgaaaatc					6180
aaacaaaaga gatggtgatc	tttctaagag	atgatggaat	ctcccttcag	tatcccgatg	6240
gtcaatgcgc tggatatggg	atagatggga	atatgctgat	ttttatggga	cagagttgcg	6300
aactgttccc aactaaaatc	attttgcacg	atcagcgcac	tacgaacttt	acccacaaat	6360
agtcaggtaa tgaatcctga	tataaagaca	ggttgataaa	teagrettet	acgcgcatcg	6420
cacgcgcaca ccgtagaaag	tctttcagtt	grgageergg	gcaaaccgtt	aactttcggc	6480
ggctttgctg tgcgacaggc	tcacgtctaa	aaggaaataa	atcatgggte	acaaaaccac	6540 6600
cacgttgtcc ggcgcggcga	eggatgttet	grangegerg	tttttccgtg	gegegeegee	6660
gtctggtgat ctgccttcta					6720
aaccagacac acagcaactg	aataccagaa	agaaaatcac	tttacctttc	rgacateaga	6780
agggcagaaa tttgccgttg	aacacctggt	tagtatagt	gazazzzaga	agcaatattg	6840
cgcttcgatg acgcttggcg gctggaccag cgcattcgtg	ctyayattya	attachant	attoggaata	gagtgtgatt	6900
catcaaggac gccgctatcg					6960
gccggtgacc aatatctaca					7020
caaggtaacc gtcagtgccg					7080
aacgttgatc gaaaacgcgc					7140
gcaaatggca gcagacaaga					7200
catgatggaa tgtttcccg	ataatattat	ctggcagcag	taccatcaat	agtatgcaat	7260
tgataattat tatcatttgc	gagteettte	caacaatcca	ccttattaca	agacaacaac	7320
ctcgcgggtt ttcgctattt	atgaaaattt	tccogtttaa	agcatttcca	ttcttcttcq	7380
tcataactta atgtttttat					7440
aaagcgaget ttttggcete					7500
tggaagtcaa caaaaagcag					7560
actggcagga acagggaatg					7620
atgactetge egeegteata					7680
agctgcgccg ggaggttgaa					7740
gtggtcgcca tgatcgcgta	gtcgatagtg	gctccaagta	gcgaagcgag	caggactggg	7800
cggcggcaaa gcggtcggac	agtgctccga	gaacgggtgc	gcatagaaat	tgcatcaacg	7860
catatagcgc tagcagcacg	ccatagtgac	tggcgatgct	gtcggaatgg	acgatatccc	7920
gcaagaggcc cggcagtacc					7980
tgccgaggat gacgatgagc	gcattgttag	atttcataca	cggtgcctga	ctgcgttagc	8040
aatttaactg tgataaacta			gataagcggt	caaacatgag	8100
aattcgcggc cgcaattaac	cctcactaaa	ggatcc			8136
<210> 32					
<211> 2713					
<212> DNA					
<213> Artificial Sequ	ence				
-220-					
<220> <223> pNEB193 plasmid					
<5553 busping bigguid					
<400> 32					
tcacacattt caataataac	aataaaaac	tctgacacat	acaactacca	gagacggtca	60
tcgcgcgttt cggtgatgac	ggtgaaaacc	tetgacacat	gcagctcccg	gagacggtca	
cagcttgtct gtaagcggat	gccgggagca	gacaagcccg	tcagggcgcg	tcagcgggtg	120
cagcttgtct gtaagcggat ttggcgggtg tcggggctgg	gccgggagca cttaactatg	gacaagcccg cggcatcaga	tcagggcgcg gcagattgta	tcagcgggtg ctgagagtgc	120 180
cagcttgtct gtaagcggat ttggcgggtg tcggggctgg accatatgcg gtgtgaaata	gccgggagca cttaactatg ccgcacagat	gacaagcccg cggcatcaga gcgtaaggag	tcagggcgcg gcagattgta aaaataccgc	tcagcgggtg ctgagagtgc atcaggcgcc	120
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegeeatt eaggetgege	gccgggagca cttaactatg ccgcacagat aactgttggg	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc	tcagggcgcg gcagattgta aaaataccgc ggtgcgggcc	tcagcgggtg ctgagagtgc atcaggcgcc tcttcgctat	120 180 240
cagettgtet gtaageggat ttggegggtg tegggetgg accatatgeg gtgtgaaata attegeeatt caggetgege taegeeaget ggegaaaggg	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt	tcagggcgcg gcagattgta aaaataccgc ggtgcgggcc aagttgggta	tcagcgggtg ctgagagtgc atcaggcgcc tcttcgctat acgccagggt	120 180 240 300
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegeeatt caggetgege taegeeaget ggegaaaggg ttteecagte aegaegttgt	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg aaaacgacgg	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt	tcagggcgcg gcagattgta aaaataccgc ggtgcgggcc aagttgggta cgagctcggt	tcagcgggtg ctgagagtgc atcaggegcc tcttcgctat acgccagggt acccgggggc	120 180 240 300 360
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegeeatt eaggetgege taegeeaggt ggegaaaggg ttteeeagte acgaegttgt gegeeggate ettaattaag	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg aaaacgacgg tctagagtcg	gacaagccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt actgtttaaa	tcagggcgcg gcagattgta aaaataccgc ggtgcgggcc aagttgggta cgagctcggt cctgcaggca	tcagcgggtg ctgagagtgc atcaggcgcc tcttcgctat acgccagggt acccgggggc tgcaagcttg	120 180 240 300 360 420
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegeeatt caggetgege taegeeaget tteecagte aegaegttgt gegeeggate ettaattaag gegtaateat ggteataget	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg aaacgacgg tctagagtcg gtttcctgtg	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt actgtttaaa tgaaattgtt	tcagggcgcg gcagattgta aaaataccgc ggtgcggcc aagttgggta cgagctcggt cctgcaggca atccgctcac	tcagcgggtg ctgagagtgc atcaggcgcc tcttcgctat acgccagggt acccgggggc tgcaagcttg aattccacac	120 180 240 300 360 420 480
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegecatt caggetgege taegecaget ggegaaaggg ttteecagte acgaegttgt gegeeggate ettaattaag gegtaateat ggteataget acataegag eeggaageat acattaattg egttgeget	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg aaaacgacgg tctagagtcg gtttcctgtg gtttcctgtg aaagtgtaaa actgccgct	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt actgtttaaa tgaaattgtt gcctggggtg ttccagtcgg	tcagggcgcg gcagattgta aaataccgc ggtgcgggcc aagttgggta cgagctcggt cctgcaggca atccgctcac cctaatgagt gaaacctgtc	tcagcgggtg ctgagagtgc atcagggcc tcttcgctat acgccagggt acccgggggc tgcaagcttg aattccacac gagctaactc gtgccagctg	120 180 240 300 360 420 480 540 600 660
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegecatt caggetgege taegecaget gegaaaggg ttteccagte acgaegttgt gegeeggate ettaattaag gegtaateat accataegag eeggageat acataattg cattaattg cattaatgaa	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg aaaacgacgg tctagagtcg gtttcctgtg aaagtgtaaa actgccggct cgcggggaga	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt actgtttaaa tgaaattgtt gcctgggtg ttccagtcgg	tcagggcgcg gcagattgta aaataccgc ggtgcgggcc aagttgggta cgagctcggt cctgcaggca atccgctcac cctaatgagt gaaacctgtc gtattgggcg	tcagcgggtg ctgagagtgc atcagggcc tcttcgctat acgccagggt acccgggggc tgcaagcttg aattccacac gagctaactc gtgccagctg ctcttccgct	120 180 240 300 360 420 480 540 600 660 720
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegecatt caggetgege taegecaget ggegaaaggg ttteceagte acgaegttgt gegeeggate ettaattaag gegtaateat ggteataget aacataegag ceggaageat acattaatga teggeeaaeg teetegetea etgaeteget	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg aaaacgacgg tctagagtcg gtttcctgtg aaagtgtaaa actgcccggc cgcgggaga gcgctcggtc	gacaagcccg cggcatcaga gcgtaaggag aagggcgatt ccagtgaatt actgtttaaa tgaaattgtt gcctggggtg ttccagtcgg ggcggtttgc gttcggctgc	tcagggcgcg gcagattgta aaaataccgc ggtgcgggcc aagttgggta cgagctcggt cctgcaggca atccgctcac cctaatgagt gaaacctgtc gtattgggcg	tcagcgggtg ctgagagtgc atcagggcc tcttcgctat acgccagggt acccgggggc tgcaagcttg aattccacac gagctaactc gtgccagctg ctcttccgct	120 180 240 300 360 420 480 540 600 660 720 780
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegeeatt eaggetgege taegeeaget ggegaaaggg ttteeagte aegaegttgt gegeeggate ettaattaag gegtaateat ggteataget aacataegag eeggaageat acattaattg egttgegete eattaatgaa teggeeaaeg teetegetea etgaeteget teaaaggegg taataeggt	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtgctg aaacgacgg tctagagtcg gtttcctgtg aaagtgtaaa actgcccgct cgcgggggaga gcgctcggtc atccacagaa	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt actgtttaaa tgaaattgtt gcctggggtg ttccagtcgg ggcggtttgc gtcggctgc tcaggggata	tcagggcgcg gcagattgta aaaatacgcc ggtgcgggcc aagttgggta cgagctcggt cctgcaggca atccgctcac cctaatgagt gaaacctgtc gtattgggcg ggcgagcggt acgcaggaaa	tcagcgggtg ctgagagtgc atcagcgcc tcttcgctat acgccagggt acccgggggc tgcaagcttg aattccacac gagctaactc gtgccagctg ctcttccgct atcagctcac gaacatgtga	120 180 240 300 360 420 480 540 600 660 720 780 840
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegeeatt caggetgege ttteecaget ggegaaaggg ttteecagte acgacgttgt gegeeggate ettaattaag gegtaateat ggteataget aacataegag eeggaageat acattaattg egttgegete cattaatgaa teggeeaaeg teetegetea tegaeteget teaaaggegg taataeggtt geaaaaggee ageaaaagge	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtggg tctagagtcg tctagagtcg gtttcctgtg aaagtgtaaa actgcccgct cgcggggaga gcgctcggtc atccacagaa caggaaccgt	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt actgtttaaa tgaaattgtt gcctggggtg ttccagtcgg ggcggtttgc gttcggctgc tcaggggata aaaaaggccg	tcagggcgcg gcagattgta aaaataccgc ggtgcgggcc aagttgggta cctgcaggca atccgctcac cctaatgagt gaaacctgtc gtattggcg ggcgagcggta acgcaggaaa cgttgctggc	tcagcgggtg ctgagagtgc atcagggcc tcttcgctat acgccagggt acccgggggc tgcaagcttg aattccacac gagctaactc gtgccagctg ctcttccgct atcagctcac gaacatgtga gtttttccat	120 180 240 300 360 420 480 540 600 660 720 780 840 900
cagettgtet gtaageggat ttggegggtg teggggetgg accatatgeg gtgtgaaata attegeeatt eaggetgege taegeeaget ggegaaaggg ttteeagte aegaegttgt gegeeggate ettaattaag gegtaateat ggteataget aacataegag eeggaageat acattaattg egttgegete eattaatgaa teggeeaaeg teetegetea etgaeteget teaaaggegg taataeggt	gccgggagca cttaactatg ccgcacagat aactgttggg ggatgtggg tctagagtcg tctagagtcg gtttcctgtg aaagtgtaaa actgcccgct cgcggggaga gcgctcggtc atccacagaa caggaaccgt	gacaagcccg cggcatcaga gcgtaaggag aagggcgatc caaggcgatt ccagtgaatt actgtttaaa tgaaattgtt gcctggggtg ttccagtcgg ggcggtttgc gttcggctgc tcaggggata aaaaaggccg	tcagggcgcg gcagattgta aaaataccgc ggtgcgggcc aagttgggta cctgcaggca atccgctcac cctaatgagt gaaacctgtc gtattggcg ggcgagcggta acgcaggaaa cgttgctggc	tcagcgggtg ctgagagtgc atcagggcc tcttcgctat acgccagggt acccgggggc tgcaagcttg aattccacac gagctaactc gtgccagctg ctcttccgct atcagctcac gaacatgtga gtttttccat	120 180 240 300 360 420 480 540 600 660 720 780 840

ccgacaggac tataaagata ccaggogttt ccccctggaa gctcctcgt gtccgaccc ttgccacaccc ctttctcata gctcacgctg taggatactg gctcacgctg accacgactta cggatacctg cttgagtcca accacgactta tagcaagac cacgactta tagcaagac gaggatagt gtagctcttg gtagcaccac accaggatag accagactta tagcaagacgac tatacagatag gtagctctg gtagcactcg gacgagtcac tagagacagt tacacgactac tagagacagt gtagctcttg gtagcactcg cagcagcaccac tagagacagt tattggatac ggttgttgcaaga accacgactta tagcacacgact tagagacagt taccttagga taccacacgactac tattggatac accacgactac acagactac tagagacagt taccacacacgactac acagactac tacacgacac cacagactac acagactac acagactac accacgactac acagactac acagactac acagactac accacgactac acagactac accacgactac accacacacgactac acacacacacgactacacacacacacacacacacacacac	1020 1080 1140 1200 1320 1380 1440 1560 1620 1680 1740 1860 1920 1980 22160 2220 2280 2340 2460 2520 2580 2713
<210> 33 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> attP	
<400> 33 cagctttttt atactaagtt g	21
<210> 34 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> attB	
<400> 34 ctgctttttt atactaactt g	21
<210> 35 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> attL	
<400> 35 ctgcttttt atactaagtt g	21
<210> 36 <211> 21 <212> DNA	

-21-

<213> Artificial Sequence	
<220> <223> attR	
<400> 36 cagctttttt atactaactt g	21
<210> 37 <211> 1071 <212> DNA <213> Artificial Sequence	
<220> <223> Integrase E174R	
<221> CDS <222> (1)(1071) <223> Nucleotide sequence encoding Integrase E147R	
<pre>&lt;400&gt; 37 atg gga aga agg cga agt cat gag cgc cgg gat tta ccc cct aac ctt Met Gly Arg Arg Arg Ser His Glu Arg Arg Asp Leu Pro Pro Asn Leu 1 5 10 15</pre>	
tat ata aga aac aat gga tat tac tgc tac agg gac cca agg acg ggt Tyr Ile Arg Asn Asn Gly Tyr Tyr Cys Tyr Arg Asp Pro Arg Thr Gly 20 25 30	
aaa gag ttt gga tta ggc aga gac agg cga atc gca atc act gaa gct 144 Lys Glu Phe Gly Leu Gly Arg Asp Arg Arg Ile Ala Ile Thr Glu Ala 35 40 . 45	
ata cag gcc aac att gag tta ttt tca gga cac aaa cac aag cct ctg 192 Ile Gln Ala Asn Ile Glu Leu Phe Ser Gly His Lys His Lys Pro Leu 50 55 60	
aca gcg aga atc aac agt gat aat tcc gtt acg tta cat tca tgg ctt Thr Ala Arg Ile Asn Ser Asp Asn Ser Val Thr Leu His Ser Trp Leu 65 70 75 80	
gat cgc tac gaa aaa atc ctg gcc agc aga gga atc aag cag aag aca 288 Asp Arg Tyr Glu Lys Ile Leu Ala Ser Arg Gly Ile Lys Gln Lys Thr 85 90 95	
ctc ata aat tac atg agc aaa att aaa gca ata agg agg ggt ctg cct Leu Ile Asn Tyr Met Ser Lys Ile Lys Ala Ile Arg Arg Gly Leu Pro 100 105 110	
gat gct cca ctt gaa gac atc acc aca aaa gaa att gcg gca atg ctc 384 Asp Ala Pro Leu Glu Asp Ile Thr Thr Lys Glu Ile Ala Ala Met Leu 115 120 125	
aat gga tac ata gac gag ggc aag gcg gcg tca gcc aag tta atc aga 432 Asn Gly Tyr Ile Asp Glu Gly Lys Ala Ala Ser Ala Lys Leu Ile Arg 130 135 140	
tca aca ctg agc gat gca ttc cga gag gca ata gct gaa ggc cat ata Ser Thr Leu Ser Asp Ala Phe Arg Glu Ala Ile Ala Glu Gly His Ile 145 150 155 160	
aca aca aac cat gtc gct gcc act cgc gca gca aaa tct aga gta agg 528 Thr Thr Asn His Val Ala Ala Thr Arg Ala Ala Lys Ser Arg Val Arg 165 170 175	
aga tca aga ctt acg gct gac gaa tac ctg aaa att tat caa gca gca 576 Arg Ser Arg Leu Thr Ala Asp Glu Tyr Leu Lys Ile Tyr Gln Ala Ala	

-22-

18	0	185		190	
gaa tca tca cc Glu Ser Ser Pr 195	a tgt tgg c o Cys Trp L	etc aga ctt beu Arg Leu 200	gca atg gaa Ala Met Glu	ctg gct gt Leu Ala Va 205	tt gtt 624 al Val
acc ggg caa cg Thr Gly Gln Ar 210	g Val Gly A	at tta tgc Asp Leu Cys 15	gaa atg aag Glu Met Lys 220	Trp Ser A	at atc 672 sp Ile
gta gat gga ta Val Asp Gly Ty 225	t ctt tat g r Leu Tyr V 230	gtc gag caa Val Glu Gln	agc aaa aca Ser Lys Thr 235	ggc gta a Gly Val L	aa att 720 ys Ile 240
gcc atc cca ac Ala Ile Pro Th	a gca ttg c r Ala Leu H 245	cat att gat Iis Ile Asp	gct ctc gga Ala Leu Gly 250	' Ile Ser Mo	tg aag 768 et Lys 55
gaa aca ctt ga Glu Thr Leu As 26	p Lys Cys L	aaa gag att ys Glu Ile 265	ctt ggc gga Leu Gly Gly	gaa acc a Glu Thr I 270	ta att 816 le Ile
gca tct act cg Ala Ser Thr Ar 275	t cgc gaa c g Arg Glu P	ccg ctt tca Pro Leu Ser 280	tcc ggc aca Ser Gly Thr	gta tca ag Val Ser Ag 285	gg tat 864 rg Tyr
ttt atg cgc gc Phe Met Arg Al 290	a Arg Lys A	gca tca ggt Ala Ser Gly 195	ctt tcc ttc Leu Ser Phe 300	Glu Gly A	at ccg 912 sp Pro
cct acc ttt ca Pro Thr Phe Hi 305	c gag ttg c s Glu Leu A 310	egc agt ttg Arg Ser Leu	tet gea aga Ser Ala Arg 315	ctc tat g Leu Tyr G	ag aag 960 lu Lys 320
cag ata agc ga Gln Ile Ser As	t aag ttt g p Lys Phe A 325	gct caa cat Ala Gln His	ctt ctc ggg Leu Leu Gly 330	His Lys So	eg gac 1008 er Asp 35
acc atg gca to Thr Met Ala Se 34	r Gln Tyr A	egt gat gac Arg Asp Asp 345	aga ggc agg Arg Gly Arg	g gag tgg ga g Glu Trp Aa 350	ac aaa 1056 sp Lys
att gaa atc aa Ile Glu Ile Ly 355					1071
<210> 38 <211> 356 <212> PRT <213> Artifici	al Sequence				
<220> <223> Integras	e E147R				
<400> 38 Met Gly Arg Ar	g Arg Ser H	lis Glu Arg			
1 Tyr Ile Arg As	5 n Asn Gly T	yr Tyr Cys	10	1:	5
Lys Glu Phe Gl 35		25 Arg Asp Arg 40	Arg Ile Ala	Ile Thr G	lu Ala
Ile Gln Ala As 50	5	eu Phe Ser	60	His Lys P	
Thr Ala Arg Il 65	e Asn Ser A 70	asp Asn Ser	75		80
Asp Arg Tyr Gl	u Lys Ile L	eu Ala Ser	Arg Gly Ile	Lys Gln L	ys Thr

-23-

```
85
Leu Ile Asn Tyr Met Ser Lys Ile Lys Ala Ile Arg Arg Gly Leu Pro
                                                        110
            100
                               105
Asp Ala Pro Leu Glu Asp Ile Thr Thr Lys Glu Ile Ala Ala Met Leu
                                                   125
        115
                              120
Asn Gly Tyr Ile Asp Glu Gly Lys Ala Ala Ser Ala Lys Leu Ile Arg
                                              140
    130
                        135
Ser Thr Leu Ser Asp Ala Phe Arg Glu Ala Ile Ala Glu Gly His Ile
                                          155
                     150
                                                                 160
Thr Thr Asn His Val Ala Ala Thr Arg Ala Ala Lys Ser Arg Val Arg
                                      170
                                                            175
                 165
Arg Ser Arg Leu Thr Ala Asp Glu Tyr Leu Lys Ile Tyr Gln Ala Ala
                                                       190
            180
                                  185
Glu Ser Ser Pro Cys Trp Leu Arg Leu Ala Met Glu Leu Ala Val Val
                             200
        195
Thr Gly Gln Arg Val Gly Asp Leu Cys Glu Met Lys Trp Ser Asp Ile
                                             220
    210
                         215
Val Asp Gly Tyr Leu Tyr Val Glu Gln Ser Lys Thr Gly Val Lys Ile
                     230
                                           235
Ala Ile Pro Thr Ala Leu His Ile Asp Ala Leu Gly Ile Ser Met Lys
                                       250
                245
Glu Thr Leu Asp Lys Cys Lys Glu Ile Leu Gly Gly Glu Thr Ile Ile
                                  265
                                                        270
Ala Ser Thr Arg Arg Glu Pro Leu Ser Ser Gly Thr Val Ser Arg Tyr
                              280
                                                  285
        275
Phe Met Arg Ala Arg Lys Ala Ser Gly Leu Ser Phe Glu Gly Asp Pro
                         295
                                               300
Pro Thr Phe His Glu Leu Arg Ser Leu Ser Ala Arg Leu Tyr Glu Lys
305
                     310
                                           315
Gln Ile Ser Asp Lys Phe Ala Gln His Leu Leu Gly His Lys Ser Asp
                325
                                      330
                                                            335
Thr Met Ala Ser Gln Tyr Arg Asp Asp Arg Gly Arg Glu Trp Asp Lys
                                  345
            340
Ile Glu Ile Lys
        355
<210> 39
<211> 876
<212> DNA
<213> Discosoma species
<220>
<221> CDS
<222> (45)...(737)
<223> Nucleotide sequence encoding red flourescent
      protein (FP593)
<300>
<308> GenBank AF272711
<309> 2000-09-26
<400> 39
agtttcagcc agtgacaggg tgagctgcca ggtattctaa caag atg agt tgt tcc
                                                    Met Ser Cys Ser
aag aat gtg atc aag gag ttc atg agg ttc aag gtt cgt atg gaa gga
Lys Asn Val Ile Lys Glu Phe Met Arg Phe Lys Val Arg Met Glu Gly
                                                                       104
                      1.0
                                            15
acg gtc aat ggg cac gag ttt gaa ata aaa ggc gaa ggt gaa ggg agg
Thr Val Asn Gly His Glu Phe Glu Ile Lys Gly Glu Gly Glu Gly Arg
                                                                       152
cct tac gaa ggt cac tgt tcc gta aag ctt atg gta acc aag ggt gga
                                                                       200
Pro Tyr Glu Gly His Cys Ser Val Lys Leu Met Val Thr Lys Gly Gly
```

-24-

			40					45					50			
cct Pro	ttg Leu	cca Pro 55	ttt Phe	gct Ala	ttt Phe	gat Asp	att Ile 60	ttg Leu	tca Ser	cca Pro	caa Gln	ttt Phe 65	cag Gln	tat Tyr	gga Gly	248
		gta Val														296
ctg Leu 85	tca Ser	ttt Phe	cct Pro	gag Glu	gga Gly 90	ttt Phe	aaa Lys	tgg Trp	gaa Glu	agg Arg 95	gtc Val	atg Met	aac Asn	ttt Phe	gaa Glu 100	344
		ggc Gly														392
tgt Cys	ttc Phe	atc Ile	tac Tyr 120	gag Glu	gtc Val	aag Lys	ttc Phe	att Ile 125	gly aaa	gtg Val	aac Asn	ttt Phe	cct Pro 130	tct Ser	gat Asp	440
gga Gly	cct Pro	gtt Val 135	atg Met	cag Gln	agg Arg	agg Arg	aca Thr 140	cgg Arg	ggc Gly	tgg Trp	gaa Glu	gcc Ala 145	agc Ser	tct Ser	gag Glu	488
cgt Arg	ttg Leu 150	tat Tyr	cct Pro	cgt Arg	gat Asp	999 Gly 155	gtg Val	ctg Leu	aaa Lys	gga Gly	gac Asp 160	atc Ile	cat His	atg Met	gct Ala	536
ctg Leu 165	agg Arg	ctg Leu	gaa Glu	gga Gly	ggc Gly 170	ggc Gly	cat His	tac Tyr	ctc Leu	gtt Val 175	gaa Glu	ttc Phe	aaa Lys	agt Ser	att Ile 180	584
		gta Val														632
		aaa Lys														680
gag Glu	cag Gln	tat Tyr 215	gaa Glu	aaa Lys	acc Thr	cag Gln	gga Gly 220	cgc Arg	cac His	cat His	ccg Pro	ttc Phe 225	att Ile	aag Lys	cct Pro	728
	cag Gln 230	tga *	acto	egget	ca g	gtcat	ggat	t ag	geggt	taatg	g gcd	acaa	aag			777
		gat o									ggtt	atga	ıca g	gtaga	aatac	837 876
<213 <212	)> 40 L> 23 PF B> Di	30	oma			, '-		•								
	> 40		g.~~	T.200	7 ~~	₹7 <i>-</i> - 7	T1.	Larg	cl	Dha	Me+	71 **~	Dhe	T.T.C	tra 1	
1		Cys Glu		5					10					15		
		Gly	20					25					30		_	
_		35			_		40		_			45				
Inr	ьув 50	Gly	GT Y	PEO	неи	55	rne	ATA	File	Asp	60 11e	пеп	3er	FLU	444	

-25-

```
Phe Gln Tyr Gly Ser Lys Val Tyr Val Lys His Pro Ala Asp Ile Pro
                    70
Asp Tyr Lys Lys Leu Ser Phe Pro Glu Gly Phe Lys Trp Glu Arg Val
                                                         95
                                     90
               85
Met Asn Phe Glu Asp Gly Gly Val Val Thr Val Ser Gln Asp Ser Ser
            1.00
                                 105
                                                     110
Leu Lys Asp Gly Cys Phe Ile Tyr Glu Val Lys Phe Ile Gly Val Asn
                            120
                                                 125
        115
Phe Pro Ser Asp Gly Pro Val Met Gln Arg Arg Thr Arg Gly Trp Glu
                        135
                                             140
Ala Ser Ser Glu Arg Leu Tyr Pro Arg Asp Gly Val Leu Lys Gly Asp
                    150
                                        155
Ile His Met Ala Leu Arg Leu Glu Gly Gly Gly His Tyr Leu Val Glu
                                     170
                                                          175
                165
Phe Lys Ser Ile Tyr Met Val Lys Lys Pro Ser Val Gln Leu Pro Gly
                                 185
                                                      190
            180
Tyr Tyr Tyr Val Asp Ser Lys Leu Asp Met Thr Ser His Asn Glu Asp
                                                 205
                            200
       195
Tyr Thr Val Val Glu Gln Tyr Glu Lys Thr Gln Gly Arg His His Pro
  210
                        215
Phe Ile Lys Pro Leu Gln
225
                    230
<210> 41
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> m-att;
<221> misc_difference
<222> 18
<223> n is a or g or c or t/u
                                                                        25
rkycwgcttt yktrtacnaa stsgb
<210> 42
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> m-attB;
<221> misc_difference
<222> 18
<223> n is a or g or c or t/u
                                                                         25
agccwgcttt yktrtacnaa ctsgb
<210> 43
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> m-attR
<221> misc_difference
<222> 18
<223> n is a or g or c or t/u
```

-26-

<400> gttcag	43 gettt ektrtaenaa etsgb	25
<210><211><212><212><213>	25	
<220> <223>	m-attL	
<222>	misc_difference 18 n is a or g or c or t/u	
<400> agccwg	44 gettt ektrtaenaa gtsgb	25
<210><211><212><212><213>	25	
<220> <223>	m-attP1	
<222>	misc_difference 18 n is a or g or c or t/u	
<400> gttcag	45 gettt yktrtacnaa gtsgb	25
<210><211><211><212><213>	25	
<220> <223>	attB1	
<400> agcctg		25
<210> <211> <212> <213>	25	
<220> <223>	attB2	
<400> agcctg		25
<210><211><211><212><213>	25	
<220> <223>	attB3	
<400> acccag		25
-2105	49	

-27-

<211><212><213>		
<220> <223>	attR1	
<400> gttcag	49 gcttt tttgtacaaa cttgt	25
<210>	50	
<211>		
<212> <213>	Artificial Sequence	
<220>		
<223>	attR2	
<400>		0.5
gttcag	gettt ettgtacaaa ettgt	25
<210>		
<211><212>		
	Artificial Sequence	
<220>		
	attR3	
<400>	51	
gttcag	gcttt cttgtacaaa gttgg	25
<210>	52	
<211>		
<212> <213>	Artificial Sequence	
<220>		
	attL1	
<400>		
agcct	gettt tttgtacaaa gttgg	25
<210>		
<211><212>		
	Artificial Sequence	
<220>		
<223>	attL2	
<400>		25
agccts	gettt ettgtacaaa gttgg	25
<210>		
<211><212>		
	Artificial Sequence	
<220>		
<223>	attL3	
<400>		25
acccas	gettt ettgtacaaa gttgg	25
<210> <211>		

-28-

	!> D! !> A:		icia:	l Sed	quen	ce										
<220 <223	)> }> at	ttP1														
	)> 59 cagct		tttgl	tacaa	aa gi	tgg										25
<211 <212	)> 56 !> 25 !> DI !> Al	JA.	icia	l Sed	quen	ce										•
<220 <223		ttP2	, P3							•						
	)> 56 cagct		ttgi	tacaa	aa gi	tgg										25
<211 <212	)> 57 .> 34 ?> DI 8> Ar	1 NA	icia:	l Sed	quen	ce										
<220 <223		ox P	site	е												
	)> 5'		ataai	tgtal	g c	cata	cgaag	g tta	at							34
<211 <212	)> 58 l> 10 l> DI l> Es	032 NA	rich:	ia co	oli											
<222	L> CI !> (3	L)			quen	ce ei	ncod:	ing (	Cre :	reco	nbina	ase				
atq	tcc Ser	aat	tta Leu	ctg Leu 5	acc Thr	gta Val	cac His	caa Gln	aat Asn 10	ttg Leu	cct Pro	gca Ala	tta Leu	ccg Pro 15	gtc Val	48
gat Asp	gca Ala	acg Thr	agt Ser 20	gat Asp	gag Glu	gtt Val	cgc Arg	aag Lys 25	aac Asn	ctg Leu	atg Met	gac Asp	atg Met 30	ttc Phe	agg Arg	96
gat Asp	cgc Arg	cag Gln 35	gcg Ala	ttt Phe	tct Ser	gag Glu	cat His 40	acc Thr	tgg Trp	aaa Lys	atg Met	ctt Leu 45	ctg Leu	tcc Ser	gtt Val	144
tgc Cys	cgg Arg 50	tcg Ser	tgg Trp	gcg Ala	gca Ala	tgg Trp 55	tgc Cys	aag Lys	ttg Leu	aat Asn	aac Asn 60	cgg Arg	aaa Lys	tgg Trp	ttt Phe	192
														cag Gln		240
														cta Leu 95		288
atg	ctt	cat	cgt	cgg	tcc	999	ctg	cca	cga	cca	agt	gac	agc	aat	gct	336

-29-

Met	Leu	His	Arg 100	Arg	Ser	Gly	Leu	Pro 105	Arg	Pro	Ser	Asp	Ser 110	Asn	Ala	
gtt Val	tca Ser	ctg Leu 115	gtt Val	atg Met	cgg Arg	cgg Arg	atc Ile 120	cga Arg	aaa Lys	gaa Glu	aac Asn	gtt Val 125	gat Asp	gcc Ala	ggt Gly	384
gaa Glu	cgt Arg 130	gca Ala	aaa Lys	cag Gln	gct Ala	cta Leu 135	gcg Ala	ttc Phe	gaa Glu	cgc Arg	act Thr 140	gat Asp	ttc Phe	gac Asp	cag Gln	432
gtt Val 145	cgt Arg	tca Ser	ctc Leu	atg Met	gaa Glu 150	aat Asn	agc Ser	gat Asp	cgc Arg	tgc Cys 155	cag Gln	gat Asp	ata Ile	cgt Arg	aat Asn 160	480
ctg Leu	gca Ala	ttt Phe	ctg Leu	999 Gly 165	att Ile	gct Ala	tat Tyr	aac Asn	acc Thr 170	ctg Leu	tta Leu	cgt Arg	ata Ile	gcc Ala 175	gaa Glu	528
att Ile	gcc Ala	agg Arg	atc Ile 180	agg Arg	gtt Val	aaa Lys	gat Asp	atc Ile 185	tca Ser	cgt Arg	act Thr	gac Asp	ggt Gly 190	Gly 999	aga Arg	576
atg Met	tta Leu	atc Ile 195	cat His	att Ile	ggc Gly	aga Arg	acg Thr 200	aaa Lys	acg Thr	ctg Leu	gtt Val	agc Ser 205	acc Thr	gca Ala	ggt Gly	624
gta Val	gag Glu 210	aag Lys	gca Ala	ctt Leu	agc Ser	ctg Leu 215	Gly 999	gta Val	act Thr	aaa Lys	ctg Leu 220	gtc Val	gag Glu	cga Arg	tgg Trp	672
att Ile 225	tcc Ser	gtc Val	tct Ser	ggt Gly	gta Val 230	gct Ala	gat Asp	gat Asp	ccg Pro	aat Asn 235	aac Asn	tac Tyr	ctg Leu	ttt Phe	tgc Cys 240	720
egg Arg	gtc Val	aga Arg	aaa Lys	aat Asn 245	ggt Gly	gtt Val	gcc Ala	gcg Ala	cca Pro 250	tct Ser	gcc Ala	acc Thr	agc Ser	cag Gln 255	cta Leu	768
tca Ser	act Thr	cgc Arg	gcc Ala 260	ctg Leu	gaa Glu	Gly 999	att Ile	ttt Phe 265	gaa Glu	gca Ala	act Thr	cat His	cga Arg 270	ttg Leu	att Ile	816
tac Tyr	ggc Gly	gct Ala 275	aag Lys	gat Asp	gac Asp	tct Ser	ggt Gly 280	cag Gln	aga Arg	tac Tyr	ctg Leu	gcc Ala 285	tgg Trp	tct Ser	gga Gly	864
cac His	agt Ser 290	gcc Ala	cgt Arg	gtc Val	gga Gly	gcc Ala 295	gcg Ala	cga Arg	gat Asp	atg Met	gcc Ala 300	cgc Arg	gct Ala	gga Gly	gtt Val	912
tca Ser 305	ata Ile	ccg Pro	gag Glu	atc Ile	atg Met 310	caa Gln	gct Ala	ggt Gly	ggc Gly	tgg Trp 315	acc Thr	aat Asn	gta Val	aat Asn	att Ile 320	960
gtc Val	atg Met	aac Asn	tat Tyr	atc Ile 325	cgt Arg	aac Asn	ctg Leu	gat Asp	agt Ser 330	gaa Glu	aca Thr	Gly 999	gca Ala	atg Met 335	gtg Val	1008
		ctg Leu					tag *									1032

<sup>&</sup>lt;210> 59 <211> 343 <212> PRT

-30-

```
<213> Escherichia coli
```

20

```
<400> 59
Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro Ala Leu Pro Val
Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met Asp Met Phe Arg
                                  25
             20
Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met Leu Leu Ser Val
         35
                              40
Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn Arg Lys Trp Phe 50 60
Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu Tyr Leu Gln Ala
                                          75
                     70
Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu Gly Gln Leu Asn
                                      90
                 85
Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser Asp Ser Asn Ala
100 105
                                                       110
            100
                                 105
Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn Val Asp Ala Gly
                            120
                                                  125
       115
Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr Asp Phe Asp Gln
                        135
                                             140
   130
Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln Asp Ile Arg Asn 145 150 160
Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu Arg Ile Ala Glu
165 170 175
                165
Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr Asp Gly Gly Arg
                                 185
                                                       190
            180
Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val Ser Thr Ala Gly
      195
                            200
                                                  205
Val Glu Lys Ala Leu Ser Leu Gly Val Thr Lys Leu Val Glu Arg Trp
                         215
                                            220
Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn Tyr Leu Phe Cys
                    230
                                        235
225
Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala Thr Ser Gln Leu
                                     250
               245
Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr His Arg Leu Ile
                                 265
            260
Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu Ala Trp Ser Gly
275 280 285
His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala Arg Ala Gly Val
290 295 300
Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr Asn Val Asn Ile
305 310 315
Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr Gly Ala Met Val
                325
                                      330
Arg Leu Leu Glu Asp Gly Asp
            340
<210> 60
<211> 1272
<212> DNA
<213> Saccharomyces cerevisiae
<220>
<221> CDS
<222> (1) ... (1272)
<223> nucleotide sequence encoding Flip recombinase
<400> 60
                                                                          48
atg cca caa ttt ggt ata tta tgt aaa aca cca cct aag gtg ctt gtt
Met Pro Gln Phe Gly Ile Leu Cys Lys Thr Pro Pro Lys Val Leu Val
                                       10
cgt cag ttt gtg gaa agg ttt gaa aga cct tca ggt gag aaa ata gca
Arg Gln Phe Val Glu Arg Phe Glu Arg Pro Ser Gly Glu Lys Ile Ala
                                                                          96
```

-31-

t L	ta eu	tgt Cys	gct Ala 35	gct Ala	gaa Glu	cta Leu	acc Thr	tat Tyr 40	tta Leu	tgt Cys	tgg Trp	atg Met	att Ile 45	aca Thr	cat His	aac Asn	144
g	ga ly	aca Thr 50	gca Ala	atc Ile	aag Lys	aga Arg	gcc Ala 55	aca Thr	ttc Phe	atg Met	agc Ser	tat Tyr 60	aat Asn	act Thr	atc Ile	ata Ile	192
S	gc er 65	aat Asn	tcg Ser	ctg Leu	agt Ser	ttc Phe 70	gat Asp	att Ile	gtc Val	aat Asn	aaa Lys 75	tca Ser	ctc Leu	cag Gln	ttt Phe	aaa Lys 80	240
t	ac 'yr	aag Lys	acg Thr	caa Gln	aaa Lys 85	gca Ala	aca Thr	att Ile	ctg Leu	gaa Glu 90	gcc Ala	tca Ser	tta Leu	aag Lys	aaa Lys 95	ttg Leu	288
a	tt le	cct Pro	gct Ala	tgg Trp 100	gaa Glu	ttt Phe	aca Thr	att Ile	att Ile 105	cct Pro	tac Tyr	tat Tyr	gga Gly	caa Gln 110	aaa Lys	cat His	336
G	aa ln	tct Ser	gat Asp 115	atc Ile	act Thr	gat Asp	att Ile	gta Val 120	agt Ser	agt Ser	ttg Leu	caa Gln	tta Leu 125	cag Gln	ttc Phe	gaa Glu	384
t	ca er	tcg Ser 130	gaa Glu	gaa Glu	gca Ala	gat Asp	aag Lys 135	gga Gly	aat Asn	agc Ser	cac His	agt Ser 140	aaa Lys	aaa Lys	atg Met	ctt Leu	432
L	aa ys 45	gca Ala	ctt Leu	cta Leu	agt Ser	gag Glu 150	ggt Gly	gaa Glu	agc Ser	atc Ile	tgg Trp 155	gag Glu	atc Ile	act Thr	gag Glu	aaa Lys 160	480
a	ta 1e	cta Leu	aat Asn	tcg Ser	ttt Phe 165	gag Glu	tat Tyr	act Thr	tcg Ser	aga Arg 170	ttt Phe	aca Thr	aaa Lys	aca Thr	aaa Lys 175	act Thr	528
L	ta eu	tac Tyr	caa Gln	ttc Phe 180	ctc Leu	ttc Phe	cta Leu	gct Ala	act Thr 185	ttc Phe	atc Ile	aat Asn	tgt Cys	gga Gly 190	aga Arg	ttc Phe	576
a S	gc er	gat Asp	att Ile 195	aag Lys	aac Asn	gtt Val	gat Asp	ccg Pro 200	aaa Lys	tca Ser	ttt Phe	aaa Lys	tta Leu 205	gtc Val	caa Gln	aat Asn	624
a L	ag ys	tat Tyr 210	ctg Leu	gga Gly	gta Val	ata Ile	atc Ile 215	cag Gln	tgt Cys	tta Leu	gtg Val	aca Thr 220	gag Glu	aca Thr	aag Lys	aca Thr	672
S	gc er 25	gtt Val	agt Ser	agg Arg	cac His	ata Ile 230	tac Tyr	ttc Phe	ttt Phe	agc Ser	gca Ala 235	agg Arg	ggt Gly	agg Arg	atc Ile	gat Asp 240	720
P	ro	ctt Leu	gta Val	tat Tyr	ttg Leu 245	gat Asp	gaa Glu	ttt Phe	ttg Leu	agg Arg 250	aat Asn	tct Ser	gaa Glu	cca Pro	gtc Val 255	cta Leu	768
a L	aa ys	cga Arg	gta Val	aat Asn 260	agg Arg	acc Thr	ggc Gly	aat Asn	tct Ser 265	tca Ser	agc Ser	aat Asn	aaa Lys	cag Gln 270	gaa Glu	tac Tyr	816
							tta Leu										864
a	aa ys	aat Asn 290	gcg Ala	cct Pro	tat Tyr	tca Ser	atc Ile 295	ttt Phe	gct Ala	ata Ile	aaa Lys	aat Asn 300	ggc Gly	cca Pro	aaa Lys	tct Ser	912

-32-

cac His 305	att Ile	gga Gly	aga Arg	cat His	ttg Leu 310	atg Met	acc Thr	tca Ser	ttt Phe	ctt Leu 315	tca Ser	atg Met	aag Lys	ggc Gly	cta Leu 320	960
acg Thr	gag Glu	ttg Leu	act Thr	aat Asn 325	gtt Val	gtg Val	gga Gly	aat Asn	tgg Trp 330	agc Ser	gat Asp	aag Lys	cgt Arg	gct Ala 335	tct Ser	1008
gcc Ala	gtg Val	gcc Ala	agg Arg 340	aca Thr	acg Thr	tat Tyr	act Thr	cat His 345	cag Gln	ata Ile	aca Thr	gca Ala	ata Ile 350	cct Pro	gat Asp	1056
cac His	tac Tyr	ttc Phe 355	gca Ala	cta Leu	gtt Val	tct Ser	cgg Arg 360	tac Tyr	tat Tyr	gca Ala	tat Tyr	gat Asp 365	cca Pro	ata Ile	tca Ser	1104
aag Lys	gaa Glu 370	atg Met	ata Ile	gca Ala	ttg Leu	aag Lys 375	gat Asp	gag Glu	act Thr	aat Asn	cca Pro 380	att Ile	gag Glu	gag Glu	tgg Trp	1152
cag Gln 385	cat His	ata Ile	gaa Glu	cag Gln	cta Leu 390	aag Lys	ggt Gly	agt Ser	gct Ala	gaa Glu 395	gga Gly	agc Ser	ata Ile	cga Arg	tac Tyr 400	1200
ccc Pro	gca Ala	tgg Trp	aat Asn	999 Gly 405	ata Ile	ata Ile	tca Ser	cag Gln	gag Glu 410	gta Val	cta Leu	gac Asp	tac Tyr	ctt Leu 415	tca Ser	1248
	tac Tyr															1272

<210> 61

<211> 422

<212> PRT <213> Saccharomyces cerevisiae

Pro Gln Phe Gly Ile Leu Cys Lys Thr Pro Pro Lys Val Leu Val Arg 1 10 15 Gin Phe Val Glu Arg Phe Glu Arg Pro Ser Gly Glu Lys Ile Ala Leu 25 Cys Ala Ala Glu Leu Thr Tyr Leu Cys Trp Met Ile Thr His Asn Gly 35 40 Thr Ala Ile Lys Arg Ala Thr Phe Met Ser Tyr Asn Thr Ile Ile Ser Asn Ser Leu Ser Phe Asp Ile Val Asn Lys Ser Leu Gln Phe Lys Tyr 65 70 75 80 Lys Thr Gln Lys Ala Thr Ile Leu Glu Ala Ser Leu Lys Lys Leu Ile 90 85 Pro Ala Trp Glu Phe Thr Ile Ile Pro Tyr Tyr Gly Gln Lys His Gln
100 105 110 Ser Asp Ile Thr Asp Ile Val Ser Ser Leu Gln Leu Gln Phe Glu Ser 120 125 115 Ser Glu Glu Ala Asp Lys Gly Asn Ser His Ser Lys Lys Met Leu Lys 130 135 140 Ala Leu Leu Ser Glu Gly Glu Ser Ile Trp Glu Ile Thr Glu Lys Ile
145 150 155 160 Leu Asn Ser Phe Glu Tyr Thr Ser Arg Phe Thr Lys Thr Leu 165 170 175 Tyr Gln Phe Leu Phe Leu Ala Thr Phe Ile Asn Cys Gly Arg Phe Ser 180

Asp Ile Lys Asn Val Asp Pro Lys Ser Phe Lys Leu Val Gln Asn Lys 195 165 Tyr Leu Gly Val Ile Ile Gln Cys Leu Val Thr Glu Thr Lys Thr Ser

-33-

```
210
                        215
                                             220
Val Ser Arg His Ile Tyr Phe Phe Ser Ala Arg Gly Arg Ile Asp Pro
                    230
225
                                        235
Leu Val Tyr Leu Asp Glu Phe Leu Arg Asn Ser Glu Pro Val Leu Lys
                245
                                    250
Arg Val Asn Arg Thr Gly Asn Ser Ser Ser Asn Lys Gln Glu Tyr Gln
                                                     270
            260
                                265
Leu Leu Lys Asp Asn Leu Val Arg Ser Tyr Asn Lys Ala Leu Lys Lys
        275
                            280
                                                285
Asn Ala Pro Tyr Ser Ile Phe Ala Ile Lys Asn Gly Pro Lys Ser His
   290
                        295
                                            300
Ile Gly Arg His Leu Met Thr Ser Phe Leu Ser Met Lys Gly Leu Thr
305
                    310
                                       315
Glu Leu Thr Asn Val Val Gly Asn Trp Ser Asp Lys Arg Ala Ser Ala
                                    330
                                                         335
                325
Val Ala Arg Thr Thr Tyr Thr His Gln Ile Thr Ala Ile Pro Asp His
                                 345
            340
Tyr Phe Ala Leu Val Ser Arg Tyr Tyr Ala Tyr Asp Pro Ile Ser Lys
                            360
                                                 365
        355
Glu Met Ile Ala Leu Lys Asp Glu Thr Asn Pro Ile Glu Glu Trp Gln
                        375
                                           380
  370
His Ile Glu Gln Leu Lys Gly Ser Ala Glu Gly Ser Ile Arg Tyr Pro
385
                    390
                                        395
Ala Trp Asn Gly Ile Ile Ser Gln Glu Val Leu Asp Tyr Leu Ser Ser
                405
Tyr Ile Asn Arg Arg Ile
            420
<210> 62
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> IR2
<400> 62
gaagtteeta tteegaagtt eetattetet agaaagtata ggaaette
                                                                        48
<210> 63
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> IR1
<400> 63
                                                                        48
gaagttocta tactttctag agaataggaa cttcggaata ggaacttc
<210> 64
<211> 66
<212> DNA
<213> Bacteriophage mu
<220>
<221> CDS
<222> (1) ... (66)
<223> nucleotide sequence encoding GIN recombinase
<400> 64
tca act ctg tat aaa aaa cac ccc gcg aaa cga gcg cat ata gaa aac
                                                                        48
Ser Thr Leu Tyr Lys Lys His Pro Ala Lys Arg Ala His Ile Glu Asn
                                                                        66
gac gat cga atc aat taa
Asp Asp Arg Ile Asn *
```

-34-

20

```
<210> 65
<211> 21
<212> PRT
<213> bacteriophage mu
Ser Thr Leu Tyr Lys Lys His Pro Ala Lys Arg Ala His Ile Glu Asn
 1
Asp Asp Arg Ile Asn
<210> 66
<211> 69
<212> DNA
<213> Bacteriophage mu
<220>
<221> CDS
<222> (1) ... (69)
<223> nucleotide sequence encoding Gin recombinase
tat aaa aaa cat ccc gcg aaa cga acg cat ata gaa aac gac gat cga
Tyr Lys Lys His Pro Ala Lys Arg Thr His Ile Glu Asn Asp Asp Arg
                                                                                              48
                                                 10
atc aat caa atc gat cgg taa
Ile Asn Gln Ile Asp Arg *
                                                                                              69
                 20
<210> 67
<211> 22
<212> PRT
<213> bacteriophage mu
<220>
<223> Gin recombinase of bacteriophage mu
<400> 67
Tyr Lys Lys His Pro Ala Lys Arg Thr His Ile Glu Asn Asp Asp Arg
                      5
Ile Asn Gln Ile Asp Arg
<210> 68
<211> 555
<212> DNA
<213> Escherichia coli
<220>
<221> CDS
<222> (1)...(555)
<223> nucleotide sequence encoding PIN recombinase
<400> 68
atg ctt att ggc tat gta cgc gta tca aca aat gac cag aac aca gat
Met Leu Ile Gly Tyr Val Arg Val Ser Thr Asn Asp Gln Asn Thr Asp
1 5 10 15
                                                                                              48
cta caa cgt aat gcg ctg aac tgt gca gga tgc gag ctg att ttt gaa
Leu Gln Arg Asn Ala Leu Asn Cys Ala Gly Cys Glu Leu Ile Phe Glu
                                                                                             96
                 20
```

-35-

gac Asp	aag Lys	ata Ile 35	agc Ser	ggc gly	aca Thr	aag Lys	tcc Ser 40	gaa Glu	agg Arg	ccg Pro	gga Gly	ctg Leu 45	aaa Lys	aaa Lys	ctg Leu	144
ctc Leu	agg Arg 50	aca Thr	tta Leu	tcg Ser	gca Ala	ggt Gly 55	gac Asp	act Thr	ctg Leu	gtt Val	gtc Val 60	tgg Trp	aag Lys	ctg Leu	gat Asp	192
cgg Arg 65	ctg Leu	gjå aaa	cgt Arg	agt Ser	atg Met 70	cgg Arg	cat His	ctt Leu	gtc Val	gtg Val 75	ctg Leu	gtg Val	gag Glu	gag Glu	ttg Leu 80	240
cgc Arg	gaa Glu	cga Arg	ggc Gly	atc Ile 85	aac Asn	ttt Phe	cgt Arg	agt Ser	ctg Leu 90	acg Thr	gat Asp	tca Ser	att Ile	gat Asp 95	acc Thr	288
agc Ser	aca Thr	cca Pro	atg Met 100	gga Gly	cgc Arg	ttt Phe	ttc Phe	ttt Phe 105	cat His	gtg Val	atg Met	ggt Gly	gcc Ala 110	ctg Leu	gct Ala	336
gaa Glu	atg Met	gag Glu 115	cgt Arg	gaa Glu	ctg Leu	att Ile	gtt Val 120	gaa Glu	cga Arg	aca Thr	aaa Lys	gct Ala 125	gga Gly	ctg Leu	gaa Glu	384
Thr	gct Ala 130	cgt Arg	gca Ala	cag Gln	gga Gly	cga Arg 135	att Ile	ggt Gly	gga Gly	cgt Arg	cgt Arg 140	ccc Pro	aaa Lys	ctt Leu	aca Thr	432
cca Pro 145	gaa Glu	caa Gln	tgg Trp	gca Ala	caa Gln 150	gct Ala	gga Gly	cga Arg	tta Leu	att Ile 155	gca Ala	gca Ala	gga Gly	act Thr	cct Pro 160	480
cgc Arg	cag Gln	aag Lys	gtg Val	gcg Ala 165	att Ile	atc Ile	tat Tyr	gat Asp	gtt Val 170	ggt Gly	gtg Val	tca Ser	act Thr	ttg Leu 175	tat Tyr	528
						gat Asp		taa *								555

<210> 69

<211> 184 <212> PRT

<213> Escherichia coli

<400> 69

 Met
 Leu
 Ile
 Gly
 Tyr
 Val
 Arg
 Val
 Ser
 Thr
 Asn
 Asp
 Gln
 Asn
 Thr
 Asp

 Leu
 Gln
 Arg
 Asn
 Ala
 Leu
 Asn
 Cys
 Glu
 Leu
 Ile
 Phe
 Glu
 Glu
 Ile
 Phe
 Glu
 Ile
 Ile

-36-

```
Arg Gln Lys Val Ala Ile Ile Tyr Asp Val Gly Val Ser Thr Leu Tyr
                                                               170
                           165
Lys Arg Phe Pro Ala Gly Asp Lys
                     180
<210> 70
<211> 4778
<212> DNA
<213> Artificial Sequence
<220>
<223> pcx plasmid
<400> 70
                                                                                                                           60
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata
geceatatat ggagtteege gttacataac ttacggtaaa tggeeegeet ggetgaeege
                                                                                                                          120
ccaacgaccc ccgccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag ggactttcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac
                                                                                                                          180
                                                                                                                          240
atcaagtgta tcatatgcca agtacgcccc ctattgacgt caatgacggt aaatggcccg cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg
                                                                                                                          300
                                                                                                                          360
420
                                                                                                                          480
                                                                                                                          540
                                                                                                                          600
                                                                                                                          660
                                                                                                                          720
                                                                                                                          780
                                                                                                                          840
900
                                                                                                                          960
                                                                                                                        1020
1080
                                                                                                                        1140
                                                                                                                        1200
                                                                                                                        1260
                                                                                                                        1320
                                                                                                                        1380
gacttccttt gtcccaaatc tggcggagcc gaaatctggg aggcgccc gcacccctc tagcggggcg gggcaaggg gtgcggcgc ggcaggaagg aaatgggcgc ggagggcctt cgtgcgtcgc tcgggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg acggctgcct tcgggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg
                                                                                                                        1440
                                                                                                                        1500
                                                                                                                        1560
                                                                                                                        1620
1680
                                                                                                                        1740
                                                                                                                        1800
atettttee etetgecaaa aattatggg acatatget ggeettgag catetgag etetgtteettettee etetgecaaa tattetggg acatatggt teggaattet teggtetata aaggaaatt attteattg caatagtgt teggaattet tegtgtetet caeteggaag gacatatggg agggeaaate atttaaaaca teagaatgag tatteggtt agagttegge aacatatgee atatgetgge tgecatgaac aaaggtgget ataaagaggt cateagtata tgaaacagee ceetgetgte catteettat tecatagaaa agcettgae
                                                                                                                        1860
                                                                                                                        1920
                                                                                                                        1980
                                                                                                                        2040
                                                                                                                        2100
tgaggttaga tttttttat attttgttt gtgttattt tttctttaac atccctaaaa ttttccttac atgtttact agccagattt ttcctctct cctgactact cccagtcata gctgtccctc ttctcttatg aagatccctc gacctgcagc ccaagcttgg cgtaatcatg gtcatagctg tttcctgtgt gaaattgtta tccgctcaca attccacaca acatacgagc
                                                                                                                        2160
                                                                                                                        2220
                                                                                                                        2280
                                                                                                                        2340
eggaagcata aagtgtaaag cetggggtge etaatgagtg agetaactea cattaattge gttgegetea etgecegett tecagteggg aaacetgteg tgecagegga tecgeatete aattagteag caaceatagt eeegeceeta aeteegeeea tecegeeee agtteegeee atteteegee eeatggetga etaattttt ttattatge agaggeegag
                                                                                                                        2400
                                                                                                                        2460
                                                                                                                        2520
                                                                                                                        2580
gccgcctcgg cctctgagct attccagaag tagtgaggag gcttttttgg aggcctaggc ttttgcaaaa agctaacttg ttattgcag cttataatgg ttacaaataa agcaatagca tcacaaattt cacaaataaa gcatttttt cactgcattc tagttgtggt ttgtccaaac
                                                                                                                        2640
                                                                                                                        2700
                                                                                                                        2760
tcatcaatgt atcttatcat gtctggatcc gctgcattaa tgaatcggcc aacgcgcgg gagaggcggt ttgcgtattg ggcgctcttc cgcttcctcg ctcactgact cgctgcgctc
                                                                                                                        2820
                                                                                                                        2880
ggtcgttcgg ctgcggcgag cggtatcagc tcactcaaag gcggtaatac ggttatccac
                                                                                                                        2940
agaatcaggg gataacgcag gaaagaacat gtgagcaaaa ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc tggcgttttt ccataggctc cgccccctg acgagcatca
                                                                                                                        3000
                                                                                                                        3060
caaaaatcga cgctcaagtc agaggtggcg aaacccgaca ggactataaa gataccaggcgttccccct ggaagctccc tcgtgcgctc tcctgttccg accctgccgc ttaccggata
                                                                                                                        3120
                                                                                                                        3180
```

-37-

```
3240
cetytecgcc thteteceth egggaagegt ggegethtet caatgeteac getytaggta
totcagtteg gtgtaggteg ttegetecaa getgggetgt gtgcaegaac cececegttea geeegacege tgegeettat eeggtaacta tegtettgag tecaaceegg taagacaega
                                                                                                               3300
                                                                                                               3360
cttatcgcca ctggcagcag ccactggtaa caggattagc agagcgaggt atgtaggcgg
                                                                                                               3420
tgctacagag ttcttgaagt ggtggcctaa ctacggctac actagaagga cagtatttgg
tatctgcgct ctgctgaagc cagttacctt cggaaaaaga gttggtagct cttgatccgg
                                                                                                               3480
                                                                                                               3540
caaacaaacc accgctggta gcggtggttt ttttgtttgc aagcagcaga ttacgcgcag
                                                                                                               3600
aaaaaaagga totcaagaag atootttgat ottttotacg gggtotgacg otcagtggaa cgaaaactca ogttaaggga ttttggtoat gagattatca aaaaggatot toacctagat
                                                                                                               3660
                                                                                                               3720
ccttttaaat taaaaatgaa gttttaaatc aatctaaagt atatatgagt aaacttggtc tgacagttac caatgcttaa tcagtgaggc acctatctca gcgatctgtc tatttcgttc
                                                                                                               3780
                                                                                                               3840
atccatagtt gcctgactcc ccgtcgtgta gataactacg atacgggagg gcttaccatc
                                                                                                               3900
tggccccagt gctgcaatga taccgcgaga cccacgctca ccggctccag atttatcagc aataaaccag ccagccggaa gggccgagcg cagaagtggt cctgcaactt tatccgcctc catccagtct attaattgtt gccgggaagc tagagtaagt agttcgccag ttaatagttt
                                                                                                               3960
                                                                                                               4020
                                                                                                               4080
gcgcaacgtt gttgccattg ctacaggcat cgtggtgtca cgctcgtcgt ttggtatggc ttcattcagc tccggttccc aacgatcaag gcgagttaca tgatccccca tgttgtgcaa
                                                                                                               4140
                                                                                                               4200
aaaagcggtt agctccttcg gtcctccgat cgttgtcaga agtaagttgg ccgcagtgtt atcactcatg gttatggcag cactgcataa ttctcttact gtcatgccat ccgtaagatg
                                                                                                               4260
                                                                                                               4320
cttttetgtg actggtgagt actcaaccaa gtcattetga gaatagtgta tgcggcgacc gagttgetet tgcccggcgt caatacggga taatacggg ccacatagca gaactttaaa agtgeteate attggaaaac gttetteggg gcgaaaacte tcaaggatet taccgctgtt gagatecagt tcgatgtaac ccactcgtge acccaactga tettcagcat ettttacttt
                                                                                                               4380
                                                                                                               4440
                                                                                                               4500
                                                                                                               4560
caccagcgtt tctgggtgag caaaaacagg aaggcaaaat gccgcaaaaa agggaataag ggcgacacgg aaatgttgaa tactcatact cttccttttt caatattatt gaagcattta
                                                                                                               4620
                                                                                                               4680
tcagggttat tgtctcatga gcggatacat atttgaatgt atttagaaaa ataaacaaat aggggttccg cgcacatttc cccgaaaagt gccacctg
                                                                                                               4740
                                                                                                               4778
<210> 71
<211> 5510
<212> DNA
<213> Artificial Sequence
<220>
<223> pCXeGFP plasmid
<400> 71
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata
                                                                                                                  60
gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc
                                                                                                                 120
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag
                                                                                                                180
                                                                                                                240
ggactitcca ttgacgtcaa tgggtggact aittacggia aactgcccac ttggcagtac
atcaagtgta tcatatgcca agtacgcccc ctattgacgt caatgacggt aaatggcccg cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg
                                                                                                                300
                                                                                                                360
420
                                                                                                                480
                                                                                                                540
                                                                                                                600
                                                                                                                660
                                                                                                                720
ceggetetga etgacegegt tacteceaca ggtgageggg egggaeggee etteteetee gggetgtaat tagegettgg tttaatgaeg getegtttet tttetgtgge tgegtgaaag
                                                                                                                780
                                                                                                                840
cottaaagg ctccgggagg gcctttgtg cggggggag cggctcgggg gtgcgtgcgcgcgcgcggct gtgagcgctg ccgggggct gtgagcgctg cgggcgcgc gcggggctt gtgcgctccg cgtgtgcgc aggggagcgc ggccgggggc
                                                                                                                900
                                                                                                                960
                                                                                                               1020
ggtgccccgc ggtgcgggg ggctcgagg ggacaaaagg ctgcgtgcgg ggtgtgtgcg
cctccccgag ttgctgagca cggcccggct tcgggtgcgg ggctccgtgc ggggcgtggc
                                                                                                               1080
                                                                                                               1140
                                                                                                               1200
1260
                                                                                                               1320
                                                                                                               1380
                                                                                                              1440
tagegggege gggegaageg gtgeggegee ggeaggaagg aaatgggegg ggagggeett egtgegtege egegeegeeg teceettete eateteeage eteggggetg eegeagggg aeggetgeet teggggggga eggggeaggg eggggttegg ettetggegt gtgaeeggeg
                                                                                                              1500
                                                                                                               1560
                                                                                                              1.620
gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctcctgggca acgtgctggt tgttgtgctg tctcatcatt ttggcaaaga attcgccacc atggtgagca
                                                                                                              1680
                                                                                                              1740
agggcgagga getgttcace ggggtggtge ceatectggt cgagetggae ggegaegtaa
                                                                                                              1800
```

-38-

acggccacaa	attcagcata	t.c.cggcgagg	gcgagggcga	tgccacctac	agcaagctga	1860
aastaaastt	3000030303		tgcccgtgcc	ctagagagag	atactacca	1920
CCCCGAAGLL	Catetgeace	accegecaage	tgcccgcgcc	Coggeceace	ccgcgacca	1980
ccctgaccta	cggcgtgcag	tgcttcagcc	gctaccccga	ccacatgaag	cagcacgact	
tcttcaagtc	cgccatgccc	gaaggctacg	tccaggagcg	caccatcttc	ttcaaggacg	2040
acggcaacta	caagacccgc	accaagatga	agttcgaggg	cgacaccctg	gtgaaccgca	2100
tagagataaa	acceptace	ttanagaaga	accccaacat	cctagagas	aagetggagt	2160
Legagergaa	gggcatcgac	LLCaaggagg	acggcaacat	cccggggcac	aageeggage	2220
acaactacaa	cagccacaac	gtctatatca	tggccgacaa	gcagaagaac	ggcatcaagg	
tgaacttcaa	gatccgccac	aacatcqaqq	acggcagcgt	gcagctcgcc	gaccactacc	2280
adcadaacac	cccatcaac	dacadaccca	tgctgctgcc	CGaCaaccac	tacctgagga	2340
agouguacae	ccccaccggo	9409900009	222222222	toacatooto	ctcctccact	2400
eccagteege	CCCgagcaaa	gaccccaacg	agaagcgcga	ccacacggcc	ccgccggage	
tcgtgaccgc	cgccgggatc	actctcggca	tggacgagct	gtacaagtaa	gaattcactc	2460
ctcaqqtqca	ggctgcctat	cagaaggtgg	tggctggtgt	ggccaatgcc	ctggctcaca	2520
aataccacto	agatetttt	ccctctacca	aaaattatgg	ggacatcatg	aagccccttg	2580
			ttatttast	tagaatagta	tattaaset	2640
ageatetgae	ttetggetaa	Laaaggaaac	ttattttcat	tycaatagty	cgccggaacc	
ttttgtgtct	ctcactcgga	aggacatatg	ggagggcaaa	tcatttaaaa	catcagaatg	2700
agtatttggt	ttagagtttg	qcaacatatq	ccatatgctg	gctgccatga	acaaaggtgg	2760
ctataaagag	atcatcacta	tatgaacag	cccctgctg	Eccattcctt	attccataga	2820
	gecascagea			thatattatt	ttttttt	2880
aaageettga	cttgaggtta	gatttttt	atattttgtt	ccgcgccacc	CCCCCCCC	
acatccctaa	aattttcctt	acatgtttta	ctagccagat	ttttcctcct	ctcctgacta	2940
ctcccagtca	tagctgtccc	tcttctctta	tgaagatccc	tcgacctgca	gcccaagett	3000
aacataataa	taatcataac	tatttcctat	gtgaaattgt	tatcccctca	caattccaca	3060
ggcgcaacca	cggccacage		3034440030	gastaataa	tanaatanat	3120
caacatacga	geeggaagea	taaagtgtaa	agcctggggt	geecaacgag	cyagetaact	
cacattaatt	gcgttgcgct	cactgcccgc	tttccagtcg	ggaaacctgt	cgtgccagcg	3180
gatecgeate	tcaattagtc	agcaaccata	gtcccgcccc	taactccgcc	catcccgccc	3240
ctaactcccc	ccaattccac	ccatteteeq	ccccatggct	gactaatitt	ttttatttat	3300
ccaacccgc			atattagaga	agtagtgagg	aggettttt	3360
geagaggeeg	aggeegeete	ggcccccgag	ctattccaga	agragegagg	aggettett	
ggaggcctag	gcttttgcaa	aaagctaact	tgtttattgc	agcttataat	ggttacaaat	3420
aaaqcaataq	catcacaaat	ttcacaaata	aagcattttt	ttcactgcat	tctagttgtg	3480
atttatccaa	actcatcaat	gtatcttatc	atgtctggat	ccactacatt	aatgaatcgg	3540
900090000	22222222	atttacatat	tgggcgctct	tecacttect	cactcactaa	3600
ceaacgcgcg	gggagaggcg	geetgegeac	Laggaracter	zetgeeteet	ageceaecga	3660
ctcgctgcgc	teggtegtte	ggctgcggcg	agcggtatca	gereacteaa	aggeggeaac	
acggttatcc	acagaatcag	gggataacgc	aggaaagaac	atgtgagcaa	aaggccagca	3720
aaaggccagg	aaccgtaaaa	aggecgegtt	gctggcgttt	ttccataggc	teegeeeee	3780
taacaaacat	cacaaaaatc	gacgeteaag	tcagaggtgg	cgaaacccga	caggactata	3840
22425454	cactttaacc	otogeocate	cctcgtgcgc	tetectatte	cgaccctgcc	3900
aagacaccag	gegeeeeee	cuggaagece	there are	-teresett	atacatagta	3960
gcttaccgga	tacctgtccg	CCLLCCCC	ttcgggaagc	grggcgcrrr	Cicaacgcic	
acgctgtagg	tatctcagtt	cggtgtaggt	cgttcgctcc	aagctgggct	gtgtgcacga	4020
accccccqtt	caqcccqacc	gctgcgcctt	atccggtaac	tategtettg	agtccaaccc	4080
ggtaagacac	gacttatcgc	cactogcage	agccactggt	aacaqqatta	gcagagcgag	4140
gtatgtagg	actactece	acttetteaa	gtggtggcct	aactacggct	acactagaag	4200
gracycagge	ggtgctacag	ageteetgaa	909909000	*********	acattagtag	4260
gacagtattt	ggtatctgcg	ctctgctgaa	gccagttacc	ttcggaaaaa	gaguugguag	
ctcttgatcc	ggcaaacaaa	ccaccgctgg	tagcggtggt	ttttttgttt	gcaagcagca	4320
gattacgcgc	agaaaaaaag	gatctcaaga	agateetttg	atcttttcta	cggggtctga	4380
cactcaataa	aaccaaaact	cacottaago	gattttggtc	atgagattat	caaaaaggat	4440
cgcccagtgg	adegadadee		5000005500	tanatatana	ctatatata	4500
etteacetag	atcettttaa	attaaaaatg	aagttttaaa	LCaalClaaa	gracacacga	
gtaaacttgg	tctgacagtt	accaatgctt	aatcagtgag	gcacctatct	cagcgatctg	4560
tctatttcgt	tcatccatag	ttgcctgact	ccccgtcgtg	tagataacta	cgatacggga	4620
agacttacca	tetageecea	gtgctgcaat	gataccgcga	gacccacgct	caccoactcc	4680
						4740
			aagggccgag			4800
tttatccgcc	tccatccagt	ctattaattg	ttgccgggaa	gctagagtaa	gragitegee	
agttaatagt	ttgcgcaacg	ttgttgccat	tgctacaggc	atcgtggtgt	cacgctcgtc	4860
atttaatata	getteattea	actecaatte	ccaacgatca	aggcgagtta	catgatcccc	4920
gotattataa	32222222	ttaggtggtt	controt	atcottotoa	gaagtaagtt	4980
carguigue	aaaaaagcgg	Laguette	cggtcctccg	account	-bebeet	5040
ggccgcagtg	tcatcactca	rggrrarggc	agcactgcat	aattetetta	cigicatgee	
atccgtaaga	tgcttttctq	tgactggtga	gtactcaacc	aagtcattct	gagaatagtg	5100
tatacaacaa	ccgagttact	cttqcccqac	gtcaatacgg	gataataccq	cgccacatag	5160
caccacttta	asantonton	trattrass	acgttcttcg	adacdssss	totcaaggat	5220
-the	theoretee	-there-	angenetact	222024444	catattaca	5280
cttaccgctg	Legagateca	gcccgatgta	acccactcgt	gcacccaact	galditage	
			agcaaaaaca			5340
aaagggaata	agggcgacac	ggaaatgttg	aatactcata	ctcttccttt	ttcaatatta	5400
ttgaagcatt	tatcagggtt	attotctcat	gagcggatac	atatttgaat	gtatttagaa	5460
asatasacas	ataggggttg	cacacacatt	tccccgaaaa	ataccaccta		5510
Luacadacaa	~~~===	Jagoacacc		3-3		

<sup>&</sup>lt;210> 72 <211> 282 <212> DNA <213> Artificial Sequence

-39-

<220> <223> attp		
<400> 72 ccttgcgcta atgctctgtt acaggtcact aataccatct aagtagttga ctgcatatgt tgtgttttac agtattatgt agtctgttt ttatgcaaaa tatattgata tttatatcat tttacgtttc tcgttcagct tttttatact tataaaaaag cattgcttat caatttgttg caacgaacag gtcactatca aatcattatt tgatttcaat tttgtcccac tccctgcctc tg	tctaatttaa aagttggcat	60 120 180 240 282
<210> 73 <211> 20 <212> DNA <213> Artificial Sequence	,	
<220> <223> Primer		
<400> 73		
ggccccgtaa tgcagaagaa	20	
<210> 74		
<211> 32		
<212> DNA		
<213> Artificial Sequence		
<220> <223> Primer		
<400> 74 ggtttaaagt gcgctcctcc aagaacgtca tc	32	
<210> 75		
<211> 40		
<212> DNA		
<213> Artificial Sequence		
<220>		
<223> Primer		
<400> 75		
agatetagag cegeegetae aggaacaggt ggtggeggee	40	
<210> 76		
<211> 37		
<212> DNA		
<213> Artificial Sequence		
<220>		
<223> Primer 5PacSV40		
<400> 76		
ctgttaatta actgtggaat gtgtgtcagt tagggtg	37	
<210> 77		
<211> 20		
<212> DNA		
<213> Artificial Sequence		•
<220>		
<223> Primer Antisense Zeo		
<400> 77		
tgaacagggt cacgtcgtcc	20	
<210> 78		
<211> 76 <211> 24		

-40-

<212> <213>	DNA Artificial Sequence	
<220> <223>	Primer 5' HETS	
<400> gggccg	78 gaaac gatctcaacc tatt	24
<210><211><211><212>	19	
<220>	Primer 3' HETS	
<400>		19
<210><211><212>	80 29	
<220> <223>	Primer 5BSD	
<400> accato	80 gaaaa catttaacat ttctcaaca	29
<210> <211> <212> <213>	29	
<220> <223>	Primer SV40polyA	
<400> tttati	81 ttgtg aaatttgtga tgctattgc	29
<210><211><212><213>	25	
<220> <223>	Primer 3BSP	
<400> ttaati	82 ttcgg gtatatttga gtgga	25
<210> <211> <212> <213>	32	
<220> <223>	Primer EPO5XBA	
<400> tatct	83 agaat gggggtgcac gaatgtcctg cc	32
<210><211><212>	32	

-41-

```
<213> Artificial Sequence
<220>
<223> Primer EPO3SBI
<400> 84
                                                                                               32
tacgtacgtc atctgtcccc tgtcctgcag gc
<210> 85
<211> 27
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer GENEPO3BSI
<400> 85
                                                                                               27
cgtacgtcat ctgtcccctg tcctgca
<210> 86
<211> 28
<212> DNA
<213> Artificial Sequence
<223> Primer GENEPO5XBA
<400> 86
                                                                                               28
tctagaatgg gggtgcacgg tgagtact
<210> 87
<211> 4862
<212> DNA
<213> Artificial Sequence
<223> pD2eGFP-1N plasmid from Clontech
<400> 87
tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata tggagttccg 60
cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc cccgcccatt 120
gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc attgacgtca 180 atgggtggag tatttacggt aaactgccca cttggcagta catcaagtgt atcatatgcc 240
aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt atgcccagta 300
catgacetta tgggacttte etaettggca gtacatetae gtattagtea tegetattae 360 catggtgatg eggttttggc agtacateaa tgggegtgga tageggtttg acteaegggg 420
atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc aaaatcaacg 480
ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg gtaggcgtgt 540 acggtggag gtctatataa gcagagctgg tttagtgaac cgtcagatcc gctagcgcta 600
ccggactcag atctcgaget caagettega attctgcagt cgacggtace gcgggcccgg 660 gatccaccgg tcgccaccat ggtgagcaag ggcgaggage tgttcaccgg ggtggtgccc 720
atcetggteg agetggaegg egacgtaaac ggccacaagt teageggtgte eggegaggge 780 gagggegatg ceacetaegg caagetgaee etgaagttea tetgeaceae eggeaagetg 840 eccgtgeeet ggccaceet egtgaecaee etgaectaeg gegtgeagtg etteageegg 900
taccccgacc acatgaagca gcacgactte ttcaagteeg ceatgeeega aggetaegte 960
caggagegea ceatettett caaggaegae ggeaactaea agaeeegege egaggtgaag 1020
ttcgagggcg acaccetggt gaaccgcate gagetgaagg gcatcgaett caaggaggae 1080 ggcaacatee tggggcacaa getggagtae aactacaaca gccacaacgt etatatcatg 1140 gccgacaage agaagaacgg catcaaggtg aacttcaaga tccgccacaa catcgaggae 1200
ggcagcgtgc agctcgccga ccactaccag cagaacaccc ccatcggcga cggccccgtg 1260
ctgctgcccg acaaccacta cctgagcacc cagtccgccc tgagcaaaga ccccaacgag 1320
aagcgcgate acatggteet getggagtte gtgacegeeg cegggateae teteggeatg 1380 gacgagetgt acaagaaget tagccatgge ttecegeegg aggtggagga geaggatgat 1440 ggcacgetge ceatgtettg tgeceaggag agegggatgg acegteacee tgeageetgt 1500
gettetgeta ggateaatgt gtagatgege ggeegegaet etagateata ateageeata 1560
ccacatttgt agaggtttta cttgctttaa aaaacctccc acacctcccc ctgaacctga 1620
aacataaaat gaatgcaatt gttgttgtta acttgtttat tgcagcttat aatggttaca 1680
```

```
aataaagcaa tagcatcaca aatttcacaa ataaagcatt tttttcactg cattctagtt 1740
gtggtttgtc caaactcatc aatgtatctt aaggcgtaaa ttgtaagcgt taatattttg 1800 ttaaaattcg cgttaaattt ttgttaaatc agctcatttt ttaaccaata ggccgaaatc 1860
ggcaaaatcc cttataaatc aaaagaatag accgagatag ggttgagtgt tgttccagtt 1920 tggaacaaga gtccactatt aaagaacgtg gactccaacg tcaaagggcg aaaaaccgtc 1980 tatcagggcg atggcccact acgtgaacca tcaccctaat caagtttttt ggggtcgagg 2040
tgccgtaaag cactaaatcg gaaccctaaa gggagccccc gatttagagc ttgacgggga 2100 aagccggcga acgtggcgag aaaggaaggg aagaaagcga aaggagcggg cgctagggcg 2160
ctggcaagtg tagcggtcac gctgcgcgta accaccacac ccgccgcgct taatgcgccg 2220
ctacagggcg cgtcaggtgg cacttttcgg ggaaatgtgc gcggaacccc tatttgttta 2280 tttttctaaa tacattcaaa tatgtatccg ctcatgagac aataaccctg ataaatgctt 2340
caataatatt gaaaaaggaa gagtcctgag gcggaaagaa ccagctgtgg aatgtgtgtc 2400 agttagggtg tggaaagtcc ccaggctccc cagcaggcag aagtatgcaa agcatgcatc 2460
agtragging tygalagic caggeter caggeter caggeter caggeter agaagtat tyteratage 2520 aaagcatgca teteaattag teageaaca tagteegee cetaacteeg cecateege 2580 cectaactee geecagttee geecattete egeeceatgg etgactaatt tittitatit 2640 atgeagagge egaggeegee teggeetetg agetatteea gaagtagtga ggaggetitt 2700
ttggaggcct aggcttttgc aaagatcgat caagagacag gatgaggatc gtttcgcatg 2760 attgaacaag atggattgca cgcaggttct ccggccgctt gggtggagag gctattcggc 2820
tatgactggg cacaacagac aatcggctgc tctgatgccg ccgtgttccg gctgtcagcg 2880 cagggggcgc cggttcttt tgtcaagacc gacctgtccg gtgccctgaa tgaactgcaa 2940 gacgaggcag cgcggctatc gtggctggcc acgacgggcg ttccttgcgc agctgtgctc 3000
gacgttgtca ctgaagcggg aagggactgg ctgctattgg gcgaagtgcc ggggcaggat 3060 ctcctgtcat ctcaccttgc tcctgccgag aaagtatcca tcatggctga tgcaatgcgg 3120
eggetgeata egettgatee ggetacetge ceattegace accaagegaa acategeate 3180
gagegageac gtacteggat ggaageeggt ettgtegate aggatgatet ggaegaagag 3240 cateaggge tegegeeage egaaetgtte gecaggetea aggegageat gecegaegge 3300
gaggateteg tegtgaceca tggegatgee tgettgeega atateatggt ggaaaatgge 3360
cgcttttctg gattcatcga ctgtggccgg ctgggtgtgg cggaccgcta tcaggacata 3420
gogttggcta cccgtgatat tgctgaagag cttggcggcg aatgggctga ccgcttcctc 3480
gtgctttacg gtategcege tecegatteg cagegeateg cettetateg cettettgae 3540 gagttettet gagegggaet etggggtteg aaatgaeega ecaagegaeg eccaacetge 3600
catcacgaga tttcgattcc accgccgcct tctatgaaag gttgggcttc ggaatcgttt 3660
teegggaege eggetggatg ateeteeage geggggatet eatgetggag ttettegeee 3720 accetagggg gaggetaact gaaacaegga aggagacaat aceggaagga accegegeta 3780
tgacggcaat aaaagacag aataaaacgc acggtgttgg gtcgtttgt cataaacgcg 3840 gggttcggtc ccagggctgg cactctgtcg ataccccac gagaccccat tggggccaat 3900 acgcccgcgt ttcttccttt tccccaccc acccccaag ttcgggtgaa ggcccagggc 3960
togcagocaa cgtoggggog gcaggcoctg coatagoctc aggttactca tatatacttt 4020 agattgattt aaaacttcat ttttaattta aaaggatcta ggtgaagatc ctttttgata 4080
atctcatgac caaaatccct taacgtgagt tttcgttcca ctgagcgtca gaccccgtag 4140
aaaagatcaa aggatcttct tgagatcctt tttttctgcg cgtaatctgc tgcttgcaaa 4200
caaaaaaacc accgctacca gcggtggttt gtttgccgga tcaagagcta ccaactcttt 4260
ttccgaaggt aactggcttc agcagagcgc agataccaaa tactgtcctt ctagtgtagc 4320 cgtagttagg ccaccacttc aagaactctg tagcaccgcc tacatacctc gctctgctaa 4380
tcctgttacc agtggctgct gccagtggcg ataagtcgtg tcttaccggg ttggactcaa 4440 gacgatagtt accggataag gcgcagcggt cgggctgaac ggggggttcg tgcacacagc 4500 ccagcttgga gcgaacgacc tacaccgaac tgagatacct acagcgtgag ctatgagaaa 4560
gcgccacgct tcccgaaggg agaaaggcgg acaggtatcc ggtaagcggc agggtcggaa 4620
caggagageg caegagggag cttccagggg gaaacgcctg gtatctttat agtcctgtcg 4680 ggtttcgcca cctctgactt gagcgtcgat ttttgtgatg ctcgtcaggg gggcggagcc 4740
tatggaaaaa cgccagcaac gcggcctttt tacggttcct ggccttttgc tggccttttg 4800 ctcacatgtt ctttcctgcg ttatcccctg attctgtgga taaccgtatt accgccatgc 4860
                                                                                                                       4862
<210> 88
<211> 5192
<212> DNA
<213> Artificial Sequence
<223> pIRESpuro2 plasmid from Clontech
<400> 88
gacggatcgg gagatctccc gatcccctat ggtcgactct cagtacaatc tgctctgatg 60 ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg 120
```

cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180

WO 02/097059

-43-

ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt 240 gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata 300 tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360 cccgcccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc 420 attgacgtca atgggtggac tatttacggt aaactgccca cttggcagta catcaagtgt 480 atcatatgcc aagtacgcc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540 atgcccagta catgacetta tgggactttc ctacttggca gtacatctac gtattagtca 600 togotattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 660 actcacgggg atttccaagt ctccaccca ttgacgtcaa tgggagtttg ttttggcacc 720 aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780 adaatcaacy ggactitcca aaatgtegta acaacteege cecattgacy caaatgggeg 780 gtaggegtgt acggtgggag gtetatataa gcagagetet etggetaact agagaaceca 840 ctgettactg gettategaa attaatacga etcactatag ggagacecaa gettggtace 900 gageteggat egaatteggat ggacteggat egaatteggat ecgggeege atagataact gatecagtgt getggaatta 1020 attegetgte tgggaggee agetgttggg gtggtacte ecteteaaaa gegggeatga 1080 ettetgggt aggattete ggattates gtttesaaaa acgagageege tttesaaaa gegggeatga 1080 cttetgeget aagattgtea gttteeaaaa acgaggagga tttgatatte acetggeeeg 1140 cggtgatgee tttgagggtg geegegteea tetggteaga aaagacaate tttttgttgt 1200 caagettgag gtgtggeagg ettgagatet ggeeatacae ttgagtgaea atgacateea 1260 ctttgeettt eteteeaaa gtgteeaete eccececeaa etgeaggteg ageatgeate 1320 tagggeggee aatteegeee eteteeetee eccececeta acgtaetgge geagageege 1380 ttggaataag gccggtgtgc gtttgtctat atgtgatttt ccaccatatt gccgtctttt 1440 ggcaatgtga gggcccggaa acctggccct gtcttcttga cgagcattcc taggggtctt 1500 tcccctctcg ccaaaggaat gcaaggtctg ttgaatgtcg tgaaggaagc agttcctctg 1560 gaagettett gaagacaaac aacgtetgta gegaceettt geaggeageg gaaceeeca 1620 cetggegaca ggtgeetetg eggecaaaag ceaegtgtat aagatacace tgeaaaggeg 1680 geacaacee agtgeeaegt tgtgagttgg atagttgtgg aaagagteaa atggetetee 1740 tcaagcgtat tcaacaaggg gctgaaggat gcccagaagg taccccattg tatgggatct 1800 gatctggggc ctcggtgcac atgctttaca tgtgtttagt cgaggttaaa aaaacgtcta 1860 ggccccccga accacgggga cgtggttttc ctttgaaaaa cacgatgata agcttgccac 1920 aacccacaag gagacgacct tccatgaccg agtacaagcc cacggtgegc ctcgccaccc 1980 gcgacgacgt cccccgggcc gtacgcaccc tcgccgccgc gttcgccgac taccccgcca 2040 cgcgccacac cgtcgacccg gaccgccaca tcgagcgggt caccgagctg caagaactct 2100 tcctcacgcg cgtcgggctc gacatcggca aggcgtgggt cgcggacgac ggcgccgcgg 2160 tggcggtctg gaccacgccg gagagcgtcg aaggcggggg ggtgttcgcc gagatcggcc 2220 tggcggtctg gaccacgccg gagagcgtcg aagcggggg ggtgttcgcc gagatcgge 2220 cgcgcatggc cgagttgagc ggttcccggc tggccgcgca gcaacagatg gaaggcctcc 2280 tggcgccgca ccaggcccaag gagcccgcgt ggttcctggc caccgtcggc gtctcgcccg 2340 accaccaggg caaggtctg ggcagcgcg tcgtgctcc cggagtggag gcggccgagc 2400 gcgccgggt gcccgccttc ctggagacct ccgcgccccg caacctcccc ttctacgagc 2460 ggctcggctt caccgtcacc gccgacgtcg agtgcccgaa ggaccgcgcg acctggtga 2520 tgacccgcaa gcccggtgcc tgacgccgc caacgacccc gcagaggca 2640 gegeacgace ceatggetee gacegaagee gaceegggeg geeeggega ceeeggacee 2640 geeecegagg eccacegact ctagageteg etgateagee tegaetgtge ettetagttg 2700 ccagccatct gttgtttgcc cctccccgt gccttccttg accctggaag gtgccactcc 2760 cactgtcctt tcctaataaa atgaggaaat tgcatcgcat tgtctgagta ggtgtcattc 2820 tattctgggg ggtggggtgg ggcaggacag caagggggag gattgggaag acaatagcag 2880 gcatgctggg gatgcggtgg gctctatggc ttctgaggcg gaaagaacca gctggggct 2940 gagtgcattc tagttgtgt ttgtccaaac tcatcaatgt atcttatcat gtctgtatac 3000 cgtcgacctc tagctagagc ttggcgtaat catggtcata gctgtttcct gtgtgaaatt 3060 gttatccgct cacaattcca cacaacatac gagccggaag cataaagtgt aaagcctggg 3120 eggaaacct gtcgtgccag ctgcattaat gaatcggcca acgcgcgggg agaggcggtt 3240 tgcgtattgg gcgctcttcc gcttcctcgc tcactgactc gctgcgctcg gtcgttcggc 3300 tgcggcgagc ggtatcagct cactcaaagg cggtaatacg gttatccaca gaatcagggg 3360 ataacgcagg aaagaacatg tgagcaaaaa gccagcaaaa ggccaggaac cgtaaaaagg 3420 ccgcgttgct ggcgtttttc cataggctcc gccccctga cgagcatcac aaaaatcgac 3480 gctcaagtca gaggtggcga aacccgacag gactataaag ataccaggcg tttcccctg 3540 gaagctccct cgtgcgctct cctgttccga ccctgccgct taccggatac ctgtccgcct 3600 ttetecette gggaagegtg gegettete aatgeteaeg etgtaggtat etcagttegg 3660 tgtaggtegt tegeteeaag etgggetgtg tgeaegaace eccegtteag eccaaceget 3720 gegeettate eggtaactat egtettgagt eccaaceggt aagacaegae ttategeeae 3780 tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcggt gctacagagt 3840 tettgaagtg gtggeetaac tacggetaca etagaaggac agtatttggt atetgegete 3900 tgetgaagec agttacette ggaaaaagag ttggtagete ttgateegge aaacaaacca 3960 eegetggtag eggtggttt tttgttgea ageageagat tacgegeaga aaaaaaggat 4020 ctcaagaaga teettigate ttttetaegg ggtetgaege teagtggaac gaaaacteae 4080 gttaagggat tttggtcatg agattatcaa aaaggatctt cacctagatc cttttaaatt 4140 aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct gacagttacc 4200

44 aatgettaat cagtgaggea cetateteag egatetgtet atttegttea tecatagttg 4260 cetgaeteee egtegtgtag ataactaega taegggaggg ettaceatet ggeeceagtg 4320 ctgcaatgat accgcgagac ccacgctcac cggctccaga tttatcagca ataaaccagc 4380 cagceggaag ggeegagege agaagtggte etgeaacttt ateegeetee ateeagteta 4440 ttaattgttg ccgggaagct agagtaagta gttcgccagt taatagtttg cgcaacgttg 4500 ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggtatggct tcattcagct 4560 ccggttccca acgatcaagg cgagttacat gatccccat gttgtgcaaa aaagcggtta 4620 gctccttcgg tcctccgatc gttgtcagaa gtaagttggc cgcagtgtta tcactcatgg 4680 ttatggcagc actgcataat tetettaetg teatgceate egtaagatge ttttetgtga 4740 ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg agttgctctt 4800 gcccggcgtc aatacgggat aataccgcgc cacatagcag aactttaaaa gtgctcatca 4860 ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg agatccagtt 4920 cgatgtaacc cactcgtgca cccaactgat cttcagcatc ttttactttc accagcgttt 4980 ctgggtgagc aaaaacagga aggcaaaatg ccgcaaaaaa gggaataagg gcgacacgga 5040 aatgttgaat actcatactc ttcctttttc aatattattg aagcatttat cagggttatt 5100 gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata ggggttccgc 5160 5192 quacatttcc ccqaaaagtg ccacctgacg to <210> 89 <211> 11182 <212> DNA <213> Artificial Sequence <220> <223> pAg1 Plasmid <400> 89 catgccaacc acagggttcc cctcgggatc aaagtacttt gatccaaccc ctccgctgct 60 ataqtqcaqt cggcttctga cgttcagtgc agccgtcttc tgaaaacgac atgtcgcaca 120 agtcctaagt tacgcgacag gctgccgccc tgcccttttc ctggcgtttt cttgtcgcgt 180 gttttagtcg cataaagtag aatacttgcg actagaaccg gagacattac gccatgaaca 240 agagegeege egetggeetg etgggetatg ecegegteag caeegaegae caggaettga 300 ccaaccaacg ggccgaactg cacgcggccg gctgcaccaa gctgttttcc gagaagatca 360 coggcaccag gogcgaccgc coggagotgg coaggatgct tgaccaccta cgccctggcg 420 acgttgtgac agtgaccagg ctagaccgcc tggcccgcag cacccgcgac ctactggaca 480 ttgccgagcg catccaggag gocggcgcgg goctgcgtag cctggcagag ccgtgggccg 540 acaccaccac geoggeogge egeatggtgt tgacegtgtt egeoggeatt geogagtteg 600 agogttocot aatoatogae ogeaccogga gogggogga ggcogccaag gccogaggog 660 tgaagtttgg coccogcct accotcacco oggcacagat ogegcacgco ogcgagotga 720 tegaceagga aggeegeace gtgaaagagg eggetgeact gettggegtg categetega 780 ceetgtaceg egeacttgag egeagegagg aagtgaegee caeegaggee aggeggegeg 840 gtgccttccg tgaggacgca ttgaccgagg ccgacgcct ggcggccgcc gagaatgaac 900 gccaagagga acaagcatga aaccgcacca ggacggccag gacgaaccgt ttttcattac cgaagagaatc gaggcggaga tgatcgcgc cgggtacgtg ttcgagccgc ccgcgcacgt 1020 ctcaaccgtg cggctgcatg aaatcctggc cggtttgtct gatgccaagc tggcggcctg 1080 gccggccagc ttggccgctg aagaaaccga gcgccgccgt ctaaaaaggt gatgtgtatt 1140 tgagtaaaac agcttgcgtc atgcggtcgc tgcgtatatg atgcgatgag taaataaaca 1200 aatacgcaag gggaacgcat gaaggttatc gctgtactta accagaaagg cgggtcaggc 1260 aagacgacca tcgcaaccca tctagcccgc gccctgcaac tcgccggggc cgatgttctg 1320 ttagtcgatt ccgatccca gggcagtgcc cgcgattggg cggccgtgcg ggaagatcaa 1380 ccgctaaccg ttgtcggcat cgaccgccg acgattgacc gcgacgtgaa ggccatcggc 1440 cggcgcgact tcgtagtgat cgacggagcg ccccaggcgg cggacttggc tgtgtccgcg 1500 atcaaggcag ccgacttcgt gctgattccg gtgcagccaa gcccttacga catatgggcc 1560 accgccgacc tggtggagct ggttaagcag cgcattgagg tcacggatgg aaggctacaa 1620 geggeetttg tegtgtegeg ggegateaaa ggeacgegea teggeggtga ggttgeegag 1680 gcgctggccg ggtacgagct gcccattctt gagtcccgta tcacgcagcg cgtgagctac 1740 ccaggcactg ccgccgcgg cacaaccgtt cttgaatcag aacccgaggg cgacgctgcc 1800 cgcgaggtcc aggcgctggc cgctgaaatt aaatcaaaac tcatttgagt taatgaggta 1860 aagagaaaat gagcaaaagc acaaacacgc taagtgccgg ccgtccgagc gcacgcagca 1920 gcaaggctgc aacgttggcc agcctggcag acacgccagc catgaagcgg gtcaactttc 1980 agttgccggc ggaggatcac accaagctga agatgtacgc ggtacgccaa ggcaagacca 2040 ttaccgagct gctatctgaa tacatcgcgc agctaccaga gtaaatgagc aaatgaataa 2100 atgagtagat gaattttage ggetaaagga ggeggeatgg aaaateaaga acaaceagge 2160

accgacgccg tggaatgccc catgtgtgga ggaacgggcg gttggccagg cgtaagcggc 2220 tgggttgtct gccggccctg caatggcact ggaaccccca agcccgagga atcggcgtga 2280 

WO 02/097059

-45-

tgaatcgtgg caagcggccg ctgatcgaat ccgcaaagaa tcccggcaac cgccggcagc 2460 cggtgcgcg tcgattagga agccgccaa gggcgacgag caaccagatt ttttcgttcc 2520 gatgctctat gacgtggca cccgcgatag tcgcagcatc atggacgtgg ccgttttccg 2580 tctgtcgaag cgtgaccgac gagctggcga ggtgatccgc tacgagcttc cagacgggca 2640 cgtagaggtt tccgcagggc cggccggcat ggccagtgtg tgggattacg acctggtact 2700 gatggcggtt tcccatctaa ccgaatccat gaaccgatac cgggaaggga agggagacaa 2760 gatggeggt teccatetaa eegaateeat gaacegatae egggaaggga agggagacaa 2760 geeeggeege gtgtteegte cacaegttge ggacgtaete aagttetgee ggegaageega 2820 tggeggaaag cagaaagaag acetggtaga aacetgcatt eggttaaaca ecaegcaegt 2880 tgeeatgeag egtacgaagaa aggeeaagaa eggeegeetg gtgaeggtat eegagggtga 2940 ageettgatt ageegetaca agategtaaa gagegaace gggeggeegg agtacatega 3000 gategaageta getgattgga tgtaecegga gateacaagaa ggeaagaace eggaegtget 3060 gacggttcac cccgattact ttttgatcga tcccggcatc ggccgttttc tctaccgcct 3120 ggeacgeege geogragea aggeagaage cagatggttg tteaagaega teaegagee 3120 cagtggeage geogrageage teaagaagt ctgttteace gtgegeaage tgategggte 3240 aaatgacetg cegaacetga tegagggega aggagggggg caggetggee cgateetagt 3300 catgegetae cgaacetga tegagggega agaateggee ggteetaat gtaeggagea 3360 gatgetaggg caaattgeee tageagggga aaaaggtega aaaaggtega aaaaggtega 3420 tagcacgtac attgggaacc caaagccgta cattgggaac cggaacccgt acattgggaa 3480 cccaaagccg tacattggga accggtcaca catgtaagtg actgatataa aagagaaaaa 3540 aggegatttt teegeetaaa actetttaaa actetataaa actettaaaa ceegeetggc 3600 ctgtgcataa ctgtctggcc agcgcacagc cgaagagctg caaaaagcgc ctacccttcg 3660 gtcgctgcgc tccctacgcc ccgccgcttc gcgtcggcct atcgcggccg ctggccgctc 3720 aaaaatggct ggcctacggc caggcaatct accagggcgc ggacaagccg cgccgtcgcc 3780 actogacogo oggogocoac atcaaggeac cotgootogo gogtttoggt gatgacggtg 3840 aaaacototg acacatgoag otocoggaga oggtcacago ttgtotgtaa goggatgoog 3900 ggagcagaca agccgtcag ggcgcgtcag cgggtgttgg cgggtgtcgg ggcgcagcca 3960 tgacccagtc acgtagcgat agcggagtgt atactggctt aactatgcgg catcagagca 4020 gattgtactg agagtgcacc atatgcggtg tgaaataccg cacagatgcg taaggagaaa 4080 ataccgcatc aggcgctctt ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg 4140 gctgcggca gcggtatcag ctcactcaaa ggcggtaata cggttatcca cagaatcagg 4200 ggataacgca ggaaagaaca tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa 4260 ggccgcgttg ctggcgtttt tccataggct ccgccccct gacgagcatc acaaaaatcg 4320 acgeteaagt cagaggtege gaaacecgae aggaetataa agataceagg egttteecec 4380 tggaagetee etegtgeget eteetgttee gaccetgeeg ettaceggat acetgteege 4440 ettteteeet tegggaageg tggegettte teatagetea egetgtaggt ateteagtte 4500 ggtgtaggte gttegeteca agetgggetg tgtgcacgaa eccecegtte agecegaceg 4560 etgegeetta teeggtaact ategtettga gtecaacea gtaagacaac acttategee 4620 actggcagca gccactggta acaggattag cagagegagg tatgtaggeg gtgctacaga 4680 gttettgaag tggtggceta actaeggeta cactagaagg acagtatttg gtatetgege 4740 tetgetgaag ecagttaect teggaaaaag agttggtage tettgateeg gcaaacaaac 4800 caccggtagt ageggtggt ttttttttt gaagagaggag attaaggeg gaaacaaac 4800 gteegeeetg eegettetee caagateaat aaageeaett aetttgeeat ettteacaaa 5160 gatgttgctg teteccaggt egeegtggga aaagacaagt teetettegg getttteegt 5220 etttaaaaaa teatacaget egegeggate tttaaatgga gtgtettett eecagtttte 5280 gcaatccaca tcggccagat cgttattcag taagtaatcc aattcggcta agcggctgtc 5340 taagctattc gtatagggac aatccgatat gtcgatggag tgaaagagcc tgatgcactc 5460 cgcatacagc tcgataatct tttcagggct ttgttcatct tcatactctt ccgagcaaag 5460 egeatacage tegataatet titteagget tigtteatet teatactet tegageaag 5400 gaegecateg geeteactea tgageagat getecagea teatgeegt caaagtgeag 5520 gaeettigga acaggeaget titeetteeag ceatageate atgicettit ecegiteeae 5580 ateataggig giceettiat aceggetgie egicattiti aaatataggi titeatitie 5640 teecaceage tiatatacet tageaggaga catteettee giatettita egeageggia 5700 tittitegate agittitica atteeggiga tatteteat tiagecatt attatteet 5760 tcctcttttc tacagtattt aaagataccc caagaagcta attataacaa gacgaactcc 5820 aattcactgt tccttgcatt ctaaaacctt aaataccaga aaacagcttt ttcaaagttg 5880 ttttcaaagt tggcgtataa catagtatcg acggagccga ttttgaaacc gcggtgatca 5940 caggcagcaa cgctctgtca tcgttacaat caacatgcta ccctccgcga gatcatccgt 6000 gtttcaaacc cggcagctta gttgccgttc ttccgaatag catcggtaac atgagcaaag 6060 tetgeegeet tacaacgget etceegetga egeegteeeg gaetgatggg etgeetgtat 6120 egagtggtga ttttgtgeeg agetgeeggt eggggagetg ttggetgget ggtggeagga 6180 tatattgtgg tgtaaacaaa ttgaegetta gaeaacttaa taacacattg eggaegttt 6240 taatgtactg aattaacgcc gaattaattc gggggatctg gattttagta ctggattttg 6300 gttttaggaa ttagaaattt tattgataga agtattttac aaatacaaat acatactaag 6360 ggtttcttat atgctcaaca catgagcgaa accctatagg aaccctaatt cccttatctg 6420

WO 02/097059

-46-

ggaactactc acacattatt atggagaaac tcgagtcaaa tctcggtgac gggcaggacc 6480 ggacgggggg gtaccggcag gctgaagtcc agctgccaga aacccacgtc atgccagttc 6540 ccgtgcttga agccggccgc ccgcagcatg ccgcgggggg catatccgag cgcctcgtgc 6600 atgogcacgc tegggtegtt gggcageccg atgacagega ccaegetett gaagecetgt 6660 geetecaggg actteageag gtgggtgtag agegtggage ecagtecegt ecgetggtgg 6720 eggggggaga egtacaeggt egaetegge gtecagtegt agegttgeg tgeetteeag 6780 gggcacegt aggggatge gegaetege eggegaetege eggeg cgctcccgca gacggacgag gtcgtccgtc cactcctgcg gttcctgcgg ctcggtacgg 6900 aagttgaccg tgcttgtctc gatgtagtgg ttgacgatgg tgcagaccgc cggcatgtcc 6960 gcctcggtgg cacggcggat gtcggccggg cgtcgttctg ggctcatggt agactcgaga 7020 gagatagatt tgtagagag gactggtgat ttcagcgtgt cctctcaaa tgaaatgaac 7080 ttccttatat agaggaaggt cttgcgaagg atagtgggat tgtggaacgt cttatttc 7200 gagatagata tcacatcaat ccacttgctt tgaagacgtg gttggaacgt cttcttttc 7200 gagatagata ctacatcaat ccacttgctt tgaagacgatg gttggaacgt cttcttttc 7200 gagatagata ctacatcaat ccacttgctt tgaagacgatg gttggaacgt cttcttttc 7200 gagatagata ctacatcaat ccacttgctt tgaagacgatg gttggaacgt cttcttttc 7200 gagatagatg gttggaacgt gttggaacgt cttctttttc 7200 gagatagatg gttggaacgt cacgatgete etegtgggtg ggggtecate tttgggacca etgteggeag aggeatettg 7260 aacgatagee ttteetttat egeaatgatg geatttgtag gtgeeacett cettteetac 7320 tgtccttttg atgaagtgac agatagctgg gcaatggaat ccgaggaggt ttcccgatat 7380 taccctttgt tgaaaagtct caatagccct ttggtcttct gagactgtat ctttgatatt 7440 cttggagtag acgagagtgt cgtgctccac catgttatca catcaatcca cttgctttga 7500 agacgtggtt ggaacgtett etttttecae gatgeteete gtgggtgggg gteeatettt 7560 gggaccaetg teggeagagg catettgaae gatageettt cetttatege aatgatggea 7620 tttgtaggtg ceaectteet tttetaetgt eettttgatg aagtgacaga tagetgggea 7680 atggaatccg aggaggtttc ccgatattac cctttgttga aaagtctcaa tagccctttg 7740 gtcttctgag actgtatctt tgatattctt ggagtagacg agagtgtcgt gctccaccat 7800 gttggcaage tgetetagee aatacgcaaa eegeetetee eegegegttg geegatteat 7860 taatgcagct ggcacgacag gtttcccgac tggaaagcgg gcagtgagcg caacgcaatt 7920 aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 7980 atgttgtgtg gaattgtgag cggataacaa tttcacacag gaaacagcta tgaccatgat 8040 tacquattcg agccttgact agagggtcga cggtatacag acatgataag atacattgat 8100 gagtttggac aaaccacaac tagaatgcag tgaaaaaaat gctttatttg tgaaatttgt 8160 gatgctattg ctttatttgt aaccattata agctgcaata aacaagttgg ggtgggcgaa 8220 gaactccagc atgagatccc cgcgctggag gatcatccag ccggcgtccc ggaaaacgat 8280 tccgaagccc aaccittcat agaaggcggc ggtggaatcg aaatcicgta gcacgtgtca 8340 gtcctgctcc tcggccacga agtgcacgca gttgccggcc gggtcgcgca gggcgaactc 8400 cgcccccac ggctgctcgc cgatctcggt catggccggc ccggaggcgt cccggaagtt 8460 cgtggacacg acctcgacc actcggcgta cagctcgtcc aggccgcca cccacaccca 8520 ggccagggtg ttgtccggca ccacctggtc ctggaccgcg ctgatgaaca gggtcacgtc 8580 gteceggace acaceggega agtegteete caegaagtee egggagaace egageeggte 8640 ggtccagaac tcgaccgctc cggcgacgtc gcgcgcggtg agcaccggaa cggcactggt 8700 caacttggcc atggatccag atttcgctca agttagtata aaaaagcagg cttcaatcct 8760 gcaggaattc gatcgacact ctcgtctact ccaagaatat caaagataca gtctcagaag 8820 accaaagggc tattgagact tttcaacaaa gggtaatatc gggaaacctc ctcggattcc 8880 attgcccagc tatctgtcac ttcatcaaaa ggacagtaga aaaggaaggt ggcacctaca 8940 aatgccatca ttggataaa ggaaaggcta tcgttcaaga tgcctctgcc gacagtggtc 9000 ccaaagatgg accccaccc acgaggagca tcgtggaaaa agaagacgtt ccaaccacgt 9060 cttcaaagca agtggattga tgtgataaca tggtggagca cgacactctc gtctactcca 9120 agaatatcaa agatacagtc tcagaagacc aaagggctat tgagactttt caacaaaggg 9180 taatateggg aaaceteete ggatteeatt geecagetat etgteaette ateaaaagga 9240 cagtagaaaa ggaaggtggc acctacaaat gccatcattg cgataaagga aaggctatcg 9300 ttcaagatgc ctctgccgac agtggtccca aagatggacc cccacccacg aggagcatcg 9360 tggaaaaaga agacgttcca accacgtctt caaagcaagt ggattgatgt gatatctcca 9420 ctgacgtaag ggatgacgca caatcccact atcettegca agacetteet etatataagg 9480 aagtteattt catttggaga ggacacgetg aaatcaccag teteteteta caaatctate 9540 tctctcgagc tttcgcagat ccgggggggc aatgagatat gaaaaagcct gaactcaccg 9600 cgacgtctgt cgagaagttt ctgatcgaaa agttcgacag cgtctccgac ctgatgcagc 9660 tctcggaggg cgaagaatct cgtgcttca gcttcgatgt aggagggcgt ggatatgtcc 9720 tgcgggtaaa tagctgcgc gatggttct acaaagatcg ttatgtttat cggcactttg 9780 catcggccgc gctccgatt ccggaagtgc ttgacattgg ggagtttagc gagagcctga 9840 cctattgcat ctcccgccgt gcacagggtg tcacgttgca agacctgcct gaaaccgaac 9900 tgcccgctgt tctacaaccg gtcgcggagg ctatggatgc gatcgctgcg gccgatctta 9960 gccagacgag cgggttcggc ccattcggac cgcaaggaat cggtcaatac actacatggc 10020 gtgattteat atgegegatt getgateece atgtgtatea etggeaaact gtgatggaeg 10080 acacegteag tgegteegte gegeaggete tegatgaget gatgetttgg geegaggaet 10140 geecegaagt eeggeacete gtgeaegegg attteggete caacaatgte etgaeggaea 10200 atggccgcat aacagcggtc attgactgga gcgaggcgat gttcggggat tcccaatacg 10260 aggtcgccaa catcttcttc tggaggccgt ggttggcttg tatggagcag cagacgcgct 10320 acttogagog gaggoatoog gagottgoag gatogocaog actooggog tatatgotoc 10380 goattggtot tgaccaacto tatoagagot tggttgacgg caatttogat gatgoagott 10440

```
gggcgcaggg tcgatgcgac gcaatcgtcc gatccggagc cgggactgtc gggcgtacac 10500
aaatcgcccg cagaagcgcg gccgtctgga ccgatggctg tgtagaagta ctcgccgata 10560 gtggaaaccg acgccccagc actcgtccga gggcaaagaa atagagtaga tgccgaccgg 10620
atotytogat cgacaagete gagtitetee ataataatgt gtgagtagtt cecagataag 10680
ggaattaggg ttcctatagg gtttcgctca tgtgttgagc atataagaaa cccttagtat 10740 gtatttgtat ttgtaaaata cttctatcaa taaaatttct aattcctaaa accaaaatcc 10800
agtactaaaa tocagatoco oogaattaat toggogttaa ticagatoaa gottggoact 10860 ggoogtogtt ttacaacgto gtgactggga aaaccotggo gttacccaac ttaatogoot 10920 tgcagcacat coccetttog ccagetggog taatagogaa gaggoogca ccgatogooc 10980 ttcccaacag ttgcgcagoo tgaatggoga atgctagago agottgagot tggatcagat 11040
tgtcgtttcc cgccttcagt ttaaactatc agtgtttgac aggatatatt ggcgggtaaa 11100 cctaagagaa aagagcgttt attagaataa cggatattta aaagggcgtg aaaaggttta 11160
teegttegte cattigtatg tg
<210> 90
<211> 8428
<212> DNA
<213> Artificial Sequence
<220>
<223> pCambia3300 Plasmid
catgccaacc acagggttcc cctcgggatc aaagtacttt gatccaaccc ctccgctgct 60 atagtgcagt cggcttctga cgttcagtgc agccgtcttc tgaaaacgac atgtcgcaca 120
agtectaagt tacgegacag getgeegeee tgeeetttte etggegtttt ettgtegegt 180
gttttagtcg cataaagtag aatacttgcg actagaaccg gagacattac gccatgaaca 240 agagcgccgc cgctggcctg ctgggctatg cccgcgtcag caccgacgac caggacttga 300
ccaaccaacg ggccgaactg cacgcggccg gctgcaccaa gctgttttcc gagaagatca 360 ccggcaccag gcgcgaccgc ccggagctgg ccaggatgct tgaccaccta cgccctggcg 420 acgttgtgac agtgaccagg ctagaccgcc tggcccgcag cacccgcgac ctactggaca 480
ttgccgagcg catccaggag gccggcgcgg gcctgcgtag cctggcagag ccgtgggccg 540 acaccaccac gccggccggc cgcatggtgt tgaccgtgtt cgccggcatt gccgagttcg 600
agegtteeet aateategae egeaecegga gegggegega ggeegeeaag geecgaggeg 660 tgaagtttgg eeceegeeet acceteaece eggeaeagat egegeaegee egegagetga 720
togaccagga aggoogcaco gtgaaagagg oggotgcact gottggogtg catogotoga 780
ccctgtaccg cgcacttgag cgcagcgagg aagtgacgcc caccgaggcc aggcggcgcg 840 gtgccttccg tgaggacgca ttgaccgagg ccgacgcct ggcggccgcc gagaatgaac 900
gccaagagga acaagcatga aaccgcacca ggacggccag gacgaaccgt ttttcattac 960 cgaagagatc gaggcggaga tgatcgcggc cgggtacgtg ttcgagccgc ccgcgcacgt 1020
ctcaaccgtg cggctgcatg aaatcctggc cggtttgtct gatgccaagc tggcggcctg 1080
gccggccagc ttggccgctg aagaaaccga gcgccgccgt ctaaaaaaggt gatgtgtatt 1140 tgagtaaaac agcttgcgtc atgcggtcgc tgcgtatatg atgcgatgag taaataaaca 1200
aatacgcaag gggaacgcat gaaggttate getgtactta accagaaagg egggteagge 1260
aagacgacca tegeaacca tetagecege geeetgaac tegeeggge egatgttetg 1320 ttagtegatt eegatecea gegeagtgee egegattggg eggeegtgee ggaagateaa 1380 cegetaaceg ttgteggeat egacegeeg aegattgae gegaegtgaa ggeeategge 1440 eggegegact tegtagtgat egacggageg eeccaggegg eggaettgge tgtgteegeg 1500
atcaaggcag ccgacttcgt gctgattcg gtgcagccaa gcccttacga catatgggc 1560
accgccgacc tggtggagct ggttaagcag cgcattgagg tcacggatgg aaggctacaa 1620
gcggcctttg tcgtgtcgcg ggcgatcaaa ggcacgcgca tcggcggtga ggttgccgag 1680
gcgctggccg ggtacgagct gcccattctt gagtcccgta tcacgcagcg cgtgagctac 1740
ccaggcactg ccgccgccgg cacaaccgtt cttgaatcag aacccgaggg cgacgctgcc 1800 cgcgaggtcc aggcgctggc cgctgaaatt aaatcaaaac tcatttgagt taatgaggta 1860
aagagaaaat gagcaaaagc acaaacacgc taagtgccgg ccgtccgagc gcacgcagca 1920 gcaaggctgc aacgttggcc agcctggcag acacgccagc catgaagcgg gtcaactttc 1980
agttgccggc ggaggatcac accaagctga agatgtacgc ggtacgccaa ggcaagacca 2040
ttaccgaget getatetgaa tacategege agetaccaga gtaaatgage aaatgaataa 2100 atgagtagat gaattttage ggetaaagga ggeggeatgg aaaatcaaga acaaccagge 2160
accgacgccg tggaatgccc catgtgtgga ggaacgggcg gttggccagg cgtaagcggc 2220
cggtgcgccg tcgattagga agccgcccaa gggcgacgag caaccagatt ttttcgttcc 2520
gatgctctat gacgtgggca cccgcgatag tcgcagcatc atggacgtgg ccgttttccg 2580 tctgtcgaag cgtgaccgac gagctggcga ggtgatccgc tacgagcttc cagacgggca 2640
```

-48-

cgtagaggtt tccgcagggc cggccggcat ggccagtgtg tgggattacg acctggtact 2700 gatggcggtt tcccatctaa ccgaatccat gaaccgatac cgggaaggga agggagacaa 2760 gcccggccgc gtgttccgtc cacacgttgc ggacgtactc aagttctgcc ggcgagccga 2820 tggcggaaag cagaaagacg acctggtaga aacctgcatt cggttaaaca ccacgcacgt 2880 tgccatgcag cgtacgaaga aggccaagaa cggccgcctg gtgacggtat ccgagggtga 2940 agccttgatt agccgctaca agatcgtaaa gagcgaaacc gggcggccgg agtacatcga 3000 gatcgagcta gctgattgga tgtaccgcga gatcacagaa ggcaagaacc cggacgtgct 3060 gacggttcac cccgattact ttttgatcga tcccggcatc ggccgttttc tctaccgcct 3120 ggcacgccgc gccgcaggca aggcagaagc cagatggttg ttcaagacga tctacgaacg 3180 ggcacgccgc gccgcaggca aggcagaagc cagatggttg ttcaagacga tcaacgacg 3160
cagtggcagc gccggagagt tcaagaagt ctgtttcacc gtgcgcaagc tgatcgggtc 3240
aaatgacctg ccggagtacg atttgaagga ggaggcggg caggctggc cgatcctagt 3300
catgcgctac cgcaacctga tcgagggcga agcatccgc ggttcctaat gtacggagca 3360
gatgctaggg caaattgcc tagcagggga aaaaggtcga aaaggtctct ttcctgtgga 3420
tagcacgtac attgggaacc caaagccgta cattgggaac cggaacccgt acattgggaa 3480 cccaaagccg tacattggga accggtcaca catgtaagtg actgatataa aagagaaaaa 3540 aggcgatttt tccgcctaaa actctttaaa acttattaaa actcttaaaa cccgcctggc 3600 etgtgcataa ctgtctggc agcgcacage cgaagagctg caaaaagggc ctaccettcg 3660 gtcgctgcgc tccctacggc cggcgcttc gcgtcggcct atcgcggccg ctggccgctc 3720 aaaaatggct ggcctacggc caggcaatct accagggcgc ggacaagccg cgccgtcgcc 3780 actcgaccgc cggcgccac atcaaggcac cctgcctcgc gcgtttcggt gatgacggtg 3840 aaaacctctg acacatgcag ctcccggaga cggtcacagc ttgtctgtaa gcggatgccg 3900 ggagcagaca agcccgtcag ggcgcgtcag cgggtgttgg cgggtgtcgg ggcgcagcca 3960 tgacccagtc acgtagcgat agcggagtgt atactggctt aactatgcgg catcagagca 4020 gattgtactg agagtgcacc atatgcggtg tgaaataccg cacagatgcg taaggagaaa 4080 atacogcate aggogetett cogetteete geteactgae togetgeget eggtegtteg 4140 gctgcggcga gcggtatcag ctcactcaaa ggcggtaata cggttatcca cagaatcagg 4200 ggataacgca ggaaagaaca tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa 4260 ggccgcgttg ctggcgttt tccataggt ccgcccct gacgacatc acaaaaatcg 4320 acgctcaagt cagaggtggc gaaacccgac aggactataa agataccagg cgtttccccc 4380 tggaagctcc ctcgtgcgct ctcctgttcc gaccctgccg cttaccggat acctgtccgc 4440 ctttctccct tcgggaagcg tggcgctttc tcatagctca cgctgtaggt atctcagttc 4500 ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa ccccccgttc agcccgaccg 4560 ctgcgcctta tccggtaact atcgtcttga gtccaaccag gtaagacacg acttatcgcc 4620 actggcagca gccactggta acaggattag cagagcgagg tatgtaggc gtgctacaga 4680 gttcttgaag tggtggccta actacggcta cactagaagg acagtatttg gtatctgcgc 4740 tctgctgaag ccagttacct tcggaaaaag agttggtagc tcttgatccg gcaaacaaac 4800 caccgctggt agcggtggtt tttttgtttg caagcagcag attacgcgca gaaaaaaagg 4860 atotoaagaa gatoottiga totttiotao ggggtotgao gotoagtgga acgaaaacto 4920 acgttaaggg attttggtca tgcattctag gtactaaaac aattcatcca gtaaaatata 4980 atattttatt ttctcccaat caggcttgat ccccagtaag tcaaaaaata gctcgacata 5040 ctgttcttcc ccgatatcct ccctgatcga ccggacgcag aaggcaatgt cataccactt 5100 gtccgccctg ccgcttctcc caagatcaat aaagccactt actttgccat cttcacaaa 5160 gatgttgtgt tctcccaggt cgccgtggga aaagacaagt tcctcttcgg gctttccgt 5220 ctttaaaaaa tcatacagct cgcggggat tttaaatgga gtgtcttctt cccagttttc 5280 gcaatccaca teggecagat egitatteag taagtaatee aatteggeta ageggetgte 5340 taagctatte gtatagggae aateegatat gtegatggag tgaaagagee tgatgeacte 5400 egeatacage tegataatet ttteaggget ttgtteatet teatactett cegageaaag 5460 gacgccateg geeteactea tgageagatt getecageea teatgeegtt caaagtgeag 5520 toctotitto tacagtattt aaagatacco caagaagota attataacaa gacgaactoo 5820 aattcactgt tccttgcatt ctaaaacctt aaataccaga aaacagcttt ttcaaagttg 5880 ttttcaaagt tggcgtataa catagtatcg acggagccga ttttgaaacc gcggtgatca 5940 caggcagcaa cgctctgtca tcgttacaat caacatgcta ccctccgcga gatcatccgt 6000 gtttcaaacc cggcagcta gttgccgttc ttccgaatagcta catcggtaac atgagcaaag 6060 tctgccgcct tacaacggct ctcccgctga cgccgtcccg gactgatggg ctgcctgtat 6120 cgagtggtga ttttgtgccg agctgccggt cggggagctg ttggctggct ggtggcagga 6180 tatattgtgg tgtaaacaaa ttgacgctta gacaacttaa taacacattg cggacgtttt 6240 taatgtactg aattaacgcc gaattaattc ggggggatctg gattttagta ctggatttt 6300 gtttttaggaa ttagacaatt tattgataga agtattttac aaatacaaat acatactaag 6360 ggtttcttat atgctcaaca catgagcgaa accctatagg aaccctaatt cccttatctg 6420 qqaactactc acacattatt atggagaaac tcgagtcaaa tctcggtgac gggcaggacc 6480 ggacgggggg gtaccggcag gctgaagtcc agctgccaga aacccacgtc atgccagttc 6540 ccgtgcttga agccggccgc ccgcagcatg ccgcgggggg catatccgag cgcctcgtgc 6600 atgegeacge tegggtegit gggeageeeg atgacagega ceaegetett gaageeetgt 6660

```
gcctccaggg acttcagcag gtgggtgtag agcgtggagc ccagtcccgt ccgctggtgg 6720 cggggggaga cgtacacggt cgactcggcc gtccagtcgt aggcgttgcg tgccttccag 6780 gggcccgcgt aggcgatgcc ggcgacctcg ccgtccacct cggcgacgag ccagggatag 6840
egetecegea gacggaegag gtegtecege cacteetgeg gtteetgeg eteggtaceg 6900 aagttgaceg tgettgtete gatgtagtgg ttgacgateg tgeagacege eggeatgtee 6960 geeteggtgg caeggeggat gteggeeggg egtegttetg ggeteatggt agaetegaga 7020 gagatagatt tgtagagaga gactggtgat tteagegtgt ceteteeaaa tgaaatgaae 7080
gagatagatt tgtagagaga gactggtgat ttcagcgtgt cctcccaaa tgaaatgac 7080 ttccttatat agaggaaggt cttgcgaagg atagtgggat tgtgcgtcat cccttacgtc 7140 agtggagata tcacatcaat ccacttgctt tgaagacgtg gttggaacgt cttcttttc 7200 cacgatgctc ctcgtgggtg ggggtccatc tttgggacca ctgtcggcag aggcatcttg 7260 aacgatagcc tttcctttat cgcaatgatg gcatttgtag gtgccacctt cctttctac 7320 tgtcctttg atgaagtgac agatagctg gcaatggaat ccgaggaggt ttcccgatat 7380 taccctttgt tgaaaagtct caatagccct ttggtcttct gagactgtat ctttgatat 7400 agacgtggt gggacgttt ctttttccac gatgctcct gtgggtaga otccatcttt 7560
agacgtggtt ggaacgtett ettttteeae gatgetetete gtgggtgggg gteeatettt 7560 gggaccaetg teggeagagg catettgaae gatagetttt eetttatege atgatgggg gteeatettt 7560 tttgtaggtg ecacetteet tttetaetg eetttgatg aagtgacaga tagetggea 7620 atggaateeg aggaggtte eegatatae eetttgtga aagtgacaga tagetggea 7680 gttggeaage getgtatett tgatattett ggagtagaeg agagtgteg geteeaeea 7800 gttggeaage ggetetagee aataeggaaa eegeetetee eegeegttg geegateat 7800 gttggeaage ggeegatea getgagaage ggegatea 7800
 taatgcagct ggcacgacag gtttcccgac tggaaagcgg gcagtgagcg caacgcaatt 7920 aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 7980
atgitgigg gaattgigg cggataacaa titcacacag gaaacagcta tgaccatgat 8040 tacgaattcg agctcggtac ccggggatcc tctagagtcg accigcaggc atgcaagctt 8100 ggcactggc gtcgtttac aacgtcgtga ctgggaaaac cctggcgtta cccaacttaa 8160 tcgccttgca gcacatccc ctttcgccag ctggcgtaat agcgaagagg cccgcaccga 8220 tcgcccttcc caacagttgc gcagcctgaa tggcgaatgc tagagcagct tgagcttgga 8280 tcagattgtc gtttcccgcc ttcagtttaa actatcagtg tttgacagga tatattggcg 8340
 ggtaaaccta agagaaaaga gcgtttatta gaataacgga tatttaaaag ggcgtgaaaa 8400
ggtttatccg ttcgtccatt tgtatgtg 8428
  <210> 91
  <211> 3438
  <212> DNA
   <213> Artificial Sequence
  <220>
  <223> pLIT38attBZeo Plasmid
  tcgaccctct agtcaaggcc ttaagtgagt cgtattacgg actggccgtc gttttacaac 60
 tegacectet agteaaggee ttaagtgagt egtattaegg actggeegte gtttacaae 60 gtegtgactg ggaaaaccet ggegttaece aacttaateg cettgeagga catececett 120 tegecagetg gegtaatage gaagaggeee geacegateg ecetteceaa cagttgegea 180 geetgaatgg egaatggee ttegettggt aataaageee getteggegg getttttt 240 gttaactaeg teaggtggea ettttegggg aaatgtgege ggaaceceta tttgtttatt 300 tttetaaata cattcaaata tgtateeget catgagacaa taaceetgat aaatgettea 360 ataatattga aaaaggaaga gtatgagtat teaacattte egtgtegeee ttatteeett 420 tttgeggea ttttgeette etgtttttge teaeceagaa acgeetggtga aagtaaaaga 480
tettgeggea tettgeette etgettettge teacceagaa aegetggtga aagtaaaaga 480 tgetgaagat cagttgggtg caegagtggg teacategaa etggatetea acageggtaa 540 gateettgag agttttegee eegaagaaeg teetecaatg atgageaett teaaagttet 600 getatgtgge geggtattat eeegtgttga egeegggeaa gageaaeteg gtegeegeat 660 acactattet eagaatgaet tggttgagta etcaceagte acagaaaage atettaegga 720 tggcatgaca gtaagagaat tatgeagtge tgecataace atgagtgata acactgegge 780 caacttaett etgacaacga teggaggaee gaaggageta aeegetttet tgeacaacat 840 gggggateat gtaactegee ttgategttg ggaaceggag etgaatgaag ceataceaaa 900 egaegaaggt gacaccacga tgeetgtage aatggeaaca aeegttgegea aactataac 960
 ctcatatata ctttagattg atttacccg gttgataatc agaaaagccc caaaaacagg 1320 aagattgtat aagcaaatat ttaaattgta aacgttaata ttttgttaaa attcgcgtta 1380 aatttttgtt aaatcagcc atttttaac caataggccg aaatcggcaa aatcccttat 1440 aaatcaaaag aatagcccga gatagggttg agtgttgttc cagtttggaa caagagtcca 1500
  ctattaaaga acgtggacte caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1560 ccactacgtg aaccatcacc caaatcaagt tttttggggt cgaggtgccg taaagcacta 1620
```

```
aatcggaacc ctaaagggag cccccgattt agagcttgac ggggaaagcg aacgtggcga 1680
gaaaggaagg gaagaaagcg aaaggagcgg gcgctagggc gctggcaagt gtagcggtca 1740 cgctgcgcgt aaccaccaca cccgccgcgc ttaatgcgcc gctacagggc gcgtaaaagg 1800
atctaggtga agateetttt tgataatete atgaccaaaa teeettaaeg tgagtttteg 1860
togtgtetta cogggttgga etcaagaega tagttacegg ataaggegea geggteggge 2220 tgaacggggg gttegtgeac acageecage ttggagegaa egacetacae egaactgaga 2280
tacctacage gtgagetatg agaaagegee aegetteeeg aagggagaaa ggeggaeagg 2340
tatccggtaa gcggcagggt cggaacagga gagcgcacga gggagcttcc aggggggaaac 2400 gcctggtatc tttatagtcc tgtcgggttt cgccacctct gacttgagcg tcgatttttg 2460
tgatgctcgt caggggggcg gagcctatgg aaaaacgcca gcaacgcggc ctttttacgg 2520 ttcctggcct tttgctggcc ttttgctcac atgtaatgtg agttagctca ctcattaggc 2580 accccaggct ttacacttta tgcttccggc tcgtatgttg tgtggaattg tgagcggata 2640
acaatttcac acaggaaaca gctatgacca tgattacgcc aagctacgta atacgactca 2700 ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gattgaagcc 2760
tgctttttta tactaacttg agcgaaatct ggatccatgg ccaagttgac cagtgccgtt 2820
ccggtgctca ccgcgcgcga cgtcgccgga gcggtcgagt tctggaccga ccggctcggg 2880 ttctcccggg acttcgtgga ggacgacttc gccggtgtgg tccgggacga cgtgaccttg 2940
ttcatcagcg cggtccagga ccaggtggtg ccggacaaca ccctggcctg ggtgtgggtg 3000
cgcggcctgg acgagctgta cgccgagtgg tcggaggtcg tgtccacgaa cttccgggac 3060 gcctccgggc cggccatgac cgagatcggc gagcagccgt gggggcggga gttcgccctg 3120
cgcgacccgg ccggcaactg cgtgcacttc gtggccgagg agcaggactg acacgtgcta 3180 cgagatttcg attccaccgc cgccttctat gaaaggttgg gcttcggaat cgttttccgg 3240
gacgccggct ggatgatcct ccagcgcggg gatctcatgc tggagttctt cgcccacccc 3300 aacttgttta ttgcagctta taatggttac aaataaagca atagcatcac aaatttcaca 3360 aataaagcat tttttcact gcattctagt tgtggtttgt ccaaactcat caatgtatct 3420
tatcatgtct gtataccg
<210> 92
<211> 10549
<212> DNA
<213> Artificial Sequence
<223> pCambia1302 Plasmid
<308> Genbank #AF234398
<309> 2000-04-24
<400> 92
catggtagat ctgactagta aaggagaaga acttttcact ggagttgtcc caattcttgt 60
tgaattagat ggtgatgtta atgggcacaa attttctgtc agtggagagg gtgaaggtga 120 tgcaacatac ggaaaactta cccttaaatt tatttgcact actggaaaac tacctgttcc 180
giggccaca citgtcacta cittcicta tggtgttcaa tgcttttcaa gatacccaga 240
tcatatgaag cggcacgact tcttcaagag cgccatgcct gagggatacg tgcaggagag 300 gaccatcttc ttcaaggacg acgggaacta caagacacgt gctgaagtca agtttgaggg 360
agacaccete gteaacagga tegagettaa gggaategat tteaaggagg aeggaaacat 420
cctcggccac aagttggaat acaactacaa ctcccacaac gtatacatca tggccgacaa 480
gcaaaagaac ggcatcaaag ccaacttcaa gaccegccac aacatcgaag acggcggcgt 540
gcaactcgct gatcattatc aacaaaatac tccaattggc gatggccctg tccttttacc 600 agacaaccat tacctgtcca cacaatctgc cctttcgaaa gatcccaacg aaaagagaga 660
ccacatggtc cttcttgagt ttgtaacagc tgctgggatt acacatggca tggatgaact 720
atacaaaget agccaccacc accaccacca cgtgtgaatt ggtgaccage tegaatttee 780 cegategtte aaacatttgg caataaagtt tettaagatt gaateetgtt geeggtettg 840
cgatgattat catataattt ctgttgaatt acgttaagca tgtaataatt aacatgtaat 900
gcatgacgtt atttatgaga tgggttttta tgattagagt cccgcaatta tacatttaat 960
acgegataga aaacaaaata tagegegeaa actaggataa attategege geggtgteat 1020
ctatettact agategggaa ttaaactate agtettegae aggatatatt egeeggetaaa 1080
cctaagagaa aagagcgttt attagaataa cggatattta aaagggcgtg aaaaggttta 1140
tecgttegte catttgtatg tgeatgeeaa ceacagggtt ceceteggga teaaagtaet 1200
ttgatccaac ccctccgctg ctatagtgca gtcggcttct gacgttcagt gcagccgtct 1260
tetgaaaacq acatgtegea caagteetaa gttacgegae aggetgeege cetgeeettt 1320
```

tcctggcgtt ttcttgtcgc gtgttttagt cgcataaagt agaatacttg cgactagaac 1380 cggagacatt acgccatgaa caagagcgcc gccgctggcc tgctgggcta tgcccgcgtc 1440 agcaccgacg accaggactt gaccaaccaa cgggccgaac tgcacgcggc cggctgcacc 1500 aagetgitti eegagaagat caeeggeace aggegegace geeeggaget ggeeaggatg 1560 cttgaccacc tacgccctgg cgacgttgtg acagtgacca ggctagaccg cctggcccgc 1620 agcaccegeg acetactgga cattgeegag egcatecagg aggeeggege gggeetgegt 1680 ageetggeag ageegtggge egacaccace aegeeggeeg geegeatggt gttgacegtg 1740 ttegeeggea ttgeegagtt cgagegttee etaateateg acegeaceeg gageggege 1800 gaggeegea tegeegagt egagegetee etaateateg acegeaceeg gagegggege 1800 gaggeegeea aggeeegagg egtgaagtt ggeeceegee etaaceeteae eeeggeacag 1860 ategegeacg eeeggaget gategaceag gaaggeegea eegtgaaaga ggeegaegea 1980 eeeacegagg eeaggegege eegggeete egtgaggaeg eatgatega ggeegaegee 2040 etggeggeeg eegagaatga acgeeaagag gaacaagcat gaaacegeae eaggaeggee 2100 aggaeggaeg gttttteatt acgaagagaa tegaggegga gatgategeg geegaeggee 2160 aggacgaacc gtttttcatt accgaagaga tcgagcgga gatgatcgcg gccgggtacg 2160 tgttcgagcc gcccgcgca gtctcaaccg tgcggctgca tgaaatcctg gccggtttgt 2220 ctgatgccaa gctggcgcc tggccggca gcttggccgc tgaagaaacc gagcgccgc 2280 gtctaaaaag gtgatgtgta tttgagtaaa acagcttgcg tcatgcggtc gctgcgtata 2340 tgatgcgatg agtaaataaa caaatacgca aggggaacgc atgaaggtta tcgctgtact 2400 taaccagaaa ggcgggtcag gcaagacgac catcgcaacc catctagccc gcgccctgca 2460 actcgccggg gccgatgttc tgttagtcga ttccgatccc cagggcagtg cccgcgattg 2520 ggcggccgtg cgggaagatc aaccgctaac cgttgtcggc atcgaccgcc cgacgattga 2580 ggeggegtg egggaagate aacegetaac egttgtegge ategacegee egacegatga 2500 cegegaegtg aaggecateg geeggegea ettegtagtg ategacegag egeceagge 2640 ggeggaettg getgtgteeg egaceateg geegegette gtgetgatte eggtgeagee 2700 aagecettac gacatatggg ecacegega eetggtgag etggttaage agegeattga 2760 ggtcaeggat ggaaggetac aageggeett tgtegtgteg egggtacaaceg aaggeaetge 2820 categgeggt gaggttgeeg aggegetgge egggtaegag etgeceatte ttgagteeg 2820 tateaegeag egggtgaget acceaggeac tgeegeegge ggacaaceg ttettgaate 2940 agaacccgag ggcgacgctg cccgcgaggt ccaggcgctg gccgctgaaa ttaaatcaaa 3000 actcatttga gttaatgagg taaagagaaa atgagcaaaa gcacaaacac gctaagtgcc 3060 ggccgtccga gcgcacgcag cagcaaggct gcaacgttgg ccagcctggc agacacgcca 3120 gccatgaagc gggtcaactt tcagttgccg gcggaggatc acaccaagct gaagatgtac 3180 geggtacgcc aaggcaagac cattaccgag etgetatetg aatacatege geagetacca 3240 geggtaegee aaggeaagae cattaeegag etgetatetg aatacatege geagetaeca 3240 gagtaaatga geaaatgaat aaatgagtag atgaatttta geggetaaaag gageggeat 3300 eggttageea ggeggtaageg getgggttgt etgeeggeee tgeaatggea etggaaeege 3360 eageteggeg gaateeggegt gaeggtegea aaceateegg eeggtaeaa ateeggeggg 3480 eggtgggeaga ageaegeee ggtgaaeegt ggeaagegge eggegeea ggeegeeag 3540 tegaggeaga aceeeggea geeggtegee ggeaagegge eggegeeaga aeteeeggaa aeegeegga geeggtegee eggeaagegge eggegeeaga aeteeggaaga ttttteegt eegatoetet atgaeegga aateeegga 3720 agcaaccaga ttttttcgtt ccgatgctct atgacgtggg cacccgcgat agtcgcagca 3720 teatggaegt ggcegtttte egtetgtega agegtgaecg aegagetgge gaggtgatee 3780 getaegaget tecagaegg caegtagagg ttteegagg geeggeegge atggeeagt 3840 tgtgggatta egaeetggta etgatggegg ttteecatet aaeegaatee atgaeegat 3900 aeegggaagg gaagggage aageeeggee gegtgtteeg tecacaegtt geggaegtae 3960 tcaagttctg ccggcgagcc gatggcggaa agcagaaaga cgacctggta gaaacctgca 4020 ttcggttaaa caccacgcac gttgccatgc agcgtacgaa gaaggccaag aacggccgcc 4080 tggtgacggt atccgagggt gaagccttga ttagccgcta caagatcgta aagagcgaaa 4140 ccgggcggcc ggagtacatc gagatcgagc tagctgattg gatgtaccgc gagatcacag 4200 aaggcaagaa cccggacgtg ctgacggttc accccgatta ctttttgatc gatcccggca 4260 teggeegitt tetetacege etggeaegee gegeegeagg caaggeagaa geeagatggt 4320 tgttcaagac gatctacgaa cgcagtggca gcgccggaga gttcaagaag ttctgtttca 4380 ccgtgcgcaa gctgatcggg tcaaatgacc tgccggagta cgatttgaag gaggaggcgg 4440 ggcaggctgg cccgatccta gtcatgcgct accgcaacct gatcgagggc gaagcatccg 4500 ccggttccta atgtacggag cagatgctag ggcaaattgc cctagcaggg gaaaaaggtc 4560 gaaaaggtct ctttcctgtg gatagcacgt acattgggaa cccaaagccg tacattggga 4620 accggaaccc gtacattggg aacccaaagc cgtacattgg gaaccggtca cacatgtaag 4680 tgactgatat aaaagagaaa aaaggcgatt tttccgccta aaactcttta aaacttatta 4740 daactettaa aaccegectg geetgtgeat aactgtetgg ceagegeaca geegaagage 4800 tgcaaaaage geetaceett eggtegetge getecetaeg eeeegeeget tegegtegge 4860 etategegge egetggeege teaaaaatgg etggeetaeg geeaggeaat etaceaggge 4920 geggacaage egegeegteg ceactegace geeggegeee acateaagge accetgeete 4980 gegegttteg gtgatgaegg tgaaaacete tgacacatge ageteeegga gaeggteaca 5040 gettgtetgt aageggatge egggageaga caageeegte agggegegte agegggtgtt 5100 ggcgggtgtc ggggcgcagc catgacccag tcacgtagcg atagcggagt gtatactggc 5160 ttaactatgc ggcatcagag cagattgtac tgagagtgca ccatatgcgg tgtgaaatac 5220 cgcacagatg cgtaaggaga aaataccgca tcaggcgctc ttccgcttcc tcgctcactg 5280 actogotgog eteggtegtt eggetgegge gageggtate ageteactea aaggeggtaa 5340

-52-

WO 02/097059

tacggttatc cacagaatca ggggataacg caggaaagaa catgtgagca aaaggccagc 5400 aaaaggccag gaaccgtaaa aaggccgcgt tgctggcgtt tttccatagg ctccgcccc 5460 ctgacgagca tcacaaaaat cgacgctcaa gtcagaggtg gcgaaacccg acaggactat 5520 aaagatacca ggcgttteec cetggaaget ceetegtgeg eteteetgtt eegaceetge 5580 cgcttaccgg atacctgtcc gcctttctcc cttcgggaag cgtggcgctt tctcatagct 5640 cacgctgtag gtatctcagt tcggtgtagg tcgttcgctc caagctgggc tgtgtgcacg 5700 aaccccccgt tcagcccgac cgctgcgcct tatccggtaa ctatcgtctt gagtccaacc 5760 cggtaagaca cgacttatcg ccactggcag cagccactgg taacaggatt agcagagcga 5820 ggtatgtagg cggtgctaca gagttcttga agtggtggcc taactacggc tacactagaa 5880 ggacagtatt tggtatctgc gctctgctga agccagttac cttcggaaaa agagttggta 5940 gctcttgatc cggcaaacaa accaccgctg gtagcggtgg tttttttgtt tgcaagcagc 6000 agattacgcg cagaaaaaaa ggatctcaag aagatccttt gatctttct acggggtctg 6060 acgctcagtg gaacgaaaac tcacgttaag ggattttggt catgcattct aggtactaaa 6120 acaattcatc cagtaaaata taatattta ttttctccca atcaggcttg atccccagta 6180 agtcaaaaaa tagctcgaca tactgttctt ccccgatatc ctccctgatc gaccggacgc 6240 agaaggcaat gtcataccac ttgtccgccc tgccgcttct cccaagatca ataaagccac 6300 ttactttgcc atctttcaca aagatgttgc tgtctcccag gtcgccgtgg gaaaagacaa 6360 gttcctcttc gggcttttcc gtctttaaaa aatcatacag ctcgcgcgga tctttaaatg 6420 gagtgtcttc ttcccagttt tcgcaatcca catcggccag atcgttattc agtaagtaat 6480 ccaattcggc taagcggctg tctaagctat tcgtataggg accatccgat atgtcgatgg 6540 agtgaaagag cctgatgcac tccgcataca gctcgataat cttttcaggg ctttgttcat 6600 cttcatactc ttccgagcaa aggacgccat cggcctcact catgagcaga ttgctccage 6660 catcatgccg ttcaaagtgc aggacctttg gaacaggcag ctttccttcc agccatagca 6720 tcatgtcctt ttccgttcc acatcatagg tggtccctt ataccggctg tccgtcattt 6780 ttaaatatag gttttcattt tctcccacca gcttatatac cttagcagga gacattcctt 6840 ccgtatcttt tacgcagcgg tatttttcga tcagttttt caattccggt gatattctca 6900 ttttagccat ttattattc cttcctctt tctacagtat ttaaagatac cccaagaagc 6960 taattataac aagacgaact ccaattcact gttccttgca ttctaaaaacc ttaaatacca 7020 gaaaacaget ttttcaaagt tgttttcaaa gttggegtat aacatagtat egaeggagee 7080 gattttgaaa ccgcggtgat cacaggcagc aacgctctgt catcgttaca atcaacatgc 7140 taccctccgc gagatcatcc gtgtttcaaa cccggcagct tagttgccgt tcttccgaat 7200 agcateggta acatgageaa agtetgeege ettacaaegg eteteeeget gaegeegtee 7260 tggactgatg ggctgcctgt atcgagtggt gattttggtgc cgagctgccg gtcggggagc 7320 tgttggctgg ctggtggcag gatatattgt ggtgtaaaca aattgacgct tagacaactt 7380 aataacacat tgcggacgtt tttaatgtac tgaattaacg ccgaattaat tcgggggatc 7440 tggattttag tactggattt tggttttagg aattagaaat tttattgata gaagtatttt 7500 acaaatacaa atacatacta agggtttctt atatgctcaa cacatgagcg aaaccctata 7560 ggaaccetaa ttcccttate tgggaactae tcacacatta ttatggagaa actcgagett 7620 gtcgatcgac agatccggte ggcatctact ctatttett gccctcggac gagtgetggg 7680 gcgtcggttt ccactatcgg cgagtaette tacacageca tcggtccaga cggccgcgct 7740 totgogggog atttgtgtac gocogacagt cocggetcog gatoggacga ttgcgtcgca 7800 togacoctgo gocoaagotg catcatogaa attgccgtca accaagotot gatagagttg 7860 gtcaagacca atgcggagca tatacgcccg gagtcgtggc gatcctgcaa gctccggatg 7920 cctccgctcg aagtagcgcg tctgctgctc catacaagcc aaccacggcc tccagaagaa 7980 gatgttggcg acctcgtatt gggaatcccc gaacatcgcc tcgctccagt caatgaccgc 8040 tgttatgegg ceattgteeg teaggaeatt gttggageeg aaateegegt geaegaggtg 8100 ceggaetteg gggeagteet eggeecaaag cateagetea tegagageet gegegaegga 8160 cgcactgacg gtgtcgtcca tcacagtttg ccagtgatac acatggggat cagcaatcgc 8220 gcatatgaaa tcacgccatg tagtgtattg accgattcct tgcggtccga atgggccgaa 8280 cccgctcgtc tggctaagat cggccgcagc gatcgcatcc atagcctccg cgaccggttg 8340 cecegetcy type to the second control of the aatgaaatga acttccttat atagaggaag gtcttgcgaa ggatagtggg attgtgcgtc 8820 atcccttacg tcagtggag tatcacatca atccacttgc tttgaagacg tggttggaac 8880 gtcttctttt tccacgatgc tcctcgtggg tgggggtcca tctttgggac cactgtcgge 8940 agaggcatct tgaacgatag cctttccttt atcgcaatga tggcatttgt aggtgccacc 9000 ttccttttct actgtccttt tgatgaagtg acagatagct gggcaatgga atccgaggag 9060 gtttcccgat attaccettt gttgaaaagt ctcaatagcc etttggtett ctgagaetgt 9120 atctttgata ttcttggagt agacgagagt gtcgtgctcc accatgttat cacatcaatc 9180 cacttgcttt gaagacgtgg ttggaacgtc ttctttttcc acgatgctcc tcgtgggtgg 9240 gggtccatct ttgggaccac tgtcggcaga ggcatcttga acgatagcct ttcctttatc 9300 gcaatgatgg catttgtagg tgccaccttc cttttctact gtccttttga tgaagtgaca 9360

WO 02/097059 PCT/US02/17452

-53-

```
gatagetggg caatggaate egaggaggtt tecegatatt accetttgtt gaaaagtete 9420 aatageeett tggtettetg agaetgtate tttgatatte ttggagtaga egagagtgte 9480
gtgctccacc atgttggcaa gctgctctag ccaatacgca aaccgcctct ccccgcgcgt 9540
tggccgattc attaatgcag ctggcacgac aggtttcccg actggaaagc gggcagtgag 9600 cgcaacgcaa ttaatgtgag ttagctcact cattaggcac cccaggcttt acactttatg 9660 cttccggctc gtatgttgtg tggaattgtg agcggataac aatttcacac aggaaacagc 9720 tatgaccatg attacgaatt cgagctcggt acccggggat ccctagagt cgacctgcag 9780
gcatgcaagc ttggcactgg ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt 9840
taccaactt aatcgccttg cagcacatc ccctttcgcc agctggcgta atagcgaaga 9900 ggcccgcacc gatcgcctt cccaacagtt gcgcagcctg aatggcgaat gctagagcag 9960 cttgagcttg gatcagattg tcgtttcccg ccttcagttt agcttcatgg agtcaaagat 10020 tcaaatagag gacctaacag aactcgccgt aaagactggc gaacagttca tacagagtct 10080 cttacgactc aatgacaaga agaaaatctt cgtcaacatg gtggagcacg acacacttgt 10140
ctactccaaa aatatcaaag atacagtctc agaagaccaa agggcaattg agacttttca 10200 acaaagggta atatccggaa acctcctcgg attccattgc ccagctatct gtcactttat 10260
tgtgaagata gtggaaaagg aaggtggctc ctacaaatgc catcattgcg ataaaggaaa 10320
ggccatcgtt gaagatgcct ctgccgacag tggtcccaaa gatggacccc cacccacgag 10380 gagcatcgtg gaaaaagaag acgttccaac cacgtcttca aagcaagtgg attgatgtga 10440
tatetecaet gaegtaaggg atgaegeaca ateceaetat cettegeaag accetteete 10500
                                                                                                                10549
tatataagga agttcatttc atttggagag aacacggggg actcttgac
<210> 93
<211> 33
<212> DNA
<213> Artificial Sequence
<220>
<223> CaMV35SpolyA Primer
<400> 93
                                                                                                                33
ctgaattaac gccgaattaa ttcgggggat ctg
<210> 94
<211> 29
<212> DNA
<213> Artificial Sequence
<220>
<223> CaMV35Spr Primer
                                                                                                                29
ctagagcagc ttgccaacat ggtggagca
<210> 95
<211> 12592
<212> DNA
<213> Artificial Sequence
<220>
<223> pAg2 Plasmid
<400> 95
gtacgaagaa ggccaagaac ggccgcctgg tgacggtatc cgagggtgaa gccttgatta 60
gccgctacaa gatcgtaaag agcgaaaccg ggcggccgga gtacatcgag atcgagctag 120
ctgattggat gtaccgcgag atcacagaag gcaagaaccc ggacgtgctg acggttcacc 180
ccgattactt tttgatcgat cccggcatcg gccgttttct ctaccgcctg gcacgccgcg 240 ccgcaggcaa ggcagaagcc agatggttgt tcaagacgat ctacgaacgc agtggcagcg 300
ccggagagtt caagaagttc tgtttcaccg tgcgcaagct gatcgggtca aatgacctgc 360 cggagtacga tttgaaggag gaggcggggc aggctggccc gatcctagtc atgcgctacc 420
gcaacctgat cgagggcgaa gcatccgccg gttcctaatg tacggagcag atgctagggc 480 aaattgccct agcagggaa aaaggtcgaa aaggtctctt tcctgtggat agcacgtaca 540 ttgggaaccc aaagccgtac attgggaacc ggaacccgta cattgggaac ccaaagccgt 600
acattgggaa ccggtcacac atgtaagtga ctgatataaa agagaaaaaa ggcgattttt 660 ccgcctaaaa ctctttaaaa cttattaaaa ctcttaaaac ccgcctggcc tgtgcataac 720
tgictggcca gcgcacagcc gaagagctgc aaaaagcgcc tacccttcgg tcgctgcgct 780
ccctacgccc cgccgcttcg cgtcggccta tcgcggccgc tggccgctca aaaatggctg 840 gcctacggcc aggcaatcta ccagggcgcg gacaagccgc gccgtcgcca ctcgaccgcc 900
```

-54-

ggegeceaca teaaggeace etgeetegeg egttteggtg atgaeggtga aaacetetga 960 cacatgeage teeeggagae ggteacaget tgtetgtaag eggatgeegg gageagacaa 1020 gcccgtcagg gcgcgtcagc gggtgttggc gggtgtcggg gcgcagccat gacccagtca 1080 cgtagcgata gcggagtgta tactggctta actatgcggc atcagagcag attgtactga 1140 gagtgcacca tatgcggtgt gaaataccgc acagatgcgt aaggagaaaa taccgcatca 1200 ggegetette egetteeteg eteaetgaet egetgegete ggtegttegg etgeggegag 1260 eggtateage teaeteaaag geggtaatae ggttateeae agaateaggg gataaegcag 1320 gaaagaacat gtgagcaaaa ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc 1380 tggcgttttt ccataggctc cgccccctg acgagcatca caaaaatcga cgctcaagtc 1440 agaggtggcg aaacccgaca ggactataaa gataccaggc gtttcccct ggaagctccc 1500 tcgtgcgctc tcctgttccg accctgccgc ttaccggata cctgtccgcc tttctccctt 1560 cgggaagcgt ggcgcttct catagctcac gctgtaggta tctcagttcg gtgtaggtcg 1620 ttcgctccaa gctgggctgt gtgcacgaac cccccgttca gcccgaccgc tgcgccttat 1680 ccggtaacta tcgtcttgag tccaacccgg taagacacga cttatcgcca ctggcagcag 1740 ccactggtaa caggattagc agagcgaggt atgtaggcgg tgctacagag ttcttgaagt 1800 ggtggcctaa ctacggctac actagaagga cagtatttgg tatctgcgct ctgctgaagc 1860 cagttacett eggaaaaaga gttggtaget ettgateegg caaacaaace acegetggta 1920 gcggtggttt ttttgtttgc aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag 1980 atcctttgat cttttctacg gggtctgacg ctcagtggaa cgaaaactca cgttaaggga 2040 ttttggtcat gcattctagg tactaaaaca attcatccag taaaatataa tatttattt 2100 tctcccaatc aggettgate cecagtaagt caaaaaatag etegacatae tgttetteec 2160 cgatatecte cetgategae eggacgeaga aggeaatgte ataceaettg teegeeetge 2220 cgcttctccc aagatcaata aagccactta ctttgccatc tttcacaaag atgttgctgt 2280 ctcccaggtc gccgtgggaa aagacaagtt cctcttcggg cttttccgtc tttaaaaaat 2340 catacagctc gcgcggatct ttaaatggag tgtcttcttc ccagttttcg caatccacat 2400 eggecagate gttatteagt aagtaateca atteggetaa geggetgtet aagetatteg 2460 tatagggaca atcegatatg tegatggagt gaaagageet gatgeactee geatacaget 2520 egataatett tteagggett tgtteatett catactette egageaaagg acgecategg 2580 cctcactcat gagcagattg ctccagcat catgccgttc aaagtgcagg acctttggaa 2640 caggcagctt tccttccagc catagcatca tgtcctttc ccgttccaca tcataggtgg 2700 tecetttata ceggetgtee gteatttta aatataggtt tteatttet cecaceaget 2760 tatataeett ageaggagae atteetteeg tatetttae geageggtat ttttegatea 2820 gttttteaa tteeggtgat atteetattt tageeattta ttattteett cetettttet 2880 acagtattta aagataccc aagaagctaa ttataacaag acgaactcca attcactgtt 2940 ccttgcattc taaaacctta aataccagaa aacagcttt tcaaagttgt tttcaaagtt 3000 ggcgtataac atagtatcga cggagccgat tttgaaaccg cggtgatcac aggcagcaaca 3060 ggcgtataac atagtatcga cggagccgat titgaaaccg cggtgatcac aggcagcaac 3060 gctctgtcat cgttacaaca aacatgctac cctccgcgag atcatccgtg titcaaaccc 3120 ggcagcttag titgccgtct tccgaatagc atcgatggac tggagcaaagt ctgccgcctt 3180 acaacggctc tcccgctgac gccgtcccgg actgatggc tgcctgtatc gagtggtgat 3240 titgtgccga gctgccggtc ggggagctgt tggctggctg gtggcaggat atattgtggt 3300 gtaaacaaat tgacgctag acaacttaat aacacattgc ggacgttttt aatgtactga 3360 attaacgccg aattaattcg ggggatctgg attttaca aatacaaata catactaagg gtttcttata 3480 tagaaatttt attgatagaa gtattttaca aatacaaata catactaagg gtttcttata 3480 tgctcaacac atgagcgaaa ccctatagga accctaattc ccttatctgg gaactactca 3540 cacattatta tggagaaact cgagtcaaat ctcggtgacg ggcaggaccg gacggggcgg 3600 taccggcagg ctgaagtcca gctgccagaa acccacgtca tgccagttcc cgtgcttgaa 3660 geoggeogee egeageatge egegggggge atateegage geetegtgea tgegeaeget 3720 egggtegttg ggcagecega tgacagegae caegetettg aagecetgtg cetecaggga 3780 etteageagg tgggtgtaga gegtggagee cagtecegte egetggtgge ggggggagae 3840 gtacacggtc gactcggccg tccagtcgta ggcgttgcgt gccttccagg ggcccgcgta 3900 ggcgatgccg gcgacctcgc cgtccacctc ggcgacgagc cagggatagc gctcccgcag 3960 acggacgagg tcgtccgtcc actcctgcgg ttcctgcggc tcggtacgga agttgaccgt 4020 acguaggiagg togaccac traces grant to according to according to acguage togaccac description acguage according togaccac grant togaccac control acguage according togaccac according to accor gaggaaggtc ttgcgaagga tagtgggatt gtgcgtcatc ccttacgtca gtggagatat 4260 cacatcaatc cacttgcttt gaagacgtgg ttggaacgtc ttcttttcc acgatgctcc 4320 tcgtgggtgg gggtccatct ttgggaccac tgtcggcaga ggcatcttga acgatagctc 4380 ttcctttatc gcaatgatgg catttgtagg tgccaccttc cttttctact gtccttttga 4440 tgaagtgaca gatagctgg caatggaatc cgagaggtt tecegatatt accetttgtt 4500 gaaaagtete aatagceett tggtettetg agactgtate tttgatatte ttggagtaga 4560 cgagaggtgte gtgetecace atgttateac ateaatecac ttgetttgaa gaegtggttg 4620 gaacgtette tttttecacg atgeteeteg tgggtgggg tecatetttg ggaccactgt 4680 cggcagagge atettgaacg atagcettte ettategca atgatggcat ttgtaggtge 4740 cacctteett ttetaetgte ettitgatga agtgacagat agetgggeaa tggaateega 4800 ggaggtttcc cgatattacc ctttgttgaa aagtctcaat agccctttgg tcttctgaga 4860 ctgtatcttt gatattcttg gagtagacga gagtgtcgtg ctccaccatg ttggcaagct 4920

gctctagcca atacgcaaac cgcctctccc cgcgcgttgg ccgattcatt aatgcagctg 4980 gcacgacagg tttcccgact ggaaagcggg cagtgagcgc aacgcaatta atgtgagtta 5040 gctcactcat taggcacccc aggctttaca ctttatgctt ccggctcgta tgttgtgtgg 5100 aattgtgage ggataacaat tteacacagg aaacagetat gaccatgatt acgaattega 5160 aattgtgage ggataacaat tteacacagg aaacagetat gaccatgatt acgaattega 5160 geettgacta gagggtegac ggtatacaga catgataaga tacattgatg agtttggaca 5220 aaccacaact agaatgcagt gaaaaaatg ctttatttgt gaaatttgtg atgetattge 5280 tttatttgta accattataa getgcaataa acaagttggg gtgggegaag aactecagea 5340 tgagateece gegetggagg atcatecage eggegteeeg gaaaacgatt eeggeeca 5400 acettteata gaaggeggeg gtggaatega aatetegtag eacgtgteag teetgeteet 5460 eggeeaegaa gtgcaegaag ttgeeggeeg ggtegeegag ggegaactee eggeeceega 5520 getgetegee gateteggte atggeeggee eggaggegte eeggaagtet gtggacacga 5580 cottecgacca cteggegtae agetegtee ggegggae ccacaccag gecaggtgt 5640 tgteeggeae cacetggtee tggacegege tgatgaacag ggteaegteg teeeggaeca 5700 caceggegaa gtegteetee acgaagtee gggagaacce gageeggteg gteeagaact 5760 egacegetee ggegaegteg egegggtga geaeeggaae ggcactggte aacttggea 5820 tggatecaga tttegeteaa gttagtataa aaaageagge tteaateetg caggaatteg 5880 atcgacactc tcgtctactc caagaatatc aaagatacag tctcagaaga ccaaagggct 5940 attgagactt ttcaacaaag ggtaatatcg ggaaacctcc tcggattcca ttgcccagct 6000 atotgtcact toatcaaaag gacagtagaa aaggaaggtg gcacctacaa atgccatcat 6060 tgcgataaaag gaaaggctat cgttcaagat gcctctgccg acagtggtcc caaagatgga 6120 ccccaccca cgaggagcat cgtggaaaaa gaagacgttc caaccacgtc ttcaaagcaa 6180 gtggattgat gtgataacat ggtggagcac gacacteteg tetaeteeaa gaatateaaa 6240 gatacagtet cagaagacca aagggetatt gagaetttte aacaaagggt aatateggga 6300 aacctcctcg gattccattg cccagctatc tgtcacttca tcaaaaggac agtagaaaag 6360 gaaggtggca cctacaaatg ccatcattc gataaaggaa aggctatcgt tcaagatagc 6420 tctgccgaca gtggtcccaa agatggacc ccaccacga ggagcatcgt ggaaaaagaa 6480 gacgttccaa ccacgtcttc aaagcaagtg gattgatgtg atatctccac tgacgtaagg 6540 gatgacgcac aatcccacta tccttcgcaa gaccttcctc tatataagga agttcatttc 6600 atttggagag gacacgetga aatcaccagt etetetetac aaatetatet etetegaget 6660 ttcgcagatc cggggggca atgagatatg aaaaagcctg aactcaccgc gacgtctgtc 6720 gagaagtttc tgatcgaaaa gttcgacagc gtctccgacc tgatgcagct ctcggagggc 6780 gaagaatete gtgettteag ettegatgta ggaggggtg gatatgteet gegggtaaat 6840 agetgegeeg atggtteta caaagategt tatgtttate ggeactttge ateggeege 6900 etceegatte eggaagtget tgacattggg gagtttageg agageetgae etattgeate 6960 tecegeegtg cacagggtgt cacgttgeaa gaeetgeetg aaacegaact geegetgtt 7020 ctacaaccgg tegeggagge tatggatged ategetgegg cegatettag ceagaggage 7080 gggtteggee catteggace geaaggaate ggteaataca etacatggeg tgattteata 7140 tgegegattg etgatececa tgtgtateae tggeaaactg tgatggaega cacegteagt 7200 gegteegteg egeaggetet egatgagetg atgetttggg cegaggaetg cecegaagte 7260 eggeaceteg tgeaegegga ttteggetee aacaatgtee tgatggaeaa tggeeggeata 7320 acagcggtca ttgactggag cgaggcgatg ttcggggatt cccaatacga ggtcgccaac 7380 atcttcttct ggaggccgtg gttggcttgt atggagcagc agacgcgcta cttcgagcgg 7440 aggeateegg agettgeagg ategecaega eteegggegt atatgeteeg cattggtett 7500 7560 gaccaactet atcagagett ggttgacggc aatttegatg atgeagettg ggegeagggt cgatgcgacg caatcgtccg atccggagcc gggactgtcg ggcgtacaca aatcgcccgc 7620 agaagcgcgg ccgtctggac cgatggctgt gtagaagtac tcgccgatag tggaaaccga 7680 cgccccagca ctcgtccgag ggcaaagaaa tagagtagat gccgaccgga tctgtcgatc 7740 gacaageteg agtteeteea taataatgtg tgagtagtte ceagataagg gaattagggt 7800 teetataggg tttegeteat gtgttgagea tataagaaac cettagtatg tatttgtatt 7860 tgtaaaatac ttetateaat aaaatteeta atteetaaaa ceaaaateea gtactaaaat 7920 ccagatcccc cgaattaatt cggcgttaat tcagatcaag cttggcactg gccgtcgtt 7980 tacaacgtcg tgactgggaa aaccctggcg ttacccaact taatcgcctt gcagcacatc 8040 cccctttegc cagctggcgt aatagcgaag aggcccgcac cgatcgcct tcccaacagt 8100 tgcgcagcct gaatggcgaa tgctagagca gcttgagctt ggatcagatt gtcgtttccc 8160 gccttcagtt tggggatcct ctagactgaa ggcgggaaac gacaatctga tcatgagcgg 8220 agaattaagg gagtcacgtt atgacccccg ccgatgacgc gggacaagcc gttttacgtt 8280 tggaactgac agaaccgcaa cgttgaagga gccactcagc cgcgggtttc tggagttaa 8340 tgagctaagc acatacgtca gaaaccatta ttgcgcgttc aaaagtcgcc taaggtcact 8400 atcagctagc aaatatttct tgtcaaaata gctccactga cgttccataa attcccctcg gtatccaatt agagtctcat atcactctc aatccaaata atctgcaccg gatctcgaga 8520 atcgaattcc cgcggccgcc atggtagatc tgactagtaa aggagaagaa cttttcactg 8580 gagttgtccc attettgt gaattagate tgatagtta tgggcacaaa ttttctattg 68640 gtggagaggg tgaaggtgat gcaacatacg gaaaacttac ccttaaatt atttgcacta 8700 ctggaaaact acctgttccg tggccacac ttgtcactac ttttctcttat ggtgttcaat 8760 gcttttcaag ataccagat catatgaagc ggcacgactt cttcaagagc gccatgcctg 8820 agggatacgt gcaggaggag accatcttct tcaaggacga cgggaactac aagacaacgtg 8880 ctgaagtcaa gtttgaggga gacaccctcg tcaacaggat cgagcttaag ggaatcgatt 8940

WO 02/097059 PCT/US02/17452

-56-

tcaaggagga cggaaacatc ctcggccaca agttggaata caactacaac tcccacaacg 9000 tatacatcat ggccgacaag caaaagaacg gcatcaaagc caacttcaag acccgccaca 9060 cacatggcat ggatgaacta tacaaagcta gccaccacca ccaccaccac gtgtgaattg 9300 gtgaccagct cgaatttccc cgatcgttca aacatttggc aataaagttt cttaagattg 9360 aatcctgttg ccggtcttgc gatgattatc atataatttc tgttgaatta cgttaagcat 9420 gtaataatta acatgtaatg catgacgtta tttatgagat gggttttat gattagagtc 9480 ccgcaattat acatttaata cgcgatagaa aacaaaatat agcgcgcaaa ctaggataaa 9540 ttatcgcgcg cggtgtcatc tatgttacta gatcgggaat taaactatca gtgtttgaca 9600 ggatatattg gcgggtaaac ctaagagaaa agagcgttta ttagaataac ggatatttaa 9660 aagggcgtga aaaggtttat ccgttcgtcc atttgtatgt gcatgccaac cacagggttc 9720 ccctcgggat caaagtactt tgatccaacc cctccgctgc tatagtgcag tcggcttctg 9780 acgttcagtg cagccgtctt ctgaaaacga catgtcgcac aagtcctaag ttacgcgaca 9840 ggetgeegee etgeeettt cetggegtt tettgtegeg tgttttagte geataaagta 9900 gaataettge gactagaace ggagacatta egecatgaac aagagegeeg eegetggeet 9960 getgggetat geeegegtea geacegaega ceaggaettg accaaceaac gggeegaact 10020 geaegeggee ggetgeacea agetgtttte egagaagate accggeacea ggegegaeeg 10080 cccggagctg gccaggatgc ttgaccact acgccctggc gacgttgtga cagtgaccag 10140 gctagaccgc ctggccgca gcacccgcga cctactggac attgccgagc gcatccagga 10200 ggccggcgcg ggcctgcgta gcctggcaga gccgtgggcc gacaccacca cgccggccgg 10260 ccgcatggtg ttgaccgtgt tcgccggcat tgccgagttc gagcgttccc taatcatcga 10320 cogcaccogg agoggogog agocogcaa gococgago gtgaagtttg gococogoco 10380 taccotcaco coggoacaga togogoacgo cogogagotg atogaccagg aaggoogoac 10440 cgtgaaagag goggotgoac tgottggogt goatogotog accotgtaco gogoacttga 10500 gegeagegag gaagtgaege ceaeegagge caggeggege ggtgeettee gtgaggaege 10560 attgaccgag gccgacgccc tggcggccgc cgagaatgaa cgccaagagg aacaagcatg 10620 aaaccgcacc aggacggcca ggacgaaccg tttttcatta ccgaagagat cgaggcggag 10680 atgategegg eegggtaegt gttegageeg eeegegeaeg teteaacegt geggetgeat 10740 gaaateetgg eeggtttgte tgatgeeaag etggeggeet ggeeggeeag ettggeeget 10800 gaagaaaccg agcgccgccg tctaaaaagg tgatgtgtat ttgagtaaaa cagcttgcgt 10860 gaagaaaccg agegeegeeg tetaaaagg tgatgtgtat tegagtaaa cagetegeg 10000 tegaggteg etgegtatat gatgegatga gtaaataaac aaatacgcaa ggggaacgca 10000 tgaaggttat egetgtactt aaccagaaag gegggteagg cagagacgac ategaaaccc 10000 atetageege egecetgeaa etegeeggg eegatgttet gttagtegat teegateece 11040 agggeagtge eegegattgg geggeegtge gggaagatea acegetaace gttgteggea 11100 tegacegeec gacgattgae egegacgtga aggeeategg eeggeegega ttegtagtga 11160 tcgacggage gccccaggeg gcggacttgg ctgtgtccgc gatcaaggca gccgacttcg 11220 tgctgattcc ggtgcagcca agcccttacg acatatgggc caccgccgac ctggtggagc 11280 tgetsattee ggtgeagea agecettaeg acatatggge cacegeegae etggtggage 11280 tggttaagea gegeattgag gteaeggatg gaaggetaea agegeettt gtegtgtege 11340 gggegateaa aggeaegege ateggeggtg aggttgeega ggegetggee gggtaegage 11400 tgeecattet tgagteegt ateaeggagg gegtaggeta eccaggeact geegeegeeg 11460 geacaacegt tettgaatea gaaceegaag gegaegetge ecggaggte eaggegetgg 11520 cegetgaaat taaateaaaa eteatttgag taatgaggt aaaggaaaa tgageaaaag 11580 cacaaacacg ctaagtgccg gccgtccgag cgcacgcagc agcaaggctg caacgttggc 11640 cagcctggca gacacgccag ccatgaagcg ggtcaacttt cagttgccgg cggaggatca 11700 caccaagctg aagatgtacg cggtacgcca aggcaagacc attaccgagc tgctatctga 11760 ceggtacaaa teggegege getggtgat gacetggtgg agaagttgaa ggeegegag 12000
geegeceage ggeaacgaa egagcagaa gcaceceeg gtgaategtg gcaageggee 12120
getgategaa teegeaaaga ateceggeaa eegeggeg eeggtgegee gtegattagg 12180
aageegeea agggegaega gcaaceagat tttttegtte egatgeteta tgaegtggge 12240
accegegata gtegeageat catggaegtg geegttttee gtetgtegaa gegtgaeega 12300
egagetggeg aggtgateeg etaegagett eeagaeggge aegtagaggt tteegeaggg 12360
eeggeeggea tggeeagtgt gtgggattae gaeetggtae tgatggeggt tteeateta 12420 accgaatcca tgaaccgata ccgggaaggg aagggagaca agcccggccg cgtgttccgt 12480 ccacacgttg cggacgtact caagttctgc cggcgagccg atggcggaaa gcagaaagac 12540 gacctggtag aaacctgcat toggttaaac accacgcacg ttgccatgca gc

<210> 96

<211> 3357

<212> DNA

<213> Artificial Sequence

-57-

```
<220>
<223> pGEMEasyNOS Plasmid
```

```
tatcactagt gaattcgcgg ccgcctgcag gtcgaccata tgggagagct cccaacgcgt 60 tggatgcata gcttgagtat tctatagtgt cacctaaata gcttggcgta atcatggtca 120 tagctgtttc ctgtgtgaaa ttgttatccg ctcacaattc cacacaacat acgagccgga 180
 agcataaagt gtaaagcctg gggtgcctaa tgagtgagct aactcacatt aattgcgttg 240
cgctcactgc ccgctttcca gtcgggaaac ctgtcgtgcc agctgcatta atgaatcggc 300 caacgcgcgg ggagaggcgg tttgcgtatt gggcgctctt ccgcttcctc gctcactgac 360
tegetgeget eggtegtteg getgeggega geggtateag eteaeteaa ggeggtaata 420 eggttatea cagaateagg ggataacgca ggaaagaaca tgtgagcaaa aggecagcaa 480 aaggecagga accgtaaaaa ggecggttt eteaaagget eegceceet 540
gacgagcatc acaaaaatcg acgctcaagt cagaggtggc gaaacccgac aggactataa 600 agataccagg cgtttccccc tggaagctcc ctcgtgcgct ctcctgttcc gaccctgccg 660
 cttaccggat acctgtccgc ctttctccct tcgggaagcg tggcgctttc tcatagctca 720
cgctgtaggt acctgtccgc ctttctcctt tcgggaagcg tggcgctttc tcatagctca 720 cgctgtaggt atctcagttc ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa 780 ccccccgttc agcccgaccg ctgcgctta tccggtaact atcgtcttga gtccaaccag 840 gtaagacacg acttatcgcc actggcagca gccactggta acaggattag cagagcgagg 900 tatgtaggcg gtgctacaga gttcttgaag tggtggcta actacggcta cactagaaga 960 acagtatttg gtatctgcg gcaacaaac caccgctggt agcggtggtt tttttgttg caagcagcag 1020 tcttgatgga gaaaaaaagg atctcaaagag atctcaatgga agcgtggtt tctttctac ggggtctgac 1140 acctcagtaga acctaacgag attttggtca tgagattatc agaaaaggatc 1200
gctcagtgga acgaaaactc acgttaaggg attttggtca tgagattatc aaaaaggatc 1200 ttcacctaga tccttttaaa ttaaaaatga agttttaaat caatctaaag tatatatgag 1260
taaacttggt ctgacagtta ccaatgctta atcagtgagg cacctatctc agcgatctgt 1320 ctatttcgtt catccatagt tgcctgactc cccgtcgtgt agataactac gatacgggag 1380 ggcttaccat ctggccccag tgctgcaatg ataccgcgag acccacgctc accggctcca 1440
 gatttatcag caataaacca gccagccgga agggccgagc gcagaagtgg tcctgcaact 1500
gattatcag caataacca gccagccgga agggccgagc gcagaagtgg tcctgcaact 1500 ttatccgcct ccatccagtc tattaattgt tgccgggaag ctagagtaag tagttcgcca 1560 gttaatagtt tgcgcaacgt tgttgccatt gctacaggca tcgtggtgtc acgctcgtcg 1620 tttggtatgg cttcattcag ctccggttcc caacgatcaa ggcgagttac atgatcccc 1680 atgttgtgca aaaaagcggt tagctccttc ggtcctccga tcgttgtcag aagtaagttg 1740 gccgcagtgt tatcactcat ggttatggca gcactgcata attctcttac tgtcatgcca 1800 tccgtaagat gcttttctgt gactggtgg tactcaacca agtcattctg agaatagtgt 1860 atgcggggac cgagttgctc ttgccgggg tcaatacggg ataataccgc gccacatagc 1920
aataccgcac agatgcgtaa ggagaaaata ccgcatcagg aaattgtaag cgttaatatt 2340 ttgttaaaat tcgcgttaaa tttttgttaa atcagctcat tttttaacca ataggccgaa 2400
 atoggcaaaa toocttataa atoaaaagaa tagacogaga tagggttgag tgttgttoca 2460
gtttggaaca agagtccact attaaagaac gtggactcca acgtcaaagg gcgaaaaacc 2520 gtctatcagg gcgatggccc actacgtgaa ccatcacct aatcaagttt tttggggtcg 2580 aggtgccgta aagcactaaa tcggaaccct aaagggagcc cccgatttag agcttgacgg 2640
aggagagga aaggaataa teggaacet aaaggagage eeegattta aggagage ggaaaggag gggaaaggag gggagattag 2700 gegetaggaa gtgtageggt eaegetgege gtaaceacea caceegeege gettaatge 2760 cegetacagg gegegtecat tegecattea ggetgegaa etgttgggaa gggegategg 2820 tgegggeete ttegetatta egecagetgg egaaagggg atgtgetgea aggegattaa 2880 gttgggtaac gecagggtt teceagteac gaegttgtaa aaegaeggee agtgaattgt 2940
aatacgacte actataggge gaattgggee cgacgtegea tgetecegge cgccatggeg 3000 geogegggaa ttegattete gagateeggt geagattatt tggattgaga gtgaatatga 3060 gaetetaatt ggatacegag gggaatttat ggaacgteag tggageattt ttgacaagaa 3120 atatttgeta getgatagtg acettaggeg acttttgaac gegeaataat ggtttetgae 3180
 gtatgtgctt ageteattaa actecagaaa eeegeggetg agtggeteet teaaegttge 3240
 ggttctgtca gttccaaacg taaaacggct tgtcccgcgt catcggcggg ggtcataacg 3300 tgactccctt aattctccgc tcatgatcag attgtcgttt cccgccttca gtctaga 3357
```

<210> 97 <211> 10122

<212> DNA

<213> Artificial Sequence

<220>

WO 02/097059 PCT/US02/17452

## <223> p1302NOS Plasmid

catggtagat ctgactagta aaggagaaga acttttcact ggagttgtcc caattcttgt 60 tgaattagat ggtgatgtta atgggcacaa attttctgtc agtggagagg gtgaaggtga 120 tgcaacatac ggaaaactta cccttaaatt tatttgcact actggaaaac tacctgttcc 180 giggecaaca citgicacta cittetetta tggtgiteaa tgeiitteaa gatacceaga 240 tcatatqaag cggcacgact tcttcaagag cgccatgcct gagggatacg tgcaggagag 300 gaccatette ttcaaggacg acgggaacta caagacacgt getgaagtea agtttgaggg 360 agacaccete gtcaacagga tegagettaa gggaategat ttcaaggagg acggaaacat 420 cctcggccac aagttggaat acaactacaa ctcccacaac gtatacatca tggccgacaa 480 gcaaaagaac ggcatcaaag ccaacttcaa gacccgccac aacatcgaag acggcggcgt 540 gcaactcgct gatcattatc aacaaaatac tccaattggc gatggccctg tccttttacc 600 agacaaccat tacctgtcca cacaatctgc cctttcgaaa gatcccaacg aaaagagaga 660 ccacatggte ettettgagt ttgtaacage tgetgggatt acacatggca tggatgaact 720 atacaaaget agecaccacc accaccacca egtgtgaatt ggtgaccage tegaatttee 780 ccgatcgttc aaacatttgg caataaagtt tcttaagatt gaatcctgtt gccggtcttg 840 cgatgattat catataattt ctgttgaatt acgttaagca tgtaataatt, aacatgtaat 900 gcatgacgtt atttatgaga tgggttttta tgattagagt cccgcaatta tacatttaat 960 acgcgataga aaacaaaata tagcgcgcaa actaggataa attatcgcgc gcggtgtcat 1020 ctatgttact agatcgggaa ttaaactatc agtgtttgac aggatatatt ggcgggtaaa 1080 cctaagagaa aagagcgttt attagaataa cggatattta aaagggcgtg aaaaggttta 1140 tccgttcgtc catttgtatg tgcatgccaa ccacagggtt cccctcggga tcaaagtact 1200 ttgatccaac coctcogctg ctatagtgca gtcggcttct gacgttcagt gcagccgtct 1260 tetgaaaacg acatgtegea caagteetaa gttacgegac aggetgeege cetgeeettt 1320 teetggegtt ttettgtege gtgttttagt egcataaagt agaataettg egactagaac 1380 cggagacatt acgccatgaa caagagegee geegetggee tgetgggeta tgecegegte 1440 agcaccgacg accaggactt gaccaaccaa cgggccgaac tgcacgcggc cggctgcacc 1500 aagctgtttt ccgagaagat caccggcacc aggcgcgacc gcccggagct ggccaggatg 1560 cttgaccacc tacgccctgg cgacgttgtg acagtgacca ggctagaccg cctggcccgc 1620 agcacccgcg acctactgga cattgccgag cgcatccagg aggccggcgc gggcctgcgt 1680 agcetggcag agcegtggge cgacaceace acgecggceg gccgcatggt gttgaccgtg 1740 ttcgccggca ttgccgagt cgacaceace acgccggceg gccgcatggt gttgaccgtg 1800 gaggccgca aggccgagg cgtgaagttt ggcccccgc ctaccctcac cccggcacag 1860 atcgcgcacg cccgcgaget gatcgaccag gaaggccgca ccgtgaaaga ggcggctgca 1920 ctgcttggcg tgcatcgctc gaccctgtac cgcgcacttg aggcagaga ggaagtgacg 1980 cccaccgagg ccaggegge cggtgcttc cgtgaggacg cattgaccga ggccgacgc 2040 ctggcggccg ccgagaatga acgccaagag gaacaagcat gaaaccgcac caggacggc 2100 aggacgaacc gttttcatt accgaagaga tcgaggcga gatgatcgc gccgggtacg 2160 tgttcgagcc gccgcgcac gtctcaaccg tgcggctgca tgaaatcctg gccggtttgt 2220 ctgatgccaa gctggcggcc tggcggcac gctgaagaacc gagggcgca 2280 gtctaaaaag gtgatgtgta tttgagtaaa acagcttgcg tcatgcggtc gctgcgtata 2340 tgatgcgatg agtaaataaa caaatacgca aggggaacgc atgaaggtta tcgctgtact 2400 taaccagaaa ggcgggtcag gcaagacgac catcgcaacc catctagccc gcgccctgca 2460 actcgccggg gccgatgttc tgttagtcga ttccgatccc cagggcagtg cccgcgattg 2500 ggcggccgtg cgggaagatc aaccgctaac cgttgtcggc atcgaccgcc cgacgattga 2580 ccgcgacgtg aaggccatcg gccggcgcga cttcgtagtg atcgacggag cgccccaggc 2640 categgeggt gaggttgccg aggegetgge egggtacgag etgeceatte ttgagteccg 2880 tateacgeag egegtgaget acceaggeac tgeegeegee ggcacaaccg ttettgaate 2940 agaaccegag ggcgacgetg cccgcgaggt ccaggcgetg gccgctgaaa ttaaatcaaa 3000 actcatttga gttaatgagg taaagagaaa atgagcaaaa gcacaaacac gctaagtgcc 3060 ggccgtccga gcgcacgcag cagcaaggct gcaacgttgg ccagcctggc agacacgcca 3120 gccatgaagc gggtcaactt tcagttgccg gcggaggatc acaccaagct gaagatgtac 3180 geggtaegee aaggeaagae cattaeegag etgetatetg aatacatege geagetaeea 3240 gagtaaatga gcaaatgaat aaatgagtag atgaatttta gcggctaaag gaggcggcat 3300 ggaaaatcaa gaacaaccag gcaccgacgc cgtggaatgc cccatgtgtg gaggaacggg 3360 cggttggcca ggcgtaagcg gctgggttgt ctgccggccc tgcaatggca ctggaacccc 3420 caagcccgag gaatcggcgt gacggtcgca aaccaatccgg cccggtacaa atcggcgcgg 3480 cgctgggtga tgacctggtg gagaagttga aggccgcgca ggccgcccag cggcaacgca 3540 tcgaggcaga agcacgccc ggtgaatcgt ggcaagcggc cgctgatcga atccgcaaag 3600 aatcccggca accgccggca gccggtgcgc cgtcgattag gaagccgccc aagggcgacg 3660 agcaaccaga ttttttcgtt ccgatgctct atgacgtggg cacccgcgat agtcgcagca 3720 tcatggacgt ggccgttttc cgtctgtcga agcgtgaccg acgagctggc gaggtgatcc 3780 gctacgagct tccagacggg cacgtagagg tttccgcagg gccggccggc atggccagtg 3840

tgtgggatta cgacctggta ctgatggcgg tttcccatct aaccgaatcc atgaaccgat 3900 accgggaagg gaagggagac aagcccggcc gcgtgttccg tccacacgtt gcggacgtac 3960 tcaagttctg ccggcgagcc gatggcggaa agcagaaaga cgacctggta gaaacctgca 4020 tteggttaaa caccaegeae gttgecatge agegtaegaa gaaggeeaag aaeggeegee 4080 tggtgaeggt ateegaggt gaageettga ttageegeta caagategta aagagegaaa 4140 ccgggcggcc ggagtacatc gagatcgagc tagctgattg gatgtaccgc gagatcacag 4200 aaggcaagaa cccggacgtg ctgacggttc accccgatta ctttttgatc gatcccggca 4260 teggeegttt tetetaeege etggeaegee gegeegeagg caaggeagaa geeagatggt 4320 tgttcaagac gatctacgaa cgcagtggca gcgccggaga gttcaagaag ttctgtttca 4380 ccgtgcgcaa gctgatcggg tcaaatgacc tgccggagta cgatttgaag gaggaggcgg 4440 ggcaggctgg cccgatccta gtcatgcgct accgcaacct gatcgagggc gaagcatccg 4500 ccggttccta atgtacggag cagatgctag ggcaaattgc cctagcaggg gaaaaaggtc 4560 gaaaaggtct ctttcctgtg gatagcacgt acattgggaa cccaaagccg tacattggga 4620 accggaaccc gtacattggg aacccaaagc cgtacattgg gaaccggtca cacatgtaag 4680 tgactgatat aaaagagaaa aaaggcgatt tttccgccta aaactcttta aaacttatta 4740 aaactettaa aacecgeetg geetgtgeat aactetteg ceagggaca geegaagage 4800 tgeaaaaagg gettaceett eggtegetge getecetaeg eeeggeeget tegegtegge 4860 etategegge egetggeegg teaaaaatgg etggeetaeg geeaggeaat etaceaggge 4920 geggacaagg eggeegteg eeactegaee geeggegee acateaagge accetgeete 4980 gegegttteg gtgatgaegg tgaaaacete tgacacatge aggteegge gaeggteaca 5040 gettgtetgt aagggatgte egggagaaga caagceegte agggeggte aggggtgtt 5160 ggcgggtgtc ggggcgcagc catgacccag tcacgtagcg atagcggagt gtatactggc 5160 ttaactatgc ggcatcagag cagattgtac tgagagtgca ccatatgcgg tgtgaaatac 5220 cgcacagatg cgtaaggaga aaataccgca tcaggcgctc ttccgcttcc tcgctcactg 5280 actogotacy cyclasysis actacyca teaggest tecegoric tegerory 3240 actogotacy cyclasysis actacycay agest agest agest agest actor as agest as 5340 tacgyttate cacagaatca gyggataacy caggaaagaa catgtgagca aaaggccage 5400 aaaaggccag gaaccytaaa aaggccyct tyctgycyt teagagyca ctccycccc 5460 ctgacgagca tcacaaaaat cyacyctaa gtcagagyty gcgaaaccyg acaggactat 5520 aaagatacca ggcgtttccc cctggaaget ccctcgtgcg ctctcctgtt ccgaccctgc 5580 cgcttaccgg atacctgtcc gcctttctcc cttcgggaag cgtggcgctt tctcatagct 5640 cacgctgtag gtatctcagt tcggtgtagg tcgttcgctc caagctgggc tgtgtgcacg 5700 aaccccccgt tcagccgac cgctgcgcct tatccggtaa ctatcgtctt gagtccaacc 5760 cggtaagaca cgacttatcg ccactggcag cagccactgg taacaggatt agcagagcga 5820 ggtatgtagg cggtgctaca gagttcttga agtggtggcc taactacggc tacactagaa 5880 ggacagtatt tggtatctgc gctctgctga agccagttac cttcggaaaa agagttggta 5940 getettgate eggeaaacaa accacegetg gtageggtgg tttttttgtt tgcaagcage 6000 agattacgeg cagaaaaaa ggatetcaag aagateettt gatettttet acggggtetg 6060 acgeteagtg gaacgaaaac teacgttaag ggattttggt catgeattet aggtactaaa 6120 acaatteate cagtaaaata taatattta tttteteeca ateaggettg atececagta 6180 agtcaaaaaa tagctcgaca tactgttctt ccccgatatc ctccctgatc gaccggacgc 6240 agaaggcaat gtcataccac ttgtccgccc tgccgcttct cccaagatca ataaagccac 6300 ttactttgcc atctttcaca aagatgttgc tgtctccag gtcgccgtgg gaaaagacaa 6360 gttcctcttc gggcttttcc gtctttaaaa aatcatacag ctcgcgcgga tctttaaatg 6420 gagtgtcttc ttcccagttt tcgcaatcca catcggccag atcgttattc agtaagtaat 6480 ccaattegge taageggetg tetaagetat tegtataggg acaateegat atgtegatgg 6540 agtgaaagag cctgatgcac tccgcataca gctcgataat cttttcaggg ctttgttcat 6600 cttcatactc ttccgagcaa aggacgccat cggcctcact catgagcaga ttgctccagc 6660 taattataac aagacgaact ccaattcact gttccttgca ttctaaaacc ttaaatacca 7020 gaaaacagct ttttcaaagt tgttttcaaa gttggcgtat aacatagtat cgacggagcc 7080 gattttgaaa ccgcggtgat cacaggcagc aacgctctgt catcgttaca atcaacatgc 7140 taccetecge gagateatee gtgtttcaaa ceeggeaget tagttgeegt tetteegaat 7200 ageateggta acatgageaa agtetgeege ettacaaegg eteteeeget gaegeegtee 7260 eggactgata ggctgcctgt atcgagtggt gattttgtgc cgagctgccg gtcggggagc 7320 tgttggctgg ctggtggcag gatatattgt ggtgtaaaca aattgacgct tagacaactt 7380 aataacacat tgcggacgtt tttaatgtac tgaattaacg ccgaattaat tcgggggatc 7440 tggattttag tactggattt tggttttagg aattagaaat tttattgata gaagtatttt 7500 acaaatacaa atacatacta agggtttctt atatgctcaa cactgagcg aaacccctata 7560 ggaaccctaa ttcccttatc tgggaactac tcacacatta ttatggagaa actcgagctt 7620 gtcgatcgac agatccggtc ggcatctact ctatttcttt gccctcggac gagtgctggg 7680 gcgtcggttt ccactatcgg cgagtacttc tacacagcca tcggtccaga cggccgcgct 7740 tetgegggeg atttgtgtac geeegacagt eeeggeteeg gateggaega ttgegtegea 7800 tegaceetge geccaagetg cateategaa attgeegtea accaagetet gatagagetg 7860

```
gtcaagacca atgcggagca tatacgcccg gagtcgtggc gatcctgcaa gctccggatg 7920 cctccgctcg aagtagcgcg tctgctgctc catacaagcc aaccacggcc tccagaagaa 7980
gatgttggeg acctegtatt gggaateee gaacategee tegetecagt caatgaege 8040 tgttatgegg ceattgteeg teaggacatt gttggageeg aaateegegt geacgaggtg 8100 ceggaetteg gggeagteet eggeecaaag cateagetea tegagageet gegegaegga 8160
cgcactgacg gtgtcgtcca tcacagtttg ccagtgatac acatggggat cagcaatcgc 8220 gcatatgaaa tcacgccatg tagtgtattg accgattcct tgcggtccga atgggccgaa 8280
cccgctcgtc tggctaagat cggccgcagc gatcgcatcc atagcctccg cgaccggttg 8340
tagaacagcg ggcagttcgg tttcaggcag gtcttgcaac gtgacaccct gtgcacggcg 8400 ggagatgcaa taggtcaggc tctcgctaaa ctccccaatg tcaagcactt ccggaatcgg 8460 gagcgcggcc gatgcaaagt gccgataaac ataacgatct ttgtagaaac catcggcgca 8520 gctatttacc cgcaggacat atccacgccc tcctacatcg aagctgaaag cacgagattc 8580
ttegecetee gagagetgea teaggtegga gaegetgteg aacttttega teagaaactt 8640 etegacagae gtegeggtga gtteaggett ttteatatet cattgeece eeggatetge 8700 gaaagetega gagagataga tttgtagaga gagaetggtg attteagegt gteeteteea 8760
aatgaaatga acttocttat atagaggaag gtottgogaa ggatagtggg attgtgogte 8820 atcocttacg toagtggaga tatcacatca atcoacttgo tttgaagaeg tggttggaac 8880 gtottottt tocacgatgo tootogtgg tgggggtoca totttggac cactgtogge 8940 agaggcatct tgaacgatag cottocttt atcgcaatga tggcattgt aggtgocacc 9000
ttccttttct actgtccttt tgatgaagtg acagatagct gggcaatgga atccgaggag 9060 gtttcccgat attacccttt gttgaaaagt ctcaatagcc ctttggtctt ctgagactgt 9120
atctttgata ttcttggagt agacgagagt gtcgtgctcc accatgttat cacatcaatc 9180 cacttgcttt gaagacgtgg ttggaacgtc ttctttttcc acgatgctcc tcgtgggtgg 9240
gggtccatct ttgggaccac tgtcggcaga ggcatcttga acgatagcct ttcctttatc 9300
gcaatgatgg catttgtagg tgccaccttc cttttctact gtccttttga tgaagtgaca 9360 gatagctggg caatggaatc cgaggaggtt tcccgatatt accctttgtt gaaaagtctc 9420 aatagccctt tggtcttctg agactgtatc tttgatattc ttggagtaga cgagagtgtc 9480
gtgctccacc atgttggcaa gctgctctag ccaatacgca aaccgcctct ccccgcgcgt 9540 tggccgattc attaatgcag ctggcacgac aggtttcccg actggaaagc gggcagtgag 9600
cgcaacgcaa ttaatgtgag ttagctcact cattaggcac cccaggcttt acactttatg 9660 cttccggctc gtatgttgtg tggaattgtg agcggataac aatttcacac aggaaacagc 9720
tatgaccatg attacgaatt cgagctcggt acccggggat cctctagact gaaggcggga 9780 aacgacaatc tgatcatgag cggagaatta agggagtcac gttatgaccc ccgccgatga 9840
egegggacaa geegttttae gtttggaact gacagaaceg caacgttgaa ggagccacte 9900 ageegegggt ttetggagtt taatgageta ageacatacg teagaaacea ttattgegeg 9960 tteaaaagte geetaaggte actateaget ageaaatatt tettgteaaa aatgeteeac 10020
tgacgttcca taaattcccc tcggtatcca attagagtct catattcact ctcaatccaa 10080
ataatctgca ccggatctcg agaatcgaat tcccgcggcc gc
                                                                                                                                          10122
<210> 98
<211> 621
<212> DNA
<213> Artificial Sequence
<223> N. tabacum rDNA interquic spacer (IGS) sequence
<300>
<308> Genbank #Y08422
<309> 1997-10-31
qtqctaqcca atgtttaaca aqatqtcaag cacaatgaat gttggtggtt ggtggtcgtg 60
gctggcggtg gtggaaaatt gcggtggttc gagcggtagt gatcggcgat ggttggtgtt 120 tgcagcggtg tttgatatcg gaatcactta tggtggttgt cacaatggag gtggtcatc 180 gttattggtg gttggtcatc tatatattt tataataata ttaagtattt tacctatttt 240 ttacatattt tttattaaat ttatgcattg tttgtatttt taaatagttt ttatcgtact 300
tgttttataa aatatttat tattttatgt gttatattat tacttgatgt attggaaatt 360 ttctccattg ttttttctat atttataata attttcttat tttttttgt tttattatgt 420 atttttcgt tttataataa atatttatta aaaaaaatat tatttttgta aaatatatca 480
tttacaatgt ttaaaagtca tttgtgaata tattagctaa gttgtacttc tttttgtgca 540
tttggtgttg tacatgtcta ttatgattct ctggccaaaa catgtctact cctgtcactt 600 gggttttttt ttttaagaca t
<210> 99
<211> 25
<212> DNA
```

WO 02/097059 PCT/US02/17452

-61-

```
<213> Artificial Sequence
<220>
<223> NTIGS-F1 Primer
<400> 99
                                                                                 25
gtgctagcca atgtttaaca agatg
<210> 100
<211> 28
<212> DNA
<213> Artificial Sequence
<220>
<223> NTIGS-R1 Primer
<400> 100
                                                                                 28
atgtcttaaa aaaaaaaacc caagtgac
<210> 101
<211> 233
<212> DNA
<213> Mus Musculus
<300>
<308> Genbank #V00846
<309> 1989-07-06
<400> 101
gacctggaat atggcgagaa aactgaaaat cacggaaaat gagaaataca cactttagga 60 cgtgaaatat ggcgaggaaa actgaaaaag gtggaaaatt tagaaatgtc cactgtagga 120 cgtggaatat ggcaagaaaa ctgaaaatca tggaaaatga gaaacatcca cttgacgact 180
tgaaaaatga cgaaatcact aaaaaacgtg aaaaatgaga aatgcacact gaa
<210> 102
<211> 31
<212> DNA
<213> Artificial Sequence
<223> MSAT-F1 Primer
<400> 102
                                                                                 31
aataccgcgg aagcttgacc tggaatatcg c
<210> 103
<211> 27
<212> DNA
<213> Artificial Sequence
<220>
<223> MSAT-Ri Primer
<400> 103
ataaccgcgg agtccttcag tgtgcat
                                                                                 27
<210> 104
<211> 277
<212> DNA
<213> Artificial Sequence
<223> Nopaline Synthase Promoter Sequence
<308> Genbank #U09365
<309> 1997-10-17
```

PCT/US02/17452

-62-

<pre>&lt;400&gt; 104 gagctcgaat ttccccgatc gttcaaacat ttggcaataa agtttcttaa gattgaatcc tgttgccggt cttgcgatga ttatcatata atttctgttg aattacgtta agcatgtaat aattaacatg taatgcatga cgttatttat gagatgggtt tttatgatta gagtcccgca attatacatt taatacgcga tagaaaacaa aatatagcgc gcaaactagg ataaattatc gcgcgcggtg tcatctatgt tactagatcg ggaattc</pre>														
<210> 105 <211> 1812 <212> DNA <213> Escherichia coli														
<220> <221> CDS <222> (1)(1812) <223> Beta-Glucuronidase														
<300> <308> Genbank #S69414 <309> 1994-09-23														
<pre>&lt;400&gt; 105 atg tta cgt cct gta gaa acc cca acc cgt gaa atc aaa aaa ctc gac 48 Met Leu Arg Pro Val Glu Thr Pro Thr Arg Glu Ile Lys Lys Leu Asp 1 5 10 15</pre>														
ggc ctg tgg gca ttc agt ctg gat cgc gaa aac tgt gga att gat cag 96 Gly Leu Trp Ala Phe Ser Leu Asp Arg Glu Asn Cys Gly Ile Asp Gln 20 25 30														
cgt tgg tgg gaa agc gcg tta caa gaa agc cgg gca att gct gtg cca 144 Arg Trp Trp Glu Ser Ala Leu Gln Glu Ser Arg Ala Ile Ala Val Pro 35 40 45														
ggc agt ttt aac gat cag ttc gcc gat gca gat att cgt aat tat gcg 192 Gly Ser Phe Asn Asp Gln Phe Ala Asp Ala Asp Ile Arg Asn Tyr Ala 50 55 60														
ggc aac gtc tgg tat cag cgc gaa gtc ttt ata ccg aaa ggt tgg gca 240 Gly Asn Val Trp Tyr Gln Arg Glu Val Phe Ile Pro Lys Gly Trp Ala 65 70 75 80														
ggc cag cgt atc gtg ctg cgt ttc gat gcg gtc act cat tac ggc aaa 288 Gly Gln Arg Ile Val Leu Arg Phe Asp Ala Val Thr His Tyr Gly Lys 85 90 95														
gtg tgg gtc aat aat cag gaa gtg atg gag cat cag ggc ggc tat acg 336 Val Trp Val Asn Asn Gln Glu Val Met Glu His Gln Gly Gly Tyr Thr 100 105 110														
cca ttt gaa gcc gat gtc acg ccg tat gtt att gcc ggg aaa agt gta 384 Pro Phe Glu Ala Asp Val Thr Pro Tyr Val Ile Ala Gly Lys Ser Val 115 120 125														
cgt atc acc gtt tgt gtg aac aac gaa ctg aac tgg cag act atc ccg 432 Arg Ile Thr Val Cys Val Asn Asn Glu Leu Asn Trp Gln Thr Ile Pro 130 135 140														
ccg gga atg gtg att acc gac gaa aac ggc aag aaa aag cag tct tac 480 Pro Gly Met Val Ile Thr Asp Glu Asn Gly Lys Lys Lys Gln Ser Tyr 145 150 155 160														
ttc cat gat ttc ttt aac tat gcc gga atc cat cgc agc gta atg ctc 528 Phe His Asp Phe Phe Asn Tyr Ala Gly Ile His Arg Ser Val Met Leu 165 170 175														
tac ace acg ecg aac acc tgg gtg gac gat atc acc gtg gtg acg cat 576														

-63-

Tyr	Thr	Thr	Pro 180	Asn	Thr	Trp	Val	Asp 185	qaA	Ile	Thr	Val	Val 190	Thr	His	
												cag Gln 205				624
aat Asn	ggt Gly 210	gat Asp	gtc Val	agc Ser	gtt Val	gaa Glu 215	ctg Leu	cgt Arg	gat Asp	gcg Ala	gat Asp 220	caa Gln	cag Gln	gtg Val	gtt Val	672
												gtg Val				720
ctc Leu	tgg Trp	caa Gln	ccg Pro	ggt Gly 245	gaa Glu	ggt Gly	tat Tyr	ctc Leu	tat Tyr 250	gaa Glu	ctg Leu	tgc Cys	gtc Val	aca Thr 255	gcc Ala	768
aaa Lys	agc Ser	cag Gln	aca Thr 260	gag Glu	tgt Cys	gat Asp	atc Ile	tac Tyr 265	ccg Pro	ctt Leu	cgc Arg	gtc Val	ggc Gly 270	atc Ile	cgg Arg	816
												cac His 285				864
tac Tyr	ttt Phe 290	act Thr	ggc Gly	ttt Phe	ggt Gly	cgt Arg 295	cat His	gaa Glu	gat Asp	gcg Ala	gac Asp 300	ttg Leu	cgt Arg	ggc	aaa Lys	912
												tta Leu				960
att Ile	Gly 999	gcc Ala	aac Asn	tcc Ser 325	Tyr	cgt Arg	acc Thr	tcg Ser	cat His 330	tac Tyr	cct Pro	tac Tyr	gct Ala	gaa Glu 335	gag Glu	1008
												att Ile				1056
												ttc Phe 365				1104
												aac Asn				1152
												gcg Ala				1200
aac Asn	cac His	cca Pro	agc Ser	gtg Val 405	gtg Val	atg Met	tgg Trp	agt Ser	att Ile 410	gcc Ala	aac Asn	gaa Glu	ccg Pro	gat Asp 415	acc Thr	1248
												gcg Ala				1296
												aat Asn 445				1344

WO 02/097059 PCT/US02/17452

-64-

tgc Cys	gac Asp 450	gct Ala	cac His	acc Thr	gat Asp	acc Thr 455	atc Ile	agc Ser	gat Asp	ctc Leu	ttt Phe 460	gat Asp	gtg Val	ctg Leu	tgc Cys	1392
ctg Leu 465	aac Asn	cgt Arg	tat Tyr	tac Tyr	gga Gly 470	tgg Trp	tat Tyr	gtc Val	caa Gln	agc Ser 475	ggc Gly	gat Asp	ttg Leu	gaa Glu	acg Thr 480	1440
gca Ala	gag Glu	aag Lys	gta Val	ctg Leu 485	gaa Glu	aaa Lys	gaa Glu	ctt Leu	ctg Leu 490	gcc Ala	tgg Trp	cag Gln	gag Glu	aaa Lys 495	ctg Leu	1488
cat His	cag Gln	ccg Pro	att Ile 500	atc Ile	atc Ile	acc Thr	gaa Glu	tac Tyr 505	ggc Gly	gtg Val	gat Asp	acg Thr	tta Leu 510	gcc Ala	gjå aaa	1536
ctg Leu	cac His	tca Ser 515	atg Met	tac Tyr	acc Thr	gac Asp	atg Met 520	tgg Trp	agt Ser	gaa Glu	gag Glu	tat Tyr 525	cag Gln	tgt Cys	gca Ala	1584
tgg Trp	ctg Leu 530	gat Asp	atg Met	tat Tyr	cac His	cgc Arg 535	gtc Val	ttt Phe	gat Asp	cgc Arg	gtc Val 540	agc Ser	gcc Ala	gtc Val	gtc Val	1632
ggt Gly 545	gaa Glu	cag Gln	gta Val	tgg Trp	aat Asn 550	ttc Phe	gcc Ala	gat Asp	ttt Phe	gcg Ala 555	acc Thr	tcg Ser	caa Gln	ggc Gly	ata Ile 560	1680
ttg Leu	cgc Arg	gtt Val	ggc Gly	ggt Gly 565	aac Asn	aag Lys	aaa Lys	gly aaa	atc Ile 570	ttc Phe	act Thr	cgc Arg	gac Asp	ege Arg 575	aaa Lys	1728
								caa Gln 585								1776
ttc Phe	ggt Gly	gaa Glu 595	aaa Lys	ccg Pro	cag Gln	cag Gln	gga Gly 600	ggc Gly	aaa Lys	caa Gln	tga *					1812

<sup>&</sup>lt;210> 106

<400> 106 Met Leu Arg Pro Val Glu Thr Pro Thr Arg Glu Ile Lys Lys Leu Asp 1 10 15 1 5 10 15 Gly Leu Trp Ala Phe Ser Leu Asp Arg Glu Asn Cys Gly Ile Asp Gln 20 25 30 5 Arg Trp Trp Glu Ser Ala Leu Gln Glu Ser Arg Ala Ile Ala Val Pro 35 40 Gly Ser Phe Asn Asp Gln Phe Ala Asp Ala Asp Ile Arg Asn Tyr Ala 50 60 Gly Asn Val Trp Tyr Gln Arg Glu Val Phe Ile Pro Lys Gly Trp Ala 65 70 75 80
Gly Gln Arg Ile Val Leu Arg Phe Asp Ala Val Thr His Tyr Gly Lys 85 90 95
Val Trp Val Asn Asn Gln Glu Val Met Glu His Gln Gly Gly Tyr Thr 105 110 100 Pro Phe Glu Ala Asp Val Thr Pro Tyr Val Ile Ala Gly Lys Ser Val 115 120 125 115

<sup>&</sup>lt;211> 603 <212> PRT

<sup>&</sup>lt;213> Escherichia coli

<sup>&</sup>lt;300>

<sup>&</sup>lt;308> Genbank #S69414 <309> 1994-09-23

-65-

Arg	Ile 130	Thr	Val	Cys	Val	Asn 135		Glu	Leu	Asn	Trp 140	Gln	Thr	Ile	Pro
Pro 145		Met	Val	Ile	Thr 150			Asn	Gly	Lys 155		Lys	Gln	Ser	Tyr 160
Phe	His	Asp	Phe	Phe 165	Asn	Tyr	Ala	Gly	Ile 170	His	Arg	Ser	Val	Met 175	Leu
Tyr	Thr	Thr	Pro 180	Asn	Thr	Trp	Val	Asp 185		Ile	Thr	Val	Val 190	Thr	His
Val	Ala	Gln 195	qaA	Сла	Asn	His	Ala 200		Val	Asp	Trp	Gln 205	Val	Val	Ala
Asn	Gly 210	Asp	Val	Ser	Val	Glu 215	Leu	Arg	Asp	Ala	Asp 220	Gln	Gln	Val	Val
Ala 225	Thr	Gly	Gln	Gly	Thr 230	Ser	Gly	Thr	Leu	Gln 235	Val	Val	Asn	Pro	His 240
Leu	Trp	Gln	Pro	Gly 245	Glu	Gly	Tyr	Leu	Tyr 250	Glu	Leu	Cys	Val	Thr 255	Ala
Lys	Ser	Gln	Thr 260	Glu	Сув	Asp	Ile	Tyr 265	Pro	Leu	Arg	Val	Gly 270	Ile	Arg
Ser	Val	Ala 275	Val	Lys	Gly	Glu	Gln 280	Phe	Leu	Ile	Asn	His 285	Lys	Pro	Phe
Tyr	Phe 290	Thr	Gly	Phe	Gly	Arg 295	His	Glu	Asp	Ala	Asp 300	Leu	Arg	Gly	ГÀЗ
Gly 305	Phe	Asp	Asn	Val	Leu 310	Met	Val	His	qaA	His 315	Ala	Leu	Met	Asp	Trp 320
Ile	Gly	Ala	Asn	Ser 325	Tyr	Arg	Thr	Ser	His	Tyr	Pro	Tyr	Ala	Glu 335	Glu
		_	Trp 340		_			345					350		
		355	Gly				360					365			
	370		Lys			375					380				
385			His		390			-		395			_	_	400
			Ser	405			_		410					415	
Arg			Gly 420					425					430		
		435	Asp			_	440					445			
	450		His		_	455			_		460	_			_
465	Asn	_			Gly 470					475					480
		_	Val	485		_			490		_			495	
			Ile 500					505	_		_		510		_
		515	Met Met				520					525			
_	530		Val	_		535			_	_	540				
545				_	550			_		555				_	560
			Gly	565					570					575	
	-		Ala 580					585	_	_	тър	TITE	590	Met	ABII
File	атĀ	595	Lys	PIO	GTII	GTII	eno Gra	GTĀ	пŽв	GT11					

<sup>&</sup>lt;210> 107 <211> 277 <212> DNA <213> Artificial Sequence

-66-

```
<220>
 <223> Nopaline Synthase Terminator Sequence
 <308> V09365
 <309> 1995~10-17
gagetegaat tteecegate gtteaaacat ttggeaataa agtttettaa gattgaatee 60 tgttgeeggt ettgegatga ttateatata atttetgttg aattaegtta ageatgtaat 120
 aattaacatg taatgcatga cgttatttat gagatgggtt tttatgatta gagtcccgca 180
attatacatt taatacgcga tagaaaacaa aatatagcgc gcaaactagg ataaattatc 240 gcgcgcggtg tcatctatgt tactagatcg ggaattc 277
<210> 108
<211> 3451
.<212> DNA
<213> Artificial Sequence
<220>
<223> HindIII Fragment containing the beta-glucuronidase
            coding sequence, the rDNA intergenic spacer, and
            the Mastl sequence
 <400> 108
 aagettgace tggaatateg egagtaaaet gaaaateaeg gaaaatgaga aatacacact 60
 ttaggacgtg aaatatggcg aggaaaactg aaaaaggtgg aaaatttaga aatgtccact 120
gtaggacgtg gaatatggca agaaaactga aaatcatgga aaatgagaaa catccacttg 180 acgacttgaa aaatgacgaa atcactaaaa aacgtgaaaa atgagaaatg cacactgaag 240
gactcogogg gaattcgatt gtgctagcca atgtttaaca agatgtcaag cacaatgaat 300 gttggtggtt ggtggtcgtg gctggcggtg gtggaaaatt gcggtggttc gagcggtagt 360 gatcggcgat ggttggtgtt tgcagcggtg tttgatatcg gaatcactta tggtggttgt 420 cacaatggag gtgcgtcatcg gttattggtg gttggtcatc tatatattt tataataatta 480 taaagtattt tacctatttt ttacatattt ttattaaat ttatgcattg tttgatattc 500
 taaalagttt ttatcgtact tgttttataa aatattttat tattitatgt gttatattat 600
tacttgatgt attggaaatt ttctccattg ttttttctat atttataata attttcttat 660 ttttttttgt tttattatgt attttttcgt tttataata atatttatta aaaaaaatat 720
tatttttgta aaatatatca tttacaatgt ttaaaagtca tttgtgaata tattagctaa 780 gttgtacttc tttttgtgca tttggtgttg tacatgtcta ttatgattct ctggccaaaa 840
 catgictact coigtoacti gggittitti tittaagaca taatcactag igattatato 900
tagactgaag gegggaaacg acaatetgat catgagega gaattaaggg agteaegtta 960
tgaccecege egatgaegeg ggacaageeg ttttaegttt ggaactgaca gaacegcaac 1020
gttgaaggag ceaeteagee gegggtttet ggagtttaat gagetaagea cataegteag 1080
aaaccattat tgegegttea aaagtegeet aaggteacta teagetagea aatattteet 1140
gtcaaaaatg ctcactgac gttccataaa ttcccctcgg tatccaatta gagtctcata 1200
ttcactctca atccaaataa tctgcaccgg atctcgagat cgaattcccg cggccgcgaa 1260 ttcactagtg gatccccggg tacggtcagt cccttatgtt acgtcctgta gaaaccccaa 1320
cccgtgaaat caaaaaactc gacggcctgt gggcattcag tctggatcgc gaaaactgtg 1380 gaattgagca gcgttggtgg gaaagcgcgt tacaagaaag ccgggcaatt gctgtgccag 1440 gcagttttaa cgatcagttc gccgatgcag atattcgtaa ttatgtgggc aacgtctggt 1500
atcagegega agtetttata eegaaaggtt gggeaggeea gegtategtg etgegttteg 1560 atgeggteae teattaegge aaagtgtgg teaataatea ggaagtgatg gageateagg 1620 geggetatae gecatttgaa geegatgtea egeegtatgt tattgeeggg aaaagtgtae 1680
gtatcacagt ttgtgtgaac aacgaactga actggcagac tatcccgccg ggaatggtga 1740 ttaccgacga aaacggcaag aaaaagcagt cttacttcca tgatttcttt aactacgccg 1800
ggatccatcg cagcgtaatg ctctacacca cgccgaacac ctgggtggac gatatcaccg 1860
tggtgacgca tgtcgcgcaa gactgtaacc acgcgtctgt tgactggcag gtggtggcca 1920 atggtgatgt cagcgttgaa ctgcgtgatg cggatcaaca ggtggttgca actggacaag 1980 gcaccagcgg gactttgcaa gtggtgaatc cgcacctctg gcaaccgggt gaaggttatc 2040 tctatgaact gtacgtcaca gccaaaagcc agacagagtg tgatatctac ccgctgcgcg 2100
teggeateeg gteagtggea gtgaaggeg aacagtteet gateaaceae aaacegttet 2160 actttactgg etttggeegt catgaagatg eggatttgeg eggeaaagga ttegataacg 2220 tgetgatggt geacgateae geattaatgg actggattgg ggceaactee tacegtacet 2280 egcattacee ttacgetgaa gagatgeteg actgggeaga tgaacatgge ateggtggta 2340
tigatgaaac tgcagctgtc ggctttaacc tctctttagg cattggtttc gaagcgggca 2400
acaagccgaa agaactgtac agcgaagagg cagtcaacgg ggaaactcag caggcgcact 2460 tacaggcgat taaagagctg atagcgcgtg acaaaaacca cccaagcgtg gtgatgtgga 2520
```

PCT/US02/17452 WO 02/097059

-67-

```
gtattgccaa cgaaccggat acccgtccgc aaggtgcacg ggaatatttc gcgccactgg 2580 cggaagcaac gcgtaaactc gatccgacgc gtccgatcac ctgcgtcaat gtaatgttct 2640 gcgacgctca caccgatacc atcagcgatc tctttgatgt gctgtgcctg aaccgttatt 2700
acggttggta tgtccaaagc ggcgatttgg aaacggcaga gaaggtactg gaaaaagaac 2760 ttctggcctg gcaggagaaa ctgcatcagc cgattatcat caccgaatac ggcgtggata 2820
cgttagccgg gctgcactca atgtacaccg acatgtggag tgaagagtat cagtgtgcat 2880 ggctggatat gtatcaccg gtctttgatc gcgtcagcgc cgtcgtcggt gaacaggtat 2940 ggaatttcgc cgattttgcg acctcgcaag gcatattgcg cgttggcggt aacagaagag 3000 ggatcttcac ccgcgaccgc aaaccgaagt cggcggcttt tctgctgcaa aaacgctgga 3060
ctggcatgaa cttcggtgaa aaaccgcagc agggaggcaa acaatgaatc aacaactctc 3120
ctggcgcacc atcgtcggct acagcctcgg gaattgcgta ccgagctcga atttccccga 3180 tcgttcaaac atttggcaat aaagtttctt aagattgaat cctgttgccg gtcttgcgat 3240 gattatcata taatttctgt tgaattacgt taagcatgta ataattaaca tgtaatgcat 3300
gacgttattt atgagatggg titttatgat tagagtcccg caattataca titaatacgc 3360
gatagaaaac aaaatatagc gcgcaaacta ggataaatta tcgcgcgcgg tgtcatctat 3420 gttactagat cgggaattcg atatcaagct t 3451
<210> 109
<211> 14627
<212> DNA
<213> Artificial Sequence
<220>
<223> pAg1la Plasmid
<400> 109
catgccaacc acagggttcc cctcgggatc aaagtacttt gatccaaccc ctccgctgct 60
atagtgcagt cggcttctga cgttcagtgc agccgtcttc tgaaaacgac atgtcgcaca 120 agtcctaagt tacgcgacag gctgccgccc tgcccttttc ctggcgtttt cttgtcgcgt 180
gitttagtog cataaagtag aatacttgog actagaaccg gagacattac gccatgaaca 240 agagogocgc cgctggcctg ctgggctatg cccgcgtcag caccgacgac caggacttga 300
ccaaccaacg ggccgaactg cacgcggccg gctgcaccaa gctgttttcc gagaagatca 360
ccggcaccag gcgcgaccgc ccggagctgg ccaggatgct tgaccaccta cgccctggcg 420 acgttgtgac agtgaccagg ctagaccgcc tggcccgcag cacccgcgac ctactggaca 480
ttgccgagcg catccaggag gccggcggg gcctgcatag cctggcagag ccgtgggccg 540 acaccaccac gccggccggc cgcatggtgt tgaccgtgt cgccggcatt gccgagttc 600 agcgttccct aatcatcgac cgcacccgga gcgggcgcga ggccgcaaag gccgaggcg 660 tgaagtttgg ccccgacct accetcacce cggcacagat cgcgcacgcc cgcgagctga 720 tcgaccagga aggccgcacc gtgaaagagg cggctgcact gcttggcgtg catcgctcga 780
ccctgtaccg cgcacttgag cgcagcgagg aagtgacgcc caccgaggcc aggcggcgcg 840
gtgccttccg tgaggacgca ttgaccgagg ccgacgcct ggcggccgc gagaatgaac 900 gccaagagga acaagcatga aaccgcacca ggacggccag gacgaaccgt ttttcattac 960 cgaagagatc gaggcggaga tgatcgcgc cgggtacgtg ttcgagccg ccgcgcacgt 1020
ctcaaccgtg cggctgcatg aaatcctggc cggtttgtct gatgccaagc tggcggcctg 1080 gccggccagc ttggcgcgtg aagaaccga gcgccgccgt ctaaaaaggt gatgtgtatt 1140 tgagtaaaac agcttgcgt atgcggtcgc tgcgtatatg atgcgatgag taaataaaca 1200 aatacgcaag gggaacgcat gaaggttatc gctgtactta accagaaagg cgggtcaggc 1260
aagacgacca tcgcaaccca tctagcccgc gccctgcaac tcgccgggc cgatgttctg 1320 ttagtcgatt ccgatccca gggcagtgcc cgcgattggg cggccgtgcg ggaagatcaa 1380 ccgctaaccg ttgtcggcat cgaccgccg acgattgac gcgacgtgaa ggccatcggc 1440
cggcgcgact tcgtagtgat cgacggagcg ccccaggcgg cggacttggc tgtgtccgcg 1500
atcaaggcag ccgacttcgt gctgattccg gtgcagccaa gcccttacga catatgggcc 1560 accgccgacc tggtggagct ggttaagcag cgcattgagg tcacggatgg aaggctacaa 1620
geggeetttg tegtgtegeg ggegateaaa ggeaegegea teggeggtga ggttgeegag 1680 gegetggeeg ggtaegaget geceattett gagteeegta teaegeageg egtgagetae 1740
ccaggcactg ccgccgcgg cacaaccgtt cttgaatcag aacccgaggg cgacgctgcc 1800
cgcgaggtcc aggcgctggc cgctgaaatt aaatcaaaac tcatttgagt taatgaggta 1860 aagagaaaat gagcaaaagc acaaacacgc taagtgccgg ccgtccgagc gcacgcagca 1920 gcaaggctgc aacgttggcc agcctggcag acacgccagc catgaagcgg gtcaactttc 1980
agttgccggc ggaggatcac accaagctga agatgtacgc ggtacgccaa ggcaagacca 2040
ttaccgaget getatetgaa tacategege agetaccaga gtaaatgage aaatgaataa 2100
gaagttgaag gccgcgcagg ccgcccagcg gcaacgcatc gaggcagaag cacgccccgg 2400 tgaatcgtgg caagcggccg ctgatcgaat ccgcaaagaa tcccggcaac cgccggcagc 2460
```

cggtgcgccg tcgattagga agccgcccaa gggcgacgag caaccagatt ttttcgttcc 2520 gatgetetat gaegtgggea ceegegatag tegeageate atggaegtgg cegtttteeg 2580 tetgtegaag egtgacegae gagetggega ggtgateege tacgagette cagaegggea 2640 egtagaggtt teegeaggge eggeeggeat ggeeagtgtg tgggattaeg acetggtaet 2700 gatggcggtt tcccatctaa ccgaatccat gaaccgatac cgggaaggga agggagacaa 2760 geceggeege gtgtteegte cacaegttge ggaegtacte aagttetgee ggegageega 2820 tggcggaaag cagaaagacg acctggtaga aacctgcatt cggttaaaca ccacgcacgt 2880 tgccatgcag cgtacgaaga aggccaagaa cggccgcctg gtgacggtat ccgagggtga 2940 agccttgatt agccgctaca agatcgtaaa gagcgaaacc gggcggccgg agtacatcga 3000 gatcgagcta gctgattgga tgtaccgcga gatcacagaa ggcaagaacc cggacgtgct 3060 gacggttcac cccgattact ttttgatcga tcccggcatc ggccgttttc tctaccgcct 3120 ggcacgccgc gccgcaggca aggcagaagc cagatggttg ttcaagacga tctacgaacg 3180 cagtggcagc gccggagagt tcaagaagt ctgttcacc gtgcgcaagc tgatcgggtc 3240 aaatgacctg ccggagtacg atttgaagga ggaggcgggg caggctggcc cgatcctagt 3300 catgegetae egeaacetga tegagggega ageateegee ggtteetaat gtaeggagea 3360 gatgetaggg caaattgeee tageaggga aaaaggtega aaaggtetet tteetgtgga 3420 tageacgtae attgggaace caaageegta cattgggaac eggaaceegt acattgggaa 3480 cccaaagccg tacattggga accggtcaca catgtaagtg actgatataa aagagaaaaa 3540 aggogattti teegeetaaa aetetttaaa aettattaaa aetettaaaa eeegeetgge 3600 etytgcataa ctgtctggcc agcgcacagc cgaagagctg caaaaagggc ctaccettcg 3660 gtcgctgcgc tccctacgcc ccgccgcttc gcgtcggcct atcgcggccg ctggccgctc 3720 aaaaatggct ggcctacggc caggcaatct accagggcgc ggacaagccg cgccgtcgcc 3780 actogacogo oggogoccae atcaaggcae cotgoologo gogtttoggt gatgacggtg 3840 aaaacctctg acacatgcag ctcccggaga cggtcacagc ttgtctgtaa gcggatgccg 3900 ggagcagaca agcccgtcag ggcgcgtcag cgggtgttgg cgggtgtcgg ggcgcagcca 3960 tgacccagtc acgtagcgat agcggagtgt atactggctt aactatgcgg catcagagca 4020 gattgtactg agagtgcacc atatgcggtg tgaaataccg cacagatgcg taaggagaaa 4080 ataccgcatc aggcgctctt ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg 4140 gctgcggcga gcggtatcag ctcactcaaa ggcggtaata cggttatcca cagaatcagg 4200 ggataacgca ggaaagaaca tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa 4260 ggccgcgttg ctggcgtttt tccataggct ccgccccct gacgagcatc acaaaaatcg 4320 acgctcaagt cagaggtggc gaaacccgac aggactataa agataccagg cgtttccccc 4380 tggaagctcc ctcgtgcgct ctcctgttcc gaccctgccg cttaccggat acctgtccgc 4440 ctttctccct tcgggaagcg tggcgctttc tcatagctca cgctgtaggt atctcagttc 4500 ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa ccccccgttc agcccgaccg 4560 etgegeetta teeggtaaet ategtettga gteeaaceeg gtaagacaeg aettategee 4620 aetggeagea geeactggta acaggattag cagagegagg tatgtaggeg gtgetacaga 4680 gttettgaag tggtggeeta aetaeggeta caetagaagg acagtattg gtatetgege 4740 totgotgaag coagitacot toggaaaaag agttggtago tottgatoog goaaacaaac 4800 caccgctggt agcggtggtt tttttgtttg caagcagcag attacgcgca gaaaaaaagg 4860 atctcaagaa gatcctttga tcttttctac ggggtctgac gctcagtgga acgaaaactc 4920 acgttaaggg attttggtca tgcattctag gtactaaaac aattcatcca gtaaaatata 4980 atattttatt ttctcccaat caggcttgat ccccagtaag tcaaaaaata gctcgacata 5040 ctgttcttcc ccgatatect ccctgatega ccggacgcag aaggcaatgt cataccactt 5100 qtccqccctq ccqcttctcc caaqatcaat aaagccactt actttgccat ctttcacaaa 5160 gatgttgctg teteccaggt egergtggg aaagacaagt teetettegg getttteegt 5220 etttaaaaaa teatacaget egergggate tttaaatgga gtgtettett eecagtttte 5280 geaatecaca teggecagat egttatteag taagtaatee aatteggeta ageggetgte 5340 taagctatte gtatagggac aatcegatat gtegatggag tgaaagagee tgatgcacte 5400 egeatacage tegataatet ttteaggget ttgtteatet teatactett cegageaaag 5460 gaegeeateg geeteactea tgageagatt geteeageea teatgeegtt caaagtgeag 5520 gacctttgga acaggcagct ttccttccag ccatagcatc atgtcctttt cccgttccac 5580 atcataggtg gtccctttat accggctgtc cgtcattttt aaatataggt tttcattttc 5640 tcccaccagc ttatatacct tagcaggaga cattccttcc gtatctttta cgcagcggta 5700 tttttcgatc agtttttca attccggtga tattctcatt ttagccatt attattcct 5760 tcctcttttc tacagtattt aaagataccc caagaagcta attataacaa gacgaactcc 5820 aattcactgt teetigeatt etaaaacett aaataccaga aaacagettt itcaaagttg 5880 ttttcaaagt tggcgtataa catagtatcg acggagccga ttttgaaacc gcggtgatca 5940 caggcagcaa cgctctgtca tcgttacaat caacatgcta ccctccgcga gatcatccgt 6000 gtttcaaacc cggcagctta gttgccgttc ttccgaatag catcggtaac atgagcaaag 6060 tctgccgcct tacaacggct ctcccgctga cgccgtcccg gactgatggg ctgcctgtat 6120 cgagtggtga ttttgtgccg agctgccggt cggggagctg ttggctggct ggtggcagga 6180 tatattgtgg tgtaaacaaa ttgacgctta gacaacttaa taacacattg cggacgtttt 6240 taatgtactg aattaacgcc gaattaattc gggggatctg gattttagta ctggattttg 6300 gttttaggaa ttagaaattt tattgataga agtattttac aaatacaaat acatactaag 6360 ggtttcttat atgctcaaca catgagegaa accetatagg aaccetaatt ccettatetg 6420 ggaactactc acacattatt atggagaaac tcgagtcaaa tctcggtgac gggcaggacc 6480

WO 02/097059

-69-

ggacgggggg gtaccggcag gctgaagtcc agctgccaga aacccacgtc atgccagttc 6540 ccgtgcttga agccggccgc ccgcagcatg ccgcgggggg catatccgag cgcctcgtgc 6600 atgcgcacgc tcgggtcgtt gggcagcccg atgacagcga ccacgctctt gaagccctgt 6660 gcctccaggg acttcagcag gtgggtgtag agcgtggagc ccagtcccgt ccgctggtgg 6720 cggggggaga cgtacacggt cgactcggcc gtccagtcgt aggcgttgcg tgccttccag 6780 gggcccgcgt aggcgatgcc ggcgacctcg ccgtccacct cggcgacgag ccagggatag 6840 cgctcccgca gacggacgag gtcgtccgtc cactcctgcg gttcctgcgg ctcggtacgg 6900 aagttgaccg tgcttgtctc gatgtagtgg ttgacgatgg tgcagaccgc cggcatgtcc 6960 gcctcggtgg cacggcggat gtcggccggg cgtcgttctg ggctcatggt agactcgaga 7020 gagatagatt tgtagagaga gactggtgat ttcagcgtgt cctctccaaa tgaaatgaac 7080 ttccttatat agaggaaggt cttgcgaagg atagtgggat tgtgcgtcat cccttacgtc 7140 agtggagata teacateaat ceacttgett tgaagaegtg gttggaaegt ettettttte 7200 caegatgete etegtgggtg ggggtecate tttgggacea etgetggaga aggeatettg 7260 aaegatagee ttteetttat egcaatgatg geatttgtag gtgecacett eettetteta etgeteetttg atgaagtga agatagetg geatttgtag gtgecacett eettetteta 7320 taecetttgt tgaaaagtet eaatageest etggtettet gagaetgtat ettegatat 7380 ettggagtag aggaagtgt eggeteest eggtettete gagaetgtat ettegatat 7440 ettggagtag aggaagtgt eggtesteest eggtettete gagaetgtat ettegatat 7500 cttggagtag acgagagtgt cgtgctcac catgttatca catcaatcca cttggagttg 7500 agacgtggtt ggaacgtctt ctttttcac gatgctctc gtgggtgggg gtccatctt 7560 gggaccactg tcggcagagg catcttgaac gatagcctt cctttatcgc aatgatggca 7680 ttggaatgg atggaateeg aggaggttte cegatattae eetttgttga aaagteteaa tageeetttg 7740 gtcttctgag actgtatctt tgatattctt ggagtagacg agagtgtcgt gctccaccat 7800 gttggcaagc tgctctagcc aatacgcaaa ccgcctctcc ccgcgcgttg gccgattcat 7860 taatgcagct ggcacgacag gtttcccgac tggaaagcgg gcagtgagcg caacgcaatt 7920 aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 7980 atgitgtgtg gaattgtgag cggataacaa tticacacag gaaacagcta tgaccatgat 8040 tacgaattcg agocttgact agagggtcga cggtatacag acatgataag atacattgat 8100 gagtttggac aaaccacaac tagaatgcag tgaaaaaaat gctttatttg tgaaaatttgt 8160 gatgctattg ctttatttgt aaccattata agctgcaata aacaagttgg ggtgggcgaa 8220 gaactccagc atgagatccc cgcgctggag gatcatccag ccggcgtccc ggaaaacgat 8280 tccgaagccc aacctttcat agaaggcggc ggtggaatcg aaatctcgta gcacgtgtca 8340 gtcctgctcc tcggccacga agtgcacgca gttgccggcc gggtcgcgca gggcgaactc 8400 ccgccccac ggctgctcgc cgatctcggt catggccggc ccggaggcgt cccggaagtt 8460 cgtggacacg acctccgacc actcggcgta cagctcgtcc aggccgcgca cccacaccca 8520 ggccagggtg ttgtccggca ccacctggtc ctggaccgcg ctgatgaaca gggtcacgtc 8580 gtcccggacc acaccggcga agtcgtcctc cacgaagtcc cgggagaacc cgagccggtc 8640 ggtccagaac tcgaccgctc cggcgacgtc gcgcggtg agcaccggaa cggcactggt 8700 caacttggcc atggatccag atttcgctca agttagtata aaaaagcagg cttcaatcct 8760 gcaggaattc gatcgacact ctcgtctact ccaagaatat caaagataca gtctcagaag 8820 accaaagggc tattgagact tttcaacaaa gggtaatatc gggaaacctc ctcggattcc 8880 attgcccagc tatctgtcac ttcatcaacaa ggacagtaga aaaggaaggt ggcacctaca 8940 aatgccatca ttgcgataaa ggaaaggcta tcgttcaaga tgcctctgcc gacagtggtc 9000 ccaaagatgg acccccacc acgaggagca tcgtgaaaa agaagacgtt ccaaccacgt 9060 cttcaaagca agtggattga tgtgataaca tggtggagca cgacactctc gtctactcca 9120 agaatatcaa agatacagto toagaagaco aaagggotat tgagactttt caacaaaggg 9180 taatateggg aaaceteete ggatteeatt gecaggetat etgteacette atcaaaagga 9240 cagtagaaaa ggaaggtgge acetacaaat gecatettg egataaagga aaggetateg 9300 tteaagatge etetgeegae agtggteeca aagatggaee eceacecaeg aggageateg 9360 tggaaaaaga agacgtteea aceaegtett caaageaagt ggattgatgt gatateteea 9420 ctgacgtaag ggatgacgca caatcccact atccttcgca agaccttcct ctatataagg 9480 aagttcattt catttggaga ggacacgctg aaatcaccag tctctctcta caaatctatc 9540 tctctcgagc tttcgcagat ccggggggc aatgagatat gaaaaagcct gaactcaccg 9600 cgacgtctgt cgagaagttt ctgatcgaaa agttcgacag cgtctccgac ctgatgcagc 9660 tctcggaggg cgaagaatct cgtgctttca gcttcgatgt aggagggcgt ggatatgtcc 9720 tgcgggtaaa tagctgcgcc gatggtttct acaaagatcg ttatgtttat cggcactttg 9780 categgeege geteegatt ceggaagtge ttgacattgg ggagtttage gagageettg 9840 cetattgeat eteeggeeg geteegegt teaegttgea agacetgeet gaaacegaae 9900 tgeeegetgt tetaeaaceg gtegeggagg etatggatge gategetgeg geegatetta 9960 geeagaegag egggttegge ceatteggae egcaaggaat eggteaatae actacatgge 10020 gtgatteat atgegegatt getgateece atgtgatea etggeaaact gtgatggaeg 10080 acaccetcag tegetceetc gegeagetc tegategact gatectteg geegaggact 10140 geecegaagt cegeacetc gtgeacegeg atttegetc caacaattge etgacegega attegetcat acacageggtc attgactga gegaggegat gtteggggat teccaatacg 10260 atggeegeat aacageggtc attgactga gegaggegat gtteggggat teccaatacg 10260 aggtcgcaa catcttcttc tggaggcgt ggttggcttg tatggagcag cagacgcgct 10320 acttcgagcg gaggcatccg gagcttgcag gatcgcacg actccgggcg tatatgctcc 10380 gcattggtct tgaccaactc tatcagagct tggttgacgg caatttcgat gatgcagctt 10440 gggcgcaggg tcgatgcga gcaatcgtcc gatccggagc cgggactgtc gggcgtacac 10500

aaatcgcccg cagaagcgcg gccgtctgga ccgatggctg tgtagaagta ctcgccgata 10560 gtggaaaccg acgecccage actegteega gggcaaagaa atagagtaga tgeegaccgg 10620 atctgtcgat cgacaagctc gagtttctcc ataataatgt gtgagtagtt cccagataag 10680 ggaattaggg ticctatagg gtttcgctca tgtgttgagc atataagaaa cccttagtat 10740 gtattgtat ttgtaaaata cttctatcaa taaaatttct aattcctaaa accaaaatcc 10800 agtactaaaa tccagatccc ccgaattaat tcggcgttaa ttcagatcaa gcttgacctg 10860 gaatatcgcg agtaaactga aaatcacgga aaatgagaaa tacacacttt aggacgtgaa 10920 atatggcgag gaaaactgaa aaaggtggaa aatttagaaa tgtccactgt aggacgtgga 10980 atatggcaag aaaactgaaa atcatggaaa atgagaaaca tccacttgac gacttgaaaa 11040 atatggcaag aaaactgaaa atcatggaaa atgagaaaca tccacttgac gacttgaaaa 11040 atgacgaaat cactaaaaaa cgtgaaaaat gagaaatgca cactgaagga ctccgcggga 11100 attcgattgt gctagccaat gtttaacaag atgtcaagca caatgaatgt tggtggttgg 11160 tggtcgtggc tggcggtggt ggaaaattgc ggtggttcga gcggtagtga tcggcgatgg 11220 ttggtgtttg cagcggtgtt tgatatcgga atcacttatg gtggttgtca caatggaggt 11280 gcgtcatggt tattggtggt tggtcatca tatatttta taataatat aagtatttta 11340 cctatttttt acatattttt tattaaattt atgcattgtt tgtattttta aatagttttt 11400 atcgtacttg ttttataaaa tattttatta ttttatgtgt tatattatta cttgatgtat 11460 tggaaatttt ctccattgtt ttttctatat ttataataat tttcttattt ttttttgttt 11520 tattatgtat titttcgttt tataataaat atttattaaa aaaaatatta titttgtaaa 11580 atatatcatt tacaatgttt aaaagtcatt tgtgaatata ttagctaagt tgtacttctt 11640 tttgtgcatt tggtgttgta catgtctatt atgattctct ggccaaaaca tgtctactcc 11700 tgtcacttgg gtttttttt ttaagacata atcactagtg attatatcta gactgaaggc 11760 gggaaacgac aatctgatca tgagcggaga attaagggag tcacgttatg acccccgccg 11820 atgacgcggg acaagccgtt ttacgtttgg aactgacaga accgcaacgt tgaaggagcc 11880 actcagccgc gggtttctgg agtttaatga gctaagcaca tacgtcagaa accattattg 11940 cgcgttcaaa agtcgcctaa ggtcactatc agctagcaaa tatttcttgt caaaaatgct 12000 ccactgacgt tccataaatt cccctcggta tccaattaga gtctcatatt cactctcaat 12060 ccaaataatc tgcaccggat ctcgagatcg aattcccgcg gccgcgaatt cactagtgga 12120 teccegggta eggteagtee ettatgttae gteetgtaga aaccecaace egtgaaatea 12180 aaaaactcga cggcctgtgg gcattcagtc tggatcgcga aaactgtgga attgagcagc 12240 gttggtggga aagcgcgtta caagaaagcc gggcaattgc tgtgccaggc agttttaacg 12300 atcagttcgc cgatgcagat attcgtaatt atgtgggcaa cgtctggtat cagcgcgaag 12360 tctttatacc gaaaggttgg gcaggccagc gtatcgtgct gcgtttcgat cagcgcgaag 12420 attacggcaa agtgtgggtc aataatcagg aagtgatgga gcatcagggc ggctatacgc 12420 cattgaaca cgatgtcacg ccgtatgtta ttgccggggaa aagtgtacgt atcacagttt 12540 gtgtgaacaa cgaactgaac tggcagacta tcccgccggg aatggtgatt accgacgaaa 12600 acggcaagaa aaagcagtet taettecatg attetttaa etaegeeggg atcategea 12660 gegtaatget etaeaceaeg cegaacacet gggtggaega tateacegtg gtgaegeatg 12720 tegegeaaga etgtaaceae gegtetgttg aetggeaggt ggtggeeaat ggtgatgtea 12780 gegttgaact gegtgatgeg gatcaaeagg tggttgeaae tggaeaagge accageggga 12840 ctttgcaagt ggtgaatccg cacetetggc aaccgggtga aggttatete tatgaactgt 12900 acgtcacage caaaagccag acagatgtg atatetacce getgegegte ggcatecggt 12960 cagtggcagt gaagggcgaa cagttectga teaaccacaa accgttetac tttaetgget 13020 ttggccgtca tgaagatgcg gatttgcgcg gcaaaggatt cgataacgtg ctgatggtgc 13080 acgatcacgc attaatggac tggattgggg ccaactccta ccgtacctcg cattaccctt 13140 acgctgaaga gatgctcgac tgggcagatg aacatggcat cgtggtgatt gatgaaactg 13200 cagctgtcgg ctttaacctc tctttaggca ttggtttcga agcgggcaac aagccgaaag 13260 aactgtacag cgaagaggca gtcaacgggg aaactcagca ggcgcactta caggcgatta 13320 aagagctgat agcgcgtgac aaaaaccacc caagcgtggt gatgtggagt attgccaacg 13380 aaceggatac cegteegeaa getgeacegg aatatttege gecactegeg gaageaacge 13440 gtaaactega teegacgegt cegateacet gegteaatgt aatgttetge gaegeteaca 13500 cegataceat cagegatete titgatgtge tegtgeetgaa cegitattac gettegtatg 13560 aggagaaact gcatcagccg attatcatca ccgaatacgg cgtggatacg ttagccgggc 13680 tgcactcaat gtacaccgac atgtggagtg aagagtatca gtgtgcatgg ctggatatgt 13740 atcaccgcgt ctttgatcgc gtcagcgccg tcgtcggtga acaggtatgg aatttcgccg 13800 attttgcgac ctcgcaaggc atattgcgcg ttggcggtaa caagaagggg atcttcaccc 13860 gcgaccgcaa accgaagtcg gcggcttttc tgctgcaaaa acgctggact ggcatgaact 13920 tcggtgaaaa accgcagcag ggaggcaaac aatgaatcaa caactctcct ggcgcaccat 13980 cgtcggctac agcctcgga attgcgtacc gagctcgaat ttccccgatc gttcaaacat 14040 ttggcaataa agtttcttaa gattgatct tgttgcggt cttgcgatga ttatcatata 14160 atttctgttg aattacgtta agcatgtaat aattaacatg taatgcatga cgttatttat 14160 gagatgggtt tttatgatta gagtecegea attatacatt taatacgega tagaaaacaa 14220 aatatagege geaaactagg ataaattate gegegeggtg teatetatgt tactagateg 14280 ggaattegat ateaagettg geaetggeeg tegttttaca aegtegtgae tgggaaaace 14340 ctggcgttac ccaacttaat cgccttgcag cacatccccc tttcgccagc tggcgtaata 14400 gcgaagaggc ccgcaccgat cgcccttccc aacagttgcg cagcctgaat ggcgaatgct 14460 agagcagctt gagcttggat cagattgtcg tttcccgcct tcagtttaaa ctatcagtgt 14520

-71-

ttgacaggat atattggcgg gtaaacctaa gagaaaagag cgtttattag aataacggat 14580 atttaaaagg gcgtgaaaag gtttatccgt tcgtccattt gtatgtg 14627 <210> 110 <211> 9080 <212> DNA <213> Artificial Sequence <220> <223> pl8attBZeo(6XHS4)2eGFP Plasmid <400> 110 cagttgccgg ccgggtcgcg cagggcgaac tcccgccccc acggctgctc gccgatctcg 60 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg caccacacc caggccaggg tgttgtccgg caccacctgg 180 tectggaceg egetgatgaa cagggteaeg tegteeegga ceacacegge gaagtegtee 240 tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccgggacg 300 tcgcgcgcgg tgagcaccgg aacggcactg gtcaacttgg ccatggatcc agatttcctgc caagttagta taaaaaagca ggcttcaatc ctgcagagaa gcttgatatc gaattcctgc 420 ageceegegg ateegeteae ggggaeagee eeeceecaaa geeeceaggg atgtaattae 480 ccccccgcat ccccgagccg gcagcgtgcg gggacagccc gggcacgggg aaggtggcac 600 gggatcgctt tcctctgaac gcttctcgct gctctttgag cctgcagaca cctggggggat 660 acggggccgc ggatccgctc acggggacag cccccccca aagcccccag ggatgtaatt 720 acgtcctcc ccgctaggg ggcagcagcg agccgccgg ggctccgctc cggtccggcg 780 ctccccccgc atccccgagc cggcagcgtg cggggacagc ccgggcacgg ggaaggtggc 840 acgggatcgc tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg cgctccccc gcatccccga gccggcagcg tgcggggaca gcccgggcac ggggaaggtg 1080 gcacgggatc gctttcctct gaacgcttct cgctgctctt tgagcctgca gacacctggg 1140 ggatacgggg ccgcggatcc gctcacgggg acagccccc cccaaagccc ccagggatgt 1200 aattacgtee etececeget agggggeage agegageege eeggggetee geteeggtee 1260 ggcgctcccc ccgcatcccc gagccggcag cgtgcggga cagcccgggc acgggaagg 1320 tggcacggga tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg 1380 ggggatacgg ggccgcggat ccgctcacgg ggacagcccc cccccaaagc ccccagggat 1440 gtaattacgt ccctcccccg ctaggggca gcagcgagcc gcccggggct ccgctccggt 1500 ccggcgctcc ccccgcatcc ccgagccggc agcgtgcggg gacagcccgg gcacggggaa 1560 ggtggcacgg gatcgctttc ctctgaacgc ttctcgctgc tctttgagcc tgcagacacc 1620 tgggggatac ggggccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg 1680 tagttcatag cocatatatg gagttccgcg ttacataact tacggtaaat ggcccgcctg 1980 gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 2040 cgccaatagg gactttccat tgacgtcaat gggtggacta tttacggtaa actgcccact 2100 tggcagtaca tcaagtgtat catatgccaa gtacgcccc tattgacgtc aatgacggta 2160 aatggcccgc ctggcattat gcccagtaca tgaccttatg ggactttcct acttggcagt 2220 acatctacgt attagtcatc gctattacca tgggtcgagg tgagccccac gttctgcttc 2280 actctcccca tctcccccc ctccccaccc ccaattttgt atttattat tttttaatta 2340 gcgtgaaagc cttaaagggc tccgggaggg ccctttgtgc gggggggagc ggctcggggg 2760 gtgcgtgcgt gtgtgtgtgc gtggggagcg ccgcgtgcgg cccgcgctgc ccggcggctg 2820 tgagcgctgc gggcgcggcg cggggctttg tgcgctccgc gtgtgcgcga ggggagcgcg 2880 geoggagag gtgececaeg gtgegagag getgegagag gaacaaagge tgegtgegag 2940 gtgtgtgegt ggggggtg tgetgagaga ggtcgggetg taaccccc 3000 ctgeacccc etcccegagt tgetgageac ggcceggett cgggtgegg gctccgtgeg 3060 gggcgtggcg cgggctcgc cgtgccggc ggggggtggc ggcaggtgg ggtgccgggg 3120 gggcgcggctg tcgaggcgc gcgagccgca gccattgct tttatggtaa tcgtgcgaga 3240 gggcgcaggg acttcctttg tcccaaatct ggcggagccg aaatctggga ggcgcgccg 3300

caccccctct agcgggcgcg ggcgaagcgg tgcggcgccg gcaggaagga aatgggcggg 3360 gagggccttc gtgcgtcgcc gcgccgccgt ccccttctcc atctccagcc tcggggctgc 3420 cgcaggggga cgctgctt cgggggggac ggggcagggc ggggttcggc ttctggcgtg 3480 tgaccggcgg ctctagagcc tctgctaacc atgttcatgc cttcttcttt ttcctacagc 3540 tcctgggcaa cgtgctggtt gttgtgctgt ctcatcattt tggcaaagaa ttcgccacca 3600 tggtgagcaa gggcgaggag ctgttcaccg gggtggtgcc catcctggtc gagctggacg 3660 gcgacgtaaa cggccacaag ttcagcgtgt ccggcgaggg cgagggcgat gccacctacg 3720 gcaagctgac cctgaagttc atctgcacca ccggcaagct gcccgtgccc tggcccaccc 3780 togtgaccae cetgacetae ggogtgeagt getteageog etacecegae cacatgaage 3840 ageacgaett etteaagtee gecatgeeg aaggetaegt eeaggagege accatettet 3900 tcaaggacga cggcaactac aagaccgcg ccgaggtgaa gttcgagggc gacacctgg 3960 tgaaccgcat cgagctgaag ggcatcgact tcaaggagga cggcaacatc ctggggcaca 4020 agctggagta caactacaac agccacaacg tctatatcat ggccgacaag cagaagaacg 4080 gcatcaaggt gaacttcaag atccgccaca acatcgagga cggcagcgtg cagctcgccg 4140 accactacca gcagaacacc cccatcggcg accgccactg gctgctgcc gacaaccact 4200 acctgagcac ccagtccgcc ctgagcaaag accccaacga gaaggcggat cacatggtcc 4260 tgctggagtt cgtgaccgc gccgggatca ctctcggca ggacgagctg tacaagtaag 4320 aattcactcc tcaggtgaga gctgcctatc agaaggtggt ggctggtgt gccaatgccc 4380 aattcactcc tcaggtgcag gctgctatc agaaggtggt ggctggtgtg gcdattgtct 4300 tggctcacaa ataccactga gatcttttc cctctgccaa aaattatggg gacatcatga 4440 gctggaattt tttgtgtctc tcactcggaa ggacatatgg gagggcaaat catttaaaac 4560 atcagaatga gtatttggt tagagtttgg caacatatgc catatgctgg ctgccatgaa 4620 caaaggtggc tataaagagg tcatcagtat atgaaacagc cccttgctgt ccattcctta 4680 ttccatagaa aagccttgac ttgaggttag attttttt tattttgtt tgtgttatt 4740 ttttctttaa catccctaaa attttcctta catgttttac tagccagatt tttcctcctc 4800 tcctgactac tcccagtcat agctgtccct cttctcttat gaagatccct cgacctgcag 4860 cccaagcttg catgcctgca ggtcgactct agtggatccc ccgccccgta tcccccaggt 4920 aggtgtetge aggeteaaag ageageaga agegtteaga ggaaagegat ceegtgeece 5460 etteecegtg ceegggetgt ceeggaege tgeeggeteg gggatgeggg gggagegeeg 5520 gaeeggageg gageeeggg eggetegetg etgeeceeta gegggggagg gaegtaatta 5580 eateeetggg ggetttaggg gggggetgte eeegtgageg gateegegge eeegtaatta 5580 eeegggtetet geaggeteaa agageageag gaagggtea gaggaaageg ateeegtgee 5700 eeegtstagg tgccaccttc cocgtgcccg ggctgtcccc gcacgctgcc ggctcgggga tgcgggggg 6240 gcgccggacc ggagcggac cccgggcgc tcgctgctgc ccctagcgg gggagggacg 6300 taattacatc cctgggggct ttggggggg gctgtccccg tgagcggatc cgcggggctg 6360 caggaattcg taatcatggt catagctgtt tcctgtgtga aattgttatc cgctcacaat 6420 tccacacaac atacgagccg gaagcataaa gtgtaaagcc tggggtgcct aatgagtgag 6480 ctaactcaca ttaattgcgt tgcgctcact gcccgctttc cagtcgggaa acctgtcgtg 6540 ccagctgcat taatgaatcg gccaacgcgc ggggagaggc ggtttgcgta ttgggcgctc 6600 ttccgcttcc tcgctcactg actcgctgcg ctcggtcgtt cggctgcgc gagcggtatc 6660 agotoactoa aaggoggtaa taoggttato cacagaatoa ggggataacg caggaaagaa 6720 catgtgagca aaaggccage aaaaggccag gaaccgttaaa aaggccgcgt tgctggcgtt 6780 tttccatagg ctccgcccc ctgacgagca tcacaaaaat cgacgctcaa gtcagaggtg 6840 gcgaaacccg acaggactat aaagatacca ggcgtttccc cctggaagct ccctcgtgcg 6900 cttoggaaaa agagttggta gotottgato oggoaaacaa accacogotg gtagoggtgg 7320

WO 02/097059

-73-

```
ttttttttqtt tgcaagcagc agattacgcg cagaaaaaaa ggatctcaag aagatccttt 7380
gatcttttttgtt tgcaagcage agattacgeg cagaaaaaa ggatctcaag dagatcett 7360 gatcttttct acggggtctg acgetcagtg gaacgaaaaac tcacgttaag ggattttggt 7440 catgagatta tcaaaaagga tcttcaccta gatcetttta aattaaaaat gaagttttaa 7500 atcaatctaa agtatatatg agtaaacttg gtctgacagt taccaatgct taatcagtga 7560 ggaacctatc tcagcgatct gtctatttcg ttcatccata gttgcctgac tccccgtcgt 7620 gtagataact acgatacggg agggcttacc atctggcccc agtgctgcaa tgataccgg 7680 agacccacgc tcaccggctc cagattatac agcaataaac cagccagccg gaagggcga 7800
gcgcagaagt ggtcctgcaa ctttatccgc ctccatccag tctattaatt gttgccggga 7800
agctagagta agtagttcgc cagttaatag tttgcgcaac gttgttgcca ttgctacagg 7860 catcgtggtg tcacgctcgt cgtttggtat ggcttcattc agctccggtt cccaacgatc 7920 aaggcgagtt acatgatccc ccatgttgtg caaaaaaagcg gttagtcct tcggtcctcc 7980 gatcgttgtc agaagtaagt tggccgcagt gttatcact atggttatgg cagcactgca 8040
taattetett actyteatge catecytaag atgettttet gtgaetggtg agtaeteaac 8100 caagteatte tgagaatagt gtatgeggeg acegagttge tettgeeegg egteaataeg 8160 ggataatace gegeeacata geagaactt aaaagtgete ateattggaa aaegttette 8220
ggggggaaaa ctctcaagga tcttaccgct gttgagatcc agttcgatgt aacccactcg 8280 tgcacccaac tgatcttcag catcttttac tttcaccag gtttctgggt gagcaaaaaac 8340 aggaaggcaa aatgccgcaa aaaagggaat tattagagcat tattcagggt tattgtctca tgagcggata 8460 actcttcctt tttcaatatt attgagcat tattagaggt tattgtctca tgagcggata 8420 aggaggat gagcaagat gagcaagaaca aataggggtt ccgcgcacat ttccccgaaa 8520 aggaggaag gagcaagata aggaggata gagcaagata aggaggata ccgcgcacat ttccccgaaa 8520
 agtgccacct gacgtagtta acaaaaaaaa gcccgccgaa gcgggcttta ttaccaagcg 8580
 aagcgccatt cgccattcag gctgcgcaac tgttgggaag ggcgatcggt gcgggcctct 8640 tcgctattac gccagctggc gaaaggggga tgtgctgcaa ggcgattaag ttgggtaacg 8700
ccagggttt cccagtcacg acgttgtaaa acgacggca gtccgtaata cgactcactt 8760 aaggcettga ctagaaggt gacggtatac agacatgata agatacattg atgagttgg 8820 acaaaccaca actagaatgc agtgaaaaaa atgctttatt tgtgaaattt tgtgaaattt gtgatgctat 8880 tgctttatt gtaaccatta taagctgcaa taaacaagtt ggggtgggcg aggatcatcc agccggcgtc ccggaaaacg attccgaagc 9000 ccaacctttc atagaaggg gaggatcatcc agccggcgtc tagaacatgt cactagatg
 ccaacettte atagaaggeg geggtggaat egaaateteg tageaegtgt cagteetget 9060
                                                                                                                                                                                 9080
 cctcggccac gaagtgcacg
 <210> 111
 <211> 4223
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> pLIT38attBBSRpolyA10 Plasmid
 <400> 111
 gttaactacg tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt 60
 tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca 120
 ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt 180 ttttgcggca ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga 240
tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa 300 gatccttgag agttttcgcc ccgaagaacg ttctccaatg atgagcactt ttaaagttct 360 gctatgtggc gcggtattat cccgtgttga cgccgggcaa gagcaactcg gtcgccgcat 420
 acactattct cagaatgact tggttgagta ctcaccagtc acagaaaagc atcttacgga 480 tggcatgaca gtaagagaat tatgcagtgc tgccataacc atgagtgata acactagggc 540
 caacttactt ctgacaacga tcggaggacc gaaggagcta accgcttttt tgcacaacat 600
 gggggatcat gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa 660 cgacgagcgt gacaccacga tgcctgtagc aatggcaaca acgttgcgca aactattaac 720
tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 780 agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc 840 tggagccggt gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc 900
ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag 960 acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta 1020 ctcatatata ctttagattg atttaccccg gttgataatc agaaaagccc caaaaacagg 1080 aagattgtat aagcaaatat ttaaattgta aacgttata ttttgttaaa attcccttat 1200 aatttttgtt aaatcagctc attttttaac caattaggccg aaatcggcaa aatcccttat 1200
aaatcaaaag aatagcccga gatagggttg agtgttgttc cagtttggaa Caagagtcca 1260 ctattaaaga acgtggactc caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1320 ccactacgtg aaccatcacc caaatcaagt tttttggggt cgaggtgccg taaagcacta 1380
aatcggaacc ctaaagggag cccccgatt agagcttgac ggggaaagcg aacgtggcga 1440 gaaaggaagg gaagaaagcg aaaggagcgg gcgctaggc gctgcaagt gtagcggtca 1500 cgctgcgcgt aaccaccaca cccgccgcg ttaatgcgc gctacaggg gcgtaaaagg 1560 atctaggtga agatcctttt tgataatctc atgaccaaaa tcccttaacg tgagttttcg 1620
```

WO 02/097059

-74-

```
ttccactgag cgtcagaccc cgtagaaaag atcaaaggat cttcttgaga tccttttttt 1680
ctgcgcgtaa tctgctgctt gcaaacaaaa aaaccaccgc taccagcggt ggtttgtttg 1740
ccggatcaag agctaccaac tctttttccg aaggtaactg gcttcagcag agcgcagata 1800 ccaaatactg ttcttctagt gtagccgtag ttaggccacc acttcaagaa ctctgtagca 1860 ccgcctacat acctcgctct gctaatcctg ttaccagtgg ctgctgccag tggcgataag 1920
tcgtgtctta ccgggttgga ctcaagacga tagttaccgg ataaggcgca gcggtcgggc 1980 tgaacggggg gttcgtgcac acagcccagc ttggagcgaa cgacctacac cgaactgaga 2040
tacctacage gtgagetatg agaaagegee aegetteeeg aagggagaaa ggeggacagg 2100
tatccggtaa gcggcagggt cggaacagga gagcgcacga gggagcttcc aggggggaaac 2160 gcctggtatc tttatagtcc tgtcgggttt cgccacctct gacttgagcg tcgatttttg 2220
tgatgctcgt caggggggg gagcctatgg aaaaacgcca gcaacgcggc ctttttacgg 2280 ttcctggcct tttgctggcc ttttgctcac atgtaatgtg agttagctca ctcattaggc 2340
accocagget ttacacttta tgetteegge tegtatgttg tgtggaattg tgageggata 2400
acaatttcac acaggaaaca gctatgacca tgattacgcc aagctacgta atacgactca 2460 ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gattgaagcc 2520
tgctttttta tactaacttg agcgaaatct ggatcaccat gaaaacattt aacatttctc 2580 aacaagatct agaattagta gaagtagcga cagagaagat tacaatgctt tatgaggata 2640
ataaacatca tgtgggagcg gcaattcgta cgaaaacagg agaaatcatt tatgaggata 2640 ataaacatca tgtgggagcg gcaattcgta cgaaaacagg agaaatcatt tcggcagtac 2700 atattgaag gtatatagga cgagtaactg tttgtgcaga agccattgcg attggtagt 2760 cagtttcgaa tggacaaaag gattttgaca cgattgtagc tgttagacac ccttattctg 2820 acgactatgc accagattgt tttgtgtaa tagaaatgaa tggcaagtta gtcaaaacta 2940 cgattgaaga actcattgcg ctcaaaataa cgcaaatta
cgattgaaga actcattcca ctcaaatata cccgaaatta aaagttttac cataccaagc 3000
ttggctgctg cctgaggctg gacgacctcg cggagttcta ccggcagtgc aaatccgtcg 3060 gcatccagga aaccagcagc ggctatccgc gcatccatgc cccgaactg caggagtggg 3120 gaggcacgat ggccgctttg gtccggatct ttgtgaagga accttacttc tgtggtgtga 3180 cataattgga caaactacct acagagattt aaagctctaa ggtaaatata aaattttaa 3240 gtgtataatg tgttaaacta ctgattctaa ttgtttgtgt attttagatt ccaacctatg 3300
gaactgatga atgggagcag tggtggaatg cctttaatga ggaaaacctg ttttgctcag 3360 aagaaatgcc atctagtgat gatgaggcta ctgctgactc tcaacattct actcctccaa 3420 aaaagaagag aaaggtagaa gaccccaagg actttccttc agaattgcta agttttttga 3480
gtcatgctgt gtttagtaat agaactcttg cttgctttgc tatttacacc acaaaggaaa 3540 aagctgcact gctatacaag aaaattatgg aaaaatattc tgtaaccttt ataagtaggc 3600 ataacagtta taatcataac atactgttt ttcttactcc acacaggcat agagtgtctg 3660
 ctattaataa ctatgctcaa aaattgtgta cctttagctt tttaatttgt aaaggggtta 3720
 ataaggaata tttgatgtat agtgccttga ctagagatca taatcagcca taccacattt 3780
gtagaggttt tacttgcttt aaaaaaacctc ccacacctcc ccctgaacct gaaacataaa 3840
atgaatgcaa ttgttgttgt taacttgttt attgcagctt ataatggtta caaataaagc 3900 aatagcatca caaatttcac aaataaagat ccacgaattc gctagcttcg gccgtgacgc 3960
gtctccggat gtacaggcat gcgtcgaccc tctagtcaag gccttaagtg agtcgtatta 4020 cggactggcc gtcgttttac aacgtcgtga ctgggaaaac cctggcgtta cccaacttaa 4080
tegecettee caacagttee geageetgaa tegegaateg egettegett getaataaag 4200 ceegettegg egggetttt ttt 4080
 <210> 112
 <211> 5855
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> pCX-LamIntR Plasmid
 <400> 112
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata 60
gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc 120 ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag 180
ggactiticca tigacgicaa tgggtggact atttacggta aactgcccac tiggcagtac 240
 atcaagtgta tcatatgcca agtacgcccc ctattgacgt caatgacggt aaatggcccg 300
 cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg 360
 tattagteat egetattace atgggtegag gtgagececa egttetgett caeteteece 420 ateteecec ecteeceac eccaattttg tatttattta ttttttaatt attttgtgca 480
gcgatggggg cgggggggg gccaatcag gcggggggg gcgaggggg 540 gggaggggg agcgaggggg gccaatcag agcggaggg gcgaggggg 660 gggagtcgct gcgttgcctt cgcccgtgc ccggctccgc gcggacggc cttctcctc 780 ccggctctga ctgaccgcgt tactcccaca ggtgagcggg cgggacggcc cttctcctcc 780
```

gggctgtaat tagcgcttgg tttaatgacg gctcgtttct tttctgtggc tgcgtgaaag 840 ccttaaaggg ctccgggagg gccctttgtg cggggggag cggctcgggg ggtgcgtgcg 900 tgtgtgtgtg cgtgggagc gccgcgtgcg gcccgcgctg cccggcggct gtgagcgctg 960 cgggcgcggc gcggggcttt gtgcgctccg cgtgtgcgcg aggggagcgc ggccgggggc 1020 ggtgccccgc ggtgcgggg ggctgcgagg ggaacaaagg ctgcgtgcgg ggtgtgtgcg 1080 tgggggggtg agcaggggt gtggcgcgg cggtcgggct gtaaccccc cctgcacccc 1140 cctccccgag ttgctgagca cggcccggct tcgggtgcg ggctccgtgc ggggcgtggc 1200 geggggeteg cegtgeeggg eggggggtgg eggeggggg gggegeggeg geeggegggg 1260 gtegaggeg ggegagegg gggegeggeg geeggegget 1320 gtegaggeg ggegageege agecattgee ttttatggta ategtgegag agggegeagg 1380 gactteettt gteecaaate tggeggagee gaaatetggg aggegeegee geaceeete 1440 tagegggege gggegaageg gtgeggegee ggeaggaagg aaatgggegg ggagggeett 1500 egtgegtege egegeegeeg teceettete cateteeage eteggggetg eegeagggg 1560 acggctgcct tcgggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg 1620 gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctcctgggca 1680 acgtgctggt tgttgtgctg tctcatcatt ttggcaaaga attcatggga agaaggcgaa 1740 gtcatgagcg ccgggattta ccccctaacc tttatataag aaacaatgga tattactgct 1800 acagggaccc aaggacggt aaagagtttg gattaggcag agacaggcga atcgcaatca 1860 ctgaagctat acaggccaac attgagttat tttcaggaca caaacacaag cctctgacag 1920 cgagaatcaa cagtgataat tccgttacgt tacattcatg gcttgatcgc tacgaaaaaa 1980 tcctggccag cagaggaatc aagcagaaga cactcataaa ttacatgagc aaaattaaag 2040 caataaggag gggtctgcct gatgctccac ttgaagacat caccacaaaa gaaattgcgg 2100 caatgctcaa tggatacata gacgagggca aggcggcgtc agccaagtta atcagatcaa 2160 cactgagega tgcatteega gaggeaatag etgaaggeea tataacaaca aaccatgteg 2220 ctgccactcg cgcagcaaaa tctagagtaa ggagatcaag acttacggct gacgaatacc 2280 tgaaaattta tcaagcagca gaatcatcac catgttggct cagacttgca atggaactgg 2340 ctgttgttac cgggcaacga gttggtgatt tatgcgaaat gaagtggtct gatatcgtag 2400 atggatatct ttatgtcgag caaagcaaaa caggcgtaaa aattgccatc ccaacagcat 2460 tgcatattga tgctctcgga atatcaatga aggaaacact tgataaatgc aaagagattc 2520 ttggcggaga aaccataatt gcatctactc gtcgcgaacc gctttcatcc ggcacagtat 2580 caaggtattt tatgcgcgca cgaaaagcat caggtctttc cttcgaaggg gatccgccta 2640 cctttcacga gttgcgcagt ttgtctgcaa gactctatga gaagcagata agcgataagt 2700 ttgctcaaca tcttctcggg cataagtcgg acaccatggc atcacagtat cgtgatgaca 2760 gaggcaggga gtgggacaaa attgaaatca aataagaatt cactcctcag gtgcaggctg 2820 cctatcagaa ggtggtggct ggtgtggcca atgccctggc tcacaaatac cactgagatc 2880 tttttccctc tgccaaaaat tatggggaca tcatgaagcc ccttgagcat ctgacttctg 2940 gctaataaag gaaatttatt ttcattgcaa tagtgtgttg gaattttttg tgtctctcac 3000 tcggaaggac atatgggagg gcaaatcatt taaaacatca gaatgagtat ttggtttaga 3060 gtttggcaac atatgccata tgctggctgc catgaacaaa ggtggctata aagaggtcat 3120 tecttacatg ttttactage cagattttte etecteteet gaetactece agteataget 3300 gteetette tettatgaag atcectegae etgeageea agettggegt aateatggte 3360 atagetgtt cetgtgtgaa attgttatee geteacaatt ccacacaaca tacgageegg 3420 aagcataaag tgtaaagcct ggggtgccta atgagtgagc taactcacat taattgcgtt 3480 gegeteactg ecceptttee agtegggaaa cetgtegtge cageggatee geateteaat 3540 tagtcagcaa ccatagtccc gcccctaact ccgcccatcc cgcccctaac tccgcccagt 3600 tecgeccatt etecgeccea tggetgaeta atttttttta tttatgeaga ggeegaggee 3660 gcctcggcct ctgagctatt ccagaagtag tgaggaggct tttttggagg cctaggcttt 3720 tgcaaaaagc taacttgttt attgcagctt ataatggtta caaataaagc aatagcatca 3780 caaatttcac aaataaagca ttttttcac tgcattctag ttgtggtttg tccaaactca 3840 tcaatgtatc ttatcatgtc tggatccgct gcattaatga atcggccaac gcgcggggag 3900 aggcggtttg cgtattgggc gctcttccgc ttcctcgct actgactcgc tgcgctcggt 3960 egtteggetg eggegagegg tateagetea etcaaaggeg gtaataeggt tateacaga 4020 ateaggggat aacgeaggaa agaacatgtg agcaaaagge cagcaaaagg ecaggaaccg 4080 taaaaaaggee gegttegtgg egtttteca taggeteege ecceetgaeg agcateacaa 4140 aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcgtt 4200 tececetgga ageteceteg tgegetetee tgtteegace etgeegetta eeggataeet 4260 teccectgga ageteceteg tgegetetee tgtteegace etgeegetta eeggatacet 4260 gteegeettt etecettegg gaagegtgge gettteteaa tgeteacget gtagtatet 4320 cagtteggtg taggtegtte getecaaget gggetgtgtg cacgaaccee eegtteagee 4380 cgaeegetge geettateeg gtaactateg tettgagtee aacceggtaa gaeaegactt 4440 ategeeactg geageagea etggtaacag gattageaga gegaggtatg taggeggtge 4500 tacagagtte ttgaagtggt ggeetaacta eggetaeact agaaggacag tatttggtat 4560 etgggatatg etggaggaag taggaggaag tatttggtat 4500 etgggatatg etggaggaag taggaggaag taggaggaag taggaggaag 4620 ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa 4620 acaaaccacc gctggtagcg gtggtttttt tgtttgcaag cagcagatta cgcgcagaaa 4680 aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaacga 4740 aaactcacgt taagggattt tggtcatgag attatcaaaa aggatcttca cctagatcct 4800 -76-

```
tttaaattaa aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga 4860 cagttaccaa tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc 4920
 catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg 4980 ccccagtgct gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat 5040
 cagtctatt ageggaaggg cegagegeag aagtggteet geaactttat cegeeteeat 5100 ceagtctatt aattgttgee gggaagetag agtaagtagt tegeeagtta atagtttgeg 5160 caacgttgtt geeattgeta caggeategt ggtgteaege tegtegtttg gtatggette 5220
 atteagetee ggtteecaac gateaaggeg agttacatga tececcatgt tgtgcaaaaa 5280
 ageggttage teetteggte eteegategt tgteagaagt aagttggeeg eagtgttate 5340
 actcatggtt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt 5400
 ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgtatgc ggcgaccgag 5460
 ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt 5520 gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag 5580
 atccagttcg atgtaaccca ctcgtgcacc caactgatct tcagcatctt ttactttcac 5640
 cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc 5700 gacacggaaa tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca 5760
 gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg 5820 ggttccgcgc acatttcccc gaaaagtgcc acctg 5855
 <210> 113
<211> 4346
 <212> DNA
 <213> Artificial Sequence
 <220>
  <223> pSV40-193AttpsensePur Plasmid
  <400> 113
 ccggtgccgc caccatcccc tgacccacgc ccctgacccc tcacaaggag acgaccttcc 60
 atgaccgagt acaagcccac ggtgcgcctc gccacccgcg acgacgtccc ccgggccgta 120 cgcaccctcg ccgccgcgtt cgccgactac cccgccacgc gccacaccgt cgacccggac 180
 cgccacatcg agcgggtcac cgagctgcaa gaactcttcc tcacgcgcgt cgggctcgac 240
 atcggcaagg tgtgggtcgc ggacgacggc gccgcggtgg cggtctggac cacgccggag 300 agcgtcgaag cgggggcggt gttcgccgag atcggcccgc gcatggccga gttgagcggt 360
teceggetgg ecgegeagea acagatggaa ggeeteetgg egeegeaceg geecaaggag 420 ecegegtggt teetggeeae egteggegte tegeeegaee aceagggeaa gggtetggge 480
 ageggegggg tgetecegg agtggaggg geegagegg ceggggtge egettectg 540 gagaceteeg egecegeaa cetecette tacgagegge teggetteae egteaeege 600 gaegtegagg tgeeegaagg acegegace tggtgcatga eeggeage eggtgeetga 660 egecegeee aegaceega gegeeegace gaaaggageg cacgaceea tggeteegae 720
 cgaagccgac ccgggcggcc ccgccgaccc cgcacccgcc cccgaggccc accgactcta 780 gaggatcata atcagccata ccacatttgt agaggtttta cttgctttaa aaaacctccc 840
  acacctecce etgaacetga aacataaaat gaatgeaatt gttgttgtta aettgtttat 900
  tgcagcttat aatggttaca aataaagcaa tagcatcaca aatttcacaa ataaagcatt 960
 tttttcactg cattctagtt gtggtttgtc caaactcatc aatgtatctt atcatgtctg 1020
 gatccgcgcc ggatccttaa ttaagtctag agtcgactgt ttaaacctgc aggcatgcaa 1080 gcttggcgta atcatggtca tagctgttc ctgtgtgaaa ttgttatccg ctcacaattc 1140
 cacacaacat acgageegga agcataaagt gtaaageetg gggtgeetaa tgagtgaget 1200
 cacacatt acgagecyga agcacacage geagagecyg gggggaaac ctgtcgtgcc 1260
agctgcatta atgaatcygc caacgcgcyg ggagaggcyg tttgcgtatt gggcgctctt 1320
ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg gctgcggcga gcggtatcag 1380
 ctcactcaaa ggcggtaata cggttatcca cagaatcagg ggataacgca ggaaagaaca 1440 tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa ggccgcgttg ctggcgtttt 1500
 tccataggct ccgccccct gacgagcatc acaaaaatcg acgctcaagt cagaggtggc 1560 gaaacccgac aggactataa agataccagg cgtttccccc tggaagctcc ctcgtgcgct 1620
  ctcctgttcc gaccctgccg cttaccggat acctgtccgc ctttctccct tcgggaagcg 1680
 tggcgctttc tcatagctca cgctgtaggt atctcagttc ggtgtaggtc gttcgctcca 1740 agctgggctg tgtgcacgaa ccccccgttc agcccgaccg ctgcgcctta tccggtaact 1800 atcgtcttga gtccaacccg gtaagacacg acttatcgcc actggcagca gccactggta 1860 acaggattag cagagcgagg tatgtaggcg gtgtacaga gtgttacaga tggtgtggccta 1920
  actacggcta cactagaagg acagtatttg gtatctgcgc tctgctgaag ccagttacct 1980
 teggaaaaag agttggtage tettgateeg geaaacaaac cacegetggt ageggtggtt 2040 tetttettet caageageag attacgegea gaaaaaaagg ateteaagaa gateetttga 2100 tetttetac ggggtetgac gecagtgga aegaaaacte aegttaaggg attttegtea 2160 tegggattate aaaaaggate tecaectaga teettttaaa teaaaaatga agttttaaat 2220
  caatctaaag tatatatgag taaacttggt ctgacagtta ccaatgctta atcagtgagg 2280
  cacctatete agegatetgt ctatttegtt catecatagt tgeetgacte ceegtegtgt 2340
```

WO 02/097059

-77-

```
agataactac gatacgggag ggcttaccat ctggccccag tgctgcaatg ataccgcgag 2400
acccacgete accggeteca gatttateag caataaacca gecageegga agggeegage 2460
gcagaagtgg tcctgcaact ttatccgcct ccatccagtc tattaattgt tgccgggaag 2520
ctagagtaag tagttegea gttaatagtt tgegeaacgt tgttgccatt getacaggea 2580 tegtggtgte acgetegteg tttggtatgg cttcattcag ctccggttec caacgateaa 2640 ggegagttac atgatecec atgttgtga aaaaageggt tageteette ggteeteega 2700 tegttgteag aagtaagttg geegeagtgt tatcaeteat ggttatggea geaetgeata 2760 atteettac tgteatgea tegtaagat getttetgt gaetggtgag tageteeteace 2820 agteatteeg agaatagtgt atgeggegae egagttgete ttggeeggge teaataeggg 2880 ataataeggg geegeaatagg agaatagtga agaatagtga agaatagtga egagttgete ttggeeggge teaataeggg 2880
ataataccgc gccacatagc agaactttaa aagtgctcat cattggaaaa cgttcttcgg 2940 ggcgaaaact ctcaaggatc ttaccgctgt tgagatccag ttcgatgtaa cccactcgtg 3000 cacccaactg atcttcagca tcttttactt tcaccagcgt ttctgggtga gcaaaaacag 3060
gaaggcaaaa tgccgcaaaa aagggaataa gggcgacacg gaaatgttga atactcatac 3120 tcttcctttt tcaatattat tgaagcattt atcagggtta ttgtctcatg agcggataca 3180 tatttgaatg tatttagaaa aataaacaaa tagggttcc gcgcacattt ccccgaaaaa 3240
tgccacctga cgtctaagaa accattatta tcatgacatt aacctataaa aataggcgta 3300
tcacgaggcc ctttcgtctc gcgcgtttcg gtgatgacgg tgaaaacctc tgacacatgc 3360 agctcccgga gacggtcaca gcttgtctgt aagcggatgc cgggagcaga caagcccgtc 3420
aggtcccggd gacggtatt ggcggtgte ggggtgtet taactatgcg gcatcagaga 3480 agattgtact gagagtgca catatgcgg gtgaaatacc gcacagatgc gtaaggagaa 3540 aataccgcat caggcgccat tcgccattca ggctgcgcaa ctgttgggaa gggcgatcgg 3600
tgcgggcctc ttcgctatta cgccagctgg cgaaaggggg atgtgctgca aggcgattaa 3660 gttgggtaac gccagggttt tcccagtcac gacgttgtaa aacgacggcc agtgaattcg 3720
agctgtggaa tgtgtgtcag ttagggtgtg gaaagtcccc aggctcccca gcaggcagaa 3780 gtatgcaaag catgcatctc aattagtcag caaccaggtg tggaaagtcc ccaggctccc 3840 cagcaggcag aagtatgcaa agcatgcatc tcaattagtc agcaaccata gtcccgcccc 3900
taactccgcc catcccgccc ctaactccgc ccagttccgc ccattctccg ccccatggct 3960 gactaatttt ttttatttat gcagaggccg aggccgcctc ggcctctgag ctattccaga 4020
agtagtgagg aggettttt ggaggetegg taccecettg egetaatget etgttacagg 4080 teactaatac catetaagta gttgatteat agtgactgea tatgttgtgt tttacagtat 4140 tatgtagtet gtttttatg caaaatetaa tttaatatat tgatatttat atcattttac 4260
gtttctcgtt cagcttttt atactaagtt ggcattataa aaaagcattg cttatcaatt 4260 tgttgcaacg aacaggtcac tatcagtcaa aataaaatca ttatttgatt tcaattttgt 4320 cccactccct gcctctgggg ggcgcg 4346
 <210> 114
 <211> 3166
 <212 DNA
<213 Artificial Sequence
 <220>
 <223> p18attBZeo Plasmid
 <400> 114
 cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg cacccacac caggccaggg tgttgtccgg caccacctgg 180
 teetggaceg egetgatgaa cagggteaeg tegtecegga ceacacegge gaagtegtee 240 tecacgaagt eeegggagaa eeegageegg teggteeaga actegacege teeggegaeg 300
tegegegegg tgageacegg aaeggeactg gteaacttgg ceatggatee agattteget 360 caagttagta taaaaaagea ggetteaate etgeagagaa gettgeatge etgeaggteg 420 actetagagg atceeegggt acegageteg aattegtaat catggeata getgttteet 480
agaggeggtt tgcgtattgg gcgctcttcc gcttcctcgc tcactgactc gctgcgctcg 720 gtcgttcggc tgcggcgagc ggtatcagct cactcaaagg cggtaatacg gttatccaca 780
gtegttegge tgeggeage ggtateaget cacteaaagg eggtaataeg gttatecaca 780 gaateaggag ataacgeagg aaagaacatg tgaggeaaaag gecaggaaaa ggccaggaac 840 egtaaaaatgac geteaagtea gaggtggea aaccegacag gactataaag ataceaggeg 960 tteecectg gaageteet egtegetet eetgteega 1020 eetgageeget tegeteeaag eggtaatat eggteega eetgteega eetgteega eetgteega 1140 eegaageget tegeageage eetggagaac eetggeaga aggataega 1260 eggaagaggt tetgaagag eggettaac taaggetaac eetggeagag aggatataega 1260 eggaagaggt tetgaagag eggetaaca eaggataea taaggaggaaga aggatatega 1320
 gctacagagt tcttgaagtg gtggcctaac tacggctaca ctagaaggac agtatttggt 1320 atctgcgctc tgctgaagcc agttaccttc ggaaaaagag ttggtagctc ttgatccggc 1380
```

PCT/US02/17452 WO 02/097059

-78-

```
aaacaaacca ccgctggtag cggtggtttt tttgtttgca agcagcagat tacgcgcaga 1440
aaaaaaggat ctcaagaaga tootttgatc ttttctacgg ggtctgacgc tcagtggaac 1500
gaaaactcac gttaagggat tttggtcatg agattatcaa aaaggatctt cacctagatc 1560
cttttaaatt aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct 1620
gacagttacc aatgettaat cagtgaggca cetateteag egatetgtet atttegttea 1680 tecatagttg cetgaeteec egtegtgtag ataactaega taegggaggg ettaceatet 1740 ggeeceagtg etgeaatgat acegegagae eeaegeteae eggeteeaga tetateagea 1800
ataaaccago cagooggaag ggoogagogo agaagtggto otgoaacttt atcogootoo 1860
atccagtcta ttaattgttg cogggaagct agagtaagta gttcgccagt taatagtttg 1920 cgcaacgttg ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggtatggct 1980 tcattcagct coggttccca acgatcaagg cgagttacat gatccccat gttgtgcaaa 2040 aaagcggtta gctccttcgg tcctccgatc gttgtcagaa gtaagttggc cgagtgtta 2100
tcactcatgg ttatggcagc actgcataat tctcttactg tcatgccatc cgtaagatgc 2160
ttttctgtga ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg 2220 agttgctctt gcccggcgtc aatacgggat aataccgcgc cacatagcag aactttaaaa 2280
gtgctcatca ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg 2340 agatccagtt cgatgtaacc cactcgtgca cccaactgat cttcagcatc ttttactttc 2400
accagegitt cigggtgage aaaaacagga aggcaaaatg cegcaaaaaa gggaataagg 2460
gcgacacgga aatgttgaat actcatactc ttcctttttc aatattattg aagcatttat 2520 cagggttatt gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata 2580
ggggttccgc gcacatttcc ccgaaaagtg ccacttgacg tagttaacaa aaaaaagcc 2640 gccgaagcgg gctttattac caagcgaagc gccattcgc attcaggctg cgcaactgtt 2700 gggaagggcg atcggtgcgg gcctcttcgc tattacgcca gctggcgaaa gggggatgtg 2760
ctgcaaggcg attaagttgg gtaacgccag ggttttccca gtcacgacgt tgtaaaacga 2820 cggccagtcc gtaatacgac tcacttaagg ccttgactag agggtcgacg gtatacagac 2880 atgataagat acattgatga gtttggacaa accacaacta gaatgcagtg aaaaaaatgc 2940
tttatttgtg aaatttgtga tgctattgct ttatttgtaa ccattataag ctgcaataaa 3000 caagttgggg tgggcgaaga actccagcat gagatccccg cgctggagga tcatccagcc 3060
ggcgtcccgg aaaacgattc cgaagcccaa cctttcatag aaggcggcgg tggaatcgaa 3120
atctcgtage acgtgtcagt cctgctcctc ggccacgaag tgcacg
                                                                                                                                 3166
<210> 115
<211> 7600
<212> DNA
<213> Artificial Sequençe
<220>
<223> p18attBZeo3'6XHS4eGFP Plasmid
<400> 115
cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgactccga ccactcggcg 120 tacagctcgt ccaggccgcg caccacacc caggccaggg tgttgtccgg caccacctgg 180
tectggaceg egetgatgaa cagggteaeg tegteeegga ecacacegge gaagtegtee 240
tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccggcgacg 300
tegegegegg tgageacegg aacggeactg gteaacttgg ceatggatee agattteget 360 caagttagta taaaaaagea ggetteaate etgeagagaa gettgateta gttattaata 420 gtaateaatt aegggeteat tagtteatag eccatatatg gagtteegeg ttacataact 480 taeggtaaat ggeegeetg getgaeegee caaegaeeee eggeeattga egteaataat 500
gacgtatgtt cccatagtaa cgccaatagg gactttccat tgacgtcaat gggtggacta 600 tttacggtaa actgccact tggcagtaca tcaagtgtat catatgccaa gtacgcccc 660 tattgacgtc aatgacggta aatggcccgc ctggcattat gcccagtaca tgaccttatg 720 ggactttcct acttggcagt acatctacgt attagtcatc gctattacca tgggtcgagg 780 tgaggcccac gttctgcttc actcccccac tctccccacc ctcccccac cccacttttg 840
ccaggegggg egggeggg egagggegg ggeggggega ggeggagagg tgeggeggea 960 gecaateaga geggegget eegaaagttt eetttatgg egaggegge geggeggeg 1020
ccctataaaa agcgaagcgc gcggcgggcg ggagtcgctg cgttgccttc gccccgtgcc 1080 ccgctccgcg ccgcctcgcg ccgcccgcc cggctctgac tgaccgcgtt actcccacag 1140
gtgagegge gggaeggee tteteeteeg ggetgtaatt agegettggt ttaatgaegg 1200 etegtttett ttetgtget gegtgaaage ettaaaggge teegggagg eeetttgtg 1260 gggggggage ggetegggg gtgegtget gtgtgtgte gtggggage eegegtgegg 1320 eeegegetge eeggeggetg tgagegetge gggeeggge egggettt tgegeteege 1380
gtgtgcgcg ctggcggcg gccgggggcg gtgcccgcg gtgcgggggg gctgcgaggg 1440 gaacaaaggc tgcgtgcgg gtgtgtgcgt gggggggtga gcagggggtg tggcggggtg tggcgggctg taacccccc ctgcacccc ctccccgagt tgctgagcac ggcccggct 1560 cgggtgcgg gctccgtgcg gggcgtggc cggggctcgc cgtgccgggc gggggtggc 1620
```

ggcaggtggg ggtgccgggc ggggcggggc cgcctcgggc cggggaggc tcgggggagg 1680 ggcgcggcgg ccccggagcg ccggcggctg tcgaggcgcg gcgagccgca gccattgcct 1740 tttatggtaa tcgtgcgaga gggcgcaggg acttcctttg tcccaaatct ggcggagccg 1800 aaatctggga ggcgccgccg caccccctct agcgggcgcg ggcgaagcgg tgcggcgccg 1860 gcaggaagga aatgggcggg gagggcette gtgcgtegee gcgccgccgt ccccttetee 1920 atctccagee tcggggctge cgcagggga cggctgcett cgggggggae ggggcaggge 1980 ggggttegge ttetggegtg tgaceggegg etetagagee tetgetaace atgtteatge 2040 ggggttegge ttetggegtg tgaceggeg etetagagee tetgetaace atgtteatge 2040 ettettett tteetacage teetgggeaa egtgetggtt gttgtgetgt eteateattt 2100 tggcaaagaa ttegecacca tggtgagcaa ggggaggag etgtteaceg gggtggtgee 2160 cateetggte gagetggaeg gegacgtaaa eggecacaag tteagegtgt eeggegaggg 2220 egagggegat gecacetacg geaagetgae eetgacetaa ggggtgaget getteageeg 2280 geeegtgeee tggecacce tegtgaceac eetgacetaa ggggtgaggt getteageeg 23400 ctaccecgae cacatgaage agcacgaett etteaagtee gecatgeegg aaggetaegt 2400 ccaqqaqcqc accatettet tcaaggacga cggcaactac aagacccgcg ccgaggtgaa 2460 gttcgaggc gacaccttgg tgaaccgcat cgagctgaag ggcatcgact tcaaggagga 2520 cggcaacatc ctggggcaca agctggagta caactacaac agccacaacg tctatatcat 2580 ggccgacaag cagaagaacg gcatcaaggt gaacttcaag atccgccaca acatcgagga 2640 ggctggtgtg gccaatgccc tggctcacaa ataccactga gatctttttc cctctgccaa 2940 aaattatggg gacatcatga agcccttga gcatctgact tctggctaat aaaggaaatt 3000 tattttcatt gcaatagtgt gttggaattt tttgtgtctc tcactcggaa ggacatatgg 3060 gagggcaaat catttaaaac atcagaatga gtatttggtt tagagtttgg caacatatgc 3120 catatgctgg ctgccatgaa caaaggtggc tataaagagg tcatcagtat atgaaacagc 3180 cccctgctgt ccattcctta ttccatagaa aagccttgac ttgaggttag atttttttta 3240 tattttgttt tgtgttattt ttttctttaa catccctaaa attttcctta catgttttac 3300 teegeggee egtateece aggtgtetge aggeteaaag ageagegaga agegtteaga 3960 ggaaagegat eeegtgeeae etteeeegtg eeegggetg eeeeggatege tgeeggeteg 4020 gggatgeggg gggatgegg gaeeggageg gaeeegggg eggetegetg etgeeeeeta 4080 gegggggagg gaegtaatta catecetggg ggetttgggg gggggetgte eeegtgageg 4140 gateegegge eeegtateee eeaggtgtet geaggeteaa agageagega gaagegttea 4200 cagtogggaa acctgtogtg coagetgoat taatgaatog gocaacgogc ggggagaggc 5100 ggtttgcgta ttgggcgctc ttccgcttcc tcgctcactg actcgctgcg ctcggtcgtt 5160 cggctgcggc gagcggtatc agctcactca aaggcggtaa tacggttatc cacagaatca 5220 ggggataacg caggaaagaa catgtgagca aaaggccagc aaaaggccag gaaccgtaaa 5280 aaggccgcgt tgctggcgtt tttccatagg ctccgcccc ctgacgagca tcacaaaaat 5340 cgacgctcaa gtcagaggtg gcgaaacccg acaggactat aaagatacca ggcgtttccc 5400 cctggaagct ccctcgtgcg ctctcctgtt ccgaccctgc cgcttaccgg atacctgtcc 5460 geetttetee ettegggaag egtggegett teteataget eaegetgtag gtateteagt 5520 teggtgtagg tegttegete caagetggge tgtgtgeaeg aaeceeegt teageeegae 5580 egetgegeet tateeggtaa etategtett gagteeaaee eggtaagaea egaettateg 5640

PCT/US02/17452 WO 02/097059

-80-

```
ccactggcag cagccactgg taacaggatt agcagagcga ggtatgtagg cggtgctaca 5700 gagttcttga agtggtggcc taactacggc tacactagaa ggacagtatt tggtatctgc 5760
gctctgctga agccagttac cttcggaaaa agagttggta gctcttgatc cggcaaacaa 5820
accaccgctg gtagcggtgg tttttttgtt tgcaagcagc agattacgcg cagaaaaaaa 5880
ggatctcaag aagatcttt gatctttct acggggtctg acgctcagtg gaacgaaaac 5940 tcacgttaag ggattttgg catgagatta tcaaaaagga tcttcaccta gatcctttta 6000 aattaaaaat gaagtttaa atcaatctaa agtatatatg agtaaacttg gtctgacagt 6060 taccaatgct taatcagtga ggcacctatc tcagcgatct gtctatttcg ttcatccata 6120
gttgcctgac tccccgtcgt gtagataact acgatacggg agggcttacc atctggccc 6180 agtgctgcaa tgataccgcg agacccacgc tcaccggctc cagatttatc agcaataaac 6240
cagccagccg gaagggccga gcgcagaagt ggtcctgcaa ctttatccgc ctccatccag 6300
tctattaatt gttgccggga agctagagta agtagttcgc cagttaatag tttgcgcaac 6360
gttgttgcca ttgctacagg catcgtggtg tcacgctcgt cgtttggtat ggcttcattc 6420
ageteeggtt cecaacgate aaggegagtt acatgateee ceatgttgtg caaaaaageg 6480
gttagctcct tcggtcctcc gatcgttgtc agaagtaagt tggccgcagt gttatcactc 6540
atggttatgg cagcactgca taattotott actgtcatgc catcogtaag atgcttttot 6600
gtgactggtg agtactcaac caagtcattc tgagaatagt gtatgcggcg accgagttgc 6660
tettgecegg egteaataeg ggataataee gegeaata geagaaettt aaaagtgete 6720 ateattggaa aaegttette ggggegaaa eteteaaga tettaeeget gttgagatee 6780 agttegatgt aaeceaeteg tgeaceeaae tgatetteag eatetttae ttteaecage 6840 gtttetgggt gagcaaaaac aggaaggcaa aatgeeggaa aaaggggaat aagggegaaa 6900
cggaaatgtt gaatactcat actcttcctt tttcaatatt attgaagcat ttatcagggt 6960
tattgtctca tgagcggata catatttgaa tgtatttaga aaaataaaca aataggggtt 7020
cegegcacat tteecegaaa agtgecact gacgtagtta acaaaaaaaa geeggcegaa 7080 gegggettta ttaecaageg aagegcatt egecatteag getgegcaac tgttgggaag 7140 ggegatteggt geggetet tegetattae gecagttgge gaaaggggga tgtgetgeaa 7200 ggegattaaa egactaact aaggeettga ecaagggte ecagtagaa egacgaaa agacatgata 7320 gteegtaata gactatta aaggeettga ecaagggte gacggtatac agacatgata 7320 agatagattg atggetaa
agatacattg atgagtttgg acaaaccaca actagaatgc agtgaaaaaa atgctttatt 7380 tgtgaaattt gtgatgctat tgctttatt gtaaccatta taagctgcaa taaaccaagtt 7440 ggggttgggcg aagaactcca gcatgagatc cccgcgctgg aggatcatcc agccggcgtc 7500
coggaaaacg attocgaago coaacettto atagaaggog goggtggaat cgaaateteg 7560
                                                                                                                       7600
tagcacgtgt cagtcctgct cctcggccac gaagtgcacg
<210> 116 <211> 7631
<212> DNA
<213> Artificial Sequence
 <220>
 <223> p18attBZeo5'6XHS4eGFP Plasmid
 <400> 116
cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg cacccacac caggccaggg tgttgtccgg caccacctgg 180
tectggaceg egetgatgaa eagggteaeg tegteeegga ceacacegge gaagtegtee 240
tectogateta egetgata caggarateg tegetecaga actegatetg teegtecaga actegatetg teegtegateg tegetecaga actegatetg teegtecaga actegatetg teegtecaga actegatetg teegtecaga actegatet agattteet 360 caagttagta taaaaaagca ggetteaate etgeagagaa gettgatate gaatteetge 420
gceccegcat cecegageeg geagegtgeg gggacageee gggcacgggg aaggtggcac 600 gggategett teetetgaae getteteget getetttgag cetgeagaca eetgggggat 660 acggggeege ggateegete aeggggacag eeceececa aageeeceag ggatgtaatt 720
acgtccctcc cccgctaggg ggcagcagcg agccgcccgg ggctccgctc cggtccggcg 780 ctccccccgc atccccgagc cggcagcgtg cggggacagc ccgggcacgg ggaaggtggc 840
acgggatege tttectetga acgetteteg etgetetttg ageetgeaga cacetggggg 900 atacgggge geggatege teacggggae ageeceeee caaageeee agggatege teacggggae egggeteege egggeteege egggeteege egggeteege egggeteege egggeteege 1020
cgctccccc gcatccccga gccggcagcg tgcggggaca gcccgggcac ggggaaggtg 1080 gcacgggatc gctttcctct gaacgcttct cgctgctctt tgagcctgca gacacctggg 1140
ggatacgggg ccgcggatcc gctcacgggg acagccccc cccaaagccc ccagggatgt 1200
aattacgtee etecceeget agggggeage agegageege eeggggetee geteeggtee 1260
ggegetecee cegeatecee gageeggeag egtgeggga cageeggga acggggaagg 1320 tggeacggga tegetteet etgaacgett etegetgete tttgageetg cagacacetg 1380 ggggataegg ggeegeggat eegeteaegg ggaeageee eececaaage eeceagggat 1440
```

gtaattacgt ccctcccccg ctagggggca gcagcgagcc gcccggggct ccgctccggt 1500 ccggcgctcc ccccgcatcc ccgagccggc agcgtgcggg gacagcccgg gcacggggaa 1560 ggtggcacgg gatcgctttc ctctgaacgc ttctcgctgc tctttgagcc tgcagacacc 1620 tgggggatac ggggccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg 1680 atgtaattac gtccctccc cgctaggggg cagcagcggg gggacagccc gggacagggg 1800 aaggtggcac gggatcgct tcctctgaac gcttctcgct gctctttgag cctctttgag cctcttttgag cctctttgag cctcttttgag cctcttttgag cctcttttgag cctcttttgag cctctttttag cctcttttag cctcttttag cctcttttag cctcttttag cctcttttag cctcttttag cctcttttag cctctttag cctctttag cctcttttag cctctttag cctcttag cctctttag cctcttag cctctttag cctctttag cctcttag cctct cctgggggat acggggcggg ggatccacta gttattaata gtaatcaatt acggggtcat 1920 tagttcatag cccatatatg gagttccgcg ttacataact tacggtaaat ggcccgcctg 1980 gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 2040 cgccaatagg gactttccat tgacgtcaat gggtggacta tttacggtaa actgcccact 2100 tggcagtaca tcaagtgtat catatgccaa gtacgccccc tattgacgtc aatgacggta 2160 aatggcccgc ctggcattat gcccagtaca tgaccttatg ggactttcct acttggcagt 2220 acatctacgt attagtcatc gctattacca tgggtcgagg tgagccccac gttctgcttc 2280 acttctccca tctccccccc ctccccaccc ccaattttg attattat tttttaatta 2340 gcgtgaaagc cttaaagggc tccgggaggg ccctttgtgc gggggggagc ggctcggggg 2760 gtgcgtgcgt gtgtgtgtgc gtggggagcg ccgcgtgcgg cccgcgctgc ccgggggctg 2820 tgagcgctgc gggcgcgggc cggggctttg tgcgctccgc gtgtgcgcga ggggagcgcg 2880 gcegggggg gtgcecegcg gtgcgggggg gctgcgaggg gaacaaaggc tgcgtgcgg 2940 gtgtgtgcgt ggggggtga gcaggggtg tgggcgcggc ggtcgggctg taaccccc 3000 ctgcacccc ctccccgagt tgctgagcac ggcccggctt cgggtgcgg gctccgtgcg 3060 gggcgcaggg acttectttg teccaaatet ggeggageeg aaatetggga ggegeegeg 3300 caccectet agegggege ggegaagegg tggeggeeg geaggaagga aatgggeggg 3360 gagggeette gtgegtegee geeegeegt eecettetee atetecagee teggggetge 3420 cgcaggagga eggetgeett egggggggae gggggeaggge ggggttegge ttetggegtg 3480 tgaceggegg etetaggee tetgetaace atgteatge ettettett tteetacage 3540 tggtgagea gggegaggag etgtteaceg gggtggtge eateetggte gagetggaeg 3600 gegaeggtaaa eggeeacaag tteagegtg egggtggtge eateetggte gagetggaeg 3600 gegaeggtaaa ecggeacaag tteagegtg eeggagggeg egagggggag geaecaeaca 3720 geaagetgae ectgaagtte atetgeacea eeggeaaget geeeggegeg etaeceegae eateatgaag 3840 togtgaccac cotgacctac ggogtgcagt gottcagcog ctacccogac cacatgaagc 3840 agcacgactt cttcaagtcc gccatgccg aaggctacgt ccaggaggg accatcttct 3900 tcaaggacga cggcaactac aagaccggg ccgaggtgaa gttcgaggg gacaccctgg 3960 tgaaccgcat cgagctgaag ggcacacat ccaggagga cagcacacac tcaaggagga cggcaacatc ctggggcaca 4020 agctggagta caactacaac gccacacac tctatatacat ggccgacaaa cagaagaacg 4080 gcatcaaggt gaacttcaag atccgccaca acatcgagga cggcagcgtg cagctcgccg 4140 accactacca gcagaacacc cccatcggcg acggccccgt gctgctgccc gacaaccact 4200 acctgagcac ccagtccgcc ctgagcaaag accccaacga gaagcgcgat cacatggtcc 4260 tgctggagtt cgtgaccgcc gccgggatca ctctcggcat ggacgagctg tacaagtaag 4320 aattcactcc tcaggtgcag gctgcctatc agaaggtggt ggctggtgtg gccaatgccc 4380 ttttctttaa catccctaaa attttcctta catgttttac tagccagatt tttcctcctc 4800 tcctgactac tcccagtcat agctgtccct cttctcttat gaagatccct cgacctgcag 4860 cccaagettg catgcetgea ggtegactet agaggateee eggetacega getegaatte 4920 gtaateatgg teatagetgt teetgtgtg aaattgttat eegeteacaa ttecaacaa 4980 catacgage ggaageataa agtgtaaage etgggtgee taatggtga getaacteae 5040 attaattgeg ttgegeteac tgecegettt ceagteggga aacetgtegt gecagetgee 5100 ttaatgaate ggecaaegeg eggggagagg eggtttgegt attgggeget etteegette 5160 etegeteact gaetegetge geteggtegt teggetgegg egageggtat eageteacte 5220 aaaaggeegg aataeggtat aaggggataat aggggataat aggggataat aggggatat eageteacte 5280 aaaaggeegg caaaaggeeg ggaaeegtaa aaaggeeggg ttgetggegt ttttecatag 5340 aatagggeag eggaaagga ataggataa aaaggeeggg ttgetggegt ttttecatag 5340 getecgecce cetgacgage atcacaaaaa tegacgetea agteagaggt ggegaaacce 5400 gacaggacta taaagatacc aggcgtttcc ccctggaagc tccctcgtgc gctctcctgt 5460

PCT/US02/17452 WO 02/097059

-82-

```
tecgaecetg eegettaceg gatacetgte egeetttete eettegggaa gegtggeget 5520
tteteatage teaegetgta ggtateteag tteggtgtag gtegtteget ceaagetggg 5580 etgtgtgeae gaaceeeeg tteageeega eegetgegee ttateeggta actategtet 5640
tgagtccaac ccggtaagac acgacttatc gccactggca gcagccactg gtaacaggat 5700
tagcagagcg aggtatgtag gcggtgctac agagttcttg aagtggtggc ctaactacgg 5760 ctacactaga aggacagtat ttggtatctg cgctctgctg aagccagtta ccttcggaaa 5820 aagagttggt agctcttgat ccggcaaaca aaccaccgct ggtagcggtg gttttttttgt 5880
ttgcaagcag cagattacgc gcagaaaaaa aggatctcaa gaagatcctt tgatcttttc 5940
tacggggtct gacgctcagt ggaacgaaaa ctcacgttaa gggattttgg tcatgagatt 6000 atcaaaaagg atcttcacct agatcctttt aaattaaaaa tgaagtttta aatcaatcta 6060
aagtatatat gagtaaactt ggtctgacag ttaccaatgc ttaatcagtg aggcacctat 6120 ctcagcgatc tgtctatttc gttcatccat agttgcctga ctccccgtcg tgtagataac 6180
tacgatacgg gagggettac catetggeec cagtgetgea atgatacege gagacecaeg 6240
ctcaccggct ccagatttat cagcaataaa ccagccagcc ggaagggccg agcgcagaag 6300 tggtcctgca actttatccg cctccatca gtctattaat tgttgccggg aagctagagt 6360
aggreetgea actitateeg ectecateea gretattaat tyttgeegyg aagetagagt 6360 aagtagtteg ecagttaata gtttgegeaa egttgttgee attgetaeag geategtggt 6420 gteaegeteg tegtttggta tggetteatt eageteeggt teceaaegat eaaggegagt 6480 tacatgatee eccatgttgt geaaaaaage ggttagetee tteggteete egategttgt 6540 eagaagtaag ttggeegeag tgttateaet eatggtatg geageaetge ataateete 6660 tactgteatg ceateegtag gatgettte tgtgaetggt gagtaeteaa ecaagteat 6660
ctgagaatag tgtatgcggc gaccgagttg ctcttgcccg gcgtcaatac gggataatac 6720 cgcgccacat agcagaactt taaaagtgct catcattgga aaacgttctt cggggcgaaa 6780 actctcaagg atcttaccgc tgttgagatc cagttcgatg taacccactc gtgcacccaa 6840
ctgatcttca gcatctttta ctttcaccag cgtttctggg tgagcaaaaa caggaaggca 6900 aaatgccgca aaaaagggaa taagggcgac acggaaatgt tgaatactca tactcttcct 6960
ttttcaatat tattgaagca tttatcaggg ttattgtctc atgagcggat acatatttga 7020 atgtatttag aaaaataaac aaataggggt tccgcgcaca tttccccgaa aagtgccacc 7080
 tgacgtagtt aacaaaaaa agcccgccga agcgggcttt attaccaagc gaagcgccat 7140
tegecattea ggetgegeaa etgttgggaa gggegattegg tgegggeete ttegetatta 7200 egecagetgg egaaaggggg atgtgetgea aggegattaa gttgggtaac gccagggttt 7260 teccagteac gaegttgtaa aacgaeggee agteegtaat acgaeteact taaggeettg 7320
actagagggt cgacggtata cagacatgat aagatacatt gatgagtttg gacaaaccac 7380 aactagaatg cagtgaaaaa aatgctttat ttgtgaaatt tgtgatgcta ttgctttatt 7440
tgtaaccatt ataagctgca ataaacaagt tggggtgggc gaagaactcc agcatgagat 7500 ccccgcgctg gaggatcatc cagccggcgt cccggaaaac gattccgaag cccaaccttt 7560 catagaaggc ggcggtggaa tcgaaatctc gtagcacgtg tcagtcctgc tcctcggcca 7620
cgaagtgcac g
 <210> 117
 <211> 4615
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> p18attBZeo6XHS4 Plasmid
 <400> 117
actitagtgg atcoccegec egtatecec caggtgtetg caggeteaaa gageagegag 480
egetgeegge teggggatge gggggagge ceggacegga geggageee gggegggteg 840 etgetgeege etagegggg agggacgta ttacateet ggggggetttg gggggggget 900 gteecegtga geggateege ggecegtat eececaggtg tetgeagget caaagageag 960 egagaagegt teagaggaaa gegateeegt gecacettee eegtgeeegg getgteeeeg 1020
cacgetgeeg getegggat geggggggag cgccggaccg gagcggagcc ccgggcgget 1080 cgctgctgcc ccctagcggg ggagggacgt aattacatcc ctggggggtt tggggggggg 1140 ctgtccccgt gagcggatcc gcggcccgt atccccagg tgtctgcagg ctcaaagagc 1200
```

-83-

```
agcgagaagc gttcagagga aagcgatccc gtgccacctt ccccgtgccc gggctgtccc 1260
ctcgctgctg ccccctagcg ggggagggac gtaattacat ccctgggggc tttggggggg 1380
ggctgtcccc gtgagcggat ccgcggcccc gtatccccca ggtgtctgca ggctcaaaga 1440 gcagcgagaa gcgttcagag gaaagcgatc ccgtgccacc ttccccgtgc ccgggctgtc 1500
cccgcacgct gccggctcgg ggatgcgggg ggagcgcgg accggagcgg agccccgggc 1560 ggctcgctgc tgcccctag cgggggaggg acgtaattac atccctgggg gctttggggg 1620
ggggctgtcc ccgtgagcgg atccgcggcc ccgtatcccc caggtgtctg caggctcaaa 1680
gagcagcgag aagcgttcag aggaaagcga tcccgtgcca ccttccccgt gcccgggctg 1740
tccccgcacg ctgccgctc ggggatgcgg ggggagcgcc ggaccggagc ggagccccgg 1800 gcggctcgct gctgcccct agcgggggag ggacgtaatt acatccctgg gggctttggg 1860
ggggggctgt ccccgtgagc ggatccgcgg ggctgcagga attcgtaatc atggtcatag 1920 ctgtttcctg tgtgaaattg ttatccgctc acaattccac acaacatacg agccggaagc 1980
ataaagtgta aagcctgggg tgcctaatga gtgagctaac tcacattaat tgcgttgcgc 2040 tcactgcccg ctttccagtc gggaaacctg tcgtgccagc tgcattaatg aatcggccaa 2100 cgcgcgggga gaggcggttt gcgtattggg cgctcttccg cttcctcgct cactgactcg 2160
cgcgcgggga gaggcggttt gcgtattggg cgctcttccg cttcctcgct cactgactcg 2160 ctgcgctcgg tcgttcggct gcggcgagcg gtatcagctc actcaaaggc ggtaatacgg 2220 ttatccacag aatcaggga taacgcagga aagaacatgt gagcaaaagg ccagcaaaag 2280 gccaggaacc gtaaaaaggc cgcgttgctg gcgtttttcc ataggctccg ccccctgac 2340 gagcatcaca aaaatcgacg ctcaagtcag aggtggcgaa acccgacagg actataaaga 2400 taccaggcgt ttccccttgg aagctcctc gggaaggcggg cgctttcca tagctcacgc 2520 tgtaggtatc tcagttcggt gtaggtcgt cgctcaaagc tgggctgtg gcacgaaccc 2580 gcaggttcagg cggatcaca ggaaggcgtg cgctttcag gcacgaaccc 2580 gcaggttcagg cggatcaca cgaaccaggta 2640
cccgttcage ccgaccgctg cgccttatcc ggtaactatc gtcttgagtc caacccggta 2640
agacacgact tatcgccact ggcagcagcc actggtaaca ggattagcag agcgaggtat 2700 gtaggcggtg ctacagagtt cttgaagtgg tggcctaact acggctacac tagaaggaca 2760
gtatttggta tetgegetet getgaagea gttacetteg gaaaaagagt tggtagetet 2820 tgateeggea aacaaceae egetggtage ggtggtttt ttgtttgeaa geageagatt 2880 aegegeagaa aaaaaggate teaagaagat eetttgatet tttetaeggg gtetgaeget 2940
cagtggaacg aaaactcacg ttaagggatt ttggtcatga gattatcaaa aaggatcttc 3000 acctagatcc ttttaaatta aaaatgaagt tttaaatcaa tctaaagtat atatgagtaa 3060
acttggtctg acagttacca atgcttaatc agtgaggcac ctatctcagc gatctgtcta 3120
tttegtteat ccatagttge etgaateate ageggagge taactaegat aegggaggge 3180 ttaccatetg gecceagtge tgeaatgata eegegagace eaegeteace ggetecagat 3240 ttateageaa taaaceagee ageeggaagg gecgagegea gaagtggtee tgeaacttta 3300 teegeeteea teeagtetat taattgttge egggaageta gagtaagtag ttegeeagtt 3360
aatagtttgc gcaacgttgt tgccattgct acaggcatcg tggtgtcacg ctcgtcgttt 3420
ggtatggctt cattcagctc cggttcccaa cgatcaaggc gagttacatg atcccccatg 3480 ttgtgcaaaa aagcggttag ctccttcggt cctccgatcg ttgtcagaag taagttggcc 3540 gcagtgttat cactcatggt tatggcagca ctgcataatt ctcttactgt catgccatcc 3600
gtaagatget tttetgtgae tggtgagtae teaaceaagt eattetgaga atagtgtatg 3660
gcaagacga gttgctcttg ceggegtea atacgggata ataceggec acatageaga 3720 actttaaaag tgctcatcat tggaaaacgt tetteggge gaaaactete aaggatetta 3780 cegetgttga gatecagtte gatgtaacee actegtgeae ceaactgate tteageatet 3840 tttactttea ceagegttte tgggtgagea aaaacaggaa ggcaaaaatge egcaaaaaag 3900
ggaataaggg cgacacggaa atgttgaata ctcatactct tccttttca atattattga 3960 agcatttatc agggttattg tctcatgagc ggatacatat ttgaatgtat ttagaaaaat 4020 aaacaaatag gggttccgcg cacatttccc cgaaaagtgc cacctgacgt agttaacaaa 4080
gcaactgttg ggaagggcga tcggtgcggg cctcttcgct attacgccag ctggcgaaag 4200 ggggatgtgc tgcaaggcga ttaagttggg taacgccagg gttttcccag tcacgacgtt 4260 gtaaaacgac ggccagtccg taatacgact cacttaaggc cttgactaga gggtcgacgg 4320
tatacagaca tgataagata cattgatgag tttggacaaa ccacaactag aatgcagtga 4380
aaaaaatgct ttatttgtga aatttgtgat gctattgctt tatttgtaac cattataagc 4440 tgcaataaac aagttggggt gggcgaagaa ctccagcatg agatccccgc gctggaggat 4500
catccagccg gcgtcccgga aaacgattcc gaagcccaac ctttcataga aggcggcggt 4560 ggaatcgaaa tctcgtagca cgtgtcagtc ctgctcctcg gccacgaagt gcacg 4615
```

<sup>&</sup>lt;210> 118 <211> 17384

<sup>&</sup>lt;212> DNA <213> Artificial Sequence

<sup>&</sup>lt;220>

<sup>&</sup>lt;223> pFK161 Plasmid

<sup>&</sup>lt;400> 118

gegcacgagg gagettecag ggggaaacge etggtatett tatagteetg teggggttte 60 gecacetetg acttgagegt egatttttgt gatgetegte agggggegg agectatgga 120 aaaacgecag caacgeggee titttacggt teetggeett tigetggeet tittgeteaca 180 tgttetttee tgegttatee cetgattetg tggataaceg tattacegee tittgagtgag 240 ctgataccgc tcgccgcagc cgaacgaccg agcgcagcga gtcagtgagc gaggaagcgg 300 aagagcgctg acttccgcgt ttccagactt tacgaaacac ggaaaccgaa gaccattcat 320 gttgttgctc aggtcgcaga cgttttgcag cagcagtcgc ttcacgttcg ctcgcgtatc 420 ggtgattcat totgotaaco agtaaggoaa cocogocago ctagoogggt cotoaacgac 480 aggagcacga tcatgcgcac ccgtcagatc cagacatgat aagatacatt gatgagtttg 540 gacaaaccac aactagaatg cagtgaaaaa aatgctttat tigtgaaatt tigtgatigcta 600 tigctttatt tigtaaccatt ataagctigca ataaacaagt taacaacaac aattgcattc 660 attitatigtt toaggitoag giggaggitig giggaggitit tidaagcaag taaaaccict 720 acaaatgigg tatggctgat tatgatotot agtcaaggca ciatacatca aatatoott 780 attaacccct ttacaaatta aaaagctaaa ggtacacaat ttttgagcat agttattaat 840 agcagacact ctatgcctgt gtggagtaag aaaaaacagt atgttatgat tataactgtt 900 atgcctactt ataaaggtta cagaatattt ttccataatt ttcttgtata gcagtgcagc 960 tttttccttt gtggtgtaaa tagcaaagca agcaagagtt ctattactaa acacagcatg 1020 actcaaaaaa cttagcaatt ctgaaggaaa gtccttgggg tcttctacct ttctcttt 1080 ttttggagga gtagaatgtt gagagtcagc agtagcctca tcatcactag atggcattc 1140 ttctgagcaa aacaggtttt cctcattaaa ggcattccac cactgctccc attcatcagt 1200 tccataggtt ggaatctaaa atacacaaac aattagaatc agtagtttaa cacattatac 1260 acttaaaaat tttatattta ccttagagct ttaaatctct gtaggtagtt tgtccaatta 1320 tgtcacacca cagaagtaag gttccttcac aaagatccgg accaaagcgg ccatcgtgcc 1380 tgccacacca cagaagtaag gttccttcac aaagatccgg accaaagcgg ccatcgtgcc 1380 tccccactcc tgcagttcgg gggcatggat gcgcggatag ccgctgctgg tttcctggat 1440 gccgacggat ttgcactgcc ggtagaactc gcgaggtcgt ccagcctcag gcagcagctg 1500 aaccaactcg cgagggatc gagcccggg tgggcgaaga actccagcat gagatcccgg 1560 cgctggagga tcatccagca actccgga tggaatcgaa actccgtgat gcagccaat cctttcatca 1620 aaggcggcg tggaatcgaa actccgtgat gcaggttgg gcgtcgcttg gtcggtcatt 1680 gcgaatcggg aggcgcata ccgtaaagca cgaggaagcg gtcagccat tcgccgccaa 1800 gctcttcagc aatatcacgg gtagccaacg ctatgtcctg atagcggtcc gccacaccca 1860 gccggccaca gtcgatgaat ccaqaaaagc qqccattttc caccatqata ttcqccaaqc 1920 gccggccaca gtcgatgaat ccagaaaagc ggccattttc caccatgata ttcggcaagc 1920 aggcatcgcc atgggtcacg acgagatcct cgccgtcggg atgcgcgcct tgagcctggc 1980 gaacagtteg getggegga geceetgatg etettegtee agateateet gategacaag 2040 aceggettee ateegagtae gtgetegete gatgegatgt ttegettggt ggtegaatgg 2100 geaggtagee ggateaageg tatgeageeg cegeattgea teagecatga tggataettt 2160 cteggeagga geaaggtgag atgacaggag atcetgeec ggeaettege ceaatageag 2220 ceagteectt eegetteag tgacaaegte gageaeaget gegeaaggaa egeeegtegt 2280 ggeeageeae gatageegeg etgeetegte etgeagttea tteagggeae eggaeaggte 2340 ggtcttgaca aaaagaaccg ggcgcccttg cgctgacagc cggaacacgg cggcatcaga 2400 gcagccgatt gtctgttgtg cccagtcata gccgaatagc ctctccaccc aagcggccgg 2460 agaacctgcg tgcaatccat cttgttcaat catgcgaaac gatcctcatc ctgtctcttg 2520 atcagatctt gatcccctgc gccatcagat ccttggcggc aagaaagcca tccagtttac 2580 tttgcagggc ttcccaacct taccagagg cgccccagct ggcaattccg gttcgcttgc 2640 tgtccataaa accgccagt ctagctatcg ccatgtaagc ccactgcaag ctacctgctt 2700 tctctttgcg cttgcgtttt cccttgtcca gatagcccag tagctgacat tcatccgggg 2760 tcagcaccgt ttctgcggac tggctttcta cgtgttccgc ttcctttagc agcccttgcg 2820 coctgagtgo ttgcggcago gtgaaagott tttgcaaaag cotaggcoto caaaaaagoo 2880 tootcactac ttctggaata gotcagaggo cgaggoggoo taaataaaaa aaattagtca 2940 gccatgggc ggagaatggg cggaactggg cggagttagg ggcgggatgg gcggagttag 3000 gggcgggact atggttgctg actaattgag atgcatgct tgcatacttc tgcctgctgg 3060 ggagcctggg gactttccac acctggttgc tgactaattg agatgcatgc tttgcatact 3120 described georgeste decagated acacectate transactation of the state of ttggctccaa ttcttggagt ggtgaatccg ttagcgagtg gccgcggct tccaattcagg 3360 ttggagtggc ccggctccat gcaccgcgac gcaacgcggg gaggcagaca aggtataggg 3420 cggcgctac aatccatgcc aacccgttcc atgtgctcgc cgaggcgcat aaatcgccgg 3480 ctgtccctga tggtcgtcat ctacctgcct ggacagcatg gccgcgagcg atccttgaag 3540 ctgtccctga aggtagaag aatcataatg gggaaggca tccagccacg cgcgagaga aaccataatg gggaaggca tccagcctcg cgccagcaaga cgtagcccag cggctcgggc cgccatgcac gcgataatgg cctgctctc 3780 cccgaaacgt ttggtcgcg gaccagtag gacgattag gcaagatta gcgaaggct caacagttcc 3780 gccgaaacgt ttggtggcgg gaccagtgac gaaggcttga gcgagggcgt gcaagattcc 3780 gaataccgca agcgacaggc cgatcatcgt cgcgctccag cgaaagcggt cctcgccgaa 3840 aatgacccag agcgctgccg gcacctgtcc tacgagttgc atgataaaga agacagtcat 3900 aagtgcggcg acgatagtca tgccccgcgc ccaccggaag gagctgactg ggttgaaggc 3960 tctcaagggc atcggtcgac gctctccctt atgcgactcc tgcattagga agcagcccag 4020

PCT/US02/17452 WO 02/097059

-85-

tagtaggttg aggccgttga gcaccgccgc cgcaaggaat ggtgcatgca aggagatggc 4080 gcccaacagt cccccggcca cgggcctgcc accataccca cgccgaaaca agcgctcatg 4140 agcccgaagt ggcgagcccg atcttcccca tcggtgatgt cggcgatata ggcgccagca 4200 accgcacctg tggcgccggt gatgccggcc acgatgcgtc cggcgtagag gatcttggca 4260 gtcacagcat gcgcatatcc atgcttcgac catgcgctca caaagtaggt gaatgcgcaa 4320 tgtagtaccc acatcgtcat cgctttccac tgctctcgcg aataaagatg gaaaatcaat 4380 ctcatggtaa tagtccatga aaatccttgt attcataaat cctccaggta gctatatgca 4440 aattgaaaca aaagagatgg tgatctttct aagagatgat ggaatctccc ttcagtatcc 4500 cgatggtcaa tgcgctggat atgggataga tgggaatatg ctgattttta tgggacagag 4560 tigogaactg ticccaacta aaatcattit gcacgatcag cgcactacga actitaccca 4620 caaatagtca ggtaatgaat cctgatataa agacaggttg ataaatcagt cttctacgcg 4680 categocacg gcacaccgta gaaagtcttt cagttgtgag cctgggcaaa ccgttaactt 4740 tcggcggctt tgctgtgga caggctcacg tctaaaagga aataaatcat gggtcataaa 4800 attatcacgt tgtccggcgc ggcgacggat gttctgtatg cgctgttttt ccgtggcgcg 4860 ttgctgtctg gtgatctgcc ttctaaatct ggcacagccg aattgcgcga gcttggttt 4920 gctgaaacca gacacacagc aactgaatac cagaaagaaa atcactttac ctttctgaca 4980 tcagaagggc agaaatttgc cgttgaacac ctggtcaata cgcgttttgg tgagcagcaa 5040 tattgcgctt cgatgacgct tggcgttgag attgatacct ctgctgcaca aaaggcaatc 5100 gacgagetgg accagegeat tegtgacace gteteetteg aacttatteg caatggagtg 5160 teatteatea aggacgeege tategeaaat ggtgetatee acgeagege aategaaaca 5220 cctcaqccqq tqaccaatat ctacaacatc aqccttggta tccagcgtga tgagccagcg 5280 cagaacaagg taaccgtcag tgccgataag ttcaaagtta aacctggtgt tgataccaac 5340 attgaaacgt tgatcgaaaa cgcgctgaaa aacgctgctg aatgtgcggc gctggatgtc 5400 acaaagcaaa tggcagcaga caagaaagcg atggatgaac tggcttccta tgtccgcacg 5460 gccatcatga tggaatgttt ccccggtggt gttatctggc agcagtgccg tcgatagtat 5520 gcaattgata attattatca tttgcgggtc ctttccggcg atccgccttg ttacggggcg 5580 gcgacctcgc gggttttcgc tatttatgaa aattttccgg tttaaggcgt ttccgttctt 5640 cttcgtcata acttaatgit tttatttaaa ataccctctg aaaagaaagg aaacgacagg 5700 ctgggcggcg gcaaagcggt cggacagtgc tccgagaacg ggtgcgcata gaaattgcat 6120 caacgcatat agcgctagca gcacgccata gtgactggcg atgctgtcgg aatggacgat 6180 atcccgcaag aggcccggca gtaccggcat aaccaagcct atgcctacag catccagggt 6240 gacggtgccg aggatgacga tgagcgcatt gttagatttc atacacggtg cctgactgcg 6300 ttagcaattt aactgtgata aactaccgca ttaaagctta tcgatgataa gcggtcaaac 6360 atgagaattc geggeegete ttetegttet gecageggge cetegtetet ecaecceate 6420 cgtctgccgg tggtgtgtgg aaggcagggg tgcggctctc cggcccgacg ctgccccgcg 6480 cgcacttttc tcagtggttc gcgtggtcct tgtggatgtg tgaggcgcc ggttgtgccc 6540 tcacgtgttt cactttggtc gtgtctcgct tgaccatgtt cccagagtcg gtggatgtgg 6600 ccggtggcgt tgcataccct tcccgtctgg tgtgtgcacg cgctgtttct tgtaagcgtc 6660 gaggtgctcc tggagcgttc caggtttgtc tcctaggtgc ctgcttctga gctggtggtg 6720 gegetececa treectggtg tgeeteeggt gereegtetg getgtgtgee treecgtttg 6780 tgtetgagaa gecegtgaga ggggggtega ggagagaagg aggggcaaga ccccccttct 6840 togtogggtg aggogocoac cocgogacia glacgoctgt gogtagggct ggtgctgagc 6900 ggtcgcgct ggggttggaa agtttctcga gagactcatt gctttcccgt ggggagcttt 6960 gagaggcctg gctttcgggg gggaccggtt gcagggtctc ccctgtccgc ggatgctcag 7020 aatgcccttg gaagagaacc ttcctgttgc cgcagacccc cccgcgcggt cgcccgcgtg 7080 ttggtcttct ggtttccctg tgtgctcgtc gcatgcatcc tctctcggtg gccggggctc 7140 gteggggttt tgggteegte eegeceteag tgagaaagtt teetteteta getatettee 7200 ggaaagggtg cgggcttett acggtetega ggggtetete ccgaatggte ccctggaggg 7260 etcgcccct gaccgcctcc cgcgcgca gcgtttgcte tetcgtetac cgcggcccgc 7320 ggcctccccg ctccgagttc ggggagggat cacgcggggc agagcctgtc tgtcgtcctg 7380 ccgttgctgc ggagcatgtg gctcggcttg tgtggttggt ggctggggag agggctccgt 7440 gcacacccc gcgtggggt actttcctc cctcctgagg gccgccgtgc ggacggggtg 7500 tgggtaggcg acggtgggct cccgggtcc cacccgtctt ccgtgcctc acccgtgcct 7560 tccgtcgcgt gcgtccctct cgctcgcgtc caccactttg gccgctcccg cgacggcgc 7620 etgegeegeg egtggtgegt getgtgtget tetegggetg tgtggttgtg tegeetegee 7680 cccccttcc cgcggcagcg ttcccacggc tggcgaaatc gcgggagtcc tccttcccct 7740 cctcggggtc gagagggtcc gtgcttggcg ttgattgatc tcgctctcgg ggacgggacc 7800 gttetgtggg agaacggetg ttggccgcgt ccggcgcgac gtcggacgtg gggacccact 7860 gccgctcggg ggtcttcgtc ggtaggcatc ggtgtgtcgg catcggtctc tctctcgtgt 7920 cggtgtcgcc tcctcgggct cccggggggc cgtcgtgttt cgggtcggct cggcgctgca 7980 ggtgtggtgg gactgctcag gggagtggtg cagtgtgatt cccgccggtt ttgcctcgcg 8040

tgccctgacc ggtccgacgc ccgagcggtc tctcggtccc ttgtgaggac ccccttccgg 8100 gaggggcccg tttcggccgc ccttgccgtc gtcgccggcc ctcgttctgc tgtgtcgttc 8160 ccccctccc gctcgccgca gccggtcttt tttcctctct ccccccctct cctctgactg 8220 accegtggce gtgctgtegg acceeegea tgggggegge egggeaegta egegteeggg 8280 cggtcaccgg ggtcttgggg gggggccgag gggtaagaaa gtcggctcgg cgggcgggag 8340 gagagggctg ttggagggg tcccggcccc gcggccgtgg gcaaagggat cgtggctctg ggggccgtg gaaaaggttg ccccgcacg gcgaaagggaa agaggctagt 8460 agtggtcatt gtcccgacgg tgtggtggtc tgttggccga ggtgcgtctg ggggctcgt 8520 agtggtcatt gtcccgacgg tgtggtggtc tgttggccga ggtgcgtctg gggggctcgt 8520 coggocott cytocytog gaaggogot gttggggot gcoggagtgc cgaggtggs 8580 accetggog tgggattaac cccgcgcgc tgtcccggtc tggccgtggg ggctccggtc 8640 gatgtctacc tccctccc cgaggtctca ggccttctcc gcggggctc tcggccctc 8700 gacgggtggc ctatccaggg ctcgcccccg ccgacccccg cctgcccgtc ccggtggtgg 9180 tcgttggtgt ggggagtgaa tggtgctacc ggtcattccc tcccgcgtgg tttgactgtc 9240 tcgccggtgt cgcgcttctc tttccgccaa cccccacgcc aacccaccac cctgctctcc 9300 cggcccggtg cggtcgacgt tccggctctc ccgatgccga ggggttcggg atttgtgccg 9360 gggacggagg ggagagcggg taagagaggt gtcggagagc tgtcccgggg cgacgctcgg 9420 gttggctttg ccgcgtgcgt gtgctcgcgg acgggttttg tcggaccccg acggggtcgg 9480 teeggeegea tgeactetee egtteegege gagegeege ceggeteace eeeggtttgt 9540 eetceegega ggeteteege egeegeegee teetceteet etetegeget etetgteeeg 9600 cetggteetg teceacece gaegeteege tegegettee ttacetggtt gateetgeea 9660 ggtageatat gettgtetea aagattaage catgeatgte taagtaegea eggeeggtae 9720 agtgaaactg cgaatggctc attaaatcag ttatggttcc tttggtcgct cgctcctctc 9780 ctacttggat aactgtggta attctagage taatacatge egaegggege tgaccecect 9840 teeegggggg ggatgegtge atttateaga teaaaaceaa eeeggtgage teeeteeegg 9900 taagagggac ggccgggggc attcgtattg cgccgctaga ggtgaaattc ttggaccggc 10620 gcaagacgga ccagagcgaa agcatttgcc aagaatgttt tcattaatca agaacgaaag 10680 teggaggtte gaagacgate agatacegte gtagtteega ccataaacga tgccgactgg 10740 cgatgeggeg gegttattee catgaccege egggeaget ecegggaaace aaagtetttg 10800 ggtteegggg ggagtatggt tgcaaagetg aaacttaaag gaattgacgg aagggcacca 10860 ccaggagtgg gcctgcggct taatttgact caacacggga aacctcaccc ggcccggaca 10920 cggacaggat tgacagattg atagctctt ctcgattccg tgggtggtgg tgcatggccg 10980 ttcttagttg gtggagcgat ttgtctggtt aattccgata acgaacgaga ctctggcatg 11040 ctaactagtt acgcgacccc cgagcggtcg gcgtccccca acttcttaga gggacaagtg 11100 gcgttcagcc acccgagatt gagcaataac aggtctgtga tgcccttaga tgtccggggc 11160 tgcacggcg ctacactgac tggctcagcg tgtgcctacc ctgcgccggc aggcgcgggt 11220 aacccgttga accccattcg tgatggggat cggggattgc aattattccc catgaacgag 11280 gaattcccag taagtgcggg tcataagctt gcgttgatta agtccctgcc ctttgtacac 11340 gaatteecag taagtgeggg teataagett gegttgatta agteetgee etttgtade 11340 acegeeegte getactaceg attggatggt ttagtgagge eeteegateg geeegeeggg 11400 agtaaaagte gtaacaaggt tteegtaggt gaagtggte gaacttgaet atetagagga 11460 agtaaaaggt gtaacaaggt tteegtaggt gaacetgegg aaggateatt aaacgggaga 11520 egegtgegte eegggegegt ggeeegetet eeeegtettg tgtgtgeet egeegggagg 11580 egagggggtg gtggggteeg tetgggeegg gtggaggagg gtgtetggag tgaggtgaga 11640 gaaggggtgg gtggggteegg tetggeeegg tetgggaeeg eeteegatt eeeeteece 11700 egestetteeg etgeteegg tetgaeeteg gagggggggg etgetegggg 11760 egestetteeg tettgeegg etgeteggg 11820 gegtettgee tettteeegt eeggetette egtgtetaeg aggggeggta egtegttaeg 11820 ggttttgc tetteegt eggettete egggtetet gagggggg egggtttge tetteegge 11880 cccateceeg eggettet ggettteta egteggggg egegtttge tetteegge 11880 eggatgggt gtegeggtet ggettteta egteggetgg ggeggttgte gegtgtggg 11940 ggatgtgagt gtegeggtg ggetegeeeg teeegatgee aegetttet ggeetegegt 12000 gteeteeeg eteetgtee gggtacetag etgtegegt eeggegga ggtttaagga 12060

ccccgggggg gtcgccctgc cgccccagg gtcgggggc ggtggggccc gtagggaagt 12120 cggtcgttcg ggcggctctc cctcagactc catgaccctc ctccccccgc tgccgccgtt 12180 cccgaggcgg cggtcgtgtg ggggggtgga tgtctggagc cccctcgggc gccgtggggg 12240 cccgacccgc gccgccggct tgcccgatt ccgcgggtcg gtcctgtcgg tgccggtcgt 12300 gggttcccgt gtcgttcccg tgttttccg ctcccgacc ttttttttc ctcccccca 12360 cacgtgtete gtttegttee tgetggeegg cetgaggeta ecceteggte catetgttet 12420 cetetetete eggggagagg agggeggtgg tegttggggg aetgtgeegt egteageace 12480 ctcgcagggc caacccccca acccgggtcg ggccctccgt ctcccgaagt tcagacgtgt 12780 gggcggttgt cggtgtggcg cgcgcgccg cgtcgcggag cctggtctcc cccgcgcatc 12840 egegetegeg gettettece geteegeegt teeegeete geeegtgeae eeeggteetg 12900 geetegegte ggegeeteee ggaeegetge eteaeeagte ttteteggte eegtgeeeeg 12960 tgggaacca ccgccccc gtggcgccg ggggtgggc cgtccgcatc tgctctggtc 13020 gaggttggcg gttgagggtg tgcgtcgcc gaggttggc ttgcgcgcg gaggcgggt tgcgtcgcc tgctctgtgt 13140 gtttgggtct tgcgtggg gaggcggggt cgaccgctcg cggggttggc gaggagggt 13260 gtatccccgg tgggttggc agggagggt tgggtcgcc cgtcgtcgc tccctccct 13320 cctcggtggg cgccttcgcg ccgcacgcgg ccgctagggg cggtcggggc ccgtggcccc 13380 cgtggctctt cttcgtctcc gcttctcctt cacccgggcg gtacccgctc cggcgccggc 13440 ccgcgggacg ccgcggcgtc cgtgcgccga tgcgagtcac ccccgggtgt tgcgagttcg 13500 gggagggaga gggcctcgct gacccgttgc gtcccggggtt ccctgggggg gacccggcgt 13560 ctgtgggctg tgcgtcccgg gggttgcgtg tgagtaagat cctccacccc cgccgccctc 13620 coctcocgc ggcctctcgg ggacccctg agacggttcg ccggctcgtc ctcccgtgcc 13680 gccgggtgcc gtctctttcc cgcccgctc ctcgctctct tcttcccgcg gctgggcgcg 13740 tgtccccct tcttgaccgc gacctcagat cagacgtggc gacccgctga atttaagcat 13800 attagtcage ggaggaaaag aaactaacca ggattecete agtaacggeg agtgaacagg 13860 gaagagecea gegeegaate eeegeegeg gtegeggegt gggaaatgtg gegtaeggaa 13920 gaccaetee eeggegeege tegtggggg eeeaagteet tetgategag geceageeg 13980 tggaeggtgt gaggeeggta geggeeceg egegeeggge tegggtette eeggagtegg 14040 gtigctiggg aatgcagcc aaagegggtg gtaaactcca tetaaggcta aataceggca 14100 cgagaccgat agtcaacaag taccgtaagg gaaagttgaa aagaactttg aagagagat 14160 tcaagagggc gtgaaaccgt taagaggtaa acgggtgggg tccgcgcagt ccgcccggag 14220 gtcacgegte tecegacgaa geegagegea eggggtegge ggegatgteg getacceaee 14880 cgacccgtct tgaaacacgg accaaggagt ctaacgcgtg cgcgagtcag gggctcgtcc 14940 gaaagccgcc gtggcgcaat gaaggtgaag ggccccgccc gggggcccga ggtgggatcc 15000 cgaggcetet ccagtecgee gagggegeae caceggeeeg tetegeeege egegeegggg 15060 aggtggagca cgagcgtacg cgttaggacc cgaaagatgg tgaactatgc ttgggcaggg 15120 cgaagccaga ggaaactctg gtggaggtcc gtagcggtcc tgacgtgcaa atcggtcgtc 15180 cgacctgggt ataggggcga aagactaatc gaaccatcta gtagctggtt ccctccgaag 15240 tttccctcag gatagctggc gctctcgctc ccgacgtacg cagttttatc cggtaaagcg 15300 aatgattaga ggtcttgggg ccgaaacgat ctcaacctat tctcaaactt taaatgggta 15360 agaagcccgg ctcgctggcg tggagccggg cgtggaatgc gagtgcctag tgggccactt 15420 ttggtaagca gaactggcgc tgcgggatga accgaacgcc gggttaaggc gcccgatgcc 15480 ggacgggage ggccgcgaat tcttgaagac gaaagggcct cgtgatacgc ctattttat 15720 aggttaatgt catgataata atggtttctt agacgtcagg tggcactttt cggggaaatg 15840 tgcgcggaac ccctatttgt ttattttct aaatacattc aaatatgtat ccgctcatga 15840 gacaataacc ctgataaatg cttcaataat attgaaaaag gaagagtatg agtattcaac 15900 atttccqtqt cgcccttatt cccttttttg cggcattttg cttcctgttt ttgctcaccc 15960 agaaacgctg gtgaaagtaa aagatgctga agatcagttg ggtgcacgag tgggttacat 16020 cgaactggat ctcaacagcg gtaagatcct tgagagtttt cgccccgaag aacgttttcc 16080

-88-

```
aatgatgage aettttaaag ttetgetatg tggegeggta ttateeegtg ttgaegeegg 16140 geaagageaa eteggtegee geatacaeta tteteagaat gaettggttg agtaeteaec 16200
agtcacagaa aagcatctta cggatggcat gacagtaaga gaattatgca gtgctgccat 16260
aaccatgagt gataacactg cggccaactt acttctgaca acgatcggag gaccgaagga 16320
gctaaccgct tttttgcaca acatggggga tcatgtaact cgccttgatc gttgggaacc 16380
ggagctgaat gaagccatac caaacgacga gcgtgacacc acgatgcctg cagcaatggc 16440 aacaacgttg cgcaaactat taactggcga actacttact ctagcttccc ggcaacaatt 16500
aatagactgg atggaggcgg ataaagttgc aggaccactt ctgcgctcgg cccttccggc 16560
tggctggttt attgctgata aatctggagc cggtgagcgt gggtctcgcg gtatcattgc 16620 agcactgggg ccagatggta agcctcccg tatcgtagtt atctacacga cggggagtca 16680 ggcaactatg gatgaacgaa atagacagat cgctgagata ggtgcctcac tgattaagca 16740
ttggtaactg tcagaccaag tttactcata tatactttag attgatttaa aacttcattt 16800
ttaatttaaa aggatctagg tgaagatcct ttttgataat ctcatgacca aaatccctta 16860
acgtgagttt tcgttccact gagcgtcaga ccccgtagaa aagatcaaag gatcttcttg 16920 agatcctttt tttctgcgcg taatctgctg cttgcaaaca aaaaaaccac cgctaccagc 16980
ggtggtttgt ttgccggatc aagagctacc aactetttt ccgaaggtaa ctggcttcag 17040
cagagegeag ataccaaata etgteettet agtgtageeg tagttaggee accaetteaa 17100 gaaetetgta geaeegeeta catacetege tetgetaate etgttaceag tggetgetge 17160
cagtggcgat aagtcgtgtc ttaccgggtt ggactcaaga cgatagttac cggataaggc 17220
gcageggteg ggetgaacgg ggggttegtg cacacagece agettggage gaacgaceta 17280 cacegaactg agatacetac agegtgaget atgagaaage gecaegette cgaagggaga 17340
aaggcggaca ggtatccggt aagcggcagg gtcggaacag gaga
                                                                                                              17384
<210> 119
<211> 2814
<212> DNA
<213> Artificial Sequence
<223> pLITMUS38 Plasmid
<400> 119
gttaactacg tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt 60
tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca 120
ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt 180
ttttgcggca ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga 240
tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa 300 gatccttgag agttttcgcc ccgaagaacg ttctccaatg atgagcactt ttaaagttct 360 gctatgtggc gcggtattat cccgtgttga cgccggcaa gagcaactcg gtcgccgcat 420 acactattct cagaatgact tggttgagta ctcaccagtc acagaaaagg atcttacgga 480 tggcatgaca gtaagagaat tatgcagtgc tgccataacc atgagtgata acactgcggc 540
caacttactt ctgacaacga teggaggacc gaaggageta accgettttt tgcacaacat 600
gggggatcat gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa 660 cgacgagcgt gacaccacga tgcctgtagc aatggcaaca acgttgcgca aactattaac 720
tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 780
agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc 840 tggagccggt gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc 900
ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag 960 acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta 1020
ctcatatata ctttagattg atttaccccg gttgataatc agaaaagccc caaaaacagg 1080 aagattgtat aagcaaatat ttaaattgta aacgttaata ttttgttaaa attcgcgtta 1140 aatttttgtt aaatcagctc atttttaac caataggccg aaatcggcaa aatcccttat 1200
aaatcaaaag aatagcccga gatagggttg agtgttgttc cagtttggaa caagagtcca 1260
ctattaaaga acgtggactc caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1320
ccactacgtg aaccatcacc caaatcaagt tttttggggt cgaggtgccg taaagcacta 1380
aatcggaacc ctaaagggag ccccgatt agagcttgac ggggaaagcg aacgtggcg 1440 gaaaggaagg gaagaaagcg aaaggagcg gcgctaggc gctggcaagt gtagcggtca 1500 cgctgcgcgt aaccaccaca cccgccgcg ttaatgcgc gctacagggc gcgtaaaagg 1560 atctaggtga agatccttt tgataatctc atgaccaaaa tcccttaacg tgagtttttcg 1620
ttccactgag cgtcagaccc cgtagaaaag atcaaaggat cttcttgaga tcctttttt 1680
ctgcgcgtaa tctgctgctt gcaaacaaa aaaccaccgc taccagcggt ggtttgtttg 1740 ccggatcaag agctaccaac tcttttccg aaggtaactg gcttcagcag agcgcagata 1800 ccaaatactg tcttctctagt gtagccgtag ttaggccacc actctagaga ctctgtagca 1860
ccgcctacat acetcgctct gctaatcctg ttaccagtgg ctgctgccag tggcgataag 1920 tcgtgtctta ccgggttgga ctcaagacga tagttaccgg ataaggcgca gcggtcgggc 1980
tgaacggggg gttcgtgcac acagcccagc ttggagcgaa cgacctacac cgaactgaga 2040 tacctacagc gtgagctatg agaaagcgcc acgcttcccg aagggagaaa ggcggacagg 2100
```

PCT/US02/17452 WO 02/097059

-89-

```
tatccggtaa gcggcagggt cggaacagga gagcgcacga gggagcttcc aggggggaaac 2160 gcctggtatc tttatagtcc tgtcgggttt cgccacctct gacttgagcg tcgatttttg 2220
tgatgctcgt caggggggg gagcctatgg aaaaacgcca gcaacgcggc ctttttacgg 2280 ttcctggcct tttgctggcc ttttgctcac atgtaatgtg agttagctca ctcattaggc 2340
accccagget ttacacttta tgetteegge tegtatgttg tgtggaattg tgageggata 2400 acaattteac acaggaaaca getatgaeca tgattaegee aagetaegta atacgaetea 2460
ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gatatctgga 2520
tccacgaatt cgctagette ggccgtgacg cgtctccgga tgtacaggca tgcgtcgacc 2580
ctctagtcaa ggccttaagt gagtcgtatt acggactggc cgtcgtttta caacgtcgtg 2640 actgggaaaa ccctggcgtt acccaactta atcgccttgc agcacatccc cctttcgcca 2700
```

<210> 120 <211> 2847 <212> DNA <213> Artificial Sequence

<220> <223> pLIT38attB Plasmid

<400> 120 gttaactacg tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt 60 tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca 120 ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt 180 ttttgcggca ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga 240 tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa 300 gatccttgag agttttcgcc ccgaagaacg ttctccaatg atgagcactt ttaaagttct 360 gctatgtggc gcggtattat cccgtgttga cgccgggcaa gagcaactcg gtcgccgcat 420 acactattct cagaatgact tggttgagta ctcaccagtc acagaaaagc atcttacgga 480 tggcatgaca gtaagagaat tatgcagtgc tgccataacc atgagtgata acactgcggc 540 caacttactt ctgacaacga tcggaggacc gaaggagcta accgcttttt tgcacaacat 600 gggggatcat gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa 660 cgacgagcgt gacaccacga tgcctgtagc aatggcaaca acgttgcgca aactattaac 720 tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 780 agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc 840

ctcatatata ctttagattg atttaccccg gttgataatc agaaaagccc caaaaacagg 1080 aagattgtat aagcaaatat ttaaattgta aacgttaata ttttgttaaa attcgcgtta 1140 aatttttgtt aaatcagctc attttttaac caataggccg aaatcggcaa aatcccttat 1200 aaatcaaaag aatagcccga gatagggttg agtgttgttc cagtttggaa caagagtcca 1260 ctattaaaga acgtggactc caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1320 ccactacgtg aaccatcacc caaatcaagt ttttttggggt cgaggtgccg taaagcacta 1380 aatcggaacc ctaaagggag cccccgattt agagcttgac ggggaaagcg aacgtggcga 1440 gaaaggaagg gaagaaagcg aaaggagcgg gcgctagggc gctggcaagt gtagcggtca 1500 cgctgcgcgt aaccaccaca cccgccgcgc ttaatgcgcc gctacagggc gcgtaaaagg 1560 atctaggtga agatcctttt tgataatctc atgaccaaaa tcccttaacg tgagttttcg 1620 ttccactgag cgtcagaccc cgtagaaaag atcaaaggat cttcttgaga tcctttttt 1680

tegtgtetta cegggttgga etcaagacga tagttacegg ataaggegea geggteggge 1980 tgaacggggg gttcgtgcac acagcccagc ttggagcgaa cgacctacac cgaactgaga 2040 tacctacage gtgagetatg agaaagegee acgetteeeg aagggagaaa ggeggacagg 2100 tatccggtaa gcggcagggt cggaacagga gagcgcacga gggagcttcc agggggaaac 2160 gcctggtatc tttatagtcc tgtcgggttt cgccacctct gacttgagcg tcgatttttg 2220

accccagget ttacacttta tgetteegge tegtatgttg tgtggaattg tgageggata 2400 acaattteac acaggaaaca getatgacca tgattaegee aagetaegta atacgactea 2460 ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gattgaagcc 2520 tgctttttta tactaacttg agcgaaatct ggatccacga attcgctagc ttcggccgtg 2580 acgcgtctcc ggatgtacag gcatgcgtcg accctctagt caaggcctta agtgagtcgt 2640 attacggact ggccgtcgtt ttacaacgtc gtgactggga aaaccctggc gttacccaac 2700

tggagccggt gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc 900 ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag 960 acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta 1020 ctgcgcgtaa tctgctgctt gcaaacaaaa aaaccaccgc taccagcggt ggtttgtttg 1740 coggatcaag agctaccaac tottttccg aaggtaactg gottcagcag agcgcagata 1800 ccaaatactg ttottctagt gtagccgtag ttaggccacc acttcaagaa ctctgtagca 1860 ccgcctacat acctcgctct gctaatcctg ttaccagtgg ctgctgccag tggcgataag 1920 tgatgctcgt caggggggg gagcctatgg aaaaacgcca gcaacgcggc ctttttacgg 2280 ttcctggcct tttgctggcc ttttgctcac atgtaatgtg agttagctca ctcattaggc 2340

PCT/US02/17452

-90-

```
ttaatcgcct tgcagcacat ccccctttcg ccagctggcg taatagcgaa gaggcccgca 2760 ccgatcgcc ttcccaacag ttgcgcagcc tgaatggcga atggcgcttc gcttggtaat 2820 aaagcccgct tcggcggct ttttttt 2847
<210> 121
<211> 4223
<212> DNA
<213> Artificial Sequence
<220>
<223> pLIT38attBBSRpolyA2 Plasmid
accatgaaaa catttaacat ttctcaacaa gatctagaat tagtagaagt agcgacagag 60 aagattacaa tgctttatga ggataataaa catcatgtgg gagcggcaat tcgtacgaaa 120
acaggagaaa tcatttegge agtacatatt gaaggagatata taggacgagt aactgtttgt 180 geagaageca ttgegattgg tagtgeagtt tegaatggae aaaaggattt tgacacgatt 240 gtagetgtta gacaccetta ttetgacgaa gtagatagaa gtattegagt ggtaagtect 300 tgtggtatgt gtaggaggt gattteagae tatgeaccag attgtttgt gtaatagaa 360 atgaatggea agttagteaa aactacgatt gaagaactea tteeacteaa atataccega 420 aattaaaagt tttaccatac caagettgge tgetgaega ggetggaega cetegeggag 480
ttctaccggc agtgcaaatc cgtcggcatc caggaaacca gcagcggcta tccgcgcatc 540 catgcccccg aactgcagga gtggggaggc acgatggccg ctttggtccg gatctttgtg 600
aaggaacctt acttctgtgg tgtgacataa ttggacaaac tacctacaga gatttaaagc 660 tctaaggtaa atataaaatt tttaagtgta taatgtgtta aactactgat tctaattgtt 720
tgtgtatttt agattccaac ctatggaact gatgaatggg agcagtggtg gaatgccttt 780 aatgaggaaa acctgttttg ctcagaagaa atgccatcta gtgatgatga ggctactgct 840 gactctcaac attctactcc tccaaaaaag aagagaaagg tagaagaccc caaggacttt 900
ccttcagaat tgctaagttt tttgagtcat gctgtgttta gtaatagaac tcttgcttgc 960
tttgctattt acaccacaaa ggaaaaagct gcactgctat acaagaaaat tatggaaaaa 1020 tattctgtaa cctttataag taggcataac agttataatc ataacatact gtttttctt 1080
tattetgtaa eetttataag taggeataac agttataate ataacataet gtttttett 1080 aetecacaca ggeatagagt gtetgetatt aataactatg etcaaaaatt gtgtaeettt 1140 agetttttaa tttgtaaagg ggttaataag gaatatttga tgtatagtge ettgaetaga 1200 gateataate agecatacca eatttgtaga ggttttaett getttaaaaa aeeteceaca 1260 eeteceeetg aaeetgaaac ataaaatgaa tgeaattgt gttgtaaet tgttatattge 1320 agettataat ggttacaaat aaagecaatag tecacaaat tteacaaata aagatecaga 1380
tttcgctcaa gttagtataa aaaagcaggc ttcaatcctg cagagaagct tggcgccagc 1440
cggcttcaat tgcacgggcc ccactagtga gtcgtattac gtagcttggc gtaatcatgg 1500 tcatagctgt ttcctgtgtg aaattgttat ccgctcacaa ttccacacaa catacgagcc 1560
ggaagcataa agtgtaaagc ctggggtgcc taatgagtga gctaactcac attacatgtg 1620
agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca 1680
taggeteege ceceetgaeg ageateacaa aaategaege teaagteaga ggtggegaaa 1740 ceegaeagga etataaagat aceaggegtt teeeetgga ageteeeteg tgegetetee 1800 tgtteegaee etgeegetta eeggataeet gteegeettt eteeettegg gaagegtgge 1860
getteteat ageteaeget gtaggtatet cagtteggt taggtegte getecaaget 1920 gggetgtgtg cacgaacee cegtteagee egacegetge geettateeg gtaactateg 1980 tettgagtee aaceeggtaa gacacgaett ategeeaetg geageageea etggtaacag 2040 gattageaga gegaggtatg taggeggtge tacagagtte ttgaagtggt ggeetaacta 2100 eggetaeaet agaagaacag tatttggtat etggetetg etgaageeag ttacettegg 2160
aaaaagagtt ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt 2220 tgtttgcaag cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt 2280 ttctacgggg tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag 2340
attatcaaaa aggatcttca cctagatcct tttacgcgcc ctgtagcggc gcattaagcg 2400 cggcgggtgt ggtggttacg cgcagcgtga ccgctacact tgccagcgcc ctagcgccc 2460 ctcctttcgc tttcttccct tcctttctcg ccacgttcgc tttccccgtc aagctctaaa 2520 tcgggggctc cctttagggt tccgatttag tgctttacgg cacctcgacc ccaaaaaact 2580 tgatttgggt gatggttcac gtagtgggcc atcgccctga tagacggttt ttcgccctt 2640 gacgttggag tccacgttct ttaatagtg accttgtt ccaacttct ccaaaaact 2580
gacgttggag tocacgttot ttaatagtgg actottgtto caaactggaa caacactcaa 2700
ccctatctcg ggctattctt ttgatttata agggattttg ccgatttcgg cctattggtt 2760 aaaaaatgag ctgatttaac aaaaatttaa cgcgaatttt aacaaaatat taacgtttac 2820
aatttaaata tttgcttata caatcttcct gtttttgggg cttttctgat tatcaaccgg 2880 ggtaaatcaa tctaaagtat atatgagtaa acttggtctg acagttacca atgcttaatc 2940
agtgaggeac ctateteage gatelgieta tttegiteal ceatagttge etgaeteece 3000
gtcgtgtaga taactacgat acgggagggc ttaccatctg gccccagtgc tgcaatgata 3060 ccgcgagacc cacgctcacc ggctccagat ttatcagcaa taaaccagcc agccggaagg 3120
gccgagcgca gaagtggtcc tgcaacttta tccgcctcca tccagtctat taattgttgc 3180 cgggaagcta gagtaagtag ttcgccagtt aatagtttgc gcaacgttgt tgccattgct 3240
```

WO 02/097059 PCT/US02/17452

-91-

```
acaggcatcg tggtgtcacg ctcgtcgttt ggtatggctt cattcagctc cggttcccaa 3300 cgatcaaggc gagttacatg atcccccatg ttgtgcaaaa aagcggttag ctccttcggt 3360
cctccgatcg ttgtcagaag taagttggcc gcagtgttat cactcatggt tatggcagca 3420 ctgcataatt ctcttactgt catgccatcc gtaagatgct tttctgtgac tggtgagtac 3480
tcaaccaagt cattctgaga atagtgatat ggaagacga gttgctcttg cccggcgtca 3540 acacgggata ataccgcgc acatagcaga actttaaaag tgctcatcat tggagaacgt 3600 tcttcgggg gaaaactctc aaggatctta ccgctgttga gatccagtte gatgtaaccc 3660 actcgtgcac ccaactgatc ttcagcatct tttactttca ccagcgtttc tgggtgagca 3720
aaaacaggaa ggcaaaatgc cgcaaaaaag ggaataaggg cgacacggaa atgttgaata 3780 ctcatactct tccttttca atattattga agcatttatc agggttattg tctcatgagc 3840
ggatacatat ttgaatgtat ttagaaaaat aaacaaatag gggttccgcg cacatttccc 3900 cgaaaagtgc cacctgacgt agttaacaaa aaaaagcccg ccgaagcggg ctttattacc 3960 aagcgaagcg ccattcgcca ttcaggctgc gcaactgttg ggaagggcga tcggtgcggg 4020
cetetteget attacgecag etggegaaag ggggatgtge tgeaaggega ttaagttggg 4080 taacgecagg gtttteccag teacgacgtt gtaaaacgac ggecagteeg taatacgaet 4140 caettaagge ettgactaga gggtegaege atgeetgtae atceggagae gegteaegge 4200
cgaagctage gaattegtgg atc
                                                                                                                                                                                                                       4223
 <210> 122
 <211> 2686
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> pUC18 Plasmid
 <400> 122
 togogogttt oggtgatgac ggtgaaaacc totgacacat gcagotocog gagacggtca 60
 cagettgtet gtaageggat geegggagea gacaageeeg teagggegeg teagegggtg 120
ttggcgggtg tcggggctgg cttaactatg cggcatcaga gcagattgta ctgagagtgc 180 accatatgcg gtgtgaaata ccgcacagat gcgtaaggag aaaataccgc atcaggcgcc 240 attcgccatt caggctgcg aactgttggg aagggcgatc ggtgcgggcc tcttcgctat 300 tacgccagct ggcgaaaggg ggatgtgctg caaggcgatc aagttgggta acgccagggt ttcccagggt aagacgtgt aagacgagg ccagggcaa gcttgcatge ctgcaggtcg 420
actctagagg atccccgggt accgagctcg aattcgtaat catggtcata gctgtttcct 480 gtgtgaaatt gttatccgct cacaattcca cacaacatac gagccggaag cataaagtgt 540
 aaagcetggg gtgeetaatg agtgagetaa etcacattaa ttgegttgeg etcactgeee 600
egitadadagy cegegitget ggegittete cataggetee gececetga egageateae 900 aaaaaategae geteaagtea gaggtggega aaceegacag gactataaag ataceaggeg 960 tttececetg gaageteet egtgegetet eetgtteega eeetgeeget taceggatae 1020 etgteegeet tetecette gggaagegtg gegetttete atageteaeg etgtaggtat 1080 etcagteege tgtaggtegt tegeteeaag etgeaggatg tegeteeget tegeteeaag eeeggetgt tegeteeaggatge eeeggetgt tegeteeaggatges tegeteeggetgt tegeteeaggatges eeggetgtes eeggetgtes eeggetgtes tegeteeaggatges 1200 eeggetgtes eeggetgtes eeggetgtes eeggetgtes eeggetgtes eeggetgtes 200 eeggetgtes eeggetgtes eeggetgtes eeggetges eeggetges eeggetges eeggetges eeggetgtes eeggetges eeggetges eeggetgtes eeggetges eeggetges
 ttatcgccac tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcggt 1260 gctacagagt tcttgaagtg gtggcctaac tacggctaca ctagaaggac agtatttggt 1320
 atctgcgctc tgctgaagcc agttaccttc ggaaaaagag ttggtagctc ttgatccggc 1380 aaacaaacca ccgctggtag cggtggtttt tttgtttgca agcagcagat tacgcgcaga 1440 aaaaaaggat ctcaagaaga tcctttgatc ttttctacgg ggtctgacgc tcagtggaac 1500
 gaaaactcac gttaagggat tttggtcatg agattatcaa aaaggatctt cacctagatc 1560
 cttttaaatt aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct 1620 gacagttacc aatgcttaat cagtgaggca cctatctcag cgatctgtct atttcgttca 1680
 tccatagttg cctgactccc cgtcgtgtag ataactacga tacgggaggg cttaccatct 1740 ggccccagtg ctgcaatgat accgcgagac ccacgctcac cggctccaga tttatcagca 1800
 ataaaccage cageeggaag ggeegagege agaagtggte etgeaacttt ateegeetee 1860 ateeagteta ttaattgttg eeggaaget agagtaagta gttegeeagt taatagtttg 1920 egeaacgttg ttgeeattge tacaggeate gtggtgteae getegtegtt tggtatgget 1980
 tcattcagct coggttecca acgatcaagg cgagttacat gatcccccat gttgtgcaaa 2040 aaagcggtta gctccttcgg tcctccgatc gttgtcagaa gtaagttggc cgcagtgtta 2100 tcactcatgg ttatggcagc actgcataat tctcttactg tcatgccatc cgtaagatgc 2160
 ttttctgtga ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg 2220 agttgctctt gcccggcgtc aatacgggat aatacgcgc cacatagcag aactttaaaa 2280
 gtgctcatca ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg 2340 agatccagtt cgatgtaacc cactcgtgca cccaactgat cttcagcatc ttttactttc 2400
```

WO 02/097059

-92-

```
accagcgttt ctgggtgagc aaaaacagga aggcaaaatg ccgcaaaaaa gggaataagg 2460 gcgacacgga aatgttgaat actcatactc ttccttttc aatattattg aagcatttat 2520
cagggttatt gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata 2580
ggggttccgc gcacatttcc ccgaaaagtg ccacctgacg tctaagaaac cattattatc 2640 atgacattaa cctataaaaa taggcgtatc acgaggccct ttcgtc 2686
<210> 123
<211> 8521
<212> DNA
<213> Artificial Sequence
<220>
<223> pCXeGFPattB(6xHS4)2 Plasmid
 <400> 123
tacggggcgg gggatccact agttattaat agtaatcaat tacggggtca ttagttcata 60
gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc 120
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag 180
ggactitcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac 240
atcaagtgta tcatatgcca agtacgcccc ctattgacgt caatgacggt aaatggcccg 300
actaggeatta tgcccagtac atgacettat gggactttec tacttggcag tacatctacg 360 tattagtcat cgctattacc atgggtcgag gtgagcccca cgttctgctt cactctccc 420 atctccccc cctccccacc cccaattttg tatttattta ttttttaatt attttgtgca 480
ccttaaaggg ctccgggagg gccctttgtg cgggggggag cggctcgggg ggtgcgtgcg 900 tgtgtgtgtg cgtggggagc gccgcgtgcg gcccgcgctg cccggcggct gtgagcgctg 960 cgggcgcggc gcggggcttt gtgcgctccg cgtgtgcgcg aggggagcgc ggccgggggc 1020
degecteggg ceggggaggg ctegggggag gggeggggg geceggage geeggegt 1320 gtegaggeg ggegagege agecattge ttttatggta ategtgegag agggegeagg 1380 gaetteett gtecaaate tggeggagee gaaatetggg aggegeegee geacecete 1440
tagcgggcgc gggcgaagcg gtgcggcgcc ggcaggaagg aaatgggcgg ggagggcctt 1500 cgtgcgtcgc cgcgccgccg tccccttctc catctccagc ctcggggctg ccgcaggggg 1560
acgctgcttgt tgtgggggga cggggcaggg cggggtttgg tttctggcgt gtgaccggcg 1620 gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctcctgggca 1680 acgtgctggt tgttgtgctg tctcatcatt ttggcaaaga attcgccacc atggtgagca 1740
agggcgagga gctgttcacc ggggtggtgc ccatcctggt cgagctggac ggcgacgtaa 1800
acggccacaa gttcagcgtg tccggcgagg gcgagggcga tgccacctac ggcaagctga 1860 ccctgaagtt catctgcacc accggcaagc tgcccgtgcc ctggcccacc ctcgtgacca 1920
ccctgaccta cggcgtgcag tgcttcagcc gctaccccga ccacatgaag cagcacgact 1980 tcttcaagtc cgccatgccc gaaggctacg tccaggagcg caccatcttc ttcaaggacg 2040
acggcaacta caagacccgc gccgaggtga agttcgaggg cgacaccctg gtgaaccgca 2100 tcgagctgaa gggcatcgac ttcaaggagg acggcaacat cctggggcac aagctggagt 2160 acaactacaa cagccacaac gtctatatca tggccgacaa gcagaagaac ggcatcaagg 2220
tgaacttcaa gatccgccac aacatcgagg acggcagcgt gcagctcgcc gaccactacc 2280 agcagaacac ccccatcggc gacggccccg tgctgctgcc cgacaaccac tacctgagca 2340
cccaqtccqc cctqagcaaa gaccccaacg agaagcgcga tcacatggtc ctgctggagt 2400
togtgacogo ogcogggato actotogoca tggacgagot gtacaagtaa gaattoacto 2460 otcaggtgca ggotgoctat cagaaggtgg tggotggtgt ggocaatgco otggotoaca 2520
aataccactg agatettttt ceetetgeca aaaattatgg ggacateatg aageceettg 2580 ageatetgae ttetggetaa taaaggaaat ttatttteat tgeaatagtg tgttggaatt 2640
ttttgtgtct ctcactcgga aggacatatg ggagggcaaa tcatttaaaa catcagaatg 2700
agtatttggt ttagagtttg gcaacatatg ccatatgctg gctgccatga acaaaggtgg 2760 ctataaagag gtcatcagta tatgaaacag cccctgctg tccattcctt attccataga 2820 aaagccttga cttgagtta gattttttt atattttgt ttgtgttatt tttttta 2880
acatecetaa aattteett acatgttta etagecagat titteeteet eteetgaeta 2940 eteecagtea tagetgteee tettetetta tgaagateee tegaeetgea geecaagett 3000
ggcgtaatca tggtcatagc tgtttcctgt gtgaaattgt tatccgctca caattccaca 3060
```

caacatacga gccggaagca taaagtgtaa agcctggggt gcctaatgag tgagctaact 3120

cacattaatt gegttgeget cactgeeege ttteeagteg ggaaacetgt egtgeeageg 3180 gateegeate teaattagte agcaaceata gteeegeece taacteegee cateeegee 3240 ctaactccgc ccagttccgc ccattctccg ccccatggct gactaatttt ttttatttat 3300 gcagaggccg aggccgcctc ggcctctgag ctattccaga agtagtgagg aggctttttt 3360 ggaggctagt ggatcccccg ccccgtatcc cccaggtgtc tgcaggctca aagagcagcg 3420 ctgctgcccc ctagcggggg agggacgtaa ttacatccct ggggggctttg ggggggggct 3600 gtccccgtga gcggatccgc ggccccgtat cccccaggtg tctgcaggct caaagagcag 3660 cgagaagcgt tcagaggaaa gcgatcccgt gccaccttcc ccgtgcccgg gctgtccccg 3720 ctcgctgctg ccccctagcg ggggagggac gtaattacat ccctgggggc tttggggggg 4080 ggctgtccc gtgagcggat ccgcggccc gtatcccca ggtgtctgca ggctaaaaga 4140 gcagcggaaa gcgttcagag gaaagcgatc ccgtgccacc ttccccgtgc ccgggctgtc 4200 cccgcacgct gccggctcgg ggatgcggg ggaggcgcgg accggagcgg agccccgggc 4260 ggctcgctgc tgccccctag cgggggaggg acgtaattac atccctgggg gctttggggg 4320 ggggctgtcc ccgtgagcgg atccgcggc ccgtatcccc cagggtgtctg caggctcaaa 4380 ggtggcgaaa cccgacagga ctataaagat accaggcgtt tccccttgga agctccctcg 5400 tgcgctctcc tgttccgacc ctgccgctta ccggatacct gtccgccttt ctcccttcgg 5460 gaagegtgge gettteteaa tgeteaeget gtaggtatet eagtteggtg taggtegtte 5520 gaagegtgge getteteaa tgeteaeget gtaggtatet cagteeggtg taggtegtte 5520 getecaaget gggetgtgt cacgaacce cegtteagee caccegtge gcettateeg 5580 gtaactateg tettgagtee aacceggtaa gacacgaett ategecaetg geageageca 5640 etggtaacag gattageag gegaggtatg taggeggtge tacagaggte ttgaagtggt 5700 ggeetaacta eggetacaet agaaggacag tatttggtat etgegetetg etgaagecag 5760 ettggttttt tgtttgeaag eageagatta eggegagaaa acaaaccaec getggtageg 5820 ettgatett tettaegggg tetgaegete agtggaacga aacaccagt taagggatet 5940 etggteatgag attateaaa aggatete eggegagaea aaaccaecg taagggatet 5940 etggteatgag attateaaaa aggatetee ectagateet tttaaattaa aaatgaagtt 6000 tggtcatgag attatcaaaa aggatcttca cctagatcct tttaaattaa aaatgaagtt 6000 ttaaatcaat ctaaagtata tatgagtaaa cttggtctga cagttaccaa tgcttaatca 6060 gtgaggcacc tatctcagcg atctgtctat ttegttcatc catagttgcc tgactccccg 6120 tcgtgtagat aactacgata cgggagggct taccatctgg ccccagtgct gcaatgatac 6180 cgcgagaccc acgctcaccg gctccagatt tatcagcaat aaaccagcca gccggaaggg 6240 ccgagcgcag aagtggteet gcaactttat ccgcctccat ccagtetatt aattgttgcc 6300 gggaaggtag aagtagteet geatettat eegeteet eeagtetat aagtetget aggaaagetag agtaagtagt tegecagtta atagtttgeg caacgttgtt geattgeta 6360 eaggeategt ggtgteaege tegtegtttg gtatggette atteagetee ggtteecaac 6420 eategategt tgteagaagt aagttggeeg eagtgttate acteatggtt atggeageac 6540 tgcataatte tettaetgte atgceateeg tagatgett ttettgtgaet ggtgagtaet 6600 caaccaagte attetgagaa tagtgtatge ggegacegag ttgetettge ceggegteaa 6660 taegggataa tacegegea catageagaa etttaaaagt geteateatt ggaaaaegtt 6720 cttcggggcg aaaactctca aggatcttac cgctgttgag atccagttcg atgtaaccca 6780 ctcgtgcacc caactgatct tcagcatctt ttactttcac cagcgtttct gggtgagcaa 6840 aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa tgttgaatac 6900 tcatactctt cctttttcaa tattattgaa gcatttatca gggttattgt ctcatgagcg 6960 gatacatatt tgaatgtatt tagaaaaata aacaaatagg ggttccgcgc acatttcccc 7020 qaaaaqtgcc acctggtcga cggtatcgat aagcttgata tcgaattcct gcagccccgc 7080 ggatcegete aeggggacag ecceeecea aageeecag ggatgtaatt aegteeetee 7140

WO 02/097059

-94-

```
cccgctaggg ggcagcagcg agccgcccgg ggctccgctc cggtccggcg ctccccccgc 7200
atccccgagc cggcagcgtg cggggacagc ccgggcacgg ggaaggtggc acgggatcgc 7260
ttteetetga aegetteteg etgetetttg ageetgeaga cacetggggg atacgggge 7320 geggateege teaeggggac ageeceeee caaageeeee agggatgtaa ttacgteeet 7380
ccgcggatcc gctcacgggg acagccccc cccaaagccc ccagggatgt aattacgtcc
ctccccgct agggggcagc agcgagecgc ccggggctcc getccggtcc ggcgctcccc 7680
ccgcatccc gagccggcag cgtgcggga cagccgggc acggggaagg tggcacggga 7740 tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg ggggatacgg 7800 ggccgcggat ccgctcacgg ggacagccc ccccaaaagc ccccaagggat gtaattacgt 7860
ccctccccg ctagggggca gcagcgagcc gcccggggct ccgctccggt ccggcgctcc 7920
ccccgcatcc ccgagccggc agcgtgcggg gacagcccgg gcacggggaa ggtggcacgg 7980 gatcgctttc ctctgaacgc ttctcgctgc tctttgagcc tgcagacacc tgggggatac 8040
cccccgcat ccccgagcg gcagcgtgc gggacagccc gggacagggg aaggtggcac 8220 gggatcgctt tcctctgac gcttctcgct gctctttgag cctgcagaa aaggtggcac 8280 acgggaccgc gggatcgctc acggggacag ccccccca aagccccag ggatgtaatt 8340 acgtcctcc cccgctaggg ggcagcagcg ccgcgccgg ggctccgct cggtccgcg atcccccga acgctcttgag cctgcagaa cccgggacagcg ccgggacagcg ccgggacagcg ggatgtaatt 8340 acgggatcgc tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg 8460 acgggatcgc tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg 8520
                                                                                                                                       8521
<210> 124
<211> 8851
<212> DNA
 <213> Artificial Sequence
<220>
<223> p18EPOcDNA Plasmid
 <400> 124
cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgactccga ccactcggcg 120 tacagctcgt ccaggccgcg caccacacc caggccaggg tgttgtccgg caccacctgg 180
tcctggaccg cgctgatgaa cagggtcacg tcgtcccgga ccacaccggc gaagtcgtcc 240 tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccggcgacg 300
tcgcgcgcgg tgagcaccgg aacggcactg gtcaacttgg ccatggatcc agatttcgct 360 caagttagta taaaaaagca ggcttcaatc ctgcagagaa gcttgatatc gaattcctgc 420
agccccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg atgtaattac 480
gggatcgctt tcctctgaac gcttctcgct gctctttgag cctgcagaca cctgggggat 660
acggggccgc ggatccgctc acggggacag cccccccca aagccccaag ggatgtaatt 720 acgtccctcc cccgctaggg ggcagcagcg agccgcccgg ggctccgctc cggtccggcg 780 ctccccccgc atccccgagc cggcagcgtg cggggacagc ccgggcacgg ggaaggtggc 840 acggggatcgc tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg 900 atacggggac ggcagtcgc tcaccaga tcacgggga agccgccca agcctgcaga acgcttctaa
atacggggc gcggatccgc tcacgggga agcccccc caaagcccc agggatgtaa 960 ttacgtcccc gcatcccga gcggcagcag tgcggggaca gcccgggatc gcttcctct gaacgcttct tgagcctccaagccg ggggataggtg 1080 ggatacggg ccgcggatcc gctcacggg acagcccc ccgaggatc gcttcacggg acagcccc ccaaagccc ccgggatc gcttcctct gaacgcttct tgagcctgca gccgggatgt 1200 aattacgtcc ctccccgct agggggacag agcggccgc ccggggctcc gctccggtag 1220
ggcgctcccc ccgcatcccc gagccggcag cgtgcggga cagcccgggc acggggaagg 1320 tggcacggga tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg 1380
ggggatacgg ggccgcgat ccgctcaccg ggacagccc ccccaaagc ccccagggat 1440 gtaattacgt cccccagg ctagggggaa gcagcagc gcccggggat ccgctcaccg ggacagccg gcaggagca ccccaaggaa 1560 ggtggcacgg gatcgcttc ctctgaacgc tcttgagcc tgcagagacagc tccccaagg 1580 atggaggatac ggacagcag gacagcccg gcccagggat 1560 ggtgggatac ggggcgcgg atccgctac ggggacagcc cccccaaagc ccccaagg 1680 atgtaattac gtcatagag gacagag gacagaga gcccccaaa gcccccaagg 1680
cctgggggat acggggcggg ggatccacta gttattaata gtaatcaatt acggggtcat 1920 tagttcatag cccatatatg gagttccgcg ttacataact tacggtaaat ggcccgcctg 1980
```

gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 2040 cgccaatagg gactitecat tgacgtcaat gggtggacta titacggtaa actgcccact 2100 tggcagtaca tcaagtgtat catatgcaa gtacgcccc tattgacgtc aatgacggta 2160 aatggcccgc ctggcattat gcccagtaca tgaccttatg ggactttcct acttggcagt 2220 acatctacgt attagtcatc gctattacca tgggtcgagg tgagccccac gttctgcttc 2280 actctcccca tctcccccc ctccccacc ccaattttgt atttattat tttttaatta 2340 gcgtgaaagc cttaaagggc teegggaggg ccctttgtgc gggggggagc ggctcggggg 2760 gtgcgtgcgt gtgtgtgtgc gtggggagcg ccgcgtgcgg cccgcgctgc ccggcggctg 2820 tgagcgctgc gggcgcggcg cggggctttg tgcgctccgc gtgtgcgcga ggggagcgcg 2880 gccgggggg gtgcccgcg gtgcgggggg gctgcgaggg gaacaaaggc tgcgtgcggg 2940 gtgtgtgcgt ggggggtga gcaggggtg tgggcgcggc ggtcgggctg taacccccc 3000 ctgcacccc ctcccgagt tgctgagcac ggcccggctt cgggtgcggg gctccgtgcg 3060 gctgtgctga acactgcagc ttgaatgaga atatcactgt cccagacacc aaagttaatt 3720 totatgoctg gaagaggatg gaggtogggc agcaggcogt agaagtotgg cagggcotgg 3780 coetgotgte ggaagetgte etgeggggce aggeoetgtt ggtcaactet teccageogt 3840 gggagecet geagetgeat gtggataaag cegteagtgg cettegeage eteaceacte 3900 tgetteggge tetgggage cagaaggaag ceateteee teeagatgeg geeteagetg 3960 etecacteeg aacaateact getgacactt teegcaaact etteegagte tactecaatt 4020 tcctccgggg aaagctgaag ctgtacacag gggaggcctg caggacaggg gacagatgac 4080 gtacaagtaa gaattcactc ctcaggtgca ggctgcctat cagaaggtgg tggctggtgt 4140 ggccaatgcc ctggctcaca aataccactg agatcttttt ccctctgcca aaaattatgg 4200 ggacatcatg aagccccttg agcatctgac ttctggctaa taaaggaaat ttattttcat 4260 tgcaatagtg tgttggaatt ttttgtgtct ctcactcgga aggacatatg ggagggcaaa 4320 tcatttaaaa catcagaatg agtatttggt ttagagtttg gcaacatatg ccatatgctg 4380 gctgccatga acaaaggtgg ctataaagag gtcatcagta tatgaaacag ccccctgctg 4440 tecatteett attecataga aaageettga ettgaggtta gattitittt atattitgtt 4500 ttgtgttatt tttttettta acateectaa aatttteett acatgtttta etageeagat 4560 tittectect etectgacta eteccagtea tagetgtece tettetetta tgaagatece 4620 tegacetgea geceaagett geatgeetge aggtegaete tagtggatee eeegeeeegt 4680 atcocccagg tgtctgcagg ctcaaagagc agcgagaagc gttcagagga aagcgatccc 4740 gtgccacctt ccccgtgcc gggctgtccc cgcacgctgc cggctcgggg atgcggggg 4800 agcgccggac cggagcggag ccccgggcgg ctcgctgctg ccccctagcg ggggagggac 4860 gtaattacat ccctgggggc tttgggggg ggctgtcccc gtgagcggat ccgcggcccc 4920 gtatececea ggtgtetgea ggeteaaaga geagegagaa gegteagag gaaagegate 4980 eegtgeeace tteeeegtge eegggetgte eeggaeget geeggetegg ggatgeggg 5040 ggagegeegg aceggageg ageeeeggge ggetegetge tgeeeeetag egggggaggg 5100 acgtaattac atccetgggg gctttggggg ggggctgtcc ccgtgagcgg atccgcggcc 5160 ccgtatccc caggtgtctg caggctcaaa gagcagcgag aagcgttcag aggaaagcga 5220 tcccgtgcca ccttccccgt gcccgggctg tccccgcacg ctgccggctc ggggatgcgg 5280 ggggagegee ggaceggage ggagecegg geggeteget getgececet ageggggag 5340 ggacgtaatt acatecetgg gggetttggg ggggggetgt cecegtgage ggateegegg 5400 cecegtatee eccaggtgte tgcaggetea aagageageg agaagegtte agaggaaaage 5460 gatecegtge caeetteece gtgeeeggge tgteeegga egetgeegge teggggatge 5520 ggggggaggg ccggaccgga gcggagccc gggcggctcg ctgctgccc ctagcggggg 5580 agggacgtaa ttacatcct gggggctttg gggggggct gtccccgtga gcggatccgc 5640 ggccccgtat ccccaggtg tctgcaggct caaagagcag cgagaagcgt tcagaggaaa 5700 gcgatcccgt gccaccttcc ccgtgcccgg gctgtccccg cacgctgccg gctcggggat 5760 gcggggggag cgccggaccg gagcggagcc ccgggcggct cgctgctgcc ccctagcggg 5820 ggagggacgt aattacatcc ctggggggctt tggggggggg ctgtccccgt gagcggatcc 5880 gcggccccgt atcccccagg tgtctgcagg ctcaaagagc agcgagaagc gttcagagga 5940 aagcgatecc gtgccacett ccccgtgcc gggctgtccc cgcacgctgc cggctcgggg 6000

PCT/US02/17452 WO 02/097059

-96-

```
atgegggggg agegeeggae eggageggag eccegggegg etegetgetg ecceetageg 6060
ggggagggac gtaattacat ccctgggggc tttggggggg ggctgtcccc gtgagcggat 6120 ccgcggggct gcaggaattc gtaatcatgg tcatagctgt ttcctgtgtg aaattgttat 6180
ccgctcacaa ttccacacaa catacgagcc ggaagcataa agtgtaaagc ctggggtgcc 6240 taatgagtga gctaactcac attaattgcg ttgcgctcac tgcccgcttt ccagtcggga 6300
aacctgtcgt gccagctgca ttaatgaatc ggccaacgcg cggggagagg cggtttgcgt 6360 attgggcgct cttccgctc ctcgctcact gactcgctgc gctcggtcgt tcggctgcgg 6420 cgagcggtat cagctcactc aaaggcggta atacggttat ccacagaatc aggggataac 6480
gcaggaaaga acatgtgagc aaaaggccag caaaaggcca ggaaccgtaa aaaggccgcg 6540 ttgctggcgt ttttccatag gctccgccc cctgacgagc atcacaaaaa tcgacgctca 6600 agtcagaggt ggcgaaaccc gacaggacta taaagatacc aggcgtttcc ccctggaagc 6660
tecetegtge geteteetgt tecgaceetg eegettaeeg gatacetgte egeettete 6720 eettegggaa gegtggeget tecteatage teaegetgta ggtateteag tteggtgtag 6780
gtogtteget ccaagetggg etgtgtgcae gaaceceeg tteagecega eegetgegee 6840 ttateeggta actategtet tgagteeaae eeggtaagae acgaettate gecaetggea 6900
gcagccactg gtaacaggat tagcagagcg aggtatgtag gcggtgctac agagttcttg 6960 aagtggtggc ctaactacgg ctacactaga aggacagtat ttggtatctg cgctctgctg 7020 aagccagtta ccttcggaaa aagagttggt agctcttgat ccggcaaaca aaccaccgct 7080
ggtagcggtg gtttttttgt ttgcaagcag cagattacgc gcagaaaaaa aggatctcaa 7140 gaagatcctt tgatcttttc tacggggtct gacgctcagt ggaacgaaaa ctcacgttaa 7200 gggattttgg tcatgagatt atcaaaaagg atcttcacct agatcctttt aaattaaaaaa 7260
tgaagtttta aatcaatcta aagtatatat gagtaaactt ggtctgacag ttaccaatgc 7320 ttaatcagtg aggcacctat ctcagcgatc tgtctatttc gttcatccat agttgcctga 7380 ctccccgtcg tgtagataac tacgatacgg gagggcttac catctggccc cagtgctgca 7440 atgataccgc gagacccacg ctcaccggct ccagatttat cagcaataaa ccagccagcc 7500 ggaagggccg agcgcagaag tggtcctgca actttatccg cctccatcca gtctattaat 7560
tgttgccggg aagctagagt aagtagttcg ccagttaata gtttgcgcaa cgttgttgcc 7620 attgctacag gcatcgtggt gtcacgctcg tcgtttggta tggcttcatt cagctccggt 7780 tcccaacgat caaggcgagt tacatgatcc cccatgttgt gcaaaaaaagc ggttagctcc 7740
tteggteete egategttgt eagaagtaag ttggeegeag tgttateaet eatggtatg 7800 geageaetge ataattetet taetgteatg ecateegtaa gatgettte tgtgaetggt 7860 gagtaeteaa ecaagteatt etgagaaataa tgtatgegge gacegagttg etettgeeeg 7920 gegteaatae gggataatae egegeeaeta ageagaaett taaaagtget eateattgga 7980 aaaegttett eggggegaaa acteteaagg atettaeege tgttgagate eagstegatg 8040 taaegeagte gtgagaegaa etgatetta geatettta gestettaa
taacccactc gtgcacccaa ctgatcttca gcatctttta ctttcaccag cgtttctggg 8100 tgagcaaaaa caggaaggca aaatgccgca aaaaagggaa taagggcgac acggaaatgt 8160
tgaatactca tactcttcct ttttcaatat tattgaagca tttatcaggg ttattgtctc 8220
atgageggat acatatttga atgtatttag aaaaataaac aaataggggt teegegcaca 8280 ttteecegaa aagtgecace tgaegtagtt aacaaaaaaa ageeegeega agegggettt 8340
attaccaage gaagegeeat tegecattea ggetgegeaa etgttgggaa gggegategg 8400
tgcgggcctc ttcgctatta cgccagctgg cgaaaggggg atgtgctgca aggcgattaa 8460 gttgggtaac gccagggttt tcccagtcac gacgttgtaa aacgacggcc agtccgtaat 8520
acgactcact taaggcettg actagagggt cgacggtata cagacatgat aagatacatt 8580
gatgagtttg gacaaaccac aactagaatg cagtgaaaaa aatgctttat ttgtgaaatt 8640 tgtgatgcta ttgctttatt tgtaaccatt ataagctgca ataaacaagt tggggtgggc 8700
gaagaactcc agcatgagat ccccgcgctg gaggatcatc cagccggcgt cccggaaaac 8760 gattccgaag cccaaccttt catagaaggc ggcggtggaa tcgaaatctc gtagcacgtg 8820
                                                                                                                                          8851
teagtectge tecteggeea egaagtgeae g
<210> 125
<211> 10474
<212> DNA
<213> Artificial Sequence
<220>
<223> pl8genEPO Plasmid
<400> 125
cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120
tacagetegt ccaggeegeg cacceacace caggecaggg tgttgteegg caccacetgg 180
tcctggaccg cgctgatgaa cagggtcacg tcgtcccgga ccacaccggc gaagtcgtcc 240 tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccggcgacg 300
tegegegegg tgageacegg aacggeactg gteaacttgg ceatggatee agattteget 360 caagttagta taaaaaagea ggetteaate etgeagagaa gettgatate gaatteetge 420
ageceegegg ateegeteac ggggacagee ecceeccaaa geceecaggg atgtaattac 480
```

ccccccgcat ccccgagccg gcagcgtgcg gggacagccc gggcacgggg aaggtggcac 600 gggatcgctt tcctctgaac gcttctcgct gctctttgag cctgcagaca cctggggggat 660 acggggccgc ggatccgctc acggggacag cccccccca aagccccag ggatgtaatt 720 acgtccctcc cccgctaggg ggcagcagcg agccgcccgg ggctccgctc cggtccggcg ctccccccg atccccgagc cggcagcgtg cggggacagc ccgggcacgg ggaaggtggc 840 cgctccccc gcatccccga gccggcagcg tgcggggaca gcccgggcac ggggaaggtg 1080 gcacgggatc gcttcctct gaacgcttct cgctgctctt tgagcctgca gacacctggg 1140 ggatacgggg ccgcggatcc gctcacgggg acagccccc cccaaagccc ccagggatgt 1200 aattacgtcc ctcccccgct agggggcagc agcgagccgc ccggggctcc gctccggtcc 1260 ggcgctcccc ccgcatcccc gagccggcag cgtgcgggga cagccgggc acggggaagg 1320 tggcacggga tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg 1380 ggggatacgg ggccgcggat ccgctcacgg ggacagcccc ccccaaagc ccccagggat 1440 gtaattacgt ccctccccg ctaggggca gcagcgagcc gcccgggggt ccgctccggt 1500 ceggegetee eccegeatee eegageegge agegtgeggg gacageegg geaeggggaa 1560 ggtggeaegg gategettte etetgaaege ttetegetge tetttgagee tgeagacaee 1620 tgggggatac ggggccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg 1680 aaggtggcac gggatcgctt teetetgaac getteteget getetttgag cetgcagaca 1860 cetgggggat aeggggegg ggatccacta gttattaata gtaatcaatt aeggggtcat 1920 tagttcatag cecataatag gagtteegeg ttacataact taeggtaaat ggceegeetg 1980 gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 2040 cgccaatagg gactttccat tgacgtcaat gggtggacta tttacggtaa actgcccact 2100 tggcagtaca tcaagtgtat catatgccaa gtacgcccc tattgacgtc aatgacggta 2160 aatggcccgc ctggcattat gcccagtaca tgaccttatg ggactttcct acttggcagt 2220 acatctacgt attagtcatc gctattacca tgggtcgagg tgagccccac gttctgcttc 2280 acteteccea tetececce etececacce ccaattttgt atttattat tttttaatta 2340 ttttgtgcag cgatggggc ggggggggg ggggcgcgcg ccaggcgggg cggggcgggg 2400 cgaggggcgg ggcgggcga ggcggagagg tgcggcggca gccaatcaga gcggcgcct 2460 ccgaaagttt ccttttatgg cgaggcggcg gcggcggcgg ccctataaaa agcgaagcgc 2520 gcggcgggcg ggagtcgctg cgttgccttc gccccgtgcc ccgctccgcg ccgcctcgcg 2580 ccgcccgcc cggctctgac tgaccgcgtt actcccacag gtgagcgggc gggacggccc 2640 ttctcctccg ggctgtaatt agcgcttggt ttaatgacgg ctcgtttctt ttctgtggct 2760 gcgtgaaagc cttaaagggc tccgggaggg ccctttgtgc gggggggagc ggctcggggg 2760 gtgcgtgcgt gtgtgtgtgc gtggggagcg ccgcgtgcgg cccgcgctgc ccggcggctg 2820 tgagcgctgc gggcgcggcg cggggctttg tgcgctccgc gtgtgcgcga ggggagcgcg 2880 gccgggggcg gtgcccgcg gtgcgggggg gctgcgaggg gaacaaaggc tgcgtgcggg 2940 gtgtgtgcgt ggggggtga gcaggggtg tgggcgcgg ggtcgggctg taaccaccc 3000 ctgcacccc ctccccgagt tgctgagcac ggcccggctt cgggtgcggg gctcgtgcg 3060 gggcgtggcg cggggctcgc cgtgccgggc ggggggtggc ggcaggtggg ggtgccgggc 3120 ggggcggggc cgcctcgggc cggggagggc tcgggggagg ggcgcggcgg ccccggagcg 3180 ccggcggctg tcgaggcgcg gcgagccgca gccattgcct tttatggtaa tcgtgcgaga 3240 gggcgcaggg acttectttg teccaaatet ggeggageeg aaatetggga ggcgcegeeg 3300 caccecetet agegggegeg ggcgaagegg tgeggegeeg geaggaagga aatgggeggg 3360 gagggeette gtgegtegee gegeegeegt eccettetee atetecagee teggggetge 3420 cgcaggggga cggctgcctt cgggggggac ggggcagggc ggggttcggc ttctggcgtg 3480 tgaccggcgg ctctagatgc atgctcgagc ggccgccagt gtgatggata tctgcagaat 3540 gcacacggca gcaggattga atgaaggcca gggaggcagc acctgagtgc ttgcatggtt 4020 ggggacagga aggacgagct ggggcagaga cgtggggatg aaggaagctg tccttccaca 4080 gecaccette teceteceeg cetgactete ageetggeta tetgttetag aatgteetge 4140 ctggctgtgg cttctcctgt ccctgctgtc gctccctctg ggcctcccag tcctgggcgc 4200 cccaccacgc ctcatctgtg acagccgagt cctggagagg tacctcttgg aggccaagga 4260 ggccgagaat atcacggtga gaccccttcc ccagcacatt ccacagaact cacgctcagg 4320 getteaggga actecteeca gateeaggaa eetggeaett ggtttggggt ggagttggga 4380 agctagacac tgcccccta cataagaata agtctggtgg ccccaaacca tacctggaaa 4440 ctaggcaagg agcaaagcca gcagatccta cggcctgtgg gccagggcca gagccttcag 4500 ggacccttga ctccccgggc tgtgtgcatt tcagacgggc tgtgctgaac actgcagctt 4560

gaatgagaat atcactgtcc cagacaccaa agttaatttc tatgcctgga agaggatgga 4620 ggtgagttcc ttttttttt tttttccttt cttttggaga atctcatttg cgagcctgat 4680 tttggatgaa agggagaatg atcgagggaa aggtaaaatg gagcagcaga gatgaggctg 4740 cctggggca gaggctcacg tctataatcc caggctgaga tggccgagat gggagaattg 4800 cttgagcct ggagtttcag accaacctag gcagcatagt gagatccccc atctatacaa 4860 acatttaaaa aaattagtca ggtgaagtgg tgcatggtgg tagtcccaga tatttggaag 4920 gctgaggcgg gaggatcgct tgagcccagg aatttgaggc tgcagtgagc tgtgatcaca 4980 ccactgcact ccagcctcag tgacagagtg aggccctgtc tcaaaaaaaga aaagaaaaaa 5040 gaaaaataat gagggctgta tggaacaat tcattattca ttcactcact cactcactca 5100 ttcattcatt cattcattca acaagtctta ttgcatacct tctgtttgct cagcttggtg 5160 cttggggctg ctgaggggca ggaggagag ggtgacatgg gtcagctgac tcccagagtc 5220 cactcoctgt aggtoggca graggorgta gaagtotggc agggcotggc cotgotgtog 5280 gaagetgtor tgcggggcca ggcotgttg gtcaactott cocagorgtg ggagcoctg 5340 cagetgeatg tggataaage egteagtgge ettegeagee teaceactet getteggget 5400 ctgggagccc aggtgagtag gagcggacac ttctgcttgc cctttctgta agaaggggag 5460 aagggtettg ctaaggagta caggaactgt ccgtatteet teeetttetg tggcactgca 5520 gcgacetect gttttetect tggcagaagg aagceatete ceetecagat geggeeteag 5580 etgetecaet cegaacaate aetgetgaca ettteegcaa actetteega gtetaeteca 5640 atttectecg gggaaagetg aagetgtaca caggggagge etgeaggaca ggggacagat 5700 gacgtacaag taagaattca ctcctcaggt gcaggctgcc tatcagaagg tggtggctgg 5760 tgtggccaat gccctggctc acaaatacca ctgagatctt tttccctctg ccaaaaatta 5820 tggggacatc atgaagcccc ttgagcatct gacttctggc taataaagga aatttatttt 5880 cattgcaata gtgtgttgga attttttgtg tctctcactc ggaaggacat atgggagggc 5940 aaatcattta aaacatcaga atgagtattt ggtttagagt ttggcaacat atgccatatg 6000 ctggctgcca tgaacaaagg tggctataaa gaggtcatca gtatatgaaa cagcccctg 6060 ctgtccattc cttattccat agaaaagcct tgacttgagg ttagatttt tttatattt 6120 gttttgtgtt attttttct ttaacatccc taaaattttc cttacatgtt ttactagcca 6180 gatttttcct cctctcctga ctactcccag tcatagctgt ccctcttctc ttatgaagat 6240 ccctcgacct gcagcccaag cttgcatgcc tgcaggtcga ctctagtgga tcccccgccc 6300 cgtatccccc aggtgtctgc aggctcaaag agcagcgaga agcgttcaga ggaaagcgat 6360 cccgtgccac cttccccgtg cccgggctgt ccccgcacgc tgccggctcg gggatgcggg 6420 gggagegeeg gaceggageg gageeeeggg eggetegetg etgeeeeeta gegggggagg 6480 gacgtaatta catccctggg ggctttgggg gggggctgtc cccgtgagcg gatccgcggc 6540 cccgtatccc ccaggtgtct gcaggctcaa agagcagcga gaagcgttca gaggaaagcg 6600 atcccgtgcc accttccccg tgcccgggct gtccccgcac gctgccggct cggggatgcg 6660 gggggaggcc cggaccggag cggagcccg ggcggctcgc tgctgcccc tagcgggga 6720 gggacgtaat tacatcctg ggggtttgg ggggggctg tccccgtgag cggatccgcg 6780 gccccgtatc ccccaggtgt ctgcaggctc aaagagcagc gagaagcgtt cagaggaaag 6840 cgatcccgtg ccaccttccc cgtgcccggg ctgtccccgc acgctgccgg ctcggggatg 6900 cggggggage gccggaccgg agcggagcc cgggggggtc gctgctgcc cctagcggg 6960 gagggacgta attacatcc tgggggcttt ggggggggc tgtccccgtg agcggatccg 7020 cggcccgta tccccaggt gtctgcaggc tcaaagagca gcgagaagcg ttcagaggaa 7080 agegateceg tgecacette ecegtgeeg ggetgteece geacgetge ggetegggga 7140 tgeggggga gegeeggace ggageggace ecegggegge tegetgetge ecectagegg 7200 gggagggacg taattacate ectggggget ttgggggggg getgteeceg tgageggate 7260 cgcggccccg tatcccccag gtgtctgcag gctcaaagag cagcgagaag cgttcagagg 7320 aaagcgatcc cgtgccacct tecccgtgcc cgggctgtcc ccgcacgctg ccggctcggg 7380 gatgeggggg gagegeegga eeggagegga geeeegggeg getegetget geeeeetage 7440 gggggaggga cgtaattaca teeetggggg etttgggggg gggetgteee egtgagegga 7500 tecgeggece egtatecece aggtgtetge aggeteaaag ageagegaga agegtteaga 7560 ggaaagcgat cccgtgccac cttccccgtg cccgggctgt ccccgcacgc tgccggctcg 7620 gggatgcggg gggagcgccg gaccggagcg gagccccggg cggctcgctg ctgcccccta 7680 gcgggggagg gacgtaatta catccttgg ggcttttgggg gggggctgtc cccgttgagcg 7740 gatccgcggg gctgcaggaa ttcgtaatca tggtcatagc tgtttcctgt gtgaaattgt 7800 tatccgctca caattccaca caacatacga gccggaagca taaagtgtaa agcctggggt 7860 gcctaatgag tgagctaact cacattaatt gcgttgcgct cactgcccgc tttccagtcg 7920 ggaaacctgt cgtgccagct gcattaatga atcggccaac gcgcggggag aggcggtttg 7980 cgtattgggc gctcttccgc ttcctcgctc actgactcgc tgcgctcggt cgttcggctg 8040 cggcgagcgg tatcagctca ctcaaaggcg gtaatacggt tatccacaga atcaggggat 8100 aacgcaggaa agaacatgtg agcaaaaggc cagcaaaagg ccaggaaccg taaaaaaggcc 8160 gcgttgctgg cgtttttcca taggctccgc cccctgacg agcatcacaa aaatcgacgc 8220 tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcgtt tccccttgga 8280 agctccctcg tgcgctctcc tgttccgacc ctgccgctta ccggatacct gtccgccttt 8340 ctcccttcgg gaagcgtggc gctttctcat agctcacgct gtaggtatct cagttcggtg 8400 taggtcgttc gctccaagct gggctgtgtg cacgaacccc ccgttcagcc cgaccgctgc 8460 qccttatccg gtaactatcg tcttgagtcc aacccggtaa gacacgactt atcgccactg 8520 gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcggtgc tacagagttc 8580

WO 02/097059

-99-

```
ttgaagtggt ggcctaacta cggctacact agaaggacag tatttggtat ctgcgctctg 8640
ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa acaaaccacc 8700
gctggtagcg gtggttttt tgtttgcaag cagcagatta cgcgcagaaa aaaaggatct 8760 caagaagatc ctttgatctt ttctacgggg tctgacgct agtggaacga aaactcacgt 8820
taagggattt tggtcatgag attatcaaaa aggatcttca cctagatcct tttaaattaa 8880
aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga cagttaccaa 8940 tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc catagttgcc 9000
tgactecceg tegtgtagat aactaegata egggaggget taccatetgg ceceagtget 9060
gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat aaaccagcca 9120 gccggaaggg ccgagcgcag aagtggtcct gcaactttat ccgcctccat ccagtctatt 9180
aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg caacgttgtt 9240 gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc attcagctcc 9300
ggttcccaac gatcaaggcg agttacatga tcccccatgt tgtgcaaaaa agcggttagc 9360
tootteggte etcegategt tgteagaagt aagttggeeg cagtgttate acteatggtt 9420 atggeageac tgeataatte tettaetgte atgecateeg taagatgett ttetgtgaet 9480
ggtgagtact caaccaagtc attotgagaa tagtgtatgc ggcgaccgag ttgctcttgc 9540
 ccggcgtcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt gctcatcatt 9600
ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag atccagttcg 9660
atgtaaccca ctcgtgcacc caactgatct tcagcatctt ttactttcac cagcgtttct 9720
gggtgagcaa aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa 9780
 tgitgaatac tcatacicti cctttttcaa tattattgaa gcatttatca gggttattgt 9840
ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg ggttccgcgc 9900 acatttcccc gaaaagtgcc acctgacgta gttaacaaaa aaaagcccgc cgaagcgggc 9960
tttattacca agegaagege cattegecat teaggetgeg caactgttgg gaagggegat 10020 eggtgeggge etettegeta ttaegecage tggegaaagg gggatgtget geaaggegat 10080
taagttgggt aacgccagg ttttcccagt cacgacgttg taaaacgacg gccagtccgt 10140 aatacgactc acttaaggcc ttgactagag ggtcgacggt atacagacat gataagatac 10200 attgatgagt ttggacaaac cacaactaga atgcagtgaa aaaaatgctt tatttgtgaa 10260
attigtgatg ctattgcttt atttgtaacc attataagct gcaataaaca agttggggtg 10320
ggcgaagaac tccagcatga gatccccgcg ctggaggatc atccagccgg cgtcccggaa 10380 aacgattccg aagcccaacc tttcatagaa ggcggcggtg gaatcgaaat ctcgtagcac 10440
                                                                                                      10474
gtgtcagtcc tgctcctcgg ccacgaagtg cacg
<210> 126
<211> 6119
<212> DNA
<213> Artificial Sequence
<223> p18attBZeoeGFP Plasmid
<400> 126
cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120
tacagetegt ceaggeegeg cacceacace caggeeaggg tgttgteegg caccacetgg 180
tcctggaccg cgctgatgaa cagggtcacg tcgtcccgga ccacaccggc gaagtcgtcc 240 tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccggcgacg 300
tegegegegg tgageacegg aacggeactg gteaacttgg ceatggatee agattteget 360 caagttagta taaaaaagca ggetteaate etgeagagaa gettgggetg caggtegagg 420
gatcttcata agagaagagg gacagctatg actgggagta gtcaggagag gaggaaaaat 480 ctggctagta aaacatgtaa ggaaaatttt agggatgtta aagaaaaaaa taacacaaaa 540 caaaatataa aaaaaatcta acctcaagtc aaggcttttc tatggaataa ggaatggaca 600
gcagggggct gtttcatata ctgatgacct ctttatagcc acctttgttc atggcagcca 660
gcatatggca tatgttgcca aactctaaac caaatactca ttctgatgtt ttaaatgatt 720
tgccctccca tatgtccttc cgagtgagag acacaaaaaa ttccaacaca ctattgcaat 780
gaaaataaat tteetttatt ageeagaagt cagatgetea aggggettea tgatgteece 840
ataatttttg gcagagggaa aaagatctca gtggtatttg tgagccaggg cattggccac 900
accagecace acettetgat aggeagetga cacetgagga gtgaattett acttgacea 960 ctegtecatg cegagagtga teceggege ggteacgaac tecageagga ceatgtgate 1020 gegetteteg ttggggtett tgeteaggge ggaetgggtg etcaggagt ggttgtegg 1080 cageageacg gggeegtege egatggggt gttetgetgg tagtggtegg egagetgeac 1140 getgeegtee tegatgttg ggeggatett gaagtteace ttgatgeegt tettetgett 1200 gteggeatg atatagaegt tgtggetgtt gtagttgtac tecagettgt gececaggat 1260
gttgccgtcc tecttgaagt cgatgccctt cagctcgatg cggttcacca gggtgtcgcc 1320
ctcgaacttc acctcggcgc gggtcttgta gttgccgtcg tccttgaaga agatggtgcg 1380
ctcctggacg tagccttcgg gcatggcgga cttgaagaag tcgtgctgct tcatgtggtc 1440 ggggtagcgg ctgaagcact gcacgcgta ggtcagggtg gtcacgaggg tgggccaggg 1500
```

WO 02/097059 PCT/US02/17452

-100-

cacgggcage ttgccggtgg tgcagatgaa cttcagggtc agcttgccgt aggtggcate 1560 gccctcgccc tcgccggaca cgctgaactt gtggccgttt acgtcgccgt ccagctcgac 1620 caggatggg accacecegg tgaacagete etegecettg eteaceatgg tggegaatte 1680 tttgccaaaa tgatgagaca gcacaacaac cagcacgttg cccaggagct gtaggaaaaa 1740 gaagaaggca tgaacatggt tagcagaggc tctagagccg ccggtcacac gccagaagcc 1800 gaaccccgcc ctgccccgtc ccccccgaag gcagccgtcc ccctgcggca gccccgaggc 1860 tggagatgga gaaggggacg geggegegge gaegeacgaa ggeeeteeee geeeatttee 1920 ttcctgccgg cgccgcaccg cttcgcccgc gcccgctaga gggggtgcgg cggcgcctcc 1980 cagatttcgg ctccgccaga tttgggacaa aggaagtccc tgcgccctct cgcacgatta 2040 cegegecet eccegage etecegge egagege eegecege eggeacee 2120
acetgeege accecege eggeacgge ageceege eggeacee 2220
geacegaag ecggeegt eteagaact egggaggg ggtgeaggg ggggttacag 2280
eccgacege gegeecacac eccetgeta ecceceacg eacacacee geacgagee 2340
tttgtteece tegeageec ecegacege ggggeacege ecceggege geteecete 2400
egeacacgeg gagegacaa ageceege egggeecga gegetaaca ecgeeggga 2460
gegegggeeg eacagggege teccacaga eacacacaeg eacacacee ecgagege 2520
eccecega eaaaggee teccaggae etttaagget tteacgage eacagaaaag 2580
aaaagageeg teattaaaca aagegetaat tacagaegga aggagaggg ecgeegeg 2700 cgctcacctg tgggagtaac gcggtcagtc agagccgggg cgggcggcgc gaggcggcgc 2700 ggageggggc acggggcgaa ggcaacgcag cgactcccgc ccgccgcgcg cttcgctttt 2760 tatagggccg ccgccgccgc cgcctcgcca taaaaggaaa ctttcggagc gcgccgctct 2820 gattggctgc cgccgcacct ctccgcctcg ccccgcccg cccctcgccc cgccccgccc 2880 egectggege gegececec cececege cecategety cacaaaataa ttaaaaaata 2940 aataaataca aaattgggg tggggaggg ggggagatgg ggagagtgaa gcagaacgtg 3000 gggeteacet egacecatgg taatagegat gactaatacg tagatgtact gecaagtagg 3060 aaagteecat aaggteatgt actgggeata atgceaggeg ggecatttac egteattgac 3120 aaagtccat aaggtcatgt actgggcata atgccaggc ggccatttac cgtcattgac 3120 gtcaataggg ggcgtacttg gcatatgata cacttgatgt actgccaagt ggggaact 3180 ccgtaaatag tccaccatt gacgtcaatg gaaagtccct attggcgtta ctatgggaac 3240 taccgtaagt tatgtaacgc gggaactccat atatgggcta tgaactaatg gcgggccatt 3300 tgattactat taataactag aggatcccc ggtaccgagc tcgaattcgt accegtaat 3360 tgattactat taataactag aggatcccc ggtaccgagc tcgaattcgt aatcatggtc 3420 aagcataaag tgtaaagcct ggggggaac cctgacaatt ccacacaaca tacgagccgg 3480 aagcataaag tgtaaagcct gggggaac cctgtcgtgc cagctgcatt taattgcgtt 3540 gcgctcactg cccgctttc agtcgggaa cctgtcgtgc cagctgcatt aatgaatcgg 3600 ccaacgcgcg gggagaggcg gtttgcgtat tgggcgctct tccgctccc agtcgctcactg agcggtaatca gctcactaa aggcggtaat 3720 acggttatcc acagaatcag gggataacgc aggaaagac atgtgagca aaggccagca 3780 aaaggccagg aaccgtaaaa aggccgcgtt gctggcgttt ttccataggc tccgcccc 3840 aaaggccagg aaccgtaaaa aggccgcgtt gctggcgttt ttccataggc tccgccccc 3840 tgacgagcat cacaaaaatc gacgctcaag tcagaggtgg cgaaacccga caggactata 3900 aagataccag gegttteece etggaagete eetegtgege teteetgtte egaceetgee 3960 gettacegga tacetgteeg cettteteee ttegggaage gtggegettt eteatagete 4020 acgetgtagg tateteagtt eggtgtaggt egttegetee aagetggget gtgtgeacga 4080 accecegit cageeegace getgegeett ateeggtaac tategtettg agtecaacec 4140 qqtaagacac gacttatcgc cactggcagc agccactggt aacaggatta gcagagcgag 4200 gtatgtaggc ggtgctacag agttcttgaa gtggtggcct aactacggct acactagaag 4260 gacagtattt ggtatctgcg ctctgctgaa gccagttacc ttcggaaaaa gagttggtag 4320 ctcttgatcc ggcaaacaaa ccaccgctgg tagcggtggt ttttttgttt gcaagcagca 4380 gattacgcgc agaaaaaaag gatctcaaga agatcctttg atctttcta cggggtctga 4440 cgctcagtgg aacgaaaact cacgttaagg gattttggtc atgagattat caaaaaggat 4500 cttcacctag atcctttaa attaaaaatg aagttttaaa tcaatctaaa gtatatatga 4560 gtaaacttgg totgacagtt accaatgott aatcagtgag gcacctatot cagogatotg 4620 totatttogt toatcoatag ttgootgact coccgtogtg tagataacta cgatacggga 4680 gggettacca tetggecca gtgetgeaat gatacgega gaccaeget caceggetec 4740 agatttatca geaataaace agecageegg aagggeegag egeagaagtg gteetgeaac 4800 tttateegee tecateeagt etattaattg ttgeegggaa getagagtaa gtagttegee 4860 agttaatagt ttgcgcaacg ttgttgccat tgctacaggc atcgtggtgt cacgctcgtc 4920 gittggtatg gcttcattca gctccggttc ccaacgatca aggcgagtta catgatcccc 4980 catgttgtgc aaaaaagcgg ttagctcctt cggtcctccg atcgttgtca gaagtaagtt 5040 ggccgcagtg ttatcactca tggttatggc agcactgcat aattctctta ctgtcatgcc 5100 atccgtaaga tgcttttctg tgactggtga gtactcaacc aagtcattct gagaatagtg 5160 tatgeggega cegagttget ettgecegge gteaataegg gataataeeg egecacatag 5220 cagaaettta aaagtgetea teattggaaa aegttetteg gggegaaaae teteaaggat 5280 ettacegetg ttgagateea gttegatgta acceaetegt geaeceaaet gatetteage 5340 atctttact ttcaccagcg tttctgggtg agcaaaaaca ggaaggcaaa atgccgcaaa 5400 aaagggaata agggcgacac ggaaatgttg aatactcata ctcttcctt ttcaatatta 5460 ttgaagcatt tatcagggtt attgtctcat gagcggatac atatttgaat gtatttagaa 5520

```
aaataaacaa ataggggttc cgcgcacatt tccccgaaaa gtgccacctg acgtagttaa 5580
caaaaaaaag cccgccgaag cgggctttat taccaagcga agcgccattc gccattcagg 5640
ctgcgcaact gttgggaagg gcgatcggtg cgggcctctt cgctattacg ccagctggcg 5700 aaagggggat gtgctgcaag gcgattaagt tgggtaacgc cagggttttc ccagtcacga 5760
cgttgtaaaa cgacggccag tccgtaatac gactcactta aggccttgac tagagggtcg 5820 acggtataca gacatgataa gatacattga tgagtttgga caaaccacaa ctagaatgca 5880
gtgaaaaaaa tgctttattt gtgaaatttg tgatgctatt gctttatttg taaccattat 5940
aagctgcaat aaacaagttg gggtgggcga agaactccag catgagatcc ccgcgctgga 6000 ggatcatcca gccggcgtcc cggaaaacga ttccgaagcc caacctttca tagaaggcgg 6060
cggtggaatc gaaatctcgt agcacgtgtc agtcctgctc ctcggccacg aagtgcacg 6119
<210> 127
<211> 5855
<212> DNA
<213> Artificial Sequence
<220>
<223> pCXLamInt Plasmid (Wildtype Integrase)
<400> 127
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata 60 gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc 120
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag 180
ggactttcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac 240 atcaagtgta tcatatgcca agtacgccc ctattgacgt caatgacggt aaatggcccg 300
cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg 360 tattagtcat cgctattacc atgggtcgag gtgagcccca cgttctgctt cactctcccc 420 atctccccc cctccccacc cccaattttg tatttattta ttttttaatt attttgtgca 480
ggggttgtt gggttgtett tgtetetgg tetegetetg geggttetg geggtetgt 720 ceggetetga etgaceget taeteceaca ggtgagegge egggaegge etteteete 780 gggetgtaat tagegettgg tttaatgaeg getegtttet tttetgtgge tgegtgaaag 840 cettaaaggg eteeggagg gecetttgtg egggggggag eggetegggg ggtgegtgeg 900 tgtgtgtgtg egtggggag geegegtgeg geegegtge eeeggegget gtgagegetg 960
eggegegege geggggettt gtgegeteg egtgtgegeg aggggagege ggceggggg 1020 ggtgeecege ggtgegggg ggetgegag ggaacaaagg etgegtgeg ggtgtgtgeg 1080 tgggggggtg ageagggggt gtgggegeg eggteggget gtaaecece eetgeaece 1140
cetececgag ttgetgagea eggeceget tegggtgeg ggeteegtge ggggegtgge 1200 geggggeteg eegtgeeggg egggggtgg eggeggggg ggeteegtge eggggeggg 1260 eegecteggg eeggggaggg etegggggag ggeggggg geeegggget 1320 gtegaggeg ggegageege agcattgee ttttatgeta ategtgegag aggegeagg 1380
gactteettt gteecaaate tggeggagee gaaatetggg aggegeegee geaceceete 1440
tagegggege gggegaageg gtgeggegee ggeaggaagg aaatgggegg ggagggeett 1500 egtgegtege egegeegeeg teeeettete cateteeage eteggggetg eegeagggg 1560
acggctgcct tcggggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg 1620 gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctctgggca 1680 acgtgctggt tgttgtgctg tctcatcatt ttggcaaaga attcatggga agaaggcgaa 1740
gtcatgagcg ccgggattta ccccctaacc tttatataag aaacaatgga tattactgct 1800 acagggaccc aaggacggt aaagagtttg gattaggcag agacaggcga atcgcaatca 1860 ctgaagctat acaggccaac attgagttat tttcaggaca caaacacaag cctctgacag 1920
cgagaatcaa cagtgataat teegttaegt tacatteatg gettgatege tacgaaaaaa 1980 teetggeeag cagaggaate aageagaaga cacteataaa ttacatgage aaaattaaag 2040
caataaggag gggtctgcct gatgctccac ttgaagacat caccacaaaa gaaattgcgg 2100
caatgeteaa tggatacata gacgagggca aggeggegte agccaagtta atcagateaa 2160
cactgagcga tgcattccga gaggcaatag ctgaaggcca tataacaaca aaccatgtcg 2220
ctgcactcg cgcagcaaaa tcagaggtaa ggagatcaag acttacggct gacgaatacc 2280 tgaaaattta tcaagcagca gaatcatcac catgttggct cagacttgca atggaactgg 2340
ctgttgttac cgggcaacga gttggtgatt tatgcgaaat gaagtggtct gatatcgtag 2400 atggatatct ttatgtcgag caaagcaaaa caggcgtaaa aattgccatc ccaacagcat 2460
tgcatattga tgctctcgga atatcaatga aggaaacact tgataaatgc aaagagattc 2520
ttggcggaga aaccataatt gcatctactc gtcgcgaacc gctttcatcc ggcacagtat 2580 caaggtattt tatgcgcgca cgaaaagcat caggtctttc cttcgaaggg gatccgccta 2640
cctttcacga gttgcgcagt ttgtctgcaa gactctatga gaagcagata agcgataagt 2700
ttgctcaaca tcttctcggg cataagtcgg acaccatggc atcacagtat cgtgatgaca 2760 gaggcaggga gtgggacaaa attgaaatca aataagaatt cactcctcag gtgcaggctg 2820
```

WO 02/097059 PCT/US02/17452

```
cctatcagaa ggtggtggct ggtgtggcca atgccctggc tcacaaatac cactgagatc 2880
tttttcctc tqccaaaaat tatggggaca tcatgaagcc ccttgagcat ctgacttctg 2940
gctaataaag gaaatttatt ttcattgcaa tagtgtgttg gaattttttg tgtctctcac 3000
toggaaggac atatgggagg gcaaatcatt taaaacatca gaatgagtat ttggtttaga 3060
teettacate tettactage cagattitte etecteteet gaetacteee agteataget 3300 gteetette tettatgaag atecetegae etgeageeea agettggegt aateatggte 3360
atagetgttt cetgtgtgaa attgttatee geteacaatt ceacacaaca tacgageegg 3420 aageataaag tgtaaageet ggggtgeeta atgagtgage taacteacat taattgegtt 3480 gegeteactg ceegetttee agtegggaaa cetgtegtge cageggatee geateteaat 3540
tagtcagcaa ccatagtccc gcccctaact ccgcccatcc cgcccctaac tccgcccagt 3600
teegeceatt eteegececa tggetgaeta attititta titatgeaga ggeegaggee 3660
gcctcggcct ctgagctatt ccagaagtag tgaggaggct tttttggagg cctaggcttt 3720 tgcaaaaagc taacttgtt attgcagctt ataatggtta caaataaagc aatagcatca 3780 caaatttcac aaataaagca ttttttcac tgcattctag ttgtggtttg tccaaactca 3840
aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcgtt 4200 tccccctgga agctccctcg tgcgctctc tgttccgacc ctgccgctta ccggatacct 4260 gtccgccttt ctcccttcgg gaagcgtggc gctttctcaa tgctcacgct gtaggtatct 4320 cagttcggtg gccttatccg gcaccacgct ggcgtgtgtg caccaagcc ccgttcagcc 4380 accaccactg gcagcagca ctggtaacag gattagcaga gcgaggtatg taggcggtgc 4500 tacagagttc ttgaagtggt gcctaacta cggctacact agaaggacag tatttggtat 4560 ctgcgctctg ctgaagccag ttaccttcgg aaaaaggatt ggtagctctt gatccggcaa 4620 acaaaaccacc gctggtagcg gtgttttt tgtttgcaag caccagatta cggcagaaca 4680 aaaaccaccg taagggatt ttggtcatga attaccaaa aggatcttca cctagatcct 4800 ttaaaattaa aaatcaagt ttaaatcaat ctaaaggtata tatggtaaa cttggtctga 4860
tttaaattaa aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga 4860
cagttaccaa tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc 4920
catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg 4980
cccagtgct gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat 5040 aaaccagcca gccggaaggg ccgagcgcag aagtggtcct gcaactttat ccgcctccat 5100 ccagtctatt aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg 5160
caacgttgtt gccattgct gggagctag ggtgtcacgc tcgtcgtttg gtatggcttc 5220 attcagctcc ggttcccaac gatcaaggcg agttacatga tcccccatgt tgtgcaaaaa 5280 agcggttagc tccttcggtc ctccgatcgt tgtcagaagt aagttggccg cagtgttatc 5340 actcatggtt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt 5460
ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgtatgc ggcgaccgag 5460
ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt 5520 gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag 5640 atccagttcg atgtaaccca ctcgtgcacc caactgatct tcagcatctt ttactttcac 5640
cagcgtttct gggtgagcaa aaacaggaag gcaaaaatgcc gcaaaaaagg gaataagggc 5700 gacacggaaa tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca 5760
gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg 5820 ggttccgcgc acatttcccc gaaaagtgcc acctg 5855
<210> 128
<211> 303
<212> DNA
<213> Artificial Sequence
<220>
<223> Human FER-1 Promoter
<400> 128
tocatgacaa agcacttttt gagcccaagc ccagcctagc tcgagctaaa cgggcacaga 60
gacgccaccg ctgtcccaga ggcagtcggc taccggtccc cgctcccgag ctccgccaga 120 gcgcgcgagg gcctccagcg gccgccctc ccccacagca ggggcggggt cccgcgcca 180
ccggaaggag cgggctcggg gcgggcggcg ctgattggcc ggggcgggcc tgacgccgac 240
geggetataa gagaccacaa gegaccegea gggecagaeg ttettegeeg agagtegggt 300
                                                                                                                         303
```

WO 02/097059 PCT/US02/17452

gactaatitt tittatitat geagaggeeg aggeegeete ggeetetgag etatteeaga 3420 aqtaqtgagg aggetttttt ggaggeetag gettttgeaa aaagettgat tettetgaea 3480

-103-<210> 129 <211> 6521 <212> DNA <213> Artificial Sequence <220> <223> pIRES-BSR Plasmid tcaatattgg ccattagcca tattattcat tggttatata gcataaatca atattggcta 60 ttggccattg catacgttgt atctatatca taatatgtac atttatattg gctcatgtcc 120 ttggccattg catacgttgt atctatatca taatatgtac atttatattg gctcatgtcc 120 aatatgaccg ccatgttggc attgattatt gactagttat taatagtaat caattacggg 180 gtcattagtt catagcccat atatggagtt ccgcgttaca taacttacggg taaatggccc 240 agcacggcga atagggactt tccattgacg tcaatgggtg gagtatttac ggtaaactgc 360 ccacttggca gtacatcaag tgtatcatat gccaagtccg cccctattg acgtcaatga 420 cggtaaatgg cccgcctggc attatgcca gtacatgacc ttacgggact ttcctacttg 480 gcagtacatc tacgtattag tcatcgctat taccatggtg atgcggtttt ggcagtacac 540 caatgggggt ggatagcggt ttgatcaca gggatttcca agtctccac ccattgacgt 600 cgatcggggt ttgtttggc accaaaatca acgggacttt ccaaaatgtc gtaacaactg 660 cgatcgccg cccgttgac gcaaatgggc ggtaggggt tacggtgg ggtctatata 720 cgatcgcccg ccccgttgac gcaaatgggc ggtaggcgtg tacggtggga ggtctatata 720 agcagagctc gtttagtgaa ccgtcagatc actagaagct ttattgcggt agtttatcac 780 agttaaattg ctaacgcagt cagtgcttct gacacaacag tctcgaactt aagctgcagt 840 gattatattig ttaatggagt taggagtett gatadaatg tetagagt taggagtetatig gatadatatig gatagagt taggagg gattataa goo ggttacaaga caggtttaag gagaccaata gaaactggge ttgtcgagac agagaagact 960 cttgcgtttc tgataggcac ctattggtct tactgacate cactttgcct ttctctccac 1020 aggtgtccac tcccagttca attacagctc ttaaggctag agtacttaat acgactcact 1080 ataggetage etegagaatt caegegtega geatgeatet agggeggeea atteegeece 1140 ataggetage etegagaatt caegegtega geatgeatet agggeggea atteegeee 1140 tetecetece eecceetaa egttaetgge egaageeget tegaataagg eeggtgteg 1200 tetgeetata tegattete eaccatattg egagetettt geaatgtgag ggeeeggaaa 1260 cetggeeetg tettettgae gageatteet agggetett eecetetege eaaaggaatg 1320 caaggtetgt tegaatgtegt gaaggaagea gtteetetga aagettettg aagacaaaca 1380 aegtetgtag egaceetttg eaggeagegg aacceeeae eteggegaeag gtgeetetge 1440 ggeeaaaage eaeggtata agatacaet geaaaggegg eacaaceea gtgeeaegt 1500 gtgagttegga tagttegga aagagteaaa teggetetet eaageggat tegatagaag 1560 ctgaaggatg cccagaaggt accccattgt atgggatctg atctggggcc tcggtgcaca 1620 tgctttacat gtgtttagtc gaggttaaaa aaacgtctag gccccccgaa ccacggggac 1680 gtggttttcc tttgaaaaac acgatgataa gcttgccaca acccaccatg aaaacattta 1740

acattetea acaagateta gaattagtag aagtagegac agagaagatt acaatgettt 1800 atgaggataa taaacateat gtgggagegg caattegtac gaaaacagga gaaatcattt 1800 eggeagtaaca tattgaageg tatataggac gagtaactgt ttgtgcagaa gccattgega 1920 cggcagtaca tattgaagcg tatataggac gagtaactgt ttggcagaa gccattgcga 1920
ttggtagtgc agtttcgaat ggacaaaagg attttgacac gattgtagct gttagacacc 1980
cttattctga cgaagtagat agaagtattc gagtggtaag tccttgtggt atgtgtaggg 2040
agttgatttc agactatgca ccagattgtt ttgtgttaat agaaatgaat ggcaagttag 2100
tcaaaactac gattgaagaa ctcattccac tcaaatatac ccgaaattaa aagttttacc 2160
ataccaagct tggcgggcgg ccgcttccct ttagtgaggg ttaatgcttc gagcagacat 2220
gataagatac attgatgagt ttggacaaac cacaactaga atgcagtgaa aaaaatgctt 2280 tatttgtgaa atttgtgatg ctattgcttt atttgtaacc attataagct gcaataaaca 2340 agttaacaac aacaattgca ttcattttat gtttcaggtt cagggggaga tgtgggaggt 2400 titttaaagc aagtaaaacc tctacaaatg tggtaaaatc cgataaggat cgatccgggc 2460 tggcgtaata gcgaagaggc ccgcaccgat cgcccttccc aacagttgcg cagcctgaat 2520 ggegaatgga egegeetgt ageggegat taagegege gggtgtggt gttacgega 2580 gegtgacege tacaettge agegeetag egecegetee tttegettte tteeettee 2640 tteegatetag agetttacgg cacetegate geaaaaaaat teggggget gettaggt 2700 teegatttag agetttacgg cacetegate geaaaaaaat tggttggg gatggttggt gatggttgat 2700 gtagtggge ategeetga tagaeggtt tteegeett gaegttggag teeaegttet 2820 ttaatagtgg actcttgttc caaactggaa caacactcaa ccctatctcg gtctattctt 2880 ttgatttata agggattttg ccgatttcgg cctattggtt aaaaaatgag ctgatttaac 2940 aaatatttaa cgcgaatttt aacaaaatat taacgtttac aatttcgcct gatgcggtat 3000 tttctcctta cgcatctgtg cggtatttca caccgcatac gcggatctgc gcagcaccat 3060 ggcctgaaat aacctctgaa agaggaactt ggttaggtac cttctgaggc ggaaagaacc 3120 agctgtggaa tgtgtgtcag ttagggtgtg gaaagtcccc aggctccca gcaggcagaa 3180 gtatgcaaag catgcatctc aattagtcag caaccaggtg tggaaagtcc ccaggctccc 3240 cagcaggcag aagtatgcaa agcatgcatc tcaattagtc agcaaccata gtcccgccc 3300 taactocgoc catcocgoco ctaactocgo coagttocgo coattotocg coccatggot 3360

-104-

caacagtete gaacttaagg ctagagccae catgattgaa caagatggat tgcacgcagg 3540 tteteeggee gettgggtgg agaggetatt eggetatgae tgggcacaae agacaategg 3600 ctgctctgat gccgccgtgt tccggctgtc agcgcagggg cgcccggttc tttttgtcaa 3660 gaccgacctg tecggtgeec tgaatgaact geaggaegag geagegegge tategtgget 3720 ggecaegaeg ggegtteett gegeagetgt getegaegtt gteaetgaag egggaaggga 3780 ctggctgcta ttgggcgaag tgccggggca ggatctcctg tcatctcacc ttgctcctgc 3840 cgagaaagta tccatcatgg ctgatgcaat gcggcggctg catacgcttg atccggctac 3900 ctgcccattc gaccaccaag cgaaacatcg catcgagcga gcacgtactc ggatggaagc 3960 cggtcttgtc gatcaggatg atctggacga agagcatcag gggctcgcgc cagccgaact 4020 gttcgccagg ctcaaggcgc gcatgcccga cggcgaggat ctcgtcgtga cccatggcga 4080 tgcctgcttg ccgaatatca tggtggaaaa tggccgcttt tctggattca tcgactgtgg 4140 ccggctgggt gtggcggacc gctatcagga catagcgttg gctacccgtg atattgctga 4200 agagcttggc ggcgaatggg ctgaccgctt cctcgtgctt tacggtatcg ccgctcccga 4260 ttcgcagcgc atcgccttct atcgccttct tgacgagttc ttctgagcgg gactctgggg 4320 ttcgaaatga ccgaccaagc gacgcccaac ctgccatcac gatggccgca ataaaatatc 4380 tttattttca ttacatctgt gtgttggttt tttgtgtgaa tcgatagcga taaggatccg 4440 cgtatggtgc actctcagta caatctgctc tgatgccgca tagttaagcc agccccgaca 4500 cccgccaaca cccgctgacg cgccctgacg ggcttgtctg ctcccggcat ccgcttacag 4560 acaagctgtg accgtctccg ggagctgcat gtgtcagagg ttttcaccgt catcaccgaa 4620 acggcgaga cgaaagggcc tcgtgatacg cctatttta taggttaatg tcatgataat 4680 aatggttet tagacgtcag gtggcacttt tcggggaaat gtgcgcggaa cccctatttg 4740 tttattttc taaatacatt caaatatgta tccgctcatg agacaataac cctgataaat 4800 gcttcaataa tattgaaaaa ggaagagtat gagtattcaa catttccgtg tcgcccttat 4860 tccctttttt gcggcatttt gcctcctgt ttttgctcac ccagaaacgc tggtgaaagt 4920 aaaagatgct gaagatcagt tgggtgcacg agtgggttac atcgaactgg atctcaacag 4980 cggtaagatc cttgagagtt ttcgccccga agaacgtttt ccaatgatga gcacttttaa 5040 agttetgeta tgtggegegg tattateeeg tattgaegee gggeaagage aacteggteg 5100 cegeataeae tatteteaga atgaettggt tgagtaetea ceagteacag aaaageatet 5160 tacggatggc atgacagtaa gagaattatg cagtgctgcc ataaccatga gtgataacac 5220 tacggatggc atgacagtaa gagaattatg cagtgctgc ataaccatga gtgataacac 5220 tgcggccaac ttacttctga caacgatcgg aggaccgaag gagctaaccg cttttttgca 5280 caacatgggg gatcatgtaa ctcgccttga tcgttgggaa ccggagctga atgaagccat 53400 accaaacggc gagcacact tcttagctc ccggcaacaa ttaatagact ggatgaggc 5460 ggataaagtt gcaggaccac ttctgcgctc ggcccttccg gctggctggt ttattgctga 5520 taaatctgga gccggtgagc gtgggtctcg cggtatcatt gcagcactgg ggccagatgg 5580 taagccctcc cgtatcgtag ttatctacac gacggggagt caggcaacta tggatgaacg 5540 aaatagacag atcgctgaga taggtgcctc actgattaag cattggtaac tggatgaacg 5640 aggttacca tatatactt agattgatt aaaacttca ttttaatta aaggacca 5700 agttgaagac ctttttgata atctcatgac caaaaatccct taacgtgagt tttcttcg 5820 taggcagtca gaccccgtag aaaaaqatcaa aggatcttc tggagatcct tttttctgcg 5880 ctgagcgtca gaccccgtag aaaagatcaa aggatcttct tgagatcctt tttttctgcg 5880 cgtaatctgc tgcttgcaaa caaaaaaacc accgctacca gcggtggttt gtttgccgga 5940 tcaagagcta ccaactettt ttccgaaggt aactggette agcagagege agataccaaa 6000 tactgtcctt ctagtgtagc cgtagttagg ccaccacttc aagaactctg tagcaccgcc 6060 tacatacctc gctctgctaa tcctgttacc agtggctgct gccagtggcg ataagtcgtg 6120 tettaceggg ttggactcaa gacgatagtt aceggataag gegeageggt egggetgaac 6180 ggggggtteg tgcacacage ccagettgga gegaacgace tacacegaac tgagatacet 6240 acagegtgag ctatgagaaa gegecaeget teeegaaggg agaaaggegg acaggtatee 6300 ggtaagegge agggteggaa caggagageg cacgagggag ettecagggg gaaacgeetg 6360 gtatetttat agteetgteg ggtttegeea cetetgaett gagegtegat ttttgtgatg 6420 etegteaggg gggeggagee tatggaaaaa egeeageaae geggeetttt taeggtteet 6480 ggeettttge tegeettttg etegaeagge tegaeagge tegaeagate t

#### (19) World Intellectual Property Organization International Bureau





# (43) International Publication Date 5 December 2002 (05.12.2002)

#### **PCT**

# (10) International Publication Number WO 02/097059 A3

(51) International Patent Classification<sup>7</sup>: C07H 21/04, C12N 15/85, 15/87, 15/90, A01N 43/34, C12N 15/09

(21) International Application Number: PCT/US02/17452

(22) International Filing Date: 30 May 2002 (30.05.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/294,758 30 May 2001 (30.05.2001) US 60/366,891 21 March 2002 (21.03.2002) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US 60/294,758 (CIP)
Filed on 30 May 2001 (30.05.2001)
US 60/366,891 (CIP)
Filed on 21 March 2002 (21.03.2002)

- (71) Applicant (for all designated States except US): CHRO-MOS MOLECULAR SYSTEMS, INC. [CA/CA]; 8081 Lougheed Highway, Burnaby, B.C. V5A 1W9 (CA).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): PERKINS, Edward [US/CA]; 7610 Lawrence Drive, Burnaby, B.C. V5A 1T6 (CA). PEREZ, Carl [US/CA]; 1201-7680 Granville Avenue, Richmond, B.C. V6Y 4B9 (CA). LINDENBAUM, Michael [CA/CA]; 252 Finnigan Street, Coquitlam, B.C. V3K 5J7 (CA). GREENE, Amy [US/CA]; 7610 Lawrence Drive, Burnaby, B.C. V5A 1T6 (CA). LEUNG, Josephine [CA/CA]; 711 Ebert Avenue, Coquitlam, B.C. V3J 7P8 (CA). FLEMING, Elena [CA/CA]; 248 E 18th, Jorth Vancouver, B.C. V7L 2X6 (CA). STEWART, Sandra [CA/CA]; 2618 Oxford Street, Vancouver, B.C. V5K 1N3 (CA). SHELLARD, Joan [CA/CA]; #215-1345 West 15th Avenue, Vancouver, B.C. V6H 3R3 (CA).
- (74) Agents: SEIDMAN, Stephanie, L. et al.; Heller Ehrman White & McAuliffe LLP, 7th floor, 4350 La Jolla Village Drive, San Diego, CA 92122-1246 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,

MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Declarations under Rule 4.17:

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

#### Published:

- with international search report
- (88) Date of publication of the international search report:
  30 May 2003

[Continued on next page]

(54) Title: CHROMOSOME-BASED PLATFORMS

(57) Abstract: Artificial chromosomes, including Aces, that have been engineered to contain available sites for site-specific, recombination-directed integration of DNA of interest are provided. These artificial chromosomes permit tractable, efficient, rational engineering of the chromosome for a variety of applications.







For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/17452

A. CLASSIFICATION OF SUBJECT MATTER  IPC(7) : C07H 21/04; C12N 15/85,87,90; A01N 43/34; C12N 15/09								
US CL	: 536/23.1; 435/320.1,325,419,455,467; 514/44	; 800/21						
According to International Patent Classification (IPC) or to both national classification and IPC								
B. FIELDS SEARCHED								
Minimum documentation searched (classification system followed by classification symbols) U.S.: 536/23.1; 435/320.1,325,419,455,467; 514/44; 800/21								
	- <del></del>							
Documentation	on searched other than minimum documentation to the	e extent that such documents are included	in the fields searched					
	ta base consulted during the international search (nan ; STN (MEDLINE, BIOSIS, CAPLUS)	ne of data base and, where practicable, s	earch terms used)					
C. DOC	UMENTS CONSIDERED TO BE RELEVANT							
Category *	Citation of document, with indication, where ap		Relevant to claim No.					
X 	WO 01/07572 A2 (THE REGENTS OF THE UNIV February 2001 (01.02.2001), see entire document.	ERSITY OF CALIFORNIA) 01	1,2,7,8,11,23- 25,27,50					
Y			3-6,9,10,12,13,26,28-					
x 								
Y	, , , , , , , , , , , , , , , , , , ,		3-6,9,10,12,13,26,28-					
x	US 6,171,861 B1 (HARTLEY et al.) 09 January 20	01 (09.01.2001), sec entire document,	1-3,8,10-12,23-					
especially sequence listing.			27,33,36,39,40,43- 45,50,54,55,85					
			4-7,9,13-22,28-					
_		•	30,32,34,35,37,38,41,					
			42,46-49,51-53,56,67-					
			71,84,86					
			,					
<u> </u>	<u></u>							
	r documents are listed in the continuation of Box C.	See patent family annex.						
• 5	special categories of cited documents:	"T" later document published after the inte date and not in conflict with the applie	cation but cited to understand the					
	t defining the general state of the art which is not considered to be	principle or theory underlying the inve	ention					
I -	pplication or patent published on or after the international filing date	"X" document of particular relevance; the considered novel or cannot be conside when the document is taken alone	claimed invention cannot be red to involve an inventive step					
	t which may throw doubts on priority claim(s) or which is cited to the publication dute of another citation or other special reason (as	document of particular relevance; the considered to involve an inventive step						
*O* document referring to an oral disclosure, use, exhibition or other means		combined with one or more other such documents, such combination being obvious to a person skilled in the art						
	t published prior to the international filing date but later than the date claimed	"&" document member of the same patent	family					
Date of the actual completion of the international search  Date of enaiting of the international search report								
	r 2002 (01.11.2002)	27 NO 4 ZOUZ						
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Daniel M Sullivan								
Box PCT		Daniel M Sullivan William Par						
Washington, D.C. 20231 Facsimile No. (703)305-3230		Telephone No. 703-308-0196						

Form PCT/ISA/210 (second sheet) (July 1998)

PCT/US02/17452

## INTERNATIONAL SEARCH REPORT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim N
х  Y	WO 96/40724 A1 (LIFE TECHNOLOGIES, INC.) 19 December 1996 (19.12.96), see entire document, especially SEQ ID NO:1-16.	1-3,8,10-12,23- 27,33,36,39,40,4 45,50,54,55,85
		1-3,8,10-12,23- 27,33,36,39,40,4 45,50,54,55,85
Y	WO 94/00569 A1 (GENPHARM INTERNATIONAL, INC.) 06 January 1994 (06.01.94), see entire document.	72-78
Y	WO 94/23049 A2 (THE JOHNS HOPKINS UNIVERSITY) 13 October 1994 (13.10.94), see entire document.	72-78
x	US 5,721,118 A (SCHEFFLER) 24 February 1998 (24.02.98), see entire document,	14,15,22-25,57
Y	especially Example 3.	16-21,26,58-64,7 78,84,85,98-105,1
· <b>x</b>	US 5,948,653 A (PATI et al.) 07 September 1999 (07.09.99), see entire document,	14,15,22-25,57
Y	especially the first full paragraph in column 29.	16-21,26,58-64,7 78,84,85,98-105,1
×	GB 2 331 752 A (MEDICAL RESEARCH COUNCIL) 02 June 1999 (02.06.99), see entire	109,123
Y	document, especially pages 8-10.	72-78,110-122
A	HALDIMANN et al. Conditional-replication, integration, excision, and retrieval plasmid-host systems for gene structure-function studies of bacteria. J Bacteriol. November 2001, Vol. 183 No. 21, pages 6384-6393, see entire document.	65,66
X,P	MORALLI et al. Insertion of a loxP site in a size-reduced human accessory chromosome.	91-93,106,108
Y,P	Cytogenet. Cell Genet. 2001, Vol. 94 No. 3-4, pages 113-120, see entire document.	94-97,107
x	LORBACH et al. Site-specific recombination in human cells catalyzed by phage lambda	1,2,8,50
Y	integrase mutants. J. Mol. Biol. March 2000, Vol. 296 No. 5, pages 1175-1181, see entire document.	3-7,9-13,23-32,5 56,84,85
x	CALL et al. A cre-lox recombination system for the targeted integration of circular yeast	14,15,22-26,57,5
Y	artificial chromosomes into embryonic stem cells.Hum. Mol. Genet. July 2000, Vol. 9, No. 12, pages 1745-1751, see entire document.	16-
		21,58,60,84,85,9 105
Y,P	HADLACZKY, G. Satellite DNA-based artificial chromosomes for use in gene therapy.  Curr. Opin. Mol. Ther. April 2001, Vol. 3 No. 2, pages 125-132, see entire document.	1-123
	. (	

### INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/17452

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)					
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:					
1.		Claim Nos.: because they relate to subject matter not required to be searched by this Authority, namely:			
2.		Claim Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:			
3.	6.4(a).	Claim Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule			
В	ox II Ol	bservations where unity of invention is lacking (Continuation of Item 2 of first sheet)			
		tional Searching Authority found multiple inventions in this international application, as follows: Continuation Sheet			
2 3		As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.  As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.  As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:			
4 R		No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:  Protest  The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.			

Form PCT/ISA/210 (continuation of first sheet(1)) (July 1998)

PCT/U	JS02	/174	152	

#### INTERNATIONAL SEARCH REPORT

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claim(s) 1-64, 67-71, 79, 84-86, 91-108, and 123, drawn to eukaryotic recombinogenic chromosomes used for introducing heterologous nucleic acids into a chromosome and the resulting cells.

Group II, claim(s) 65-66 and 87-88, drawn to a lambda intR mutein.

Group III, claim(s) 72-78, drawn to the production of transgenic animals.

Group IV, claim(s) 80, drawn to the production of an artificial chromosome library.

Group V, claim(s) 81-83, drawn to a library of cells for genomic screening.

Group VI, claim(s) 89-90, drawn to a modified iron-induced promoter.

Group VII, claim(s) 109-122, drawn to a method for screening compounds and their effects on regulatory regions.

and it considers that the International Application doe rest comply with the requirements of unity of invention (Rules 13.1, 13.2 and 13.3) for the reasons indicated below:

The inventions listed as Groups I-VII do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The special technical feature of Group I which defines an advance over the art is a eukaryotic chromosome containing recombinogenic sites that can be used to introduce heterologous nucleic acids into chromosomes, and cells containing these recombinogenic chromosomes.

The special technical feature of Group II involves a lambda intR mutein. This feature defines an advance over Group I in that it involves a protein that is not required for the technical feaures as set forth above in Group I.

The special technical feature of Group III involves the production of a transgenic animal, which represents a second method for using the invention as set forth above in Group I. The special technical feature of Group IV involves the production of artificial chromosome expression system libraries, which represents a third method for using the invention as set forth above in Group I.

forth above in Group I.

The special technical feature of Group V involves a library of cells containing the artificial chromosome expression system libraries set foth above in Group IV, and represents a first product resulting from Group IV.

The special technical feature of Group VI involves a modified iron-inducible promoter. This feature defines an advance over Group I in that it involves a promoter that is not required for the technical features as set forth above in Group I.

The special technical feature of Group VII involves a method for screening compounds for

their effect on regulatory regions, which represents a fourth method of using the invention as set forth above in Group I.

# (19) World Intellectual Property Organization

International Bureau



# 

(43) International Publication Date 5 December 2002 (05.12.2002)

PCT

### (10) International Publication Number WO 2002/097059 A3

(51) International Patent Classification7: C07H 21/04. C12N 15/85, 15/87, 15/90, A01N 43/34, C12N 15/09

(21) International Application Number:

(CIP) to earlier applications:

PCT/US2002/017452

(22) International Filing Date: 30 May 2002 (30.05.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/294,758 60/366,891

30 May 2001 (30.05.2001) US 21 March 2002 (21.03.2002)

(63) Related by continuation (CON) or continuation-in-part

US Filed on 60/294,758 (CIP)

30 May 2001 (30.05.2001) 60/366,891 (CIP)

US Filed on

21 March 2002 (21.03.2002)

(71) Applicant (for all designated States except US): CHRO-MOS MOLECULAR SYSTEMS, INC. [CA/CA]; 8081 Lougheed Highway, Burnaby, B.C. V5A 1W9 (CA).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): PERKINS, Edward [US/US]; 4203 Robinson Street, Duluth, MN 55804 (US). PEREZ, Carl [US/CA]; 95 West 11th Avenue, Vancouver, British Columbia V5Y 1S6 (CA). LINDENBAUM, Michael [CA/CA]; 9941 Martin Court, Burnaby, British Columbia V3K 1J5 (CA). GREENE, Amy [US/US]; 4203 Robinson Street, Duluth, MN 55804 (US). LEUNG, Josephine [CA/CA]; 711 Ebert Avenue, Coquitlam, B.C. V3J 7P8 (CA). FLEMING, Elena [CA/CA]; 427 Montroyal Blvd., North Vancouver, British Columbia V7N 3E2 (CA). STEWART, Sandra [CA/CA]; 2618 Oxford Street, Vancouver, B.C. V5K 1N3 (CA). SHELLARD, Joan [CA/CA]; #215-1345 West 15th Avenue, Vancouver, B.C. V6H 3R3 (CA).
- (74) Agents: SEIDMAN, Stephanie, L. et al.; Heller Ehrman White & McAuliffe LLP, 7th floor, 4350 La Jolla Village Drive, San Diego, CA 92122-1246 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,

LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Declarations under Rule 4.17:

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR. IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

#### Published:

- with international search report
- with amended claims
- (88) Date of publication of the international search report: 30 May 2003

[Continued on next page]

(54) Title: CHROMOSOME-BASED PLATFORMS

(57) Abstract: Artificial chromosomes, including Aces, that have been engineered to contain available sites for site-specific, recombination-directed integration of DNA of interest are provided. These artificial chromosomes permit tractable, efficient, rational engineering of the chromosome for a variety of applications.





# WO 2002/097059 A3



Date of publication of the amended claims: 31 December 2003

(15) Information about Correction:

Previous Correction: see PCT Gazette No. 39/2003 of 25 September 2003, Sec-

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 2002/097059 PCT/US2002/017452

#### AMENDED CLAIMS

[received by the International Bureau on 27 January 2003 (27.01.2003); Original claims 22, 29, 39, 40, 68, 104, 107, 108, 114 and 121 replaced by Amended Claims 22, 29, 39, 40, 68, 104, 107, 108, 114 and 121.; Remaining claims unchanged]

- 13. The chromosome of claim 6 that is an artificial chromosome expression system (*ACes*).
- 14. A platform artificial chromosome expression system (*ACes*) comprising one or a plurality of sites that participate in recombinase catalyzed recombination.
  - 15. The ACes of claim 14 that contains one site.
  - 16. The ACes of claim 14 that is predominantly heterochromatin.
- 17. The *ACes* of claim 14 that contains no more than about 30%, 40%, 50%, 60%, 70%, 80%, 90% or 95% euchromatin.
- 10 18. The ACes of claim 14 that is a plant ACes.

5

25

- 19. The ACes of claim 14 that is an animal ACes.
- 20. The ACes of claim 14 that is selected from a fish, insect, reptile, amphibian, arachnid or a mammalian ACes.
  - 21. The ACes of claim 14 that is a fish ACes.
- 22. The artificial chromosome expression system (*ACes*) of claim 14, wherein the recombinase and site(s) are from the Cre/lox system of bacteriophage P1, the int/att system of lambda phage, the FLP/FRT system of yeast, the Gin/gix recombinase system of phage Mu, the Cin recombinase system, the Pin recombinase system of *E. coli*, the R/RS system of the pSR1 plasmid, or any combination thereof.
  - 23. A method of introducing heterologous nucleic acid into a chromosome, comprising:

contacting a chromosome of any of claims 1 or 14 with a nucleic acid molecule comprising both the heterologous nucleic acid and a recombination site, in the presence of a recombinase that promotes recombination between the sites in the chromosome and in the nucleic acid molecule.

20

- 24. The method of claim 23, wherein the recombinase is selected from the group consisting of Cre, Gin, Cin, Pin, FLP, a phage integrase and R from the pSR1 plasmid.
- 25. The method of claim 23, wherein the nucleic acid molecule
  5 encodes a therapeutic protein, antisense nucleic acid, or comprises an artificial chromosome.
  - 26. The method of claim 25, wherein the nucleic acid molecule comprises a yeast artificial chromosomes (YAC), a bacterial artificial chromosome (BAC) or an insect artificial chromosome (IAC).
- 27. A combination, comprising, the chromosome of claim 1 and a first vector comprising the cognate recombination site, wherein the cognate recombination site is a site that recombines with the site engineered into the chromosome.
  - 28. The combination of claim 27, further comprising nucleic acid encoding a recombinase, wherein the nucleic acid is on a second vector or on the first vector, or on the *ACes* under an inducible promoter.
  - 29. The combination of claim 28, wherein the recombinase and sites are from the Cre/lox system of bacteriophage P1, the int/att system of lambda phage, the FLP/FRT system of yeast, the Gin/gix recombinase system of phage Mu, the Pin recombinase system of *E. coli*, the R/RS system of the pSR1 plasmid, or any combination thereof.
  - 30. The combination of claim 28, wherein a vector is the plasmid pCXLamIntR.
- 31. The combination of claim 27, wherein a vector is the plasmid 25 pDsRedN1-attB.
  - 32. A kit, comprising the combination of claim 27 and optionally instructions for introducing heterologous nucleic acid into the chromosome.

- 33. A method for introducing heterologous nucleic acid into a platform artificial chromosome, comprising:
- (a) mixing an artificial chromosome comprising at least a first recombination site and a vector comprising at least a second recombination site and the heterologous nucleic acid;
- (b) incubating the resulting mixture in the presence of at least one recombination protein under conditions whereby recombination between the first and second recombination sites is effected, thereby introducing the heterologous nucleic acid into the artificial chromosome.
- The method of claim 33, wherein the artificial chromosome is an *ACes*.
  - 35. The method of claim 33, wherein said mixing step (a) is conducted in cells ex vivo.
- 36. The method of claim 33, wherein said mixing step (a) is conducted extracellularly in an in vitro reaction mixture.
  - 37. The method of claim 33, wherein the at least one recombination protein is encoded by a bacteriophage selected from the group consisting of bacteriophage lambda, phi 80, P22, P2, 186, P4 and P1.
- 20 38. The method of claim 37, wherein the at least one recombination protein is encoded by bacteriophage lambda, or mutants thereof.
  - 39. The method of claim 33, wherein at least one recombination protein is selected from the group consisting of Int, IHF, Xis, Cre,  $\gamma\delta$ , Tn3 resolvase, Hin, Gin, Cin and Flp.
  - 40. The method of claim 33, wherein the recombination sites are selected from the group consisting of att and lox P sites.

- 66. The lambda-intR mutein of claim 65, wherein the lambda-intR mutein comprises SEQ ID NO:37.
- 67. The method of claim 46 wherein the promoterless marker is transcriptionally downstream of the heterologous nucleic acid, wherein the heterologous nucleic acid encodes a heterologous protein, and wherein the expression level of the selectable marker is transcriptionally linked to the expression level of the heterologous protein.
- 68. The method of claim 67, wherein the selectable marker and the heterologous nucleic acid are transcriptionally linked by the presence of an IRES between them.
- 69. The method of claim 68, wherein the selectable marker is selected from the group consisting of an antibiotic resistance gene, and a detectable protein, wherein the detectable protein is chromogenic or fluorescent.
- 15 70. The method of claim 69, wherein the selectable marker is selected from the group consisting of green fluorescent protein (GFP), red fluorescent protein (RFP), blue fluorescent protein (BFP), and *E. coli* histidinol dehydrogenase.
- 71. The method of claim 67 further comprising expressing the 20 heterologous protein and isolating the heterologous protein.
  - 72. A method for producing a transgenic animal, comprising introducing a platform-ACes into an embryonic cell.
  - 73. The method of claim 72, wherein the embryonic cell is a stem cell.
- 25 74. The method of claim 72, wherein the embryonic cell is in an embryo.
  - 75. The method of claim 72, wherein the platform-ACes comprises heterologous nucleic acid that encodes a therapeutic product.

a sequence of nucleotides that targets the vector to an amplifiable region of a chromosome.

- 92. The vector of claim 91, wherein the amplifiable region comprises heterochromatic nucleic acid.
- 5 93. The vector of claim 91, wherein the amplifiable region comprises rDNA.
  - 94. The vector of claim 93, wherein the rDNA comprises an intergenic spacer.
- 95. The vector of claim 91, further comprising nucleic acid10 encoding a selectable marker that is not operably associated with any promoter.
  - 96. The vector of claim 91, wherein the chromosome is a mammalian chromosome.
- 97. The vector of claim 91, wherein the chromosome is a plant 15 chromosome.
  - 98. A cell of claim 57 that is a plant cell, wherein the *ACes* platform is a MAC.
  - 99. The plant cell of claim 98, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.
- 20 100. The plant cell of claim 99, wherein the regulatory sequence is selected from the group consisting of promoters, terminators, enhancers, silencers and transcription factor binding sites.
  - 101. A cell of claim 57 that is an animal cell, wherein the *ACes* platform is a plant artificial chromosome (PAC).
- 25 102. The cell of claim 101 that is a mammalian cell.
  - 103. The cell of claim 98, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.
  - 104. The cell of claim 102, wherein the PAC comprises transcriptional regulatory sequence of nucleotides derived from animals.

- 105. The cell of claim 104, wherein the regulatory sequence is selected from the group consisting of promoters, terminators, enhancers, silencers and transcription factor binding sites.
  - 106. A method, comprising:
- 5 introducing a vector of claim 91 into a cell; growing the cells; and

selecting a cell comprising an artificial chromosome that comprises one or more repeat regions.

- 107. The method of claim 106, wherein a sufficient portion of the vector integrates into a chromosome in the cell to result in amplification of chromosomal DNA.
  - 108. The method of claim 106, wherein the artificial chromosome is an ACes.
    - 109. A method for screening, comprising:

or known compound on the regulatory region.

contacting a cell comprising a reporter *ACes* with test compounds or known compounds, wherein:

the reporter *ACes* comprises one or a plurality of reporter constructs;

- a reporter construct comprises a reporter gene in operative linkage
  with a regulatory region responsive to test or known compounds; and
  detecting any increase or decrease in signal output from the
  reporter, wherein a change in the signal is indicative of activity of the test
- 110. The method of claim 109, wherein the reporter is operatively linked to a promoter that controls expression of a gene in a signal transduction pathway, whereby activation or reduction in the signal indicates that the pathway is activated or down-regulated by the test compound.

and

- 111. The method of claim 109, wherein the reporter in the construct encodes drug resistance or encodes a fluorescent protein.
- 112. The method of claim 111, wherein the fluorescent protein is selected from the group consisting of red, green and blue fluorescent proteins.
- 113. The method of claim 109, wherein the *ACes* comprises a plurality of reporter-linked constructs, each with a different reporter, whereby the pathway(s) affected by the test compounds can be elucidated.
- 10 114. The method of claim 109, wherein a reporter is operatively linked to a promoter that is transcriptionally regulated in response to DNA damage, and the test compounds are genotoxicants.
  - 115. The method of claim 114, wherein the DNA damage is induced by apoptosis, necrosis or cell-cycle perturbations.
- 15 116. The method of claim 114, wherein unknown compounds are screened to assess whether they are genotoxicants.
  - 117. The method of claim 114, wherein the promoter is a cytochrome P450-profiled promoter.
- 118. The method of claim 114, wherein the cell is in a transgenic animal and toxicity is assessed in the animal.
  - 119. The method of claim 109, wherein:

the cell is a patient cell sample; the patient has a disease; the regulatory region is one targeted by a drug or drug regimen;

- the method assesses the effectiveness of a treatment for the disease for the particular patient.
  - 120. The method of claim 119, wherein the cell is a tumor cell.
  - 121. The method of claim 109, wherein the cell is a stem cell or a progenitor cell, whereby expression of the reporter is operatively linked to

a regulatory region expressed in the cells to thereby identify stem cells or progenitor cells.

- 122. The method of claim 109, wherein the cell is in an animal;and the method comprises whole-body imaging to monitor expression ofthe reporter in the animal.
  - 123. A reporter *ACes* comprises one or a plurality of reporter constructs, wherein the reporter construct comprises a reporter gene in operative linkage with a regulatory region responsive to test or known compounds.

## CORRECTED VERSION

# (19) World Intellectual Property Organization International Bureau





# (43) International Publication Date 5 December 2002 (05.12.2002)

#### **PCT**

# (10) International Publication Number WO 02/097059 A3

- (51) International Patent Classification7: C07H 21/04, C12N 15/85, 15/87, 15/90, A01N 43/34, C12N 15/09
- (21) International Application Number: PCT/US02/17452
- (22) International Filing Date: 30 May 2002 (30.05.2002)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/294,758 30 May 2001 (30.05.2001) US 60/366,891 21 March 2002 (21.03.2002) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US 60/294,758 (CIP)
Filed on 30 May 2001 (30.05.2001)
US 60/366,891 (CIP)
Filed on 21 March 2002 (21.03.2002)

- (71) Applicant (for all designated States except US): CHRO-MOS MOLECULAR SYSTEMS, INC. [CA/CA]; 8081 Lougheed Highway, Burnaby, B.C. V5A 1W9 (CA).
- (72) Inventors; and
- (75) Inventors, and
  (76) Inventors/Applicants (for US only): PERKINS, Edward [US/CA]; 7610 Lawrence Drive, Burnaby, B.C. V5A 1T6 (CA). PEREZ, Carl [US/CA]; 1201-7680 Granville Avenue, Richmond, B.C. V6Y 4B9 (CA). LINDENBAUM, Michael [CA/CA]; 252 Finnigan Street, Coquitlam, B.C. V3K 5J7 (CA). GREENE, Amy [US/CA]; 7610 Lawrence Drive, Burnaby, B.C. V5A 1T6 (CA). LEUNG, Josephine [CA/CA]; 711 Ebert Avenue, Coquitlam, B.C. V3J 7P8 (CA). FLEMING, Elena [CA/CA]; 248 E 18th, North Vancouver, B.C. V7L 2X6 (CA). STEWART, Sandra [CA/CA]; 2618 Oxford Street, Vancouver, B.C. V5K 1N3 (CA). SHELLARD, Joan [CA/CA]; #215-1345 West 15th Avenue, Vancouver, B.C. V6H 3R3 (CA).
- (74) Agents: SEIDMAN, Stephanie, L. et al.; Heller Ehrman White & McAuliffe LLP, 7th floor, 4350 La Jolla Village Drive, San Diego, CA 92122-1246 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### **Declarations under Rule 4.17:**

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PT, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB,

[Continued on next page]

(54) Title: CHROMOSOME-BASED PLATFORMS

(57) Abstract: Artificial chromosomes, including *Aces*, that have been engineered to contain available sites for site-specific, recombination-directed integration of DNA of interest are provided. These artificial chromosomes permit tractable, efficient, rational engineering of the chromosome for a variety of applications.







GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

## Published:

- with international search report
- (88) Date of publication of the international search report: 30 May 2003
- (48) Date of publication of this corrected version: 25 September 2003
- (15) Information about Correction: see PCT Gazette No. 39/2003 of 25 September 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/097059 PCT/US02/17452

-1-

#### CHROMOSOME-BASED PLATFORMS

#### RELATED APPLICATIONS

Benefit of priority to U.S. provisional application Serial No. 60/294,758, filed May 30, 2001, to Perkins, *et al.*, entitled "CHROMOSOME-BASED PLATFORMS" and to U.S. provisional application Serial No. 60/366,891, filed March 21, 2002, to Perkins, *et al.*, entitled "CHROMOSOME-BASED PLATFORMS" is claimed. Where permitted, the subject matter of which are herein incorporated by reference in their entirety.

This application is related to Provisional Application No. 60/294,687, filed May 30, 2001, by CARL PEREZ AND STEVEN 10 FABIJANSKI entitled PLANT ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING PLANT ARTIFICIAL CHROMOSOMES and to U.S. Provisional Application No. 60/296,329, filed June 4, 2001, by CARL PEREZ AND STEVEN FABIJANSKI entitled PLANT ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS 15 FOR PREPARING PLANT ARTIFICIAL CHROMOSOMES. This application also is related to U.S. Provisional Application No. 60/294,758, filed May 30, 2001, by EDWARD PERKINS et al.. entitled CHROMOSOME-BASED PLATFORMS and to U.S. Provisional Application No. 60/366,891, filed March 21, 2002, by by EDWARD PERKINS et al.. entitled CHROMOSOME-BASED PLATFORMS. This application is also related to 20 U.S. application Serial Nos. (attorney dkt nos. 24601-419 and 419PC), filed on the same day herewith, entitled PLANT ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS OF PREPARING PLANT ARTIFICIAL CHROMOSOMES to Perez et al...

25 This application is related to U.S. application Serial No. 08/695,191, filed August 7, 1996 by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND

METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES, now U.S.
Patent No. 6,025,155. This application is also related to U.S. application
Serial No. 08/682,080, filed July 15, 1996 by GYULA HADLACZKY and
ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF

AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES, now

- AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES, now U.S. Patent No. 6,077,697. This application is also related U.S. application Serial No. 08/629,822, filed April 10, 1996 by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING
- 10 ARTIFICIAL CHROMOSOMES (now abandoned), and is also related to copending U.S. application Serial No. 09/096,648, filed June 12, 1998, by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES and to U.S. application Serial No.
- 15 09/835,682, April 10, 1997 by GYULA HADLACZKY and ALADAR SZALAY, entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES (now abandoned). This application is also related to copending U.S. application Serial No. 09/724,726, filed November 28, 2000, U.S. application Serial
- No. 09/724,872, filed November 28, 2000, U.S. application Serial No. 09/724,693, filed November 28, 2000, U.S. application Serial No. 09/799,462, filed March 5, 2001, U.S. application Serial No. 09/836,911, filed April 17, 2001, and U.S. application Serial No. 10/125,767, filed April 17, 2002, each of which is by GYULA
- 25 HADLACZKY and ALADAR SZALAY, and is entitled ARTIFICIAL CHROMOSOMES, USES THEREOF AND METHODS FOR PREPARING ARTIFICIAL CHROMOSOMES. This application is also related to International PCT application No. WO 97/40183. Where permitted the

subject matter of each of these provisional applications, international applications, and applications is incorporated by reference in its entirety.

#### FIELD OF INVENTION

Artificial chromosomes, including *ACes*, that have been engineered to contain available sites for site-specific, recombination-directed integration of DNA of interest are provided. These artificial chromosomes permit tractable, efficient, rational engineering of the chromosome.

#### **BACKGROUND**

.10

20

#### **Artificial chromosomes**

A variety of artificial chromosomes for use in plants and animals, particularly higher plants and animals are available. In particular, U.S. Patent Nos. 6,025,155 and 6,077,697 provide heterochromatic artificial chromosomes designated therein as satellite artificial chromosomes (SATACs) and now designated artificial chromosome expression systems (ACes). These chromosomes are prepared by introducing heterologous DNA into a selected plant or animal cell under conditions that result in integration into a region of the chromosome that leads to an amplification event resulting in production of a dicentric chromosome. Subsequent treatment and growth of cells with dicentric chromosomes, including further amplifications, ultimately results in the artificial chromosomes provided therein. In order to introduce a desired heterologous gene (or a plurality of heterologous genes) into the artificial chromosome, the process is repeated introducing the desired heterologous genes and nucleic acids in the initial targeting step. This process is time consuming and tedious. Hence, more tractable and efficient methods for introducing heterologous nucleic acid molecules into artificial chromosomes, particularly ACes, are needed.

Therefore, it is an object herein to provide engineered artificial chromosomes that permit tractable, efficient and rational engineering of artificial chromosomes.

## **SUMMARY OF THE INVENTION**

5

15

20

25

Provided herein are artificial chromosomes that permit tractable, efficient and rational engineering thereof. In particular, the artificial chromosomes provided herein contain one or a plurality of loci (sites) for site-specific, recombination-directed integration of DNA. Thus, provided herein are platform artificial chromosome expression systems ("platform 10 ACes") containing single or multiple site-specific, recombination sites. The artificial chromosomes and ACes artificial chromosomes include plant and animal chromosomes. Any recombinase system that effects sitespecific recombination is contemplated for use herein.

In one embodiment, chromosomes, including platform ACes, are provided that contain one or more lambda att sites designed for recombination-directed integration in the presence of lambda integrase, and that are mutated so that they do not require additional factors. Methods for preparing such chromosomes, vectors for use in the methods, and uses of the resulting chromosomes are also provided.

Platform ACes containing the recombination site(s) and methods for introducing heterologous nucleic acid into such sites and vectors therefor, are provided.

Also provided herein is a bacteriophage lambda (1) integrase sitespecific recombination system.

Methods using recombinase mediated recombination target gene expression vectors and/or genes for insertion thereof into platform chromosomes and the resulting chromosomes are provided.

Combinations and kits containing the combinations of vectors encoding a recombinase and integrase and primers for introduction of the site recognized thereby are also provided. The kits optionally include instructions for performing site-directed integration or preparation of *ACes* containing such sites.

Also provided herein are mammalian and plant cells comprising the artificial chromosomes and *ACes* described herein. The cells can be nuclear donor cells, stem cells, such as a mesenchymal stem cell, a hematopoietic stem cell, an adult stem cell or an embryonic stem cell.

Also provided is a lamba-intR mutein comprising a glutamic acid to arginine change at position 174 of wild-type lambda-integrase3. Also provided are transgenic animals and methods for producing a transgenic animal, comprising introducing a *ACes* into an embryonic cell, such as a stem cell or embryo. The *ACes* can comprise heterologous nucleic acid that encodes a therapeutic product. The transgenic animal can be a fish, insect, reptile, amphibians, arachnid or mammal. In certain embodiments, the *ACes* is introduced by cell fusion, lipid-mediated transfection by a carrier system, microinjection, microcell fusion, electroporation, microprojectile bombardment or direct DNA transfer.

The platform *ACes*, including plant and animal *ACes*, such as MACs, provided herein can be introduced into cells, such as, but not limited to, animal cells, including mammalian cells, and into plant cells. Hence plant cells that contain platform MACs, animal cells that contain platform PACs and other combinations of cells and platform *ACes* are provided.

#### **DESCRIPTION OF FIGURES**

10

15

20

25

FIGURE 1 provides a diagram depicting creation of an exemplary *ACes* artificial chromosome prepared using methods detailed in U.S. Patent Nos. 6,025,155 and 6,077,697 and International PCT application No. WO 97/40183. In this exemplified embodiment, the nucleic acid is targeted to an acrocentric chromosome in an animal or plant, and the

# **Rectified Sheet (Rule 91)**

heterologous nucleic acid includes a sequence-specific recombination site and marker genes.

FIGURE 2 provides a map of pWEPuro9K, which is a targeting vector derived from the vector pWE15 (GenBank Accession # X65279;

5 SEQ ID No. 31). Plasmid pWE15 was modified by replacing the Sall (Klenow filled)/Smal neomycin resistance encoding fragment with the Pvull/BamHI (Klenow filled) puromycin resistance-encoding fragment (isolated from plasmid pPUR, Clontech Laboratories, Inc., Palo Alto, CA; GenBank Accession no. U07648; SEQ ID No. 30) resulting in plasmid pWEPuro. Subsequently a 9 Kb Notl fragment from the plasmid pFK161 (see Example 1, see, also Csonka et al. (2000) Journal of Cell Science 113:3207-32161; and SEQ ID NO: 118), containing a portion of the mouse rDNA region, was cloned into the Notl site of pWEPuro resulting in plasmid pWEPuro9K.

FIGURE 3 depicts construction of an *ACes* platform chromosome with a single recombination site, such as loxP sites or an *att*P or *att*B site. This platform *ACes* chromosome is an exemplary artificial chromosome with a single recombination site.

15

20

25

FIGURE 4 provides a map of plasmid pSV40-193attPsensePur.

FIGURE 5 depicts a method for formation of a chromosome platform with multiple recombination integration sites, such as attP sites.

FIGURE 6 sets forth the sequences of the core region of attP, attB, attL and attR (SEQ ID Nos. 33-36).

FIGURE 7 depicts insertional recombination of a vector encoding a marker gene, DsRed and an *att*B site with an artificial chromosome containing an *att*P site.

FIGURE 8 provides a map of plasmid pCXLamIntR (SEQ ID NO: 112), which includes the Lambda integrase (E174R)-encoding nucleic acid.

FIGURE 9 diagrammatically summarizes the platform technology; marker 1 permits selection of the artificial chromosomes containing the integration site; marker 2, which is promoterless in the target gene expression vector, permits selection of recombinants. Upon recombination with the platform marker 2 is expressed under the control of a promoter resident on the platform.

FIGURE 10 provides the vector map for the plasmid p18attBZEO-5'6XHS4eGFP (SEQ ID NO: 116).

FIGURE 11 provides the vector map for the plasmid p18attBZEO-10 3'6XHS4eGFP (SEQ ID NO: 115).

FIGURE 12 provides the vector map for the plasmid p18attBZEO-(6XHS4)2eGFP (SEQ ID NO: 110).

FIGURES 13 AND 14 depict the integration of a PCR product by site-specific recombination as set forth in Example 8.

FIGURE 15 provides the vector map for the plasmid pPACrDNA as set forth in Example 9.A.

#### **DETAILED DESCRIPTION OF THE INVENTION**

## A. DEFINITIONS

15

20

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of skill in the art to which the invention(s) belong. All patents, patent applications, published applications and publications, Genbank sequences, websites and other published materials referred to throughout the entire disclosure herein, unless noted otherwise, are incorporated by reference in their entirety. Where reference is made to a URL or other such indentifier or address, it understood that such identifiers can change and particular information on the internet can come and go, but equivalent information can be found by searching the internet. Reference thereto evidences the availability and public dissemination of such information.

As used herein, nucleic acid refers to single-stranded and/or double-stranded polynucleotides, such as deoxyribonucleic acid (DNA) and ribonucleic acid (RNA), as well as analogs or derivatives of either RNA or DNA. Also included in the term "nucleic acid" are analogs of nucleic acids such as peptide nucleic acid (PNA), phosphorothioate DNA, and other such analogs and derivatives. When referring to probes or primers, optionally labeled, with a detectable label, such as a fluorescent or radiolabel, single-stranded molecules are contemplated. Such molecules are typically of a length such that they are statistically unique and of low copy number (typically less than 5, preferably less than 3) for probing or priming a library. Generally a probe or primer contains at least 14, 16 or 30 contiguous nucleotides of sequence complementary to or identical to a gene of interest. Probes and primers can be 10, 20, 30, 50, 100 or more nucleotides long.

As used herein, DNA is meant to include all types and sizes of DNA molecules including cDNA, plasmids and DNA including modified nucleotides and nucleotide analogs.

15

20

As used herein, nucleotides include nucleoside mono-, di-, and triphosphates. Nucleotides also include modified-nucleotides, such as, but are not limited to, phosphorothioate nucleotides and deazapurine nucleotides and other nucleotide analogs.

As used herein, heterologous or foreign DNA and RNA are used interchangeably and refer to DNA or RNA that does not occur naturally as part of the genome in which it is present or which is found in a location or locations and/or in amounts in a genome or cell that differ from that in which it occurs in nature. Heterologous nucleic acid is generally not endogenous to the cell into which it is introduced, but has been obtained from another cell or prepared synthetically. Generally, although not necessarily, such nucleic acid encodes RNA and proteins that are not

normally produced by the cell in which it is expressed. Any DNA or RNA that one of skill in the art would recognize or consider as heterologous or foreign to the cell in which it is expressed is herein encompassed by heterologous DNA. Heterologous DNA and RNA may also encode RNA or 5 proteins that mediate or alter expression of endogenous DNA by affecting transcription, translation, or other regulatable biochemical processes.

Examples of heterologous DNA include, but are not limited to, DNA that encodes a gene product or gene product(s) of interest, introduced for purposes of modification of the endogenous genes or for production of an 10 encoded protein. For example, a heterologous or foreign gene may be isolated from a different species than that of the host genome, or alternatively, may be isolated from the host genome but operably linked to one or more regulatory regions which differ from those found in the unaltered, native gene. Other examples of heterologous DNA include, but are not limited to, DNA that encodes traceable marker proteins, such as a protein that confers traits including, but not limited to, herbicide, insect, or disease resistance; traits, including, but not limited to, oil quality or carbohydrate composition. Antibodies that are encoded by heterologous DNA may be secreted or expressed on the surface of the cell in which the heterologous DNA has been introduced.

15

20

As used herein, operative linkage or operative association, or grammatical variations thereof, of heterologous DNA to regulatory and effector sequences of nucleotides, such as promoters, enhancers, transcriptional and translational stop sites, and other signal sequences refers to the relationship between such DNA and such sequences of nucleotides. For example, operative linkage of heterologous DNA to a promoter refers to the physical relationship between the DNA and the promoter such that the transcription of such DNA is initiated from the

promoter by an RNA polymerase that specifically recognizes, binds to and transcribes the DNA.

In order to optimize expression and/or *in vitro* transcription, it may be necessary to remove, add or alter 5' untranslated portions of the clones to eliminate extra, potential inappropriate alternative translation initiation (*i.e.*, start) codons or other sequences that may interfere with or reduce expression, either at the level of transcription or translation.

Alternatively, consensus ribosome binding sites (see, *e.g.*, Kozak (1991) *J. Biol. Chem. 266*:19867-19870) can be inserted immediately 5' of the start codon and may enhance expression.

As used herein, a sequence complementary to at least a portion of an RNA, with reference to antisense oligonucleotides, means a sequence having sufficient complementarity to be able to hybridize with the RNA, preferably under moderate or high stringency conditions, forming a stable duplex. The ability to hybridize depends on the degree of complementarity and the length of the antisense nucleic acid. The longer the hybridizing nucleic acid, the more base mismatches it can contain and still form a stable duplex (or triplex, as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

15

20

25

As used herein, regulatory molecule refers to a polymer of deoxyribonucleic acid (DNA) or ribonucleic acid (RNA) or a polypeptide that is capable of enhancing or inhibiting expression of a gene.

As used herein, recognition sequences are particular sequences of nucleotides that a protein, DNA, or RNA molecule, or combinations thereof, (such as, but not limited to, a restriction endonuclease, a modification methylase and a recombinase) recognizes and binds. For example, a recognition sequence for Cre recombinase (see, e.g., SEQ ID NO:58) is a 34 base pair sequence containing two 13 base pair inverted

repeats (serving as the recombinase binding sites) flanking an 8 base pair core and designated loxP (see, e.g., Sauer (1994) Current Opinion in Biotechnology 5:521-527). Other examples of recognition sequences, include, but are not limited to, attB and attP, attR and attL and others (see, e.g., SEQ ID Nos. 8, 41-56 and 72), that are recognized by the recombinase enzyme Integrase (see, SEQ ID Nos. 37 and 38 for the nucleotide and encoded amino acid sequences of an exemplary lambda phage integrase).

The recombination site designated attB is an approximately 33 base pair sequence containing two 9 base pair core-type Int binding sites and a 7 base pair overlap region; attP (SEQ ID No. 72) is an approximately 240 base pair sequence containing core-type Int binding sites and arm-type Int binding sites as well as sites for auxiliary proteins IHF, FIS, and Xis (see, e.g., Landy (1993) Current Opinion in Biotechnology 3:699-707I see, e.g., SEQ ID Nos. 8 and 72).

10

15

20

25

As used herein, a recombinase is an enzyme that catalyzes the exchange of DNA segments at specific recombination sites. An integrase herein refers to a recombinase that is a member of the lambda  $(\lambda)$  integrase family.

As used herein, recombination proteins include excisive proteins, integrative proteins, enzymes, co-factors and associated proteins that are involved in recombination reactions using one or more recombination sites (see, Landy (1993) *Current Opinion in Biotechnology 3*:699-707). The recombination proteins used herein can be delivered to a cell via an expression cassette on an appropriate vector, such as a plasmid, and the like. In other embodiments, the recombination proteins can be delivered to a cell in protein form in the same reaction mixture used to deliver the desired nucleic acid, such as a platform *ACes*, donor target vectors, and the like.

As used herein the expression "lox site" means a sequence of nucleotides at which the gene product of the cre gene, referred to herein as Cre, can catalyze a site-specific recombination event. A LoxP site is a 34 base pair nucleotide sequence from bacteriophage P1 (see, e.g., Hoess et al. (1982) Proc. Natl. Acad. Sci. U.S.A. 79:3398-3402). The LoxP site contains two 13 base pair inverted repeats separated by an 8 base pair spacer region as follows: (SEQ ID NO. 57):

#### ATAACTTCGTATA ATGTATGC TATACGAAGTTAT

15

20

E. coliDH5Δlac and yeast strain BSY23 transformed with plasmid pBS44 10 carrying two loxP sites connected with a LEU2 gene are available from the American Type Culture Collection (ATCC) under accession numbers ATCC 53254 and ATCC 20773, respectively. The lox sites can be isolated from plasmid pBS44 with restriction enzymes EcoRI and Sall, or Xhol and BamHI. In addition, a preselected DNA segment can be inserted into pBS44 at either the Sall or BamHI restriction enzyme sites. Other lox sites include, but are not limited to, LoxB, LoxL, LoxC2 and LoxR sites, which are nucleotide sequences isolated from E. coli (see, e.g., Hoess et al. (1982) Proc. Natl. Acad. Sci. U.S.A. 79:3398). Lox sites can also be produced by a variety of synthetic techniques (see, e.g., Ito et al. (1982) Nuc. Acid Res. 10:1755 and Ogilvie et al. (1981) Science 270:270).

As used herein, the expression "cre gene" means a sequence of nucleotides that encodes a gene product that effects site-specific recombination of DNA in eukaryotic cells at lox sites. One cre gene can be isolated from bacteriophage P1 (see, e.g., Abremski et al. (1983) Cell 32:1301-1311). E. coli DH1 and yeast strain BSY90 transformed with plasmid pBS39 carrying a cre gene isolated from bacteriophage P1 and a GAL1 regulatory nucleotide sequence are available from the American Type Culture Collection (ATCC) under accession numbers ATCC 53255

and ATCC 20772, respectively. The cre gene can be isolated from plasmid pBS39 with restriction enzymes *Xhol* and *Sall*.

As used herein, site-specific recombination refers to site-specific recombination that is effected between two specific sites on a single nucleic acid molecule or between two different molecules that requires the presence of an exogenous protein, such as an integrase or recombinase.

For example, Cre-lox site-specific recombination can include the following three events:

- 10 a. deletion of a pre-selected DNA segment flanked by lox sites;
  - b. inversion of the nucleotide sequence of a pre-selected DNA segment flanked by lox sites; and
  - c. reciprocal exchange of DNA segments proximate to lox sites located on different DNA molecules.

15

This reciprocal exchange of DNA segments can result in an integration event if one or both of the DNA molecules are circular. DNA segment refers to a linear fragment of single- or double-stranded deoxyribonucleic acid (DNA), which can be derived from any source.

- 20 Since the lox site is an asymmetrical nucleotide sequence, two lox sites on the same DNA molecule can have the same or opposite orientations with respect to each other. Recombination between lox sites in the same orientation results in a deletion of the DNA segment located between the two lox sites and a connection between the resulting ends of the original DNA molecule. The deleted DNA segment forms a circular molecule of
  - DNA. The original DNA molecule and the resulting circular molecule each contain a single lox site. Recombination between lox sites in opposite orientations on the same DNA molecule result in an inversion of the nucleotide sequence of the DNA segment located between the two lox

sites. In addition, reciprocal exchange of DNA segments proximate to lox sites located on two different DNA molecules can occur. All of these recombination events are catalyzed by the gene product of the cre gene. Thus, the Cre-lox system can be used to specifically delete, invert, or insert DNA. The precise event is controlled by the orientation of lox DNA sequences, in *cis* the lox sequences direct the *Cre* recombinase to either delete (lox sequences in direct orientation) or invert (lox sequences in inverted orientation) DNA flanked by the sequences, while *in trans* the lox sequences can direct a homologous recombination event resulting in the insertion of a recombinant DNA.

As used herein, a chromosome is a nucleic acid molecule, and associated proteins, that is capable of replication and segregation within a cell upon cell division. Typically, a chromosome contains a centromeric region, replication origins, telomeric regions and a region of nucleic acid between the centromeric and telomeric regions.

10

15

20

25

As used herein, a centromere is any nucleic acid sequence that confers an ability to segregate to daughter cells through cell division. A centromere may confer stable segregation of a nucleic acid sequence, including an artificial chromosome containing the centromere, through mitotic or meiotic divisions, including through both mitotic and meiotic divisions. A particular centromere is not necessarily derived from the same species in which it is introduced, but has the ability to promote DNA segregation in cells of that species.

As used herein, euchromatin and heterochromatin have their recognized meanings. Euchromatin refers to chromatin that stains diffusely and that typically contains genes, and heterochromatin refers to chromatin that remains unusually condensed and that has been thought to be transcriptionally inactive. Highly repetitive DNA sequences (satellite DNA) are usually located in regions of the heterochromatin surrounding

the centromere (pericentric or pericentromeric heterochromatin).

Constitutive heterochromatin refers to heterochromatin that contains the highly repetitive DNA which is constitutively condensed and genetically inactive.

As used herein, an acrocentric chromosome refers to a chromosome with arms of unequal length.

5

10

15

20

As used herein, endogenous chromosomes refer to genomic chromosomes as found in a cell prior to generation or introduction of an artificial chromosome.

As used herein, artificial chromosomes are nucleic acid molecules, typically DNA, that stably replicate and segregate alongside endogenous chromosomes in cells and have the capacity to accommodate and express heterologous genes contained therein. It has the capacity to act as a gene delivery vehicle by accommodating and expressing foreign genes contained therein. A mammalian artificial chromosome (MAC) refers to chromosomes that have an active mammalian centromere(s). Plant artificial chromosomes, insect artificial chromosomes and avian artificial chromosomes refer to chromosomes that include centromeres that function in plant, insect and avian cells, respectively. A human artificial chromosome (HAC) refers to chromosomes that include centromeres that function in human cells. For exemplary artificial chromosomes, see, *e.g.*, U.S. Patent Nos. 6,025,155; 6,077,697; 5,288,625; 5,712,134; 5,695,967; 5,869,294; 5,891,691 and 5,721,118 and published International PCT application Nos, WO 97/40183 and WO 98/08964.

Artificial chromosomes include those that are predominantly heterochromatic (formerly referred to as satellite artificial chromosomes (SATACs); see, e.g., U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183), minichromosomes that contain a de novo centromere (see, U.S. Patent

Nos. 5,712,134, 5,891,691 and 5,288,625), artificial chromosomes predominantly made up of repeating nucleic acid units and that contain substantially equivalent amounts of euchromatic and heterochromatic DNA and *in vitro* assembled artificial chromosomes (see, copending U.S. provisional application Serial No. 60/294,687, filed on May 30, 2001).

As used herein, the term "satellite DNA-based artificial chromosome (SATAC)" is interchangable with the term "artificial chromosome expression system (ACes)". These artificial chromosomes (ACes) include those that are substantially all neutral non-coding sequences (heterochromatin) except for foreign heterologous, typically gene-encoding nucleic acid, that is interspersed within the heterochromatin for the expression therein (see U.S. Patent Nos. 6.025,155 and 6,077,697 and International PCT application No. WO 97/40183), or that is in a single locus as provided herein. Also included are ACes that may include euchromatin and that result from the process described in U.S. Patent Nos. 6,025,155 and 6,077,697 and International PCT application No. WO 97/40183 and outlined herein. The delineating structural feature is the presence of repeating units, that are generally predominantly heterochromatin. The precise structure of the ACes will depend upon the structure of the chromosome in which the initial amplification event occurs; all share the common feature of including a defined pattern of repeating units. Generally ACes have more heterochromatin than euchromatin. Foreign nucleic acid molecules (heterologous genes) contained in these artificial chromosome expression systems can include any nucleic acid whose expression is of interest in a particular host cell. Such foreign nucleic acid molecules, include, but are not limited to, nucleic acid that encodes traceable marker proteins (reporter genes), such as fluorescent proteins, such as green, blue or red fluorescent proteins (GFP, BFP and RFP, respectively), other reporter

15

20

25

genes, such as  $\beta$ -galactosidase and proteins that confer drug resistance, such as a gene encoding hygromycin-resistance. Other examples of heterologous nucleic acid molecules include, but are not limited to, DNA that encodes therapeutically effective substances, such as anti-cancer agents, enzymes and hormones, DNA that encodes other types of proteins, such as antibodies, and DNA that encodes RNA molecules (such as antisense or siRNA molecules) that are not translated into proteins.

As used herein, an artificial chromosome platform, also referred to 10 herein as a "platform ACes" or "ACes platform", refers to an artificial chromosome that has been engineered to include one or more sites for site-specific, recombination-directed integration. In particular, ACes that are so-engineered are provided. Any sites, including but not limited to any described herein, that are suitable for such integration are contemplated. Plant and animal platform ACes are provided. Among the ACes contemplated herein are those that are predominantly heterochromatic (formerly referred to as satellite artificial chromosomes (SATACs); see, e.g., U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183), artificial chromosomes predominantly made up of repeating nucleic acid units and that contain substantially equivalent amounts of euchromatic and heterochromatic DNA resulting from an amplification event depicted in the referenced patent and herein. Included among the ACes for use in generating platforms, are artificial chromosomes that introduce and 25 express heterologous nucleic acids in plants (see, copending U.S. provisional application Serial No. 60/294,687, filed on May 30, 2001). These include artificial chromosomes that have a centromere derived from a plant, and, also, artificial chromosomes that have centromeres that may be derived from other organisms but that function in plants.

As used herein a "reporter ACes" refers to an ACes that comprises one or a plurality of reporter constructs, where the reporter construct comprises a reporter gene in operative linkage with a regulatory region responsive to test or known compounds.

As used herein, amplification, with reference to DNA, is a process in which segments of DNA are duplicated to yield two or multiple copies of substantially similar or identical or nearly identical DNA segments that are typically joined as substantially tandem or successive repeats or inverted repeats.

5

10

25

As used herein, amplification-based artificial chromosomes are artificial chromosomes derived from natural or endogenous chromosomes by virtue of an amplification event, such as one initiated by introduction of heterologous nucleic acid into rDNA in a chromosome. As a result of such an event, chromosomes and fragments thereof exhibiting segmented or repeating patterns arise. Artificial chromosomes can be formed from these chromosomes and fragments. Hence, amplification-based artificial chromosomes refer to engineered chromosomes that exhibit an ordered segmentation that is not observed in naturally occurring chromosomes and that distinguishes them from naturally occurring chromosomes. The segmentation, which can be visualized using a variety of chromosome analysis techniques known to those of skill in the art, correlates with the structure of these artificial chromosomes. In addition to containing one or more centromeres, the amplification-based artificial chromosomes, throughout the region or regions of segmentation are predominantly made up of nucleic acid units also referred to as "amplicons", that is (are) repeated in the region and that have a similar gross structure. Repeats of an amplicon tend to be of similar size and share some common nucleic acid sequences. For example, each repeat of an amplicon may contain a replication site involved in amplification of chromosome segments and/or

some heterologous nucleic acid that was utilized in the initial production of the artificial chromosome. Typically, the repeating units are substantially similar in nucleic acid composition and may be nearly identical.

5

15

20

25

The amplification-based artificial chromosomes differ depending on the chromosomal region that has undergone amplification in the process of artificial chromosome formation. The structures of the resulting chromosomes can vary depending upon the initiating event and/or the conditions under which the heterologous nucleic acid is introduced, 10 including modification to the endogenous chromosomes. For example, in some of the artificial chromosomes provided herein, the region or regions of segmentation may be made up predominantly of heterochromatic DNA. In other artificial chromosomes provided herein, the region or regions of segmentation may be made up predominantly of euchromatic DNA or may be made up of similar amounts of heterochromatic and euchromatic DNA.

As used herein an amplicon is a repeated nucleic acid unit. In some of the artificial chromosomes described herein, an amplicon may contain a set of inverted repeats of a megareplicon. A megareplicon represents a higher order replication unit. For example, with reference to some of the predominantly heterochromatic artificial chromosomes, the megareplicon can contain a set of tandem DNA blocks (e.g.,  $\sim$ 7.5 Mb DNA blocks) each containing satellite DNA flanked by non-satellite DNA or may be made up of substantially rDNA. Contained within the megareplicon is a primary replication site, referred to as the megareplicator, which may be involved in organizing and facilitating replication of the pericentric heterochromatin and possibly the centromeres. Within the megareplicon there may be smaller (e.g., 50-300 kb) secondary replicons.

In artificial chromosomes, such as those provided U.S. Patent Nos. 6,025,155 and 6,077,697 and International PCT application No. WO 97/40183, the megareplicon is defined by two tandem blocks (~7.5 Mb DNA blocks in the chromosomes provided therein). Within each artificial 5 chromosome or among a population thereof, each amplicon has the same gross structure but may contain sequence variations. Such variations will arise as a result of movement of mobile genetic elements, deletions or insertions or mutations that arise, particularly in culture. Such variation does not affect the use of the artificial chromosomes or their overall structure as described herein.

As used herein, amplifiable, when used in reference to a chromosome, particularly the method of generating artificial chromosomes provided herein, refers to a region of a chromosome that is prone to amplification. Amplification typically occurs during replication and other cellular events involving recombination (e.g., DNA repair). Such regions include regions of the chromosome that contain tandem repeats, such as satellite DNA, rDNA, and other such sequences.

10

20

25

As used herein, a dicentric chromosome is a chromosome that contains two centromeres. A multicentric chromosome contains more than two centromeres.

As used herein, a formerly dicentric chromosome is a chromosome that is produced when a dicentric chromosome fragments and acquires new telomeres so that two chromosomes, each having one of the centromeres, are produced. Each of the fragments is a replicable chromosome. If one of the chromosomes undergoes amplification of primarily euchromatic DNA to produce a fully functional chromosome that is predominantly (at least more than 50%) euchromatin, it is a minichromosome. The remaining chromosome is a formerly dicentric chromosome. If one of the chromosomes undergoes amplification,

whereby heterochromatin (such as, for example, satellite DNA) is amplified and a euchromatic portion (such as, for example, an arm) remains, it is referred to as a sausage chromosome. A chromosome that is substantially all heterochromatin, except for portions of heterologous 5 DNA, is called a predominantly heterochromatic artificial chromosome. Predominantly heterochromatic artificial chromosomes can be produced from other partially heterochromatic artificial chromosomes by culturing the cell containing such chromosomes under conditions such as BrdU treatment that destabilize the chromosome and/or growth under selective 10 conditions so that a predominantly heterochromatic artificial chromosome is produced. For purposes herein, it is understood that the artificial chromosomes may not necessarily be produced in multiple steps, but may appear after the initial introduction of the heterologous DNA. Typically, artificial chromosomes appear after about 5 to about 60, or about 5 to about 55, or about 10 to about 55 or about 25 to about 55 or about 35 to about 55 cell doublings after initiation of artificial chromosome generation, or they may appear after several cycles of growth under selective conditions and BrdU treatment.

15

20

25

As used herein, an artificial chromosome that is predominantly heterochromatic (i.e., containing more heterochromatin than euchromatin, typically more than about 50%, more than about 70%, or more than about 90% heterochromatin) may be produced by introducing nucleic acid molecules into cells, such as, for example, animal or plant cells, and selecting cells that contain a predominantly heterochromatic artificial chromosome. Any nucleic acid may be introduced into cells in such methods of producing the artificial chromosomes. For example, the nucleic acid may contain a selectable marker and/or optionally a sequence that targets nucleic acid to the pericentric, heterochromatic region of a chromosome, such as in the short arm of acrocentric chromosomes and

nucleolar organizing regions. Targeting sequences include, but are not limited to, lambda phage DNA and rDNA for production of predominantly heterochromatic artificial chromosomes in eukaryotic cells.

After introducing the nucleic acid into cells, a cell containing a predominantly heterochromatic artificial chromosome is selected. Such cells may be identified using a variety of procedures. For example, repeating units of heterochromatic DNA of these chromosomes may be discerned by G-banding and/or fluorescence in situ hybridization (FISH) techniques. Prior to such analyses, the cells to be analyzed may be 10 enriched with artificial chromosome-containing cells by sorting the cells on the basis of the presence of a selectable marker, such as a reporter protein, or by growing (culturing) the cells under selective conditions. It is also possible, after introduction of nucleic acids into cells, to select cells that have a multicentric, typically dicentric, chromosome, a formerly multicentric (typically dicentric) chromosome and/or various heterochromatic structures, such as a megachromosome and a sausage chromosome, that contain a centromere and are predominantly heterochromatic and to treat them such that desired artificial chromosomes are produced. Cells containing a new chromosome are selected. Conditions for generation of a desired structure include, but are not limited to, further growth under selective conditions, introduction of additional nucleic acid molecules and/or growth under selective conditions and treatment with destabilizing agents, and other such methods (see International PCT application No. WO 97/40183 and U.S. Patent Nos. 6,025,155 and 6,077,697).

15

25

As used herein, a "selectable marker" is a nucleic acid segment, generally DNA, that allows one to select for or against a molecule or a cell that contains it, often under particular conditions. These markers can encode an activity, such as, but not limited to, production of RNA,

peptide, or protein, or can provide a binding site for RNA, peptides, proteins, inorganic and organic compounds and compositions. Examples of selectable markers include but are not limited to: (1) nucleic acid segments that encode products that provide resistance against otherwise toxic compounds (e.g., antibiotics); (2) nucleic acid segments that encode products that are otherwise lacking in the recipient cell (e.g., tRNA genes, auxotrophic markers); (3) nucleic acid segments that encode products that suppress the activity of a gene product; (4) nucleic acid segments that encode products that can be identified, such as phenotypic markers, 10 including  $\beta$ -galactosidase, red, blue and/or green fluorescent proteins (FPs), and cell surface proteins; (5) nucleic acid segments that bind products that are otherwise detrimental to cell survival and/or function; (6) nucleic acid segments that otherwise inhibit the activity of any of the nucleic acid segments described in Nos. 1-5 above (e.g., antisense oligonucleotides or siRNA molecules for use in RNA interference); (7) 15 nucleic acid segments that bind products that modify a substrate (e.g. restriction endonucleases); (8) nucleic acid segments that can be used to isolate a desired molecule (e.g. specific protein binding sites); (9) nucleic acid segments that encode a specific nucleotide sequence that can be otherwise non-functional, such as for PCR amplification of subpopulations of molecules; and/or (10) nucleic acid segments, which when absent, directly or indirectly confer sensitivity to particular compounds. Thus, for example, selectable markers include nucleic acids encoding fluorescent proteins, such as green fluorescent proteins,  $\beta$ -galactosidase and other 25 readily detectable proteins, such as chromogenic proteins or proteins capable of being bound by an antibody and FACs sorted. Selectable markers such as these, which are not required for cell survival and/or proliferation in the presence of a selection agent, are also referred to herein as reporter molecules. Other selectable markers, e.g., the

neomycin phosphotransferase gene, provide for isolation and identification of cells containing them by conferring properties on the cells that make them resistant to an agent, e.g., a drug such as an antibiotic, that inhibits proliferation of cells that do not contain the marker.

5

25

As another example, interference of gene expression by double stranded RNA has been shown in Caenorhabditis elegans, plants, Drosophila, protozoans and mammals. This method is known as RNA interference (RNAi) and utilizes short, double-stranded RNA molecules (siRNAs). The siRNAs are generally composed of a 19-22bp double-10 stranded RNA stem, a loop region and a 1-4 bp overhang on the 3' end. The reduction of gene expression has been accomplished by direct introduction of the siRNAs into the cell (Harborth J et al., 2001, J Cell Sci 114(pt 24):4557-65) as well as the introduction of DNA encoding and expressing the siRNA molecule. The encoded siRNA molecules are under the regulation of an RNA polymerase III promoter (see, e.g., Yu et al.,.. 2002, Proc Natl Acad Sci USA 99(9);6047-52; Brummelkamp et al., 2002, Science 296(5567):550-3; Miyagishi et al., 2002, Nat Biotechnol 20(5):497-500; and the like). In certain embodiments, RNAi in mammalian cells may have advantages over other therapeutic methods. 20 For example, producing siRNA molecules that block viral genetic activities in infected cells may reduce the effects of the virus. Platform ACes provided herein encoding siRNA molecule(s) are an additional utilization of the platform ACes technology. The platform ACes could be engineered to encode one or more siRNA molecules to create gene "knockdowns". In one embodiment, a platform ACes can be engineered to encode both the siRNA molecule and a replacement gene. For example, a mouse model or cell culture system could be generated using a platform ACes that has a knockdown of the endogenous mouse gene, by siRNA, and the human gene homolog expressing in place of the mouse gene. The placement of

siRNA encoding sequences under the regulation of a regulatable or inducible promoter would allow one to temporally and/or spatially control the knockdown effect of the corresponding gene.

As used herein, a reporter gene includes any gene that expresses a detectable gene product, which may be RNA or protein. Generally reporter genes are readily detectable. Examples of reporter genes include, but are not limited to nucleic acid encoding a fluorescent protein, CAT (chloramphenicol acetyl transferase) (Alton et al. (1979) Nature 282: 864-869) luciferase, and other enzyme detection systems, such as beta-10 galactosidase; firefly luciferase (deWet et al. (1987) Mol. Cell. Biol. 7:725-737); bacterial luciferase (Engebrecht and Silverman (1984) Proc. Natl. Acad. Sci. U.S.A. 81:4154-4158; Baldwin et al. (1984) Biochemistry 23:3663-3667); and alkaline phosphatase (Toh et al. (1989) Eur. J. Biochem. 182:231-238, Hall et al. (1983) J. Mol. Appl. Gen. 2:101).

As used herein, growth under selective conditions means growth of a cell under conditions that require expression of a selectable marker for survival.

15

20

25

As used herein, an agent that destabilizes a chromosome is any agent known by those skilled in the art to enhance amplification events, and/or mutations. Such agents, which include BrdU, are well known to those skilled in the art.

In order to generate an artificial chromosome containing a particular heterologous nucleic acid of interest, it is possible to include the nucleic acid in the nucleic acid that is being introduced into cells to initiate production of the artificial chromosome. Thus, for example, a nucleic acid can be introduced into a cell along with nucleic acid encoding a selectable marker and/or a nucleic acid that targets to a heterochromatic region of a chromosome. For introducing a heterologous nucleic acid into

the cell, it can be included in a fragment that includes a selectable marker or as part of a separate nucleic acid fragment and introduced into the cell with a selectable marker during the process of generating the artificial chromosomes. Alternatively, heterologous nucleic acid can be introduced into an artificial chromosome at a later time after the initial generation of the artificial chromosome.

As used herein, the minichromosome refers to a chromosome derived from a multicentric, typically dicentric, chromosome that contains more euchromatic than heterochromatic DNA. For purposes herein, the minichromosome contains a *de novo* centromere (e.g., a neocentromere). In some embodiments, for example, the minichromosome contains a centromere that replicates in animals, e.g., a mammalian centromere or in plants, e.g., a plant centromere.

As used herein, *in vitro* assembled artificial chromosomes or synthetic chromosomes can be either more euchromatic than heterochromatic or more heterochromatic than euchromatic and are produced by joining essential components of a chromosome *in vitro*. These components include at least a centromere, a megareplicator, a telomere and optionally secondary origins of replication.

15

20

25

As used herein, *in vitro* assembled plant or animal artificial chromosomes are produced by joining essential components (at least the centromere, telomere(s), megareplicator and optional secondary origins of replication) that function in plants or animals. In particular embodiments, the megareplicator contains sequences of rDNA, particularly plant or animal rDNA.

As used herein, a plant is a eukaryotic organism that contains, in addition to a nucleus and mitochondria, chloroplasts capable of carrying out photosynthesis. A plant can be unicellular or multicellular and can contain multiple tissues and/or organs. Plants can reproduce sexually or

asexually and can be perennial or annual in growth. Plants can also be terrestrial or aquatic. The term "plant" includes a whole plant, plant cell, plant protoplast, plant calli, plant seed, plant organ, plant tissue, and other parts of a whole plant.

5

10

15

20

25

As used herein, stable maintenance of chromosomes occurs when at least about 85%, preferably 90%, more preferably 95%, of the cells retain the chromosome. Stability is measured in the presence of a selective agent. Preferably these chromosomes are also maintained in the absence of a selective agent. Stable chromosomes also retain their structure during cell culturing, suffering no unintended intrachromosomal or interchromosomal rearrangements.

As used herein, *de novo* with reference to a centromere, refers to generation of an excess centromere in a chromosome as a result of incorporation of a heterologous nucleic acid fragment using the methods herein.

As used herein, BrdU refers to 5-bromodeoxyuridine, which during replication is inserted in place of thymidine. BrdU is used as a mutagen; it also inhibits condensation of metaphase chromosomes during cell division.

As used herein, ribosomal RNA (rRNA) is the specialized RNA that forms part of the structure of a ribosome and participates in the synthesis of proteins. Ribosomal RNA is produced by transcription of genes which, in eukaryotic cells, are present in multiple copies. In human cells, the approximately 250 copies of rRNA genes (i.e., genes which encode rRNA) per haploid genome are spread out in clusters on at least five different chromosomes (chromosomes 13, 14, 15, 21 and 22). In mouse cells, the presence of ribosomal DNA (rDNA, which is DNA containing sequences that encode rRNA) has been verified on at least 11 pairs out of 20 mouse chromosomes (chromosomes 5, 6, 7, 9, 11, 12, 15, 16, 17, 18, and 19)

(see e.g., Rowe et al. (1996) Mamm. Genome 7:886-889 and Johnson et al. (1993) Mamm. Genome 4:49-52). In Arabidopsis thaliana the presence of rDNA has been verified on chromosomes 2 and 4 (18S, 5.8S, and 25S rDNA) and on chromosomes 3,4, and 5 (5S rDNA) (see The 5 Arabidopsis Genome Initiative (2000) Nature 408:796-815). In eukaryotic cells, the multiple copies of the highly conserved rRNA genes are located in a tandemly arranged series of rDNA units, which are generally about 40-45 kb in length and contain a transcribed region and a nontranscribed region known as spacer (i.e., intergenic spacer) DNA 10 which can vary in length and sequence. In the human and mouse, these tandem arrays of rDNA units are located adjacent to the pericentric satellite DNA sequences (heterochromatin). The regions of these chromosomes in which the rDNA is located are referred to as nucleolar organizing regions (NOR) which loop into the nucleolus, the site of ribosome production within the cell nucleus. 15

As used herein, a megachromosome refers to a chromosome that, except for introduced heterologous DNA, is substantially composed of heterochromatin. Megachromosomes are made up of an array of repeated amplicons that contain two inverted megareplicons bordered by introduced heterologous DNA (see, e.g., Figure 3 of U.S. Patent No. 6,077,697 for a schematic drawing of a megachromosome). For purposes herein, a megachromosome is about 50 to 400 Mb, generally about 250-400 Mb. Shorter variants are also referred to as truncated megachromosomes (about 90 to 120 or 150 Mb), dwarf

25 megachromosomes (~150-200 Mb), and a micro-megachromosome (~50-90 Mb, typically 50-60 Mb). For purposes herein, the term

megachromosome refers to the overall repeated structure based on an array of repeated chromosomal segments (amplicons) that contain two inverted megareplicons bordered by any inserted heterologous DNA. The size will be specified.

5

25

As used herein, gene therapy involves the transfer or insertion of nucleic acid molecules into certain cells, which are also referred to as target cells, to produce specific products that are involved in preventing, curing, correcting, controlling or modulating diseases, disorders and deleterious conditions. The nucleic acid is introduced into the selected 10 target cells in a manner such that the nucleic acid is expressed and a product encoded thereby is produced. Alternatively, the nucleic acid may in some manner mediate expression of DNA that encodes a therapeutic product. This product may be a therapeutic compound, which is produced in therapeutically effective amounts or at a therapeutically useful time. It may also encode a product, such as a peptide or RNA, that in some manner mediates, directly or indirectly, expression of a therapeutic product. Expression of the nucleic acid by the target cells within an organism afflicted with a disease or disorder thereby provides for modulation of the disease or disorder. The nucleic acid encoding the 20 therapeutic product may be modified prior to introduction into the cells of the afflicted host in order to enhance or otherwise alter the product or expression thereof.

For use in gene therapy, cells can be transfected in vitro, followed by introduction of the transfected cells into an organism. This is often referred to as ex vivo gene therapy. Alternatively, the cells can be transfected directly in vivo within an organism.

As used herein, therapeutic agents include, but are not limited to, growth factors, antibodies, cytokines, such as tumor necrosis factors and interleukins, and cytotoxic agents and other agents disclosed herein and

known to those of skill in the art. Such agents include, but are not limited to, tumor necrosis factor, α-interferon, β-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator; or, biological response modifiers such as, for example, lymphokines, interleukin- I (IL-1), interleukin-2 (IL-2), interleukin-6 (IL-6), granulocyte macrophage colony stimulating factor (GMCSF), granulocyte colony stimulating factor (G-CSF), erythropoietin (EPO), pro-coagulants such as tissue factor and tissue factor variants, pro-apoptotic agents such FAS-ligand, fibroblast growth factors (FGF), nerve growth factor and other growth factors.

As used herein, a therapeutically effective product is a product that is encoded by heterologous DNA that, upon introduction of the DNA into a host, a product is expressed that effectively ameliorates or eliminates the symptoms, manifestations of an inherited or acquired disease or that cures the disease.

As used herein, transgenic plants and animals refer to plants and animals in which heterologous or foreign nucleic acid is expressed or in which the expression of a gene naturally present in the plant or animal has been altered by virtue of introduction of heterologous or foreign nucleic acid.

15

20

25

As used herein, IRES (internal ribosome entry site; see, e.g., SEQ ID No. 27 and nucleotides 2736-3308 SEQ ID No. 28) refers to a region of a nucleic acid molecule, such as an mRNA molecule, that allows internal ribosome entry sufficient to initiate translation, which initiation can be detected in an assay for cap-independent translation (see, e.g., U.S. Patent No. 6,171,821). The presence of an IRES within an mRNA molecule allows cap-independent translation of a linked protein-encoding sequence that otherwise would not be translated.

Internal ribosome entry site (IRES) elements were first identified in picornaviruses, which elements are considered the paradigm for capindependent translation. The 5' UTRs of all picornaviruses are long and mediate translational initiation by directly recruiting and binding ribosomes, thereby circumventing the initial cap-binding step. IRES elements are frequently found in viral mRNA, they are rare in non-viral mRNA. Among non-viral mRNA molecules that contain functional IRES elements in their respective 5' UTRs are those encoding immunoglobulin heavy chain binding protein (BiP) (Macejak et al. (1991) Nature 353:90-94); Drosophila Antennapedia (Oh et al. (1992) Genes Dev, 6:1643-1653); D. Ultrabithorax (Ye et al. (1997) Mol. Cell Biol. 17:1714-21); fibroblast growth factor 2 (Vagner et al. (1995) Mol. Cell Biol. 15:35-44); initiation factor elF4G (Gan et al. (1998) J. Biol. Chem. 273:5006-5012); proto-oncogene c-myc (Nanbru et al. (1995) J. Biol. Chem. 272:32061-32066; Stoneley (1998) Oncogene 16:423-428); IRES<sub>H</sub>; from the 5'UTR of NRF1 gene (Oumard et al. (2000) Mol. and Cell Biol., 20(8):2755-2759); and vascular endothelial growth factor (VEGF) (Stein et al. (1998) Mol. Cell Biol. 18:3112-9).

As used herein, a promoter, with respect to a region of DNA, refers to a sequence of DNA that contains a sequence of bases that signals RNA polymerase to associate with the DNA and initiate transcription of RNA (such as pol II for mRNA) from a template strand of the DNA. A promoter thus generally regulates transcription of DNA into mRNA. A particular promoter provided herein is the Ferritin heavy chain promoter (excluding the Iron Response Element, located in the 5'UTR), which was joined to the 37bp Fer-1 enhancer element. This promoter is set forth as SEQ ID NO:128. The endogenous Fer-1 enhancer element is located upstream of the Fer-1 promoter (e.g., a Fer-1 oligo was cloned proximal to the core promoter).

20

25

As used herein, isolated, substantially pure nucleic acid, such as, for example, DNA, refers to nucleic acid fragments purified according to standard techniques employed by those skilled in the art, such as that found in Sambrook et al. ((2001) Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 3rd edition).

As used herein, expression refers to the transcription and/or translation of nucleic acid. For example, expression can be the transcription of a gene that may be transcribed into an RNA molecule, 10 such as a messenger RNA (mRNA) molecule. Expression may further include translation of an RNA molecule and translated into peptides, polypeptides, or proteins. If the nucleic acid is derived from genomic DNA, expression may, if an appropriate eukaryotic host cell or organism is selected, include splicing of the mRNA. With respect to an antisense construct, expression may refer to the transcription of the antisense DNA.

As used herein, vector or plasmid refers to discrete elements that are used to introduce heterologous nucleic acids into cells for either expression of the heterologous nucleic acid or for replication of the heterologous nucleic acid. Selection and use of such vectors and plasmids are well within the level of skill of the art.

15

20

25

As used herein, transformation/transfection refers to the process by which nucleic acid is introduced into cells. The terms transfection and transformation refer to the taking up of exogenous nucleic acid, e.g., an expression vector, by a host cell whether or not any coding sequences are in fact expressed. Numerous methods of transfection are known to the ordinarily skilled artisan, for example, by Agrobacterium-mediated transformation, protoplast transformation (including polyethylene glycol (PEG)-mediated transformation, electroporation, protoplast fusion, and microcell fusion), lipid-mediated delivery, liposomes, electroporation,

sonoporation, microinjection, particle bombardment and silicon carbide whisker-mediated transformation and combinations thereof (see, e.g., Paszkowski et al. (1984) EMBO J. 3:2717-2722; Potrykus et al. (1985) Mol. Gen. Genet. 199:169-177; Reich et al. (1986) Biotechnology 4:1001-1004; Klein et al. (1987) Nature 327:70-73; U.S. Patent No. 6,143,949; Paszkowski et al. (1989) in Cell Culture and Somatic Cell Genetics of Plants, Vol. 6, Molecular Biology of Plant Nuclear Genes, eds. Schell, J and Vasil, L.K. Academic Publishers, San Diego, California, p. 52-68; and Frame et al. (1994) Plant J. 6:941-948), direct uptake using 10 calcium phosphate (CaPO4; see, e.g., Wigler et al. (1979) Proc. Natl. Acad. Sci. U.S.A. 76:1373-1376), polyethylene glycol (PEG)-mediated DNA uptake, lipofection (see, e.g., Strauss (1996) Meth. Mol. Biol. 54:307-327), microcell fusion (see, EXAMPLES, see, also Lambert (1991) Proc. Natl. Acad. Sci. U.S.A. 88:5907-5911; U.S. Patent No. 5,396,767, Sawford et al. (1987) Somatic Cell Mol. Genet. 13:279-284; Dhar et al. (1984) Somatic Cell Mol. Genet. 10:547-559; and McNeill-Killary et al. (1995) Meth. Enzymol. 254:133-152), lipid-mediated carrier systems (see, e.g., Teifel et al. (1995) Biotechniques 19:79-80; Albrecht et al. (1996) Ann. Hematol. 72:73-79; Holmen et al. (1995) In Vitro Cell Dev. Biol. Anim. 31:347-351; Remy et al. (1994) Bioconjug. Chem. 5:647-20 654; Le Bolch et al. (1995) Tetrahedron Lett. 36:6681-6684; Loeffler et al. (1993) Meth. Enzymol. 217:599-618) or other suitable method. Methods for delivery of ACes are described in copending U.S. application Serial No. 09/815,979. Successful transfection is generally recognized by detection of the presence of the heterologous nucleic acid within the 25 transfected cell, such as, for example, any visualization of the heterologous nucleic acid or any indication of the operation of a vector

within the host cell.

As used herein, "delivery," which is used interchangeably with "transfection," refers to the process by which exogenous nucleic acid molecules are transferred into a cell such that they are located inside the cell. Delivery of nucleic acids is a distinct process from expression of nucleic acids.

As used herein, injected refers to the microinjection, such as by use of a small syringe, needle, or pipette, for injection of nucleic acid into a cell.

As used herein, substantially homologous DNA refers to DNA that includes a sequence of nucleotides that is sufficiently similar to another such sequence to form stable hybrids, with each other or a reference sequence, under specified conditions.

It is well known to those of skill in this art that nucleic acid fragments with different sequences may, under the same conditions, hybridize detectably to the same "target" nucleic acid. Two nucleic acid fragments hybridize detectably, under stringent conditions over a sufficiently long hybridization period, because one fragment contains a segment of at least about 10, 14 or 16 or more nucleotides in a sequence that is complementary (or nearly complementary) to a substantially contiguous sequence of at least one segment in the other nucleic acid fragment. If the time during which hybridization is allowed to occur is held constant, at a value during which, under preselected stringency conditions, two nucleic acid fragments with complementary base-pairing segments hybridize detectably to each other, departures from exact complementarity can be introduced into the base-pairing segments, and base-pairing will nonetheless occur to an extent sufficient to make hybridization detectable. As the departure from complementarity between the base-pairing segments of two nucleic acids becomes larger, and as

20

25

conditions of the hybridization become more stringent, the probability decreases that the two segments will hybridize detectably to each other.

Two single-stranded nucleic acid segments have "substantially the same sequence", if (a) both form a base-paired duplex with the same segment, and (b) the melting temperatures of the two duplexes in a solution of 0.5 X SSPE differ by less than 10°C. If the segments being compared have the same number of bases, then to have "substantially the same sequence", they will typically differ in their sequences at fewer than 1 base in 10. Methods for determining melting temperatures of nucleic acid duplexes are well known (see, e.g., Meinkoth et al. (1984) Anal. Biochem. 138:267-284 and references cited therein).

As used herein, a nucleic acid probe is a DNA or RNA fragment that includes a sufficient number of nucleotides to specifically hybridize to DNA or RNA that includes complementary or substantially complementary sequences of nucleotides. A probe may contain any number of nucleotides, from as few as about 10 and as many as hundreds of thousands of nucleotides. The conditions and protocols for such hybridization reactions are well known to those of skill in the art as are the effects of probe size, temperature, degree of mismatch, salt concentration and other parameters on the hybridization reaction. For example, the lower the temperature and higher the salt concentration at which the hybridization reaction is carried out, the greater the degree of mismatch that may be present in the hybrid molecules.

20

25

To be used as a hybridization probe, the nucleic acid is generally rendered detectable by labeling it with a detectable moiety or label, such as <sup>32</sup>P, <sup>3</sup>H and <sup>14</sup>C, or by other means, including chemical labeling, such as by nick-translation in the presence of deoxyuridylate biotinylated at the 5'-position of the uracil moiety. The resulting probe includes the biotinylated uridylate in place of thymidylate residues and can be detected

(via the biotin moieties) by any of a number of commercially available detection systems based on binding of streptavidin to the biotin. Such commercially available detection systems can be obtained, for example, from Enzo Biochemicals, Inc. (New York, NY). Any other label known to those of skill in the art, including non-radioactive labels, may be used as long as it renders the probes sufficiently detectable, which is a function of the sensitivity of the assay, the time available (for culturing cells, extracting DNA, and hybridization assays), the quantity of DNA or RNA available as a source of the probe, the particular label and the means used to detect the label.

Once sequences with a sufficiently high degree of homology to the probe are identified, they can readily be isolated by standard techniques (see, e.g., Sambrook et al. (2001) Molecular Cloning: A Laboratory Manual, 3rd Edition, Cold Spring Harbor Laboratory Press).

10

15

20

25

As used herein, conditions under which DNA molecules form stable hybrids are considered substantially homologous, and a DNA or nucleic acid homolog refers to a nucleic acid that includes a preselected conserved nucleotide sequence, such as a sequence encoding a polypeptide. By the term "substantially homologous" is meant having at least 75%, preferably 80%, preferably at least 90%, most preferably at least 95% homology therewith or a less percentage of homology or identity and conserved biological activity or function.

The terms "homology" and "identity" are often used interchangeably. In this regard, percent homology or identity may be determined, for example, by comparing sequence information using a GAP computer program. The GAP program utilizes the alignment method of Needleman and Wunsch (*J. Mol. Biol.* 48:443 (1970), as revised by Smith and Waterman (*Adv. Appl. Math.* 2:482 (1981). Briefly, the GAP program defines similarity as the number of aligned symbols (i.e.,

nucleotides or amino acids) which are similar, divided by the total number of symbols in the shorter of the two sequences. The preferred default parameters for the GAP program may include: (1) a unary comparison matrix (containing a value of 1 for identities and 0 for non-identities) and the weighted comparison matrix of Gribskov and Burgess, *Nucl. Acids Res.* 14:6745 (1986), as described by Schwartz and Dayhoff, eds., *ATLAS OF PROTEIN SEQUENCE AND STRUCTURE*, National Biomedical Research Foundation, pp. 353-358 (1979); (2) a penalty of 3.0 for each gap and an additional 0.10 penalty for each symbol in each gap; and (3) no penalty for end gaps.

By sequence identity, the number of conserved amino acids are determined by standard alignment algorithms programs, and are used with default gap penalties established by each supplier. Substantially homologous nucleic acid molecules would hybridize typically at moderate stringency or at high stringency all along the length of the nucleic acid of interest. Preferably the two molecules will hybridize under conditions of high stringency. Also contemplated are nucleic acid molecules that contain degenerate codons in place of codons in the hybridizing nucleic acid molecule.

Whether any two nucleic acid molecules have nucleotide sequences that are at least 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% "identical" can be determined using known computer algorithms such as the "FAST A" program, using for example, the default parameters as in Pearson and Lipman, *Proc. Natl. Acad. Sci. USA 85*:2444 (1988). Alternatively the BLAST function of the National Center for Biotechnology Information database may be used to determine relative sequence

20

25

identity.

In general, sequences are aligned so that the highest order match is obtained. "Identity" per se has an art-recognized meaning and can be

calculated using published techniques. (See, e.g.: Computational Molecular Biology, Lesk, A.M., ed., Oxford University Press, New York, 1988; Biocomputing: Informatics and Genome Projects, Smith, D.W., ed., Academic Press, New York, 1993; Computer Analysis of Sequence Data, 5 Part I, Griffin, A.M., and Griffin, H.G., eds., Humana Press, New Jersey, 1994; Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press, 1987; and Sequence Analysis Primer, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991). While there exist a number of methods to measure identity between two polynucleotide or polypeptide sequences, the term "identity" is well known to skilled artisans (Carillo, H. & Lipton, D., SIAM J Applied Math 48:1073 (1988)). Methods commonly employed to determine identity or similarity between two sequences include, but are not limited to, those disclosed in Guide to Huge Computers, Martin J. Bishop, ed., Academic Press, San Diego, 1994, and Carillo, H. & Lipton, D., SIAM J Applied Math 48:1073 (1988). Methods to determine identity and similarity are codified in computer programs. Preferred computer program methods to determine identity and similarity between two sequences include, but are not limited to, GCG program package (Devereux, J., et al., Nucleic Acids Research 12(I):387 (1984)), BLASTP, BLASTN, FASTA (Atschul, S.F., et al., J 20 Molec Biol 215:403 (1990)).

Therefore, as used herein, the term "identity" represents a comparison between a test and a reference polypeptide or polynucleotide. For example, a test polypeptide may be defined as any polypeptide that is 90% or more identical to a reference polypeptide.

25

As used herein, the term at least "90% identical to" refers to percent identities from 90 to 99.99 relative to the reference polypeptides. Identity at a level of 90% or more is indicative of the fact that, assuming for exemplification purposes a test and reference polynucleotide length of

100 amino acids are compared. No more than 10% (i.e., 10 out of 100) amino acids in the test polypeptide differs from that of the reference polypeptides. Similar comparisons may be made between a test and reference polynucleotides. Such differences may be represented as point mutations randomly distributed over the entire length of an amino acid sequence or they may be clustered in one or more locations of varying length up to the maximum allowable, e.g. 10/100 amino acid difference (approximately 90% identity). Differences are defined as nucleic acid or amino acid substitutions, or deletions.

As used herein: stringency of hybridization in determining percentage mismatch encompass the following conditions or equivalent conditions thereto:

10

15

20

25

- 1) high stringency: 0.1 x SSPE or SSC, 0.1% SDS, 65°C
- 2) medium stringency: 0.2 x SSPE or SSC, 0.1% SDS, 50°C
- 1.0 x SSPE or SSC, 0.1% SDS, 50°C 3) low stringency: or any combination of salt and temperature and other reagents that result in selection of the same degree of mismatch or matching. Equivalent conditions refer to conditions that select for substantially the same percentage of mismatch in the resulting hybrids. Additions of ingredients, such as formamide, Ficoll, and Denhardt's solution affect parameters such as the temperature under which the hybridization should be conducted and the rate of the reaction. Thus, hybridization in 5 X SSC, in 20% formamide at 42° C is substantially the same as the conditions recited above hybridization under conditions of low stringency. The recipes for SSPE, SSC and Denhardt's and the preparation of deionized formamide are described, for example, in Sambrook et al. (1989) Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Laboratory Press, Chapter 8; see, Sambrook et al., vol. 3, p. B.13, see, also, numerous catalogs that describe commonly used laboratory solutions. It is understood that

equivalent stringencies may be achieved using alternative buffers, salts and temperatures. As used herein, all assays and procedures, such as hybridization reactions and antibody-antigen reactions, unless otherwise specified, are conducted under conditions recognized by those of skill in the art as standard conditions.

As used herein, conservative amino acid substitutions, such as those set forth in Table 1, are those that do not eliminate biological activity. Suitable conservative substitutions of amino acids are known to those of skill in this art and may be made generally without altering the 10 biological activity of the resulting molecule. Those of skill in this art recognize that, in general, single amino acid substitutions in non-essential regions of a polypeptide do not substantially alter biological activity (see, e.g., Watson et al. Molecular Biology of the Gene, 4th Edition, 1987, The Bejacmin/Cummings Pub. co., p.224). Conservative amino acid substitutions are made, for example, in accordance with those set forth in TABLE 1 as follows:

TABLE 1

IADEL I	
Original residue Ala (A)	Conservative substitution Gly; Ser, Abu
Arg (R)	Lys, orn
Asn (N)	Gln; His
Cys (C)	Ser
Gln (Q)	Asn
Glu (E)	Asp
Gly (G)	Ala; Pro
His (H)	Asn; Gln
lle (I)	Leu; Val; Met; Nle; Nva
Leu (L)	lle; Val; Met; Nle; Nva
Lys (K)	Arg; Gin; Giu
Met (M)	Leu; Tyr; IIe; NLe Val
Ornithine	Lys; Arg
Phe (F)	Met; Leu; Tyr
Ser (S)	Thr
Thr (T)	Ser
Trp (W)	Tyr
Tyr (Y)	Trp; Phe
Val (V)	lle; Leu; Met; Nle; Nva
	Ala (A) Arg (R) Asn (N) Cys (C) Gln (Q) Glu (E) Gly (G) His (H) Ile (I) Leu (L) Lys (K) Met (M) Ornithine Phe (F) Ser (S) Thr (T) Trp (W) Tyr (Y)

15

Other substitutions are also permissible and may be determined empirically or in accord with known conservative substitutions.

As used herein, the amino acids, which occur in the various amino acid sequences appearing herein, are identified according to their wellknown, three-letter or one-letter abbreviations. The nucleotides, which occur in the various DNA fragments, are designated with the standard single-letter designations used routinely in the art.

As used herein, a splice variant refers to a variant produced by differential processing of a primary transcript of genomic DNA that results in more than one type of mRNA.

As used herein, a probe or primer based on a nucleotide sequence includes at least 10, 14, 16, 30 or 100 contiguous nucleotides from the reference nucleic acid molecule.

10

15

25

As used herein, recombinant production by using recombinant DNA methods refers to the use of the well known methods of molecular biology for expressing proteins encoded by cloned DNA.

As used herein, biological activity refers to the in vivo activities of a compound or physiological responses that result upon in vivo administration of a compound, composition or other mixture. Biological 20 activity, thus, encompasses therapeutic effects and pharmaceutical activity of such compounds, compositions and mixtures. Biological activities may be observed in in vitro systems designed to test or use such activities. Thus, for purposes herein the biological activity of a luciferase is its oxygenase activity whereby, upon oxidation of a substrate, light is produced.

The terms substantially identical or similar varies with the context as understood by those skilled in the relevant art and generally means at least 40, 60, 80, 90, 95 or 98%.

As used herein, substantially identical to a product means sufficiently similar so that the property is sufficiently unchanged so that the substantially identical product can be used in place of the product.

As used herein, substantially pure means sufficiently homogeneous to appear free of readily detectable impurities as determined by standard methods of analysis, such as thin layer chromatography (TLC), gel 10 electrophoresis and high performance liquid chromatography (HPLC), used by those of skill in the art to assess such purity, or sufficiently pure such that further purification would not detectably alter the physical and chemical properties, such as enzymatic and biological activities, of the substance. Methods for purification of the compounds to produce substantially chemically pure compounds are known to those of skill in the art. A substantially chemically pure compound may, however, be a mixture of stereoisomers or isomers. In such instances, further purification might increase the specific activity of the compound.

15

20

25

As used herein, vector (or plasmid) refers to discrete elements that are used to introduce heterologous DNA into cells for either expression or replication thereof. The vectors typically remain episomal, but may be designed to effect integration of a gene or portion thereof into a chromosome of the genome. Also contemplated are vectors that are artificial chromosomes, such as yeast artificial chromosomes and mammalian artificial chromosomes. Selection and use of such vehicles are well known to those of skill in the art. An expression vector includes vectors capable of expressing DNA that is operatively linked with regulatory sequences, such as promoter regions, that are capable of effecting expression of such DNA fragments. Thus, an expression vector refers to a recombinant DNA or RNA construct, such as a plasmid, a phage, recombinant virus or other vector that, upon introduction into an appropriate host cell, results in expression of the cloned DNA.

Appropriate expression vectors are well known to those of skill in the art and include those that are replicable in eukaryotic cells and/or prokaryotic cells and those that remain episomal or those which integrate into the host cell genome.

As used herein, protein-binding-sequence refers to a protein or peptide sequence that is capable of specific binding to other protein or peptide sequences generally, to a set of protein or peptide sequences or to a particular protein or peptide sequence.

As used herein, a composition refers to any mixture of two or more ingredients. It may be a solution, a suspension, liquid, powder, a paste, aqueous, non-aqueous or any combination thereof.

As used herein, a combination refers to any association between two or more items.

15

20

25

As used herein, fluid refers to any composition that can flow. Fluids thus encompass compositions that are in the form of semi-solids, pastes, solutions, aqueous mixtures, gels, lotions, creams and other such compositions.

As used herein, a cellular extract refers to a preparation or fraction that is made from a lysed or disrupted cell.

As used herein, the term "subject" refers to animals, plants, insects, and birds and other phyla, genera and species into which nucleic acid molecules may be introduced. Included are higher organisms, such as mammals, fish, insects and birds, including humans, primates, cattle, pigs, rabbits, goats, sheep, mice, rats, guinea pigs, hamsters, cats, dogs, horses, chicken and others.

As used herein, flow cytometry refers to processes that use a laser based instrument capable of analyzing and sorting out cells and or chromosomes based on size and fluorescence.

As used herein, the abbreviations for any protective groups, amino acids and other compounds, are, unless indicated otherwise, in accord with their common usage, recognized abbreviations, or the IUPAC-IUB Commission on Biochemical Nomenclature (see, (1972) *Biochem.* 11:942-944).

### B. Recombination systems

10

15

20

25

Site-specific recombination systems typically contain three elements: a pair of DNA sequences (the site-specific recombination sequences) and a specific enzyme (the site-specific recombinase). The site-specific recombinase catalyzes a recombination reaction between two site-specific recombination sequences.

A number of different site-specific recombinase systems are available and/or known to those of skill in the art, including, but not limited to: the Cre/lox recombination system using CRE recombinase (see, e.g., SEQ ID Nos. 58 and 59) from the Escherichia coli phage P1 (see, e.g., Sauer (1993) Methods in Enzymology 225:890-900; Sauer et al. (1990) The New Biologist 2:441-449), Sauer (1994) Current Opinion in Biotechnology 5:521-527; Odell et al. (1990) Mol Gen Genet. 223:369-378; Lasko et al. (1992) Proc. Natl. Acad. Sci. U.S.A. 89:6232-6236; U.S. Patent No. 5,658,772), the FLP/FRT system of yeast using the FLP recombinase (see, SEQ ID Nos. 60 and 61) from the 2µ episome of Saccharomyces cerevisiae (Cox (1983) Proc. Natl. Acad. Sci. U.S.A. 80:4223; Falco et al. (1982) Cell 29:573-584; Golic et al. (1989) Cell/59:499-509; U.S. Patent No. 5,744,336), the resolvases, including Gin recombinase of phage Mu (Maeser et al. (1991) Mol Gen Genet. 230:170-176; Klippel, A. et al (1993) EMBO J. 12:1047-1057; see, e.g.,

SEQ ID Nos. 64-67), Cin, Hin, αδ Tn3; the Pin recombinase of E. coli (see, e.g., SEQ ID Nos. 68 and 69; Enomoto et al. (1983) J Bacteriol. 6:663-668), the R/RS system of the pSR1 plasmid of Zygosaccharomyces rouxii (Araki et al. (1992) J. Mol. Biol. 225:25-37; Matsuzaki et al. (1990) J. Bacteriol. 172: 610-618) and site-specific recombinases from Kluyveromyces drosophilarium (Chen et al. (1986) Nucleic Acids Res. 314:4471-4481) and Kluyveromyces waltii (Chen et al. (1992) J. Gen. Microbiol. 138:337-345). Other systems are known to those of skill in the art (Stark et al. Trends Genet. 8:432-439; Utatsu et al. (1987) J. Bacteriol. 169:5537-5545; see, also, U.S. Patent No. 6,171,861).

Members of the highly related family of site-specific recombinases, the resolvase family, such as  $y\delta$ , Tn3 resolvase, Hin, Gin, and Cin are also available. Members of this family of recombinases are typically constrained to intramolecular reactions (e.g., inversions and excisions) and can require host-encoded factors. Mutants have been isolated that relieve some of the requirements for host factors (Maeser *et al.* (1991) *Mol. Gen. Genet. 230*:170-176), as well as some of the constraints of intramolecular recombination (see, U.S. Patent No. 6,171,861).

10

15

20

25

The bacteriophage P1 Cre/lox and the yeast FLP/FRT systems are particularly useful systems for site-specific integration, inversion or excision of heterologous nucleic acid into, and out of, chromosomes, particularly *ACes* as provided herein. In these systems a recombinase (Cre or FLP) interacts specifically with its respective site-specific recombination sequence (lox or FRT, respectively) to invert or excise the intervening sequences. The sequence for each of these two systems is relatively short (34 bp for lox and 47 bp for FRT).

The FLP/FRT recombinase system has been demonstrated to function efficiently in plant cells (U.S. Patent No. 5,744,386), and, thus, can be used for producing plant artificial chromosome platforms. In

general, short incomplete FRT sites leads to higher accumulation of excision products than the complete full-length FRT sites. The system catalyzes intra- and intermolecular reactions, and, thus, can be used for DNA excision and integration reactions. The recombination reaction is reversible and this reversibility can compromise the efficiency of the reaction in each direction. Altering the structure of the site-specific recombination sequences is one approach to remedying this situation. The site-specific recombination sequence can be mutated in a manner that the product of the recombination reaction is no longer recognized as a substrate for the reverse reaction, thereby stabilizing the integration or excision event.

In the Cre-lox system, discovered in bacteriophage P1, recombination between loxP sites occurs in the presence of the Cre recombinase (see, e.g., U.S. Patent No. 5,658,772). This system can be used to insert, invert or excise nucleic acid located between two lox sites. Cre can be expressed from a vector. Since the lox site is an asymmetrical nucleotide sequence, lox sites on the same DNA molecule can have the same or opposite orientation with respect to each other. Recombination between lox sites in the same orientation results in a deletion of the DNA segment located between the two lox sites and a connection between the resulting ends of the original DNA molecule. The deleted DNA segment forms a circular molecule of DNA. The original DNA molecule and the resulting circular molecule each contain a single lox site. Recombination between lox sites in opposite orientations on the same DNA molecule result in an inversion of the nucleotide sequence of the DNA segment located between the two lox sites. In addition, reciprocal exchange of DNA segments proximate to lox sites located on two different DNA molecules can occur. All of these recombination events are catalyzed by the product of the Cre coding region.

25

Any site-specific recombinase system known to those of skill in the art is contemplated for use herein. It is contemplated that one or a plurality of sites that direct the recombination by the recombinase are introduced into an artificial chromosome to produce platform *ACes*. The resulting platform *ACes* are introduced into cells with nucleic acid encoding the cognate recombinase, typically on a vector, and nucleic acid encoding heterologous nucleic acid of interest linked to the appropriate recombination site for insertion into the platform *ACes*. The recombinase-encoding-nucleic acid may be introduced into the cells on the same vector, or a different vector, encoding the heterologous nucleic acid.

10

20

25

An *E. coli* phage lambda integrase system for *ACes* platform engineering and for artificial chromosome engineering is provided (Lorbach *et al.* (2000) *J. Mol. Biol 296*:1175-1181). The phage lambda integrase (Landy, A. (1989) *Annu. Rev. Biochem. 58*:913-94) is adapted herein and the cognate *att* sites are provided. Chromosomes, including *ACes*, engineered to contain one or a plurality of *att* sites are provided, as are vectors encoding a mutant integrase that functions in the absence other factors. Methods using the modified chromosomes and vectors for introduction of heterologous nucleic acid are also provided.

For purposes herein, one or more of the sites (e.g., a single site or a pair of sites) required for recombination are introduced into an artificial chromosome, such as an *ACes* chromosome. The enzyme for catalyzing site-directed recombination is introduced with the DNA of interest, or separately, or is engineered onto the artificial chromosome under the control of a regulatable promoter.

As described herein, artificial chromosome platforms containing one or multiple recombination sites are provided. The methods and resulting products are exemplified with the lambda phage Att/Int system, but

similar methods may be used for production of ACes platforms with other recombination systems.

The Att/Int system and vectors provided herein are not only intended for engineering ACes platforms, but may be used to engineer an Att/Int system into any chromosome. Introduction of att sites into a chromosome will permit engineering of natural chromosomes, such as by permitting targeted integration genes or regulatory regions, and by controlled excision of selected regions. For example, genes encoding a particular trait may be added to a chromosome, such as plant 10 chromosome engineered to contain one or plurality of att sites. Such chromosomes may be used for screening DNA to identify genes. Large pieces of DNA can be introduced into cells and the cells screened phenotypically to select those having the desired trait.

#### C. **Platforms**

15

25

Provided herein are platform artificial chromosomes (platform ACes) containing single or multiple site-specific recombination sites. Chromosome-based platform technology permits efficient and tractable engineering and subsequent expression of multiple gene targets. Methods are provided that use DNA vectors and fragments to create platform artificial chromosomes, including animal, particularly mammalian, artificial 20 chromosomes, and plant artificial chromosomes. The artificial chromosomes contain either single or multiple sequence-specific recombination sites suitable for the placement of target gene expression vectors onto the platform chromosome. The engineered chromosomebased platform ACes technology is applicable for methods, including cellular and transgenic protein production, transgenic plant and animal production and gene therapy. The platform ACes are also useful for producing a library of ACes comprising random portions of a given genome (e.g., a mammalian, plant or prokaryotic genome) for genomic

screening; as well as a library of cells comprising different and/or mutually exclusive ACes therein.

Exemplary of artificial chromosome platforms are those based on ACes. ACes artificial chromosomes are non-viral, self-replicating nucleic 5 acid molecules that function as a natural chromosome, having all the elements required for normal chromosomal replication and maintenance within the cell nucleus. ACes artificial chromosomes do not rely on integration into the genome of the cell to be effective, and they are not limited by DNA carrying capacity and as such the therapeutic gene(s) of interest, including regulatory sequences, can be engineered into the ACes. In addition, ACes are stable in vitro and in vivo and can provide predictable long-term gene expression. Once engineered and delivered to the appropriate cell or embryo, ACes work independently alongside host chromosomes, for ACes that are predominantly heterochromatin producing only the products (proteins) from the genes it carries. As provided herein ACes are modified by introduction of recombination site(s) to provide a platform for ready introduction of heterologous nucleic acid. The ACes platforms can be used for production of transgenic animals and plants; as vectors for genetic therapy; for use as protein production systems; for animal models to identify and target new therapeutics; in cell 20 culture for the development and production of therapeutic proteins; and for a variety of other applications.

#### 1. Generation of artificial chromosomes

Artificial chromosomes may be generated by any method known to those of skill in the art. Of particular interest herein are the *ACes* artificial chromosomes, which contain a repeated unit. Methods for production of *ACes* are described in detail in U.S. Patent Nos. 6,025,155 and 6,077,697, which, as with all patents, applications, publications and other disclosure, are incorporated herein in their entirety.

#### Generation of de novo ACes.

15

20

ACes can be generated by cotransfecting exogenous DNA-such as a mammary tissue specific DNA cassette including the gene sequences for a therapeutic protein, with a rDNA fragment and a drug resistance 5 marker gene into the desired eukaryotic cell, such as plant or animal cells, such as murine cells in vitro. DNA with a selectable or detectable marker is introduced, and can be allowed to integrate randomly into pericentric heterochromatin or can be targeted to pericentric heterochromatin, such as that in rDNA gene arrays that reside on acrocentric chromosomes, such as the short arms of acrocentric chromosomes. This integration 10 event activates the "megareplicator" sequence and amplifies the pericentric heterochromatin and the exogenous DNA, and duplicates a centromere. Ensuing breakage of this "dicentric" chromosome can result in the production of daughter cells that contain the substantially-original chromosome and the new artificial chromosome. The resulting ACes contain all the essential elements needed for stability and replication in dividing cells—centromere, origins of replications, and telomeres. ACes have been produced that express marker genes (lacZ, green fluorescent protein, neomycin-resistance, puromycin-resistance, hygromycinresistance) and genes of interest. Isolated ACes, for example, have been successfully transferred intact to rodent, human, and bovine cells by electroporation, sonoporation, microinjection, and transfection with lipids and dendrimers.

To render the creation of ACes with desired genes more tractable and efficient, "platform" ACes (platform-ACes) can be produced that 25 contain defined DNA sequences for enzyme-mediated homologous DNA recombination, such as by Cre or FLP recombinases (Bouhassira et al. (1996) Blood 88(supplement 1):190a; Bouhassira et al. (1997) Blood, 90:3332-3344; Siebler et al. (1997) Biochemistry: 36:1740-1747;

Siebler et al. (1998) Biochemistry 37: 6229-6234; and Bethke et al. (1997) Nucl. Acids Res. 25:2828-2834), and as exemplified herein the lambda phage integrase. A lox site contains two 13 bp inverted repeats to which Cre-recombinase binds and an intervening 8 bp core region.

Only pairs of sites having identity in the central 6 bp of the core region are proficient for recombination; sites having non-identical core sequences (heterospecific *lox* sites) do not efficiently recombine with each other (Hoess *et al.* (1986) *Nucleic Acids Res. 14*:2287-2300).

## Generating acrocentric chromosomes for plant artificial chromosome formation.

In human and mouse cells *de novo* formation of a satellite DNA based artificial chromosome (SATAC, also referred to as *ACes*) can occur in an acrocentric chromosome where the short arm contains only pericentric heterochromatin, the rDNA array, and telomere sequences.

Plant species may not have any acrocentric chromosomes with the same physical structure described, but "megareplicator" DNA sequences reside in the plant rDNA arrays, also known as the nucleolar organizing regions (NOR). A structure like those seen in acrocentric mammalian chromosomes can be generated using site-specific recombination between appropriate arms of plant chromosomes.

#### Approach

10

Qin et al. ((1994) Proc. Natl. Acad. Sci. U.S.A. 91:1706-1710, 1994) describes crossing two Nicotiana tabacum transgenic plants. One plant contains a construct encoding a promoterless hygromycin-resistance gene preceded by a lox site (lox-hpt), the other plant carries a construct containing a cauliflower mosaic virus 35S promoter linked to a lox sequence and the cre DNA recombinase coding region (35S-lox-cre). The constructs were introduced separately by infecting leaf explants with agrobacterium tumefaciens which carries the kanamycin-resistance gene

(Kan<sup>R</sup>). The resultant Kan<sup>R</sup> transgenic plants were crossed. Plants that carried the appropriate DNA recombination event were identified by hygromycin-resistance.

#### Modification of the above for generation of ACes

5

15

20

25

The Kan<sup>R</sup> cultivars are initially screened, such as by FISH, to identify two sets of candidate transgenic plants. One set has one construct integrated in regions adjacent to the pericentric heterochromatin on the short arm of any chromosome. The second set of candidate plants has the other construct integrated in the NOR region of appropriate chromosomes. To obtain reciprocal translocation both sites must be in the same orientation. Therefore a series of crosses are required, Kan<sup>R</sup> plants generated, and FISH analyses performed to identify the appropriate "acrocentric" plant chromosome for *de novo* plant *ACes* formation.

## 2. Bacteriophage lambda integrase-based site-specific recombination system

An integral part of the platform technology includes a site-specific recombination system that allows the placement of selected gene targets or genomic fragments onto the platform chromosomes. Any such system may be used. In particular, a method is provided for insertion of additional DNA fragments into the platform chromosome residing in the cell via sequence-specific recombination using the recombinase activity of the bacteriophage lambda integrase. The lambda integrase system is exemplary of the recombination systems contemplated for *ACes*. Any known recombination system, including any described herein, particularly any that operates without the need for additional factors or that, by virtue of mutation, does not require additional factors, is contemplated.

As noted the lambda integrase system provided herein can be used with natural chromosomes and artificial chromosomes in addition to ACes. Single or a plurality of recombination sites, which may be the same or different, are introduced into artificial chromosomes to produce artificial chromosome platforms.

#### Creation of bacteriophage lambda integrase site-specific 3. recombination system

The lambda phage-encoded integrase (designated Int) is a prototypical member of the integrase family. Int effects integration and 10 excision of the phage in and out of the E. coli genome via recombination between pairs of attachment sites designated attB/attP and attL/attR. Each att site contains two inverted 9 base pair core Int binding sites and a 7 base pair overlap region that is identical in wild-type att sites. Each site, except for attB contains additional Int binding sites. In flanking 15 regions, there are recognition sequences for accessory DNA binding proteins, such as integration host factor (IHF), factor for inversion stimulation (FIS) and the phage encoded excision protein (XIS). Except for attB, Int is a heterobivalent DNA-binding protein and, with assistance from the accessory proteins and negative DNA supercoiling, binds simultaneously to core and arm sites within the same att site.

Int, like Cre and FLP, executes an ordered sequential pair of strand exchanges during integrative and excisive recombination. The natural pairs of target sequences for Int, attB and attP or attL and attR are located on the same or different DNA molecules resulting in intra or intermolecular recombination, respectively. For example, intramolecular recombination occurs between inversely oriented attB and attP, or between attL and attR sequences, respectively, leading to inversion of the intervening DNA segment.

20

25

Like the recombinase systems, such as Cre and FLP, Int directs site-specific recombination. Unlike the other systems, such Cre and FLP, Int generally requires additional protein factors for integrative and excisive recombination and negative supercoiling for integrative recombination. Hence, the Int system had not been used in eukaryotic targeting systems.

Mutant Int proteins, designated Int-h (E174K) and a derivative thereof Int-h/218(E174K/E218K) do not require accessory proteins to perform intramolecular integrative and excisive recombination in cotransfection assays in human cells (Lorbach et al. (2000) J Mol. Biol. 296:1175-1181); wild-type Int does not catalyze intramolecular recombination in human cells harboring target sites attB and attP. Hence it had been demonstrated that mutant Int can catalyze factorindependent recombination events in human cells.

There has been no demonstration by others that this system can be used for engineering of eukaryotic genomes or chromosomes. Provided herein are chromosomes, including artificial chromosomes, such as but not limited to ACes that contain att sites (e.g., platform ACes), and the use of such chromosomes for targeted integration of heterologous DNA into such chromosomes in eukaryotic cells, including animal, such as rodent and human, and plant cells. Mutant Int provided herein is shown 20 to effect site-directed recombination between sites in artificial chromosomes and vectors containing cognate sites.

15

25

An additional component of the chromosome-based platform technology is the site-specific integration of target DNA sequences onto the platform. For this the native bacteriophage lambda integrase has been modified to carry out this sequence specific DNA recombination event in eukaryotic cells. The bacteriophage lambda integrase and its cognate DNA substrate att is a member of the site-specific recombinase family that also includes the bacteriophage P1 Cre/lox system as well as the Saccharomyces cerevisiae 2 micron based FLP/FRT system (see, e.g., Landy (1989) Ann. Rev. Biochem 58:913-949; Hoess et al. (1982) Proc. Natl. Acad. Sci. U.S.A. 79:3398-3402; Broach et al. (1982) Cell 29:227-234).

By combining DNA endonuclease and DNA ligase activity these recombinases recognize and catalyze DNA exchanges between sequences flanking the recognition site. During the integration of lambda genome into the E. coli (lambda recombination) genome, the phage integrase (INT) in association with accessory proteins catalyzes the DNA exchange 10 between the attP site of the phage genome and the attB site of the bacterial genome resulting in the formation of attL and attR sites (Figure 6). The engineered bacteriophage lambda integrase has been produced herein to carry out an intermolecular DNA recombination event between an incoming DNA molecule (primarily on a vector containing the bacterial attB site) and the chromosome-based platform carrying the lambda attP sequence independent of lambda bacteriophage or bacterial accessory proteins.

In contrast to the bi-directional Cre/lox and FLP/FRT system, the engineered lambda recombination system derived for chromosome-based platform technology is advantageously unidirectional because accessory proteins, which are absent, are required for excision of integrated nucleic acid upon further exposure to the lambda Int recombinase.

Creation of platform chromosome containing single or 4. multiple sequence-specific recombination sites

#### a. Multiple sites

5

15

20

25

For the creation of a platform chromosome containing multiple, sequence-specific recombination sites, artificial chromosomes are produced as depicted in Figure 5 and Example 3. As discussed above, artificial chromosomes can be produced using any suitable methodology,

including those described in U.S. Patent Nos. 5,288,625; 5,712,134; 5,891,691; 6,025,155. Briefly, to prepare artificial chromosomes containing multiple recombination (e.g., integration) sites, nucleic acid (either in the form a one or more plasmids, such as the plasmid 5 pSV40193attPsensePUR set forth in Example 3) is targeted into an amplifiable region of a chromosome, such as the pericentric region of a chromosome. Among such regions are the rDNA gene loci in acrocentric mammalian chromosomes. Hence, targeting nucleic acid for integration into the rDNA region of mammalian acrocentric chromosomes can include the mouse rDNA fragments (for targeting into rodent cell lines) or large human rDNA regions on BAC/PAC vectors (or subclones thereof in standard vectors) for targeting into human acrocentric chromosomes, such as for human gene therapy applications. The targeting nucleic acid generally includes a detectable or selectable marker, such as antibiotic resistance, such as puromycin and hygromycin, a recombination site (such as attP, attB, attL, attR or the like), and/or human selectable markers as required for gene therapy applications. Cells are grown under conditions that result in amplification and ultimately production of ACes artificial chromosomes having multiple recombination (e.g., integration) sites therein. ACes having the desired size are selected for further engineering.

#### Creation of platform chromosome containing a b. single sequence-specific recombination site

20

In this method a mammalian platform artificial chromosome is generated containing a single sequence-specific recombination site. In 25 the Example below, this approach is demonstrated using a puromycin resistance marker for selection and a mouse rDNA fragment for targeting into the rDNA locus on mouse acrocentric chromosomes. Other selection markers and targeting DNA sequences as desired and known to those of

skill in the art can be used. Additional resistance markers include genes conferring resistance to the antibiotics neomycin, blasticidin, hygromycin and zeocin. For applications, such as gene therapy in which potentially immunogenic responses are to be avoided, host, such as human, derived selectable markers or markers detectable with monoclonal antibodies (MAb) followed by fluorescent activated cell sorting (FACS) can be used. Examples in this class include, but are not limited to: human nerve growth factor receptor (detection with MAb); truncated human growth factor receptor (detection with MAb); mutant human dihydrofolate reductase (DHFR; detectable using a fluorescent methotrexate substrate); secreted alkaline phosphatase (SEAP; detectable with fluorescent substrate); thymidylate synthase (TS; confers resistance to fluorodeoxyuridine); human CAD gene (confers resistance to N-phosphonacetyl-L-aspartate (PALA)).

To construct a platform artificial chromosome with a single site, an ACes artificial chromosome (or other artificial chromosome of interest) can be produced containing a selectable marker. A single sequence specific recombination site is targeted onto ACes via homologous recombination. For this, DNA sequences containing the site-specific recombination sequence are flanked with DNA sequences homologous to a selected sequence in the chromosome. For example, when using a chromosome containing rDNA or satellite DNA, such DNA can be used as homologous sequences to target the site-specific recombination sequence onto the chromosome. A vector is designed to have these homologous sequences flanking the site-specific recombination site and, after the appropriate restriction enzyme digest to generate free ends of homology to the chromosome, the DNA is transfected into cells harboring the chromosome. After transfection and integration of the site-specific cassette, homologous recombination events onto the platform

15

20

25

chromosome are subcloned and identified, for example by screening single cell subclones via expression of resistance or a fluorescent marker and PCR analysis. In one embodiment, a platform artificial chromosome, such as a platform ACes, that contains a single copy of the recombination site is selected. Examples 2B and 2D exemplify the process, and Figure 3 provides a diagram depicting one method for the creation of a platform mammalian chromosome containing a single sequence-specific recombination site.

#### Lambda integrase mediated recombination of target gene 5. expression vector onto platform chromosome

10

20

25

The third component of the chromosome-based platform technology involves the use of target gene expression vectors carrying, for example, genes for gene therapy, genes for transgenic animal or plant production, and those required for cellular protein production of interest. 15 Using lambda integrase mediated site-specific recombination, or any other recombinase-mediated site-specific recombination, the target gene expression vectors are introduced onto the selected chromosome platform. The use of target gene expression vector permits use of the de novo generated chromosome-based platforms for a wide range of gene targets. Furthermore, chromosome platforms containing multiple attP sites provides the opportunity to incorporate multiple gene targets onto a single platform, thereby providing for expression of multiple gene targets, including the expression of cellular and genetic regulatory genes and the expression of all or parts of metabolic pathways. In addition to expressing small target genes, such as cDNA and hybrid cDNA/artificial intron constructs, the chromosome-based platform can be used for engineering and expressing large genomic fragments carrying target genes along with its endogenous genomic promoter sequences. This is of importance, for example, where the therapy requires precise cell specific

expression and in instances where expression is best achieved from genomic clones rather than cDNA clones. Figure 9 provides a diagram summarizing one embodiment of the chromosome-based technology.

A feature of the target gene expression vector that is of interest to 5 include is a promoterless marker gene, which as exemplified (see, Figure 9) contains an upstream attB site (marker 2 on Figure 9). The nucleic acid encoding the marker is not expressed unless it is placed downstream from a promoter sequence. Using the recombinase technology provided herein, such as the lambda integrase technology (AINT<sub>E174R</sub> on figure 8) 10 provided herein, site-specific recombination between the attB site on the vector and the promoter-attP site (in the "sense" orientation) on the chromosome-based platform results in the expression of marker 2 on the target gene expression vector, thereby providing a positive selection for the lambda INT mediated site-specific recombination event. Site-specific recombination events on the chromosome-based platform versus random integrations next to a promoter in the genome (false positive) can be quickly screened by designing primers to detect the correct event by PCR. Examples of suitable marker 2 genes, include, but are not limited to, genes that confer resistance to toxic compounds or antibiotics, fluorescence activated cell sorting (FACS) sortable cell surface markers and various fluorescent markers. Examples of these genes include, but are not limited to, human L26aR (human homolog of Saccharomyces cerevisiae CYH8 gene), neomycin, puromycin, blasticidin, CD24 (see, e.g., US Patents 5,804,177 and 6,074,836), truncated CD4, truncated low affinity nerve growth factor receptor (LNGFR), truncated LDL receptor, truncated human growth hormone receptor, GFP, RFP, BFP.

20

25

The target gene expression vectors contain a gene (target gene) for expression from the chromosome platform. The target gene can be expressed using various constitutive or regulated promoter systems

across various mammalian species. For the expression of multiple target genes within the same target gene expression vector, the expression of the multiple targets can be coordinately regulated via viral-based or human internal ribosome entry site (IRES) elements (see, e.g., Jackson et al. (1990) Trends Biochem Sci. 15: 477-83; Oumard et al. (2000) Mol. Cell. Biol. 20: 2755-2759). Furthermore, using IRES type elements linked to a downstream fluorescent marker, e.g., green, red or blue fluorescent proteins (GFP, RFP, BFP) allows for the identification of high expressing clones from the integrated target gene expression vector.

In certain embodiments described herein, the promoterless marker 10 can be transcriptionally downstream of the heterologous nucleic acid, wherein the heterologous nucleic acid encodes a heterologous protein, and wherein the expression level of the selectable marker is transcriptionally linked to the expression level of the heterologous protein. In addition, the selectable marker and the heterologous nucleic acid can 15 be transcriptionally linked by the presence of a IRES between them. As set forth herein the selectable marker is selected from the group consisting of an antibiotic resistance gene, and a detectable protein, wherein the detectable protein is chromogenic or fluorescent. Expression from the target gene expression vector integrated onto the 20 chromosome-based platform can be further enhanced using genomic insulator/boundary elements. The incorporation of insulator sequences into the target gene expression vector helps define boundaries in chromatin structure and thus minimizes influence of chromatin position effects/gene silencing on the expression of the target gene (Bell et al. 25 (1999) Current Opinion in Genetics and Development 9:191-198; Emery

et al. (2000) Proc. Natl. Acad. Sci. U.S.A. 97:9150-9155). Examples of

insulator elements that can be included onto target gene expression vector in order to optimize expression include, but are not limited to:

- 1) chicken  $\beta$ -globin HS4 element (Prioleau *et al.* (1999) *EMBO J* 18: 4035-4048);
- 2) matrix attachment regions (MAR; see, e.g., Ramakrishnan et al. (2000) Mol Cell. Biol. 20:868-877);
- 3) scaffold attachment regions (SAR; see, e.g., Auten et al. (1999) Human Gene Therapy 10:1389-1399); and

5

25

4) universal chromatin opening elements (UCOE; WO/0005393 and WO/0224930)

The copy number of the target gene can be controlled by

sequentially adding multiple target gene expression vectors containing the target gene onto multiple integration sites on the chromosome platform.

Likewise, the copy number of the target gene can be controlled within an individual target gene expression vector by the addition of DNA sequences that promote gene amplification. For example, gene

amplification can be induced utilizing the dihydrofolate reductase (DHFR) minigene with subsequent selection with methotrexate (see, e.g., Schimke (1984) Cell 37:705-713) or amplification promoting sequences from the rDNA locus (see, e.g., Wegner et al. (1989) Nucl. Acids Res. 17: 9909-9932).

#### Platforms with other recombinase system sites

A "double lox" targeting strategy mediated by Cre-recombinase (Bethke et al. (1997) Nucl. Acids Res. 25:2828-2834) can be used. This strategy employs a pair of heterospecific lox sites—loxA and loxB, which differ by one nucleotide in the 8 bp spacer region. Both sites are engineered into the artificial chromosome and also onto the targeting DNA vector. This allows for a direct site-specific insertion of a commercially relevant gene or genes by a Cre-catalyzed double crossover event. In essence a platform ACes is engineered with a hygromycin-resistance gene flanked by the double lox sites generating lox-ACes, which is maintained

in the thymidine kinase deficient cell, LMtk(-). The gene of interest, for example, for testing purposes, the green fluorescence protein gene, GFP and a HSV thymidine kinase gene (tk) marker, are engineered between the appropriate lox sites of the targeting vector. The vector DNA is 5 cotransfected with plasmid pBS185 (Life Technologies) encoding the Cre recombinase gene into mammalian cells maintaining the dual-lox artificial chromosome. Transient expression of the Cre recombinase catalyzes the site-specific insertion of the gene and the tk-gene onto the artificial chromosome. The transfected cells are grown in HAT medium that 10 selects for only those cells that have integrated and expressed the thymidine kinase gene. The HATR colonies are screened by PCR analyses to identify artificial chromosomes with the desired insertion.

To generate the lox-ACes, Lambda-HygR-lox DNA is transfected into the LMtk(-) cell line harboring the precursor ACes. Hygromycinresistant colonies are analyzed by FISH and Southern blotting for the presence of a single copy insert on the ACes.

To demonstrate the gene replacement technology, cell lines containing candidate lox-ACes are cotransfected with pTK-GFP-lox and pBS185 (encoding the Cre recombinase gene) DNA. After transfection, 20 transient expression of plasmid pBS185 will provide sufficient burst of Cre recombinase activity to catalyze DNA recombination at the lox sites. Thus, a double crossover event between the ACes target and the exogenous targeting plasmid carrying the loxA and loxB permits the simple replacement of the hygromycin-resistance gene on the lox-ACes for the tk-GFP cassette from the targeting plasmid, with no integration of vector DNA. Transfected cells are grown in HAT-media to select for tkexpression. Correct targeting will result in the generation of HATR, hygromycin sensitive, and green fluorescent cells. The desired integration event is verified by Southern and PCR analyses. Specific PCR primer sets

25

are used to amplify DNA sequences flanking the individual *lox*A and *lox*B sites on the *lox-ACes* before and after homologous recombination.

#### D. Exemplary applications of the Platform ACes

5

10

15

20

25

Platform *ACes* are applicable and tractable for different/optimized cell lines. Those that include a fluorescent marker, for example, can be purified and isolated using fluorescent activated cell sorting (FACS), and subsequently delivered to a target cell. Those with selectable markers provide for efficient selection and provide a growth advantage. Platform *ACes* allow multiple payload delivery of donor target vectors via a positive-selection site-specific, recombination system, and they allow for the inclusion of additional genetic factors that improve protein production and protein quality.

The construction and use of the platform *ACes* as provided for each application may be similarly applied to other applications. Particular descriptions are for exemplification.

#### 1. Cellular Protein Production Platform ACes (CPP ACes)

As described herein, *ACes* can be produced from acrocentric chromosomes in rodent (mouse, hamster) cell lines via megareplicator induced amplification of heterochromatin/rDNA sequences. Such *ACes* are ideal for cellular protein production as well as other applications described herein and known to those of skill in the art. *ACes* platforms that contain a plurality of recombination sites are particularly suitable for engineering as cellular protein production systems.

In one embodiment, CPP *ACes* involve a two-component system: the platform chromosome containing multiple engineering sites and the donor target vector containing a platform-specific recombination site with designed expression cassettes (see Figure 9).

The platform ACes can be produced from any artificial chromosome, particularly the amplification-based artificial chromosomes.

For exemplification, they are produced from rodent artificial chromosomes produced from acrocentric chromosomes using the technology of U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183, in which nucleic acid is targeted to the pericentric heterochromatic, and, particularly into rDNA to initiate the replication event(s). The *ACes* can be produced directly in the chosen cellular protein production cell lines, such as, but not limited to, CHO cells, hybridomas, plant cells, plant tissues, plant protoplasts, stem cells and plant calli.

#### a. Platform Construction

10

15

20

25

In the exemplary embodiment, the initial de novo platform construction requires co-transfecting with excess targeting DNA, such as, rDNA or lambda DNA without an attP region, and an engineered selectable marker. The engineered selectable marker should contain promoter, generally a constitutive promoter, such as human, viral, i.e., adenovirus or SV40 promoter, including the human ferritin heavy chain promoter (SEQ ID NO:128), SV40 and EF1a promoters, to control expression of a marker gene that provides a selective growth advantage to the cell. An example of such a marker gene is the E. coli hisD gene (encoding histidinol dehydrogenase) which is homologous and analogous to the S. typhimurium hisD a dominant marker selection system for mammalian cells previously described (see, Hartman et al. (1988) Proc. Natl. Acad. Sci. U.S.A. 85:8047-8051). Since histidine is an essential amino acid in mammals and a nutritional requirement in cell culture, the E. coli hisD gene can be used to select for histidine prototrophy in defined media. Furthermore more stringent selection can be placed on the cells by including histinol in the medium. Histidinol is itself permeable and toxic to cells. The hisD provides a means of detoxification.

Placed between the promoter and the marker gene is the bacteriophage lambda attP site to use the bacteriophage lambda integrase dependent site-specific recombination system (described herein). The insertion of an attP site downstream of a promoter element provide forward selection of site-specific recombination events onto the platform ACes.

#### b. Donor Target Vector Construction

15

20

A second component of the CPP platform *ACes* system involves the construction of donor target vectors containing a gene product(s) of interest for the CPP platform *ACes*. Individual donor target vectors can be designed for each gene product to be expressed thus enabling maximum usage of a *de novo* constructed platform *ACes*, so that one or a few CPP platform *ACes* will be required for many gene targets.

A key feature of the donor vector target is the *promoterless* marker gene containing an upstream *attB* site (marker 2 on figure 9). Normally the marker would not be expressed unless it is placed downstream of a promoter sequence. As discussed above, using the lambda integrase technology (AINT<sub>E174R</sub> on Figure 8 and Figure 9), site-specific recombination between the *attB* site on the vector and the promoter-*attP* site on the CPP platform *ACes* result in the expression of the donor target vector marker providing positive selection for the site-specific event. Site-specific recombination events on the CPP *ACes* versus random integrations next to a promoter in the genome (false positive) can be quickly screened by designing primers to detect the correct event by PCR. In addition, since the lambda integrase reaction is unidirectional, i.e. excision reaction is not possible, a number of unique targets can be loaded onto the CPP platform *ACes* limited only by the number of markers available.

Additional features of the donor target vector include gene target expression cassettes flanked by either chromatin insulator regions, matrix attachment regions (MAR) or scaffold attachment regions (SAR). The use of these regions will provide a more "open" chromatin environment for gene expression and help alleviate silencing. An example of such a cassette for expressing a monoclonal antibody is described. For this purpose, a strong constitutive promoter, e.g. chicken  $\beta$ -actin or RNA Poll, is used to drive the expression of the heavy and light chain open reading frames. The heavy and light chain sequences flank a nonattenuated human IRES (IRES<sub>H</sub>; from the 5'UTR of NRF1 gene; see Oumard et al., 2000, Mol. and Cell Biol., 20(8):2755-2759) element thereby coordinating transcription of both heavy and light chain sequence. Distal to the light chain open reading frame resides an additional viral encoded IRES (IRES<sub>v</sub> modified ECMV internal ribosomal entry site (IRES)) element attenuating the expression of the fluorescent marker gene hrGFP from Renilla (Stratagene). By linking the hrGFP with an attenuated IRES, the heavy and light chains along with the hrGFP are monocistronic. Thus, the identification of hrGFP fluorescing cells will provide a means to detect protein producing cells. In addition, high producing cell lines can be identified and isolated by FACS thereby decreasing the time frame in finding high expressers. Functional monoclonal antibody will be confirmed by ELISA.

## c. Additional components in cellular protein production platform *ACes* (CPP *Aces*)

In addition to the aforementioned CPP *ACes* system, other genetic factors can be included to enhance the yield and quality of the expressed protein. Again to provide maximum flexibility, these additional factors can be inserted onto the CPP platform *ACes* by *\( \lambda \)*INTE174R dependent site-specific recombination. Other factors that could be used with a CPP

25

Platform *ACes* include for example, adenovirus E1a transactivation system which upregulates both cellular and viral promoters (see, e.g., Svensson and Akusjarvi (1984) EMBO 3:789-794; and US patents 5,866,359; 4,775,630 and 4,920,211).

5

15

20

25

30

d. Targets for CHO-ACes engineering to enhance cell growth, such as CHO cell growth and protein production/ quality

If adding these additional factors onto the CPP *ACes* is not prudent or desired, the host cell, CHO cells, can be engineered to express these factors (see, below, targets for CHO-*ACes* engineering to enhance CHO cell growth and protein production/quality). Additional factors to consider including are addition of insulin or IGF-1 to sustain viability; human sialyltransferases or related factors to produce more human-like glycoproteins; expression of factors to decrease ammonium accumulation during cell growth; expression of factors to inhibit apoptosis; expression of factors to improve protein secretion and protein folding; and expression of factors to permit serum-free transfection and selection.

## Addition of insulin or IGF-1 to sustain viability

Stimulatory factors and/or their receptors are expressed to set up an autocrine loop, to improve cell growth, such as CHO cell growth. Two exemplary candidates are insulin and IGF-1 (see, Biotechnol Prog 2000 Sep;16(5):693-7). Insulin is the most commonly used growth factor for sustaining cell growth and viability in serum-free Chinese hamster ovary (CHO) cell cultures. Insulin and IGF-1 analog (LongR(3) serve as growth and viability factors for CHO cells.

CHO cells were modified to produce higher levels of essential nutrients and factors. A serum-free (SF) medium for dihydrofolate reductase-deficient Chinese hamster ovary cells (DG44 cells) was prepared. Chinese hamster ovary cells (DG44 cells), which are normally

maintained in 10% serum medium, were gradually weaned to 0.5% serum medium to increase the probability of successful growth in SF medium (see, Kim et al. (199) In Vitro Cell Dev Biol Anim 35(4):178-82). A SF medium (SF-DG44) was formulated by supplementing the basal medium with these components; basal medium was prepared by supplementing Dulbecco's modified Eagle's medium and Ham's nutrient mixture F12 with hypoxanthine (10 mg/l) and thymidine (10 mg/l). Development of a SF medium for DG44 cells was facilitated using a Plackett-Burman design technique and weaning of cells.

10

30

# 2) Human sialyltransferases or related factors to produce more human-like glycoproteins

CHO cells have been modified by increasing their ability to process

protein via addition of complex carbohydrates. This has been achieved by overexpression of relevant processing enzymes, or in some cases, reducing expression of relevant enzymes (see, Bragonzi et al. (2000)

Biochim Biophys Acta 1474(3):273-282; see, also Weikert et al. (1999)

Nature biotech. 17:1116-11121; Ferrari J et al. (1998) Biotechnol Bioeng

60(5):589-95). A CHO cell line expressing alpha2,6-sialyltransferase was developed for the production of human-like sialylated recombinant glycoproteins. The sialylation defect of CHO cells can be corrected by transfecting the alpha2,6-sialyltransferase (alpha2,6-ST) cDNA into the cells. Glycoproteins produced by such CHO cells display alpha2,6-and alpha2,3-linked terminal sialic acid residues, similar to human glycoproteins.

As another example for improving the production of human-like sialylated recombinant glycoproteins, a CHO cell line has been developed that constitutively expresses sialidase antisense RNA (see, Ferrari J et al. (1998) Biotechnol Bioeng 60(5):589-95). Several antisense expression

vectors were prepared using different regions of the sialidase gene. Cotransfection of the antisense constructs with a vector conferring puromycin resistance gave rise to over 40 puromycin resistant clones that were screened for sialidase activity. A 5' 474 bp coding segment of the sialidase cDNA, in the inverted orientation in an SV 40-based expression vector, gave maximal reduction of the sialidase activity to about 40% wild-type values.

Oligosaccharide biosynthesis pathways in mammalian cells have been engineered for generation of recombinant glycoproteins (see, e.g., Sburlati (1998) Biotechnol Prog 14(2):189-92), which describes a Chinese hamster ovary (CHO) cell line capable of producing bisected oligosaccharides on glycoproteins. This cell line was created by overexpression of a recombinant N-acetylglucosaminyltransferase III (GnT-III) (see, also, Prati et al. (1998) Biotechnol Bioeng 59(4):445-50, which describes antisense strategies for glycosylation engineering of CHO cells).

15

3) Expression of factors to decrease ammonium accumulation during cell growth

Excess ammonium, which is a by-product of CHO cell metabolism

20 can have detrimental effects on cell growth and protein quality (see, Yang et al. (2000) Biotechnol Bioeng 68(4):370-80). To solve this problem ammonium levels were modified by overexpressing carbamoyl phosphate synthetase I and ornithine transcarbamoylase or glutamine synthetase in CHO cells. Such modification resulted in reduced ammonium levels

25 observed and an increase in the growth rate (see Kim et al. (2000) J Biotechnol 81(2-3):129-40; and Enosawa et al. (1997) Cell Transplant 6(5):537-40).

4) Expression of factors to improve protein secretion and protein folding

Overexpression of relevant enzymes can be engineered into the ACes to improve protein secretion and folding.

## 5) Expression of factors to permit serum-free transfection and selection

It is advantageous to have the ability to convert CHO cells in suspension growing in serum free medium to adherence with out having to resort to serum addition. Laminin or fibronectin addition is sufficient to make cells adherent (see, e.g., Zaworski et al. (1993) Biotechniques 15(5):863-6) so that expressing either of these genes in CHO cells under an inducible promoter should allow for reversible shift to adherence without requiring serum addition.

#### 2. Platform ACes and Gene Therapy

FACS and/or drug resistance.

5

.25

The platform ACes provided herein are contemplated for use in mammalian gene therapy, particularly human gene therapy. Human ACes can be derived from human acrocentric chromosomes from human host cells, in which the amplified sequences are heterochromatic and/or human rDNA. Different platform ACes applicable for different tissue cell types are provided. The ACes for gene therapy can contain a single copy of a therapeutic gene inserted into a defined location on platform ACes.

Therapeutic genes include genomic clones, cDNA, hybrid genes and other combinations of sequences. Preferred selectable markers are those from the mammalian host, such as human derived factors so that they are non-immunogenic, non-toxic and allow for efficient selection, such as by

Platform *ACes*, useful for gene therapy and other applications, as noted herein, can be generated by megareplicator dependent amplification, such as by the methods in U.S. Patent Nos. 6,077,697 and 6,025,155 and published International PCT application No. WO 97/40183. In one embodiment, human *ACes* are produced using

human rDNA constructs that target rDNA arrays on human acrocentric chromosomes and induce the megareplicator in human cells, particularly in primary cell lines (with sufficient number of doublings to form the *ACes*) or stem cells (such as hematopoietic stem cells, mesenchymal stem cells, adult stem cells or embryonic stem cells) to avoid the introduction of potentially harmful rearranged DNA sequences present in many transformed cell lines. Megareplicator induced *ACes* formation can result in multiple copies of targeting DNA/selectable markers in each amplification block on both chromosomal arms of the platform *ACes*.

In view of the considerations regarding immunogenicity and toxicity, the production of human platform *ACes* for gene therapy applications employs a two component system analogous to the platform · *ACes* designed for cellular protein production (CPP platform *ACes*). The system includes a platform chromosome of entirely human DNA origin containing multiple engineering sites and a gene target vector carrying the therapeutic gene of interest.

#### a. Platform Construction

10

15

20

25

The initial *de novo* construction of the platform chromosome employs the co-transfection of excess targeting DNA and a selectable marker. In one embodiment, the DNA is targeted to the rDNA arrays on the human acrocentric chromosomes (chromosomes 13, 14, 15, 21 and 22). For example, two large human rDNA containing PAC clones 18714 and 18720 and the human PAC clone 558F8 are used for targeting (Genome Research (ML) now Incyte, BACPAC Resources, 747 52nd Street, Oakland CA). The mouse rDNA clone pFK161 (SEQ ID NO: 118), which was used to make the human SATAC from the 94-3 hamster/human hybrid cell line (see, *e.g.*, published International PCT application No. WO 97/40183 and Csonka, *et al*, *Journal of Cell Science* 

113:3207-32161 and Example 1 for a description of pFK161) can also be used.

For animal applications, selectable markers should be nonimmunogenic in the animal, such as a human, and include, but are not limited to: human nerve growth factor receptor (detected with a MAb, such as described in US patent 6,365,373); truncated human growth factor receptor (detected with MAb), mutant human dihydrofolate reductase (DHFR; fluorescent MTX substrate available); secreted alkaline phosphatase (SEAP; fluorescent substrate available); human thymidylate 10 synthase (TS; confers resistance to anti-cancer agent fluorodeoxyuridine); human glutathione S-transferase alpha (GSTA1; conjugates glutathione to the stem cell selective alkylator busulfan; chemoprotective selectable marker in CD34+ cells); CD24 cell surface antigen in hematopoietic stem cells; human CAD gene to confer resistance to N-phosphonacetyl-Laspartate (PALA); human multi-drug resistance-1 (MDR-1; P-glycoprotein surface protein selectable by increased drug resistance or enriched by FACS); human CD25 (IL-2α; detectable by Mab-FITC); Methylguanine-DNA methyltransferase (MGMT; selectable by carmustine); and Cytidine deaminase (CD; selectable by Ara-C).

15

20

25

Since megareplicator induced amplification generates multiple copies of the selectable marker, a second consideration for the selection of the human marker is the resulting dose of the expressed marker after ACes formation. High level of expression of certain markers may be detrimental to the cell and/or result in autoimmunity. One method to decrease the dose of the marker protein is by shortening its half-life, such as via the fusion of the well-conserved human ubiquitin tag (a 76 amino acid sequence) thus leading to increased turnover of the selectable marker. This has been used successfully for a number of reporter

systems including DHFR (see, e.g., Stack et al. (2000) Nature Biotechnology 18:1298-1302 and references cited therein).

Using the ubiquitin tagged protein, a human selectable marker system analogous to the CPP ACes described herein is constructed. Briefly, a tagged selectable marker, such as for example one of those described herein, is cloned downstream of an attP site and expressed from a human promoter. Exemplary promoters contemplated for use herein include, but are not limited to, the human ferritin heavy chain promoter (SEQ ID NO:128); RNA Poll; EF1a; TR; glyceraldehyde-3phosphate dehydrogenase core promoter (GAP); a GAP core promoter including a proximal insulin inducible element and the intervening GAP sequence; phosphofructokinase promoter; and phosphoglycerate kinase promoter. Also contemplated herein is an aldolase A promoter H1 & H2 (representing closely spaced transcriptional start sites) along with the 15 proximal H enhancer. There are 4 promoters (e.g., transcriptional start sites) for this gene, each having different regulatory and tissue activity. The H (most proximal 2) promoters are ubiquitously expressed off the H enhancer. This resulting marker can then be co-transfected along with excess human rDNA targeting sequence into the host cells. An important 20 criteria for the selection of the

recipient cells is sufficient number of cell doublings for the formation and detection of *ACes*. Accordingly, the co-transfections should be attempted in human primary cells that can be cultured for long periods of time, such as for example, stem cells (e.g., hematopoietic, mesenchymal, adult or embryonic stem cells), or the like. Additional cell types, include, but are not limited to: single gene transfected cells exhibiting increased life-span; over-expressing c-myc cells, e.g. MSU1.1 (Morgan et al., 1991, Exp. Cell Res., Nov;197(1):125-136); over-expressing telomerase lines,

25

such as TERT cells; SV40 large T-antigen transfected lines; tumor cell lines, such as HT1080; and hybrid human cell lines, such as the 94-3 hamster/human hybrid cell line.

#### **Gene Target Vector** b.

5

15

20

25

The second component of the GT platform ACes (GT ACes) system involves the use of engineered target vectors carrying the therapeutic gene of interest. These are introduced onto the GT platform ACes via site-specific recombination. As with the CPP ACes, the use of engineered target vectors maximizes the use of the de novo generated GT platform 10 ACes for most gene targets. Furthermore, using lambda integrase technology, GT platform ACes containing multiple attP sites permits the opportunity to incorporate multiple therapeutic targets onto a single platform. This could be of value in cases where a defined therapy requires multiple gene targets, a single therapeutic target requires an additional gene regulatory factor or a GT ACes requires a "kill" switch.

Similar to the CPP ACes, a feature of the gene target vector is the promoterless marker gene containing an upstream attB site (marker 2 on Figure 9). Normally, the marker (in this case, a cell surface antigen that can be sorted by FACS would be ideal) would not be expressed unless it is placed downstream of a promoter sequence. Using the lambda integrase technology (AINT<sub>E174R</sub> on figure 9), site-specific recombination between the attB site on the vector and the promoter- attP site on the GT platform ACes results in the expression of marker#2 on the gene target vector, i.e. positive selection for the site-specific event. Site-specific recombination events on the GT ACes versus random integrations next to a promoter in the genome (false positive) can be quickly screened by designing primers to detect the correct event by PCR.

For expression of the therapeutic gene, human specific promoters, such as a ferritin heavy chain promoter (SEQ ID NO:128); EF1a or RNA

Poll, are used. These promoters are for high level expression of a cDNA encoded therapeutic protein. In addition to expressing cDNA (or even hybrid cDNA/artificial intron constructs), the GT platform *ACes* are used for engineering and expressing large genomic fragments carrying therapeutic genes of interest expressed from native promoter sequences. This is of importance in situations where the therapy requires precise cell specific expression or in instances where expression is best achieved from genomic clones versus cDNA.

3. Selectable markers for use, for example, in Gene Therapy (GT)

The following are selectable markers that can be incorporated into human ACes and used for selection.

Dual Resistance to 4-Hydroperoxycyclophosphamide and Methotrexate by Retroviral Transfer of the Human Aldehyde Dehydrogenase Class 1 Gene and a Mutated Dihydrofolate Reductase Gene

The genetic transfer of drug resistance to hematopoietic cells is one approach to overcoming myelosuppression caused by high-dose chemotherapy. Because cyclophosphamide (CTX) and methotrexate (MTX) are commonly used non-cross-resistant drugs, generation of dual drug resistance in hematopoietic cells that allows dose intensification may increase anti-tumor effects and circumvent the emergence of drug-resistant tumors, a retroviral vector containing a human cytosolic ALDH-1-encoding DNA clone and a human doubly mutated DHFR-encoding clone (Phe22/Ser31; termed F/S in the description of constructs) to generate increased resistance to CTX and MTX were constructed (Takebe et al. (2001) Mol Ther 3(1):88-96). This construct may be useful for protecting patients from high-dose CTX- and MTX-induced myelosuppression. ACes can be similarly constructed.

15

20

25

10

Multiple mechanisms of N-phosphonacetyl-L-aspartate resistance in human cell lines: carbamyl-P synthetase/aspartate transcarbamylase/dihydro-orotase gene amplification is frequent only when chromosome 2 is rearranged

5

Rodent cells resistant to N-phosphonacetyl-L-aspartate (PALA) invariably contain amplified carbamyl-P synthetase/aspartate transcarbamylase/dihydro-orotase (CAD) genes, usually in widely spaced tandem arrays present as extensions of the same chromosome arm that 10 carries a single copy of CAD in normal cells (Smith et al. (1997) Proc. Natl. Acad. Sci. U.S.A. 94:1816-21). In contrast, amplification of CAD is very infrequent in several human tumor cell lines. Cell lines with minimal chromosomal rearrangement and with unrearranged copies of chromosome 2 rarely develop intrachromosomal amplifications of CAD. These cells frequently become resistant to PALA through a mechanism that increases the aspartate transcarbamylase activity with no increase in CAD copy number, or they obtain one extra copy of CAD by forming an isochromosome 2p or by retaining an extra copy of chromosome 2. In cells with multiple chromosomal aberrations and rearranged copies of chromosome 2, amplification of CAD as tandem arrays from rearranged chromosomes is the most frequent mechanism of PALA resistance. All of these different mechanisms of PALA resistance are blocked in normal human fibroblasts. Thus, ACes with multiple copies of the CAD gene would provide PALA resistance.

25

30

20

Retroviral coexpression of thymidylate synthase and dihydrofolate reductase confers fluoropyrimidine and antifolate resistance

Retroviral gene transfer of dominant selectable markers into hematopoietic cells can be used to select genetically modified cells in vivo or to attenuate the toxic effects of chemotherapeutic agents. Fantz et al. ((1998) Biochem Biophys Res Comm 243(1):6-12) have shown that

retroviral gene transfer of thymidylate synthase (TS) confers resistance to TS directed anticancer agents and that co-expression of TS and dihydrofolate reductase (DHFR) confers resistance to TS and DHFR cytotoxic agents. Retroviral vectors encoding Escherichia coli TS, human TS, and the Tyr-to-His at residue 33 variant of human TS (Y33HhTS) were constructed and fibroblasts transfected with these vectors conferred comparable resistance to the TS-directed agent fluorodeoxyuridine (FdUrd, approximately 4-fold). Retroviral vectors that encode dual expression of Y33HhTS and the human L22Y DHFR (L22YhDHFR) variants conferred resistance to FdUrd (3- to 5-fold) and trimetrexate (30to 140-fold). A L22YhDHFR-Y33HhTS chimeric retroviral vector was also constructed and transduced cells were resistant to FdUrd (3-fold), AG337 (3-fold), trimetrexate (100-fold) and methotrexate (5-fold). These results show that recombinant retroviruses can be used to transfer the cDNA that encodes TS and DHFR and dual expression in transduced cells is sufficiently high to confer resistance to TS and DHFR directed anticancer agents. ACes can be similarly constructed.

# Human CD34+ cells do not express glutathione Stransferases alpha

The expression of glutathione S-transferases alpha (GST alpha) in human hematopoietic CD34+ cells and bone marrow was studied using RT-PCR and immunoblotting (Czerwinski M, Kiem et al. (1997) Gene Ther 4(3):268-70). The GSTA1 protein conjugates glutathione to the stem cell selective alkylator busulfan. This reaction is the major pathway of elimination of the compound from the human body. Human hematopoietic CD34+ cells and bone marrow do not express GSTA1 message, which was present at a high level in liver, an organ relatively resistant to busulfan toxicity in comparison to bone marrow. Similarly, baboon CD34+ cells and dog bone marrow do not express GSTA1. Thus, human

GSTA1 is a chemoprotective selectable marker in human stem cell gene therapy and could be employed in ACes construction.

5

20

25

# Selection of retrovirally transduced hematopoietic cells using CD24 as a marker of gene transfer

Pawliuk et al. ((1994) Blood 84(9):2868-2877) have investigated the use of a cell surface antigen as a dominant selectable marker to facilitate the detection and selection of retrovirally infected target cells. The small coding region of the human cell surface antigen CD24 (approximately 240 bp) was introduced into a myeloproliferative sarcoma virus (MPSV)-based retroviral vector, which was then used to infect day 4 5-fluorouracil (5-FU)-treated murine bone marrow cells. Within 48 hours of termination of the infection procedure CD24-expressing cells were selected by fluorescent-activated cell sorting (FACS) with an antibody directed against the CD24 antigen. Functional analysis of these cells showed that they included not only in vitro clonogenic progenitors and day 12 colony-forming unit-spleen but also cells capable of competitive long-term hematopoietic repopulation. Double-antibody labeling studies performed on recipients of retrovirally transduced marrow cells showed that some granulocytes, macrophages, erythrocytes, and, to a lesser extent, B and T lymphocytes still expressed the transduced CD24 gene at high levels 4 months later. No gross abnormalities in hematopoiesis were detected in mice repopulated with CD24-expressing cells. These results show that the use of the CD24 cell surface antigen as a retrovirally encoded marker permits rapid, efficient, and nontoxic selection in vitro of infected primary cells, facilitates tracking and phenotyping of their progeny, and provides a tool to identify elements that regulate the expression of transduced genes in the most primitive hematopoietic cells. ACes could be similarly constructed.

DeltahGHR, a biosafe cell surface-labeling molecule for analysis and selection of genetically transduced human cells

A selectable marker for retroviral transduction and selection of human and murine cells is known (see, Garcia-Ortiz et al. (2000) Hum Gene Ther 11(2):333-46). The molecule expressed on the cell surface of the transduced population is a truncated version of human growth hormone receptor (deltahGHR), capable of ligand (hGH) binding, but devoid of the domains involved in signal triggering. The engineered 10 molecule is stably expressed in the target cells as an inert protein unable to trigger proliferation or to rescue the cells from apoptosis after ligand binding. This new marker, has a wide application spectrum, since hGHR in the human adult is highly expressed only in liver cells, and lower levels have been reported in certain lymphocyte cell populations. The deltahGHR label has high biosafety potential, as it belongs to a wellcharacterized hormonal system that is nonessential in adults, and there is extensive clinical experience with hGH administration in humans. The differential binding properties of several monoclonal antibodies (MAbs) are used in a cell rescue method in which the antibody used to select deltahGHR-transduced cells is eluted by competition with hGH or, 20 alternatively biotinylated hGH is used to capture tagged cells. In the latter system, the final purified population is recovered free of attached antibodies in hGH (a substance approved for human use)-containing medium. Such a system could be used to identify ACes containing cells.

15

25

30

#### Transgenic models for evaluation of genes and 4. discovery of new traits in plants

Of interest is the use of plants and plant cells containing artificial chromosomes for the evaluation of new genetic combinations and discovery of new traits. Artificial chromosomes, by virtue of the fact that they can contain significant amounts of DNA can also therefore encode

numerous genes and accordingly a multiplicity of traits. It is contemplated here that artificial chromosomes, when formed from one plant species, can be evaluated in a second plant species. The resultant phenotypic changes observed, for example, can indicate the nature of the genes contained within the DNA contained within the artificial chromosome, and hence permit the identification of novel genetic activities. Artificial chromosomes containing euchromatic DNA or partially containing euchromatic DNA can serve as a valuable source of new traits when transferred to an alien plant cell environment. For example, it is contemplated that artificial chromosomes derived from dicot plant species can be introduced into monocot plant species by transferring a dicot artificial chromosome. The dicot artificial chromosome possessing a region of euchromatic DNA containing expressed genes.

The artificial chromosomes can be designed to allow the artificial chromosome to recombine with the naturally occurring plant DNA in such a fashion that a large region of naturally occurring plant DNA becomes incorporated into the artificial chromosome. This allows the artificial chromosome to contain new genetic activities and hence carry novel traits. For example, an artificial chromosome can be introduced into a wild relative of a crop plant under conditions whereby a portion of the DNA present in the chromosomes of the wild relative is transferred to the artificial chromosome. After isolation of the artificial chromosome, this naturally occurring region of DNA from the wild relative, now located on the artificial chromosome can be introduced into the domesticated crop species and the genes encoded within the transferred DNA expressed and evaluated for utility. New traits and gene systems can be discovered in this fashion. The artificial chromosome can be modified to contain sequences that promote homologous recombination within plant cells, or

be modified to contain a genetic system that functions as a site-specific recombination system.

Artificial chromosomes modified to recombine with plant DNA offer many advantages for the discovery and evaluation of traits in different plant species. When the artificial chromosome containing DNA from one plant species is introduced into a new plant species, new traits and genes can be introduced. This use of an artificial chromosome allows for the ability to overcome the sexual barrier that prevents transfer of genes from one plant species to another species. Using artificial chromosomes in this 10 fashion allows for many potentially valuable traits to be identified including traits that are typically found in wild species. Other valuable applications for artificial chromosomes include the ability to transfer large regions of DNA from one plant species to another, such as DNA encoding potentially valuable traits such as altered oil, carbohydrate or protein composition, multiple genes encoding enzymes capable of producing valuable plant secondary metabolites, genetic systems encoding valuable agronomic traits such as disease and insect resistance, genes encoding functions that allow association with soil bacterium such as growth promoting bacteria or nitrogen fixing bacteria, or genes encoding traits 20 that confer freezing, drought or other stress tolerances. In this fashion, artificial chromosomes can be used to discover regions of plant DNA that encode valuable traits.

The artificial chromosome can also be designed to allow the transfer and subsequent incorporation of these valuable traits now located on the artificial chromosome into the natural chromosomes of a plant species. In this fashion the artificial chromosomes can be used to transfer large regions of DNA encoding traits normally found in one plant species into another plant species. In this fashion, it is possible to derive a plant cell that no longer needs to carry an artificial chromosome to

25

posses the novel trait. Thus, the artificial chromosome would serve as the transfer mechanism to permit the formation of plants with greater degree of genetic diversity.

The design of an artificial chromosome to accomplish the aforementioned purposes can include within the artificial chromosome the presence of specific DNA sequences capable of acting as sites for homologous recombination to take place. For example, the DNA sequence of Arabidopsis is now known. To construct an artificial chromosome capable of recombining with a specific region of Arabidopsis 10 DNA, a sequence of Arabidopsis DNA, normally located near a chromosomal location encoding genes of potential interest can be introduced into an artificial chromosome by methods provided herein. It may be desirable to include a second region of DNA within the artificial chromosome that provides a second flanking sequence to the region encoding genes of potential interest, to promote a double recombination event which would ensure transfer of the entire chromosomal region, encoding genes of potential interest, to the artificial chromosome. The modified artificial chromosome, containing the DNA sequences capable of homologous recombination region, can then be introduced into Arabidopsis cells and the homologous recombination event selected.

15

20

25

It is convenient to include a marker gene to allow for the selection of a homologous recombination event. The marker gene is preferably inactive unless activated by an appropriate homologous recombination event. For example, US 5,272,071, describes a method where an inactive plant gene is activated by a recombination event such that desired homologous recombination events can be easily scored. Similarly, US 5,501,967 describes a method for the selection of homologous recombination events by activation of a silent selection gene first introduced into the plant DNA, the gene being activated by an appropriate

homologous recombination event. Both of these methods can be applied to enable a selective process to be included to select for recombination between an artificial chromosome and a plant chromosome. Once the homologous recombination event is detected, the artificial chromosome, once selected, is isolated and introduced into a recipient cell, for example, tobacco, corn, wheat or rice, and the expression of the newly introduced DNA sequences evaluated.

Phenotypic changes in the recipient plant cells containing the artificial chromosome, or in regenerated plants containing the artificial chromosome, allows for the evaluation of the nature of the traits encoded by the *Arabidopsis* DNA, under conditions naturally found in plant cells, including the naturally occurring arrangement of DNA sequences responsible for the developmental control of the traits in the normal chromosomal environment.

Traits such as durable fungal or bacterial disease resistance, new oil and carbohydrate compositions, valuable secondary metabolites such as phytosterols, flavonoids, efficient nitrogen fixation or mineral utilization, resistance to extremes of drought, heat or cold are all found within different populations of plant species and are often governed by multiple genes. The use of single gene transformation technologies does not permit the evaluation of the multiplicity of genes controlling many valuable traits. Thus, incorporation of these genes into artificial chromosomes allows the rapid evaluation of the utility of these genetic combinations in heterologous plant species.

15

20

25

The large scale order and structure of the artificial chromosome provides a number of unique advantages in screening for new utilities or novel phenotypes within heterologous plant species. The size of new DNA that can be carried by an artificial chromosome can be millions of base pairs of DNA, representing potentially numerous genes that may

have novel utility in a heterologous plant cell. The artificial chromosome is a "natural" environment for gene expression, the problems of variable gene expression and silencing seen for genes transferred by random insertion into a genome should not be observed. Similarly, there is no need to engineer the genes for expression, and the genes inserted would not need to be recombinant genes. Thus, one expects the expression from the transferred genes to be temporal and spatial, as observed in the species from where the genes were initially isolated. A valuable feature for these utilities is the ability to isolate the artificial chromosomes and to further isolate, manipulate and introduce into other cells artificial chromosomes carrying unique genetic compositions.

Thus, the use of artificial chromosomes and homologous recombination in plant cells can be used to isolate and identify many valuable crop traits.

15

20

In addition to the use of artificial chromosomes for the isolation and testing of large regions of naturally occurring DNA, methods for the use of artificial chromosomes and cloned DNA are also contemplated. Similar to that described above, artificial chromosomes can be used to carry large regions of cloned DNA, including that derived from other plant species.

The ability to incorporate novel DNA elements into an artificial chromosome as it is being formed allows for the development of artificial chromosomes specifically engineered as a platform for testing of new genetic combinations, or "genomic" discoveries for model species such as *Arabidopsis*. It is known that specific "recombinase" systems can be used in plant cells to excise or re-arrange genes. These same systems can be used to derive new gene combinations contained on an artificial chromosome.

The artificial chromosomes can be engineered as platforms to accept large regions of cloned DNA, such as that contained in Bacterial

Artificial Chromosomes (BACs) or Yeast Artificial Chromosomes (YACs). It is further contemplated, that as a result of the typical structure of artificial chromosomes containing tandemly repeated DNA blocks, that sequences other than cloned DNA sequence can be introduced by recombination processes. In particular recombination within a predefined region of the tandemly repeated DNA within the artificial chromosome provides a mechanism to "stack" numerous regions of cloned DNA, including large regions of DNA contained within BACs or YACs clones. Thus, multiple combinations of genes can be introduced onto artificial 10 chromosomes and these combinations tested for functionality. In particular, it is contemplated that multiple YACs or BACs can be stacked onto an artificial chromosomes, the BACs or YACs containing multiple genes of complex pathways or multiple genetic pathways. The BACs or YACs are typically selected based on genetic information available within the public domain, for example from the Arabidopsis Information Management System (http://aims.cps.msu.edu/aims/index.html) or the information related to the plant DNA sequences available from the Institute for Genomic Research (http://www.tigr.org) and other sites known to those skilled in the art. Alternatively, clones can be chosen at 20 random and evaluated for functionality. It is contemplated that combinations providing a desired phenotype can be identified by isolation of the artificial chromosome containing the combination and analyzing the nature of the inserted cloned DNA.

In this regard, it is contemplated that the use of site-specific recombination sequences can have considerable utility in developing artificial chromosomes containing DNA sequences recognized by recombinase enzymes and capable of accepting DNA sequences containing same. The use of site-specific recombination as a means to target an introduced DNA to a specific locus has been demonstrated in

25

the art and such methods can be employed. The recombinase systems can also be used to transfer the cloned DNA regions contained within the artificial chromosome to the naturally occurring plant or mammalian chromosomes.

5

10

15

20

25

As noted herein, many site-specific recombinases are known and can be identified (Kilby et al. (1993) Trends in Genetics 9:413-418). The three recombinase systems that have been extensively employed include: an activity identified as R encoded by the pSR1 plasmid of Zygosaccharomyes rouxii, FLP encoded for the 2um circular plasmid from Saccharomyces cerevisiae and Cre-lox from the phage P1.

The integration function of site-specific recombinases is contemplated as a means to assist in the derivation of genetic combinations on artificial chromosomes. In order to accomplish this, it is contemplated that a first step of introducing site-specific recombinase sites into the genome of a plant cell in an essentially random manner is conducted, such that the plant cell has one or more site-specific recombinase recognition sequences on one or more of the plant chromosomes. An artificial chromosome is then introduced into the plant cell, the artificial chromosome engineered to contain a recombinase recognition site (e.g., integration site) capable of being recognized by a site-specific recombinase. Optionally, a gene encoding a recombinase enzyme is also included, preferably under the control of an inducible promoter. Expression of the site-specific recombinase enzyme in the plant cell, either by induction of a inducible recombinase gene, or transient expression of a recombinase sequence, causes a site-specific recombination event to take place, leading to the insertion of a region of the plant chromosomal DNA (containing the recombinase recognition site) into the recombinase recognition site of the artificial chromosome, and forming an artificial chromosome containing plant chromosomal DNA.

The artificial chromosome can be isolated and introduced into a heterologous host, preferably a plant host, and expression of the newly introduced plant chromosomal DNA can be monitored and evaluated for desirable phenotypic changes. Accordingly, carrying out this recombination with a population of plant cells wherein the chromosomally located recombinase recognition site is randomly scattered throughout the chromosomes of the plant, can lead to the formation of a population of artificial chromosomes, each with a different region of plant chromosomal DNA, and each potentially representing a novel genetic combination.

10

15

This method requires the precise site-specific insertion of chromosomal DNA into the artificial chromosome. This precision has been demonstrated in the art. For example, Fukushige and Sauer ((1992) Proc. Natl. Acad. Sci. USA, 89:7905-7909) demonstrated that the Crelox homologous recombination system could be successfully employed to introduce DNA into a predefined locus in a chromosome of mammalian cells. In this demonstration a promoter-less antibiotic resistance gene modified to include a lox sequence at the 5' end of the coding region was introduced into CHO cells. Cells were re-transformed by electroporation with a plasmid that contained a promoter with a lox sequence and a 20 transiently expressed Cre recombinase gene. Under the conditions employed, the expression of the Cre enzyme catalyzed the homologous recombination between the lox site in the chromosomally located promoter-less antibiotic resistance gene, and the lox site in the introduced promoter sequence, leading to the formation of a functional antibiotic resistance gene. The authors demonstrated efficient and correct targeting of the introduced sequence, 54 of 56 lines analyzed corresponded to the predicted single copy insertion of the DNA due to Cre catalyzed sitespecific homologous recombination between the lox sequences.

Accordingly a *lox* sequence may be first added to a genome of a plant species capable of being transformed and regenerated to a whole plant to serve as a recombinase target DNA sequence for recombination with an artificial chromosome. The *lox* sequence may be optimally modified to further contain a selectable marker which is inactive but can be activated by insertion of the *lox* recombinase recognition sequence into the artificial chromosome.

A promoterless marker gene or selectable marker gene linked to the recombinase recognition sequence, which is first inserted into the chromosomes of a plant cell can be used to engineer a platform chromosome. A promoter is linked to a recombinase recognition site, in an orientation that allows the promoter to control the expression of the marker or selectable marker gene upon recombination within the artificial chromosome. Upon a site-specific recombination event between a recombinase recognition site in a plant chromosome and the recombinase recognition site within the introduced artificial chromosome, a cell is derived with a recombined artificial chromosome, the artificial chromosome containing an active marker or selectable marker activity that permits the identification and or selection of the cell.

15

20

25

The artificial chromosomes can be transferred to other plant or animal species and the functionality of the new combinations tested. The ability to conduct such an inter-chromosomal transfer of sequences has been demonstrated in the art. For example, the use of the *Cre-lox* recombinase system to cause a chromosome recombination event between two chromatids of different chromosomes has been shown.

Any number of recombination systems may be employed as described herein, such as, but not limited to, bacterially derived systems such as the att/int system of phage lambda, and the Gin/gix system.

More than one recombination system may be employed, including, for example, one recombinase system for the introduction of DNA into an artificial chromosome, and a second recombinase system for the subsequent transfer of the newly introduced DNA contained within an artificial chromosome into the naturally occurring chromosome of a second plant species. The choice of the specific recombination system used will be dependent on the nature of the modification contemplated.

By having the ability to isolate an artificial chromosome, in particular, artificial chromosomes containing plant chromosomal DNA

10 introduced via site-specific recombination, and re-introduce the chromosome into other mammalian or plant cells, particularly plant cells, these new combinations can be evaluated in different crop species without the need to first isolate and modify the genes, or carry out multiple transformations or gene transfers to achieve the same

15 combination isolation and testing combinations of the genes in plants. The use of a site-specific recombinase also allows the convenient recovery of the plant chromosomal region into other recombinant DNA vectors and systems, such as mammalian or insect systems, for manipulation and study.

Also contemplated herein are *ACes*, cell lines and methods for use in screening a new chromosomal combinations, deletions, truncations with eucaryotic genome that take advantage of the site-specific recombination systems incorporated onto platform *ACes* provided herein. For example, provided herein is a cell line useful for making a library of *ACes*, comprising a multiplicity of heterologous recombination sites randomly integrated throughout the endogenous chromosomes. Also provided herein is a method of making a library of *ACes* comprising random portions of a genome, comprising introducing one or more *ACes* into a cell line comprising a multiplicity of heterologous recombination

20

25

sites randomly integrated throughout the endogenous chromosomes, under conditions that promote the site-specific chromosomal arm exchange of the ACes into, and out of, a multiplicity of the heterologous recombination sites within the cell's chromosomal DNA; and isolating said multiplicity of ACes, thereby producing a library of ACes whereby multiple ACes have different portions of the genome within. Also provided herein is a library of cells useful for genomic screening, said library comprising a multiplicity of cells, wherein each cell comprises an ACes having a mutually exclusive portion of a chromosomal nucleic acid therein. The 10 library of cells can be from a different species and/or cell type than the chromosomal nucleic acid within the ACes. Also provided is a method of making one or more cell lines, comprising

5

15

- a) integrating into endogenous chromosomal DNA of a selected cell species, a multiplicity of heterologous recombination sites,
- b) introducing a multiplicity of ACes under conditions that promote the site-specific chromosomal arm exchange of the ACes into, and out of, a multiplicity of the heterologous recombination sites integrated within the cell's endogenous chromosomal DNA;
- c) isolating said multiplicity of ACes, thereby producing a library of ACes whereby a multiplicity of ACes have mutually exclusive portions of 20 the endogenous chromosomal DNA therein;
  - d) introducing the isolated multiplicity of ACes of step c) into a multiplicity of cells, thereby creating a library of cells;
- e) selecting different cells having mutually exclusive ACes therein and clonally expanding or differentiating said different cells into clonal cell 25 cultures, thereby creating one or more cell lines.

These ACes, cell lines and methods utilize the site-specific recombination sites on platform ACes analogous YAC manipulation related to: the methods of generating terminal deletions in normal and artificial chromosomes (e.g., *ACes*; as described in Vollrath et al., 1988, *PNAS*, *USA*, 85:6027-66031; and Pavan et al., *PNAS*, *USA*, 87:1300-1304); the methods of generating interstitial deletions in normal and artificial chromosomes (as described in Campbell et al., 1991, *PNAS*, *USA*, 888:5744-5748); and the methods of detecting homologous recombination between two *ACes* (as described in Cellini et al., 1991, *Nuc. Acid Res.*, 19(5):997-1000).

# 5. Use of plateform ACes in Pharmacogenomic/toxicology applications (development of "Reporter ACes")

10

15

20

25

In addition to the placement of genes onto *ACes* chromosomes for therapeutic protein production or gene therapy, the platform can be engineered via the IntR lambda integrase to carry reporter-linked constructs (reporter genes) that monitor changes in cellular physiology as measured by the particular reporter gene (or a series of different reporter genes) readout. The reporter linked constructs are designed to include a gene that can be detected (by for example fluorescence, drug resistance, immunohistochemistry, or transcript production, and the like) with well-known regulatory sequences that would control the expression of the detectable gene. Exemplary regulatory promoter sequences are well-known in the art.

## A) Reporter ACes for drug pathway screening

The ACes can be engineered to carry reporter-linked constructs that indicate a signal is being transduced through one or a number of pathways. For example, transcriptionally regulated promoters from genes at the end (or any other chosen point) of particular signal transduction pathways could be engineered on the ACes to express the appropriate readout (either by fluorescent protein production or drug resistance) when the pathway is activated (or down-regulated as well). In one embodiment, a number of reporters from different pathways can be placed on an

ACes chromosome. Cells (and/or whole animals) containing such a Reporter ACes could be exposed to a variety of drugs or compounds and monitored for the effects of the drugs or compounds upon the selected pathway(s) by the reporter gene(s). Thus, drugs or compounds can be classified or identified by particular pathways they excite or down-regulate. Similarly, transcriptional profiles obtained from genomic array experiments can be biologically validated using the reporter ACes provided herein.

#### B) Reporter ACes for toxic compound testing

10

15

25

Environmental or man-made genotoxicants can be tested in cell lines carrying a number of reporter-genes platform *ACes* linked to promoters that are transcriptionally regulated in response to DNA damage, induced apoptosis or necrosis, and cell-cycle perturbations. Furthermore, new drugs and/or compounds could be tested in a similar manner with the genotoxicant *ACes* reporter for their cellular/genetic toxicity by such a screen. Likewise, toxic compound testing could be carried out in whole transgenic animals carrying the *ACes* chromosome that measures genotoxicant exposure ("canary in a coal mine"). Thus, the same or similar type *ACes* could be used for toxicity testing in either a cell-based or whole animal setting. An example would include *ACes* that carry reporter-linked genes controlled by various cytochrome P450 profiled promoters and the like.

# C) Reporter *ACes* for individualized pharmacogenomics/drug profiling

A common disease may arise via various mechanisms. In many instances there are multiple treatments available for a given disease. However, the success of a given treatment may depend upon the mechanism by which the disease originated and/or by the genetic background of the patient. In order to establish the most effective

treatment for a given patient one could utilize the *ACes* reporters provided herein. *ACes* reporters can be used in patient cell samples to determine an individualized drug regimen for the patient. In addition, potential polymorphisms affecting the transcriptional regulation of an individual's particular gene can be assessed by this approach.

5

10

15

20

25

## D) Reporter ACes for classification of similar patient tumors

As with other diseases as described in 5.C) above, cancer cells arise via different mechanisms. Furthermore, as a cancerous cell propagates it may undergo genomic alterations. An *ACes* reporter transferred to cells of different patients having the same disease, i.e. similar cancers, could be used to categorize the particular cancer of each patient, thereby facilitating the identification of the most effective therapeutic regimen. Examples would include the validation of array profiling of certain classes of breast cancers. Subsequently, appropriate drug profiling could be carried out as described above.

# E) Reporter ACes as a "differentiation" sensor

Using the ACes reporter as a "differentiation" sensor in stem cells or other progenitor cells in order to enrich by selection (either FACS based screening, drug selection and/or use of suicide gene) for a particular class of differentiated or undifferentiated cells. For example, in one embodiment, this assay could also be used for compound screening for small molecule modifiers of cell differentiation.

#### F) Whole animal studies with Reporter ACes

Finally, with whole-body fluorescence imaging technology (Yang et al. (2000) PNAS 97:12278) any of the above Reporter *ACes* methods could be used in conjunction with whole-body imaging to monitor reporter genes within whole animals without sacrificing the animal. This would allow temporal and spatial analysis of expression patterns under a given set of conditions. The conditions tested may include for example, normal

differentiation of a stem cell, response to drug or compound treatment whether targeted to the diseased tissue or presented systemically, response to genotoxicants, and the like.

The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention.

#### **EXAMPLE 1**

#### pFK161

Cosmid pFK161 (SEQ ID NO: 118) was obtained from Dr. Gyula Hadlaczky and contains a 9 kb Notl insert derived from a murine rDNA 10 repeat (see clone 161 described in PCT Application Publication No. WO97/40183 by Hadlaczky et al. for a description of this cosmid). This cosmid, referred to as clone 161 contains sequence corresponding to nucleotides 10,232-15,000 in SEQ ID NO. 26. It was produced by inserting fragments of the megachromosome (see, U.S. Patent No. 6,077,697 and International PCT application No. WO 97/40183). For example, H1D3, which was deposited at the European Collection of Animal Cell Culture (ECACC) under Accession No. 96040929, is a mouse-hamster hybrid cell line carrying this megachromosome into plasmid pWE15 (Stratagene, La Jolla, California; SEQ ID No. 31) as 20 follows. Half of a 100 µl low melting point agarose block (mega-plug) containing isolated SATACs was digested with Not overnight at 37°C. Plasmid pWE15 was similarly digested with Not overnight. The megaplug was then melted and mixed with the digested plasmid, ligation buffer and T4 DNA ligase. Ligation was conducted at 16°C overnight. Bacterial 25 DH5a cells were transformed with the ligation product and transformed cells were plated onto LB/Amp plates. Fifteen to twenty colonies were grown on each plate for a total of 189 colonies. Plasmid DNA was isolated from colonies that survived growth on LB/Amp medium and analyzed by Southern blot hybridization for the presence of DNA that

hybridized to a pUC19 probe. This screening methodology assured that all clones, even clones lacking an insert but yet containing the pWE15 plasmid, would be detected.

Liquid cultures of all 189 transformants were used to generate cosmid minipreps for analysis of restriction sites within the insert DNA. Six of the original 189 cosmid clones contained an insert. These clones were designated as follows: 28 (~9-kb insert), 30 (~ 9-kb insert), 60 (~4-kb insert), 113 (~9-kb insert), 157 (~9-kb insert) and 161 (~9-kb insert). Restriction enzyme analysis indicated that three of the clones (113, 157 and 161) contained the same insert.

10

15

20

25

For sequence analysis the insert of cosmid clone no. 161 was subcloned as follows. To obtain the end fragments of the insert of clone no. 161, the clone was digested with *Not*l and *Bam*HI and ligated with *Not*l/*Bam*HI-digested pBluescript KS (Stratagene, La Jolla, California).

Two fragments of the insert of clone no. 161 were obtained: a 0.2-kb and a 0.7-kb insert fragment. To subclone the internal fragment of the insert of clone no. 161, the same digest was ligated with *Bam*HI-digested pUC19. Three fragments of the insert of clone no. 161 were obtained: a 0.6-kb, a 1.8-kb and a 4.8-kb insert fragment.

The insert corresponds to an internal section of the mouse ribosomal RNA gene (rDNA) repeat unit between positions 7551-15670 as set forth in GENBANK accession no. X82564, which is provided as SEQ ID NO. 18. The sequence data obtained for the insert of clone no. 161 is set forth in SEQ ID NOS. 19-25. Specifically, the individual subclones corresponded to the following positions in GENBANK accession no. X82564 (SEQ ID NO:18) and in SEQ ID NOs. 19-25:

Subclone	Start	End	Site	SEQ ID No.
	in X82564			
161k1	7579	7755	Notl, BamHl	19
161m5	7756	8494	<i>Bam</i> HI	20
161m7	8495	10231	<i>Bam</i> HI	21(shows only sequence corresponding to nt. 8495-8950), 22 (shows only sequence corresponding to nt. 9851-10231)
161m12	10232	15000	<i>Bam</i> HI	23 (shows only sequence corresponding to nt. 10232-10600), 24 (shows only sequence corresponding to nt. 14267-15000)
161k2	15001	15676	Noti, BamHi	25

The sequence set forth in SEQ ID NOs. 19-25 diverges in some positions from the sequence presented in positions 7551-15670 of GENBANK accession no. X82564. Such divergence may be attributable to random mutations between repeat units of rDNA.

For use herein, the rDNA insert from the clone was prepared by digesting the cosmid with *Not*I and *BgI*II and was purified as described above. Growth and maintenance of bacterial stocks and purification of plasmids were performed using standard well known methods (see, *e.g.*, Sambrook *et al.* (1989) *Molecular Cloning: A Laboratory Manual*, 2nd Edition, Cold Spring Harbor Laboratory Press), and plasmids were purified from bacterial cultures using Midi - and Maxi-preps Kits (Qiagen, Mississauga, Ontario).

## pDsRed1N1

5

10

20

25

This vector is available from Clontech (see SEQ ID No. 29) and encodes the red fluorescent protein (DsRed; Genbank accession no. AF272711; SEQ ID Nos. 39 and 40). DsRed, which has a vivid red fluorescence, was isolated from the IndoPacific sea anemone relative *Discosoma* species. The plasmid pDsRed1N1 (Clontech; SEQ ID No. 29) constitutively expresses a human codon-optimized variant of the

fluorescent protein under control of the CMV promoter. Unmodified, this vector expresses high levels of DsRed1 and includes sites for creating Nterminal fusions by cloning proteins of interest into the multiple cloning site (MCS). It is Kan and Neo resistant for selection in bacterial or eukaryotic cells.

### Plasmid pMG

25

Plasmid pMG (InvivoGen, San Diego, California; see SEQ. ID. NO. 27 for the nucleotide sequence of pMG) contains the hygromycin phosphotransferase gene under the control of the immediate-early human 10 cytomegalovirus (hCMV) enhancer/promoter with intron A. Vector pMG also contains two transcriptional units allowing for the coexpression of two heterologous genes from a single vector sequence.

The first transcriptional unit of pMG contains a multiple cloning site for insertion of a gene of interest, the hygromycin phosphotransferase gene (hph) and the immediate-early human cytomegalovirus (hCMV) enhancer/promoter with intron A (see, e.g., Chapman et al. (1991) Nuc. Acids Res. 19:3979-3986) located upstream of hph and the multiple cloning site, which drives the expression of hph and any gene of interest inserted into the multiple cloning site as a polycistronic mRNA. The first 20 transcriptional unit also contains a modified EMCV internal ribosomal entry site (IRES) upstream of the hph gene but downstream of the hCMV promoter and MCS for ribosomal entry in translation of the hph gene (see SEQ ID NO. 27, nucleotides 2736-3308). The IRES is modified by insertion of the constitutive E. coli promoter (EM7) within an intron (IM7) into the end of the IRES. In mammalian cells, the E. coli promoter is treated as an intron and is spliced out of the transcript. A polyadenylation signal from the bovine growth hormone (bGh) gene (see, e.g., Goodwin and Rottman (1992) J. Biol. Chem. 267:16330-16334) and a pause site derived from the 3' flanking region of the human a2

globin gene (see, e.g., Enriquez-Harris et al. (1991) EMBO J.10:1833-1842) are located at the end of the first transcription unit. Efficient polyadenylation is facilitated by inserting the flanking sequence of the bGh gene 3' to the standard AAUAAA hexanucleotide sequence.

5

10

20

25

The second transcriptional unit of pMG contains another multiple cloning site for insertion of a gene of interest and an EF-1a/HTLV hybrid promoter located upstream of this multiple cloning site, which drives the expression of any gene of interest inserted into the multiple cloning site. The hybrid promoter is a modified human elongation factor-1 alpha (EF-1 alpha) gene promoter (see, e.g., Kim et al. (1990) Gene 91:217-223) that includes the R segment and part of the U5 sequence (R-U5') of the human T-cell leukemia virus (HTLV) type I long terminal repeat (see, e.g., Takebe et al. (1988) Mol. Cell. Biol 8:466-472). The Simian Virus 40 (SV40) late polyadenylation signal (see Carswell and Alwine (1989) Mol. Cell. Biol. 9:4248-4258) is located downstream of the multiple cloning site. Vector pMG contains a synthetic polyadenylation site for the first and second transcriptional units at the end of the transcriptional unit based on the rabbit  $\beta$ -globin gene and containing the AATAAA hexanucleotide sequence and a GT/T-rich sequence with 22-23 nucleotides between them (see, e.g., Levitt et al. (1989) Genes Dev. 3:1019-1025). A pause site derived from the C2 complement gene (see, Moreira et al. (1995) EMBO J. 14:3809-3819) is also located at the 3' end of the second transcriptional unit.

Vector pMG also contains an ori sequence (ori pMB1) located between the SV40 polyadenylation signal and the synthetic polyadenylation site.

#### **EXAMPLE 2**

A. Construction of targeting vector and transfection into LMtk- cells for the generation of platform chromosomes

A targeting vector derived from the vector pWE15 (GeneBank Accession # X65279) was modified by replacing the Sall (Klenow filled)/Smal neomycin resistance containing fragment with the Pvull/BamHI (Klenow filled) puromycin resistance containing fragment (isolated from plasmid pPUR, Clontech Laboratories, Inc. Palo Alto, CA; SEQ ID No. 30) resulting in plasmid pWEPuro. Subsequently a 9 Kb Notl fragment from the plasmid pFK161 (SEQ ID NO: 118) containing a portion of the mouse rDNA region was cloned into the Not site of pWEPuro resulting in plasmid pWEPuro9K (Figure 2). The vector pWEPuro9K was digested with Spel to linearize and transfected into LMtk- mouse cells. 10 Puromycin resistant colonies were isolated and subsequently tested for artificial chromosome formation via fluorescent in situ hybridization (FISH) (using mouse major and minor DNA repeat sequences, the puromycin gene and telomeres sequences as probes), and fluorescent activated cell sorting (FACS). From this sort, a subclone was isolated containing an artificial chromosome, designated 5B11.12, which carries 4-8 copies of the puromycin resistance gene contained on the pWEPuro9K vector. FISH analysis of the 5B11.12 subclone demonstrated the presence of telomeres and mouse minor on the ACes. DOT PCR has been done on the 5B11.12 ACes revealing the absence of uncharacterized euchromatic 20 regions on the ACes. A recombination site, such as an att or loxP engineering site or a plurality thereof, was introduced onto this ACes thereby providing a platform for site-specific introduction of heterologous nucleic acid.

# 25 B. Targeting a single sequence specific recombination site onto platform chromosomes

After the generation of the 5B11.12 platform, a single sequencespecific recombination site is placed onto the platform chromosome via homologous recombination. For this, DNA sequences containing the site-

specific recombination sequence can be flanked with DNA sequences of homology to the platform chromosome. For example, using the platform chromosome made from the pWEPuro9K vector, mouse rDNA sequences or mouse major satellite DNA can be used as homologous sequences to target onto the platform chromosome. A vector is designed to have these homologous sequences flanking the site-specific recombination site and, after the appropriate restriction enzyme digest to generate free ends of homology to the platform chromosome, the DNA is transfected into cells harboring the platform chromosome (Figure 3). Examples of site-specific 10 cassettes that are targeted to the platform chromosome using either mouse rDNA or mouse major repeat DNA include the SV40-attP-hygro cassette and a red fluorescent protein (RFP) gene flanked by loxP sites (Cre/lox, see, e.g., U.S. Patent No. 4,959,317 and description herein). After transfection and integration of the site-specific cassette, homologous recombination events onto the platform chromosome are subcloned and identified by FACS (e.g. screen and single cell subclone via expression of resistance or fluorescent marker) and PCR analysis.

15

20

25

For example, a vector can be constructed containing regions of the mouse rDNA locus flanking a gene cassette containing the SV40 early reporter-bacteriophage lambda attP site-hygromycin selectable marker (see Figure 4 and described below). The use of the bacteriophage lambda attP site for lambda integrase-mediated site-specific recombination is described below. Homologous recombination event of the SV40-attPhygro cassette onto the platform chromosome was identified using PCR primers that detect the homologous recombination and further confirmed by FISH analysis. After identifying subcloned colonies containing the platform chromosome with a single site-specific recombination site, cells carrying the platform chromosome with a single site-specific

recombination site can now be engineered with site-specific recombinases (e.g. lambda INT, Cre) for integrating a target gene expression vector.

#### Targeting a red fluorescent protein (RFP) gene flanked by loxP sites C. onto 5B11.12 platform 5

As another example, while loxP recombination sites could have been introduced onto the ACes during de novo biosynthesis, it was thought that this might result in multiple segments of the ACes containing a high number of loxP sites, potentially leading to instability upon Cre-10 mediated recombination. A gene targeting approach was therefore devised to introduce a more limited number of loxP recombination sites into a locus of the 5B11-12 ACes containing introduced and possibly coamplified endogenous rDNA sequences. Although there are more than 200 copies of rDNA genes in the haploid mouse genome distributed amongst 5-11 chromosomes (depending on strain), rDNA sequences were chosen as the target on the ACes since they represent a less frequent target than that of the satellite repeat sequences. Moreover, having observed much stronger pWEPuro9K hybridization to the 5B11-12 ACes than to other LMTK chromosomes and in light of the observation that the 20 transcribed spacer sequences within the rDNA may be less conserved than the rRNA coding regions, it was contemplated that a targeting vector based on the rDNA gene segment in pWEPuro9K would have a higher probability of targeting to the ACes rather than to other LMTK chromosomes. Accordingly, a targeting vector, pBSFKLoxDsRedLox, was designed and constructed based on the rDNA sequences contained in pWEPuro9K.

15

25

The plasmid pBSFKLoxDsRedLox was generated in 4 steps. First, the Not rDNA insert of pWEPuro9K (Figure 2) was inserted into pBS SK-(Stratagene) giving rise to pBSFK. Second, a loxP polylinker cassette was

generated by PCR amplification of pNEB193 (SEQ ID NO:32; New England Biolabs) using primers complementary to the M13 forward and reverse priming sites at their 3'end and a 34 bp 5' extension comprising a LoxP site. This cassette was reinserted into pNEB193 generating 5 p193LoxMCSLox. Third, the DsRed gene from pDsRed1-N1 (SEQ ID NO:29; Clontech) was then cloned into the polylinker between the loxP sites generating p193LoxDsRedLox. Fourth, a fragment consisting of the DsRed gene flanked by loxP sites was cloned into a unique Ndel within the rDNA insert of pBSFK generating pBSFKLoxDsRedLox.

A gel purified 11 Kb Pmll /EcoRV fragment of pBSFKLoxDsRedLox was used for transfection. To detect targeted integration, PCR primers were designed from rDNA sequences within the 5' Notl-Pml fragment of pWEPuro9K that is not present on the targeting fragment (5'primer) and sequence within the LoxDsRedLox cassette (3' primer). If the targeting DNA integrated correctly within the rDNA sequences, PCR amplification using these primers would give rise to a 2.3 Kb band. PCR reactions containing 1-4  $\mu$ I of genomic DNA were carried out according to the MasterTaq protocol (Eppendorf), using murine rDNA 5' primer (5'-CGGACAATGCGGTTGTGCGT-3'; SEQ ID NO:72) and DsRed 3'primer 20 (5'GGCCCCGTAATGCAGAAGAA-3'; SEQ ID NO:73) and PCR products were analyzed by agarose gel electrophoresis.

10

25

 $1.5 \times 10^6$  5B11-12 LMTK cells were transfected with 2  $\mu$ g of the pBSFKLoxDsRedLox targeting DNA described above using Lipofectamine Plus (Invitrogen). For flow sorting, harvested cells were suspended in medium and applied to the Becton Dickinson Vantage SE cell sorter, equipped with 488 nm lasers for excitation and 585/42 bandpass filter for optimum detection of RFP fluorescence. Cells were sorted using dPBS as sheath buffer. Negative control parental 5B11-12 cells and a positive control LMTK cell line stably transfected with DsRed were used to

establish the selection gates. The RFP positive gated populations were recovered, diluted in medium supplemented with 1X penicillinstreptomycin (Invitrogen), then plated and cultured as previously described. After 4 rounds of enrichment, the percentage of RFP positive cells reached levels of 50% or higher. DNA from populations was analyzed by PCR for evidence of targeted integration. Ultimately, single cell subclones were established from positive pools and were analyzed by PCR and PCR-positive clones confirmed by FISH as described below. DNA was purified from pools or single cell clones using previously 10 described methods set forth in Lahm et al., Transgenic Res., 1998; 7:131-134, or in some cases using a Wizard Genomic DNA purification kit (Promega). For FISH analysis, a biotinylated DsRed gene probe was generated by PCR using DsRed specific primers and biotin-labeled dUTP (5' RFP primer: 5'-GGTTTAAAGTGCGCTCCTCCAAGAACGTCATC-3', SEQ ID NO:74; and 3' RFP primer: 5'AGATCTAGAGCCGCCGCTACAGGAACAGGTGGTGGCGGCC-3'; SEQ ID NO:75). To maximize the signal intensity of the DsRed probe, Tyramide amplification was carried out according to the manufacturers protocols (NEN).

15

20

25

The process of testing the feasibility of a more general targeting strategy that would not rely on enrichment via drug selection of stably transfected clones can be summarized as follows. A red fluorescent protein gene (RFP; encoded by the DsRed gene) was inserted between the loxP sites of the targeting vector to form pBSFKLoxDsRedLox. After transfection with PBSFKLoxDsRedLox, sequential rounds of high speed flow sorting and expansion of sorted cells in culture could then be used to enrich for stable transformants expressing RFP. In the event of targeted integration, PCR screening with primers that amplify from a spacer region within the segment of the 45s pre-rRNA gene in pWEPuro9K to a specific

anchor sequence within the DsRed gene in the targeting cassette would give rise to a diagnostic 2.3 Kb band. However, as rDNA clusters are found on several chromosomes, confirmation of targeting to an *ACes* would require fluorescence in situ hybridization (FISH) analysis. Finally, the flanking of the DsRed gene by loxP sites would allow for its removal and subsequent replacement with other genes of interest.

After transfection of the targeting sequence into 5B11-12 cells, enrichment for targeted clones was carried out using a combination of flow cytometry to detect red-fluorescing cells and PCR screening. Ultimately 17 single cell subclones were identified as potential targeted clones by PCR and of these 16 were found by FISH to contain the DsRed integration event into the ACes. These subclones are referred to herein as D11-C4, D11-C12, D11-H3, C9-C9, C9-B9, C9-F4, C9-H8, C9-F2, C9-G8, C9-B6, C9-G3, C9-E12, C9-A11, C11-E3, C11-A9 and C11-H4. PCR analysis of genomic DNA isolated from the D11-C4 subclone gave rise to 15 a 2.3 Kb band, indicative of a targeted integration into an rDNA locus. Further analysis of the subclone by FISH analysis with a DsRed gene probe demonstrated integration of the LoxDsRedLox targeting cassette on the ACes co-localizing with one of the regions of rDNA staining seen on the 5B11-12 ACes, consistent with a targeted integration into an rDNA 20 locus of the ACes, while integrations on other chromosomes were not observed. Since transfected cells were maintained as heterogeneous populations through several cycles of sorting and replating it was not possible to estimate the frequency of targeted events. In most mammalian cell lines the frequency of gene targeting via homologous 25 recombination is roughly 10<sup>-5</sup>-10<sup>-7</sup> treated cells. Despite the low frequency of these events in mammalian cells, it is clear that an RFP expression based screening paradigm, coupled with PCR analysis, can effectively detect and enrich for such infrequent events in a large

population. In instances where drug selection is not possible or not desirable, such a system may provide a useful alternative. It was also verified that the modified *ACes* in subclone D11-C4 could be purified by flow cytometry. The results indicate that the flow karyogram of the D11-C4 subclone was unaltered from that of the 5B11-12 cell line. Thus, the D11-C4 *ACes* can be purified in high yield from native chromosomes of the host cell line.

### D. Reduction of LoxP on ACes to a single site.

10

25

The strong hybridization signal detected by FISH on the *ACes* using the DsRed gene probe suggests that several copies of the targeting cassette may be present on the *ACes* in the D11-C4 line. This also suggests that multiple rDNA genes have been correctly targeted.

Accordingly, in certain embodiments where necessary, the number of loxP sites on the *ACes* can be reduced to a single site by *in situ* treatment with *Cre* recombinase, provided that the sites are co-linear. Such a process is described for multiple loxP-flanked integrations on a native mouse chromosome (Garrick et al., Nature Genet., 1998, Jan;18(1):56-59). Reduction to a single loxP site on the D11-C4 *ACes* would result in the loss of the DsRed gene, forming the basis of a useful screen for this event.

For this purpose, a Cre expression plasmid pCX-Cre/GFP III has been generated by first deleting the EcoRI fragment of pCX-eGFP (SEQ ID NO:71) containing the eGFP coding sequence and replacing it with that of a PCR amplified Cre recombinase coding sequence (SEQ ID NO:58), generating pCX-Cre. Next, the Asel/SspI fragment of pD2eGFP-N1 (containing the CMV promoter driving the D2EGFP gene with SV40 polyA signal; Clontech; SEQ ID NO:87) was inserted into the filled HindIII site of pCX-Cre, generating pCX-Cre\GFP III. Control plasmid pCX-CreRev\GFP

III was generated in similar fashion except that the Cre recombinase coding sequence was inserted in the antisense orientation. LMTK cell line D11-C4 (containing first generation platform ACes with multiple loxP-DsRED sites) and 5B11-12 cell line (containing ACes with no loxP-DsRED sites) are maintained in culture as described above. D11C4 cells are transfected with 2  $\mu$ g of plasmid pCX-Cre\GFP III or 2  $\mu$ g pCX-CreRev\GFP III using Lipofectamine (Invitrogen) as previously described.

Forty-eight to seventy-two hours after transfection, transfected D11-C4 cells are harvested and GFP positive cells are sorted by cell 10 cytometry using a FACSta Vantage cell sorter (Beckton-Dickinson) as follows: All D11-C4 cells transfected with pCX-Cre\GFP III or control plasmid pCX-CreRev\GFP III that exhibit GFP fluorescent higher than the gate level established by untransfected cells are collected and placed in culture a further 7-14 days. After 7-14 days the initial D11-C4 cells are harvested and analyzed by cell cytometry as follows: Untransfected D11-C4 cells are used to establish the gate that defines the RFP positive population, while 5B11-12 cells are used to set the RFP negative gate. The GFP positive population of D11-C4 transfected with pCX-Cre\GFP III should show decreased red fluorescence compared to pCX-CreRev\GFP III transfected or untransfected control D11-C4 cells. The cells exhibiting greatly decreased or no RFP expression are collected and single cell clones subsequently established. These clones will be expanded and analyzed by fluorescence in-situ hybridization and Southern blotting to confirm the removal of loxP-DsRed gene copies.

25

20

#### EXAMPLE 3

Construction of targeting vector and transfection into LMtk- cells for the generation of platform chromosomes containing multiple site-specific recombination sites

An example of a selectable marker system for the creation of a chromosome-based platform is shown in Figure 4. This system includes a vector containing the SV40 early promoter immediately followed by (1) a 282 base pair (bp) sequence containing the bacteriophage lambda attP site and (2) the puromycin resistance marker. Initially a Pvull/Stul fragment containing the SV40 early promoter from plasmid pPUR (Clontech Laboratories, Inc., Palo Alto, CA; Seq ID No. 30) was subcloned into the EcoRI/CRI site of pNEB193 (a PUC19 derivative obtained from New England Biolabs, Beverly, MA; SEQ ID No. 32) generating the plasmid pSV40193. The only differences between pUC19 10 and pNEB193 are in the polylinker region. A unique Ascl site (GGCGCGCC) is located between the BamHI site and the Smal site, a unique Pacl site (TTAATTAA) is located between the BamHI site and the Xbal site and a unique Pmel site (GTTTAAAC) is located between the Pstl site and the Sall site.

The attP site was PCR amplified from lambda genome (GenBank Accession # NC 001416) using the following primers:

20

25

attPUP: CCTTGCGCTAATGCTCTGTTACAGG SEQ ID No. 1 attPDWN: CAGAGGCAGGGAGTGGGACAAAATTG SEQ ID No. 2

After amplification and purification of the resulting fragment, the attP site was cloned into the *Smal* site of pSV40193 and the orientation of the attP site was determined by DNA sequence analysis (plasmid pSV40193attP). The gene encoding puromycin resistance (Puro) was isolated by digesting the plasmid pPUR (Clontech Laboratories, Inc. Palo Alto, CA) with *Agel/BamHI* followed by filling in the overhangs with Klenow and subsequently cloned into the *Ascl* site downstream of the attP site of pSV40193attP generating the plasmid pSV40193attPsensePUR (Figure 4; SEQ ID NO:113)).

The plasmid pSV40193attPsensePUR was digested with *Scal* and co-transfected with the plasmid pFK161 (SEQ ID NO: 118) into mouse LMtk- cells and platform artificial chromosomes were identified and isolated as described above. The process for generating this exemplary platform *ACes* containing multiple site-specific recombination sites is summarized in Figure 5. One platform *ACes* resulting from this experiment is designated B19-18. This platform *ACes* chromosome may subsequently be engineered to contain target gene expression nucleic acids using the lambda integrase mediated site-specific recombination system as described herein in Example 7 and 8.

### **EXAMPLE 4**

Lambda integrase mediated site-specific recombination of a RFP expressing vector onto artificial chromosomes

In this example, a vector expressing the red fluorescent protein

(RFP) was produced and recombined into the attP site residing on an artificial chromosome within LMTK- cells. This recombination is depicted in Figure 7.

# A. Construction of expression vectors containing wildtype and mutant lambda integrase

Mutations at the glutamic acid at position 174 in the lambda integrase protein relaxes the requirement for the accessory protein IHF during recombination and DNA supercoiling in vitro (see, Miller et al. (1980) Cell 20:721-729; Lange-Gustafson et al. (1984) J. Biol. Chem. 259:12724-12732). Mutations at this site promote attP, attB intramolecular recombination in mammalian cells (Lorbach et al. (2000) J. Mol. Biol 296:1175-1181).

To construct nucleic acid encoding the mutant, lambda integrase was PCR amplified from bacteriophage lambda DNA (cl857 ind Sam 7; New England Biolabs) using the following primers:

30 Lamint1 (SEQ ID No. 3)

10

TTCGAATTCATGGGAAGAAGGCGAAGTCATGAGCG)

Lamint2 (SEQ ID No. 4)

(TTCGAATTCTTATTTGATTTCAATTTTGTCCCAC).

The resulting PCR product was digested with *Eco*R I and cloned into the *Eco*R I site of pUC19. Lambda integrase was mutated at amino acid position 174 using QuikChange Site-Directed Mutagenesis Kit (Stratagene) and the following oligos (generating a glutamic acid to arginine change at position 174):

LambdalNTE174R

10 (SEQ ID No. 6)

20

25

(CGCGCAGCAAAATCTAGAGTAAGGAGATCAAGACTTACGGCTGACG), LamintR174rev (SEQ ID No. 7)

(CGTCAGCCGTAAGTCTTGATCTCCTTACTCTAGATTTTGCTGCGCG).

The resulting site directed mutant was confirmed by sequence analysis.

The wildtype and mutant lambda genes were cloned into the *EcoR* I site of pCX creating pCX-LamInt (SEQ ID NO: 127) and pCXLamIntR (Figure 8; SEQ ID NO: 112).

The plasmid pCX (SEQ ID No. 70) was derived from plasmid pCXeGFP (SEQ ID No. 71). Excision of the EcoRl fragment containing the eGFP marker generated pCX. To generate plasmid pCXLamINTR (SEQ ID NO: 112) an EcoRl fragment containing the lambda integrase E174R (SEQ ID No. 37) mutation was cloned into the *Eco*Rl site of pCX, and to generate plasmid pCX-LamINT, an *Eco*Rl fragment containing the wild-type lambda integrase was cloned into the *Eco*Rl site of pCX.

B. Construction of integration vector containing attB and DsRed

The plasmid pDsRedN1 (Clontech Laboratories, Palo Alto, CA; SEQ

No. 29) was digested with Hpa I and ligated to the following annealed

ID No. 29) was digested with *Hpa* I and ligated to the following annealed oligos:

attB1 (SEQ ID No. 8)

(TGAAGCCTGCTTTTTTATACTAACTTGAGCGAA)
attB2 (SEQ ID No. 9)
(TTCGCTCAAGTTAGTATAAAAAAGCAGGCTTCA)
The resulting vector (pDsRedN1-attB) was confirmed by PCR and sequence analysis.

### C. Transfection into LMtk- cells

LM(tk-) cells containing the Prototype A ACes (L1-18; Chromos Molecular Systems Inc., Burnaby, BC Canada) were co-transfected with pDsRedN1 or pDsRedN1-attB and either pCXLamInt (SEQ ID NO: 127) or pCXLamIntR (SEQ ID NO: 112) using Lipofectamine Plus Reagent (LifeTechnologies, Gaithersburg, MD). The transfected cells were grown in DMEM (LifeTechnologies, Gaithersburg, MD) with 10% FBS (CanSera) and G418 (CalBiochem) at a concentration of 1 mg/ml.

### D. Enrichment by cell sorting

15

20

The transfected cells were sorted using a FACs Vantage SE cell sorter (Becton Dickenson) to enrich for cells expressing DsRed. The cells were excited with a 488 nm Argon laser at 200 watts and cells fluorescing in the 585/42 detection channel were collected. The sorted cells were returned to growth medium for recovery and expansion. After three successive enrichments for cells expressing DsRed, single cell sorting into 96 well plates was performed using the same parameters. Duplicate plates of the single cell clones were made for PCR analysis.

### E. PCR analysis of single cell clones

Pools of cells from each row and column of the 96 well plate were used for DNA isolation. DNA was prepared using a Wizard Genomic DNA purification kit (Promega Inc, Madison, WI). Nested PCR analysis on the DNA pools was performed to confirm the site-specific recombination event using the following primer sets:

attPdwn2 (SEQ ID No. 10) (TCTTCTCGGGCATAAGTCGGACACC)

CMVen (SEQ ID No. 11) (CTCACGGGGATTTCCAAGTCTCCAC)

5 followed by:

25

30

attPdwn (SEQ ID No. 12) (CAGAGGCAGGGAGTGGGACAAAATTG)

CMVen2 (SEQ ID No. 13) (CAACTCCGCCCCATTGACGCAAATG).

The resulting PCR reactions were analyzed by gel electrophoresis and the potential individual clones containing the site-specific recombination event were identified by combining the PCR results of all of the pooled rows and columns for each 96 well plate. The individual clones were then further analyzed by PCR using the following primers that flank the recombination junction. L1for and F1rev flank the attR junction whereas

L1for (SEQ ID No. 14)
AGTATCGCCGAACGATTAGCTCTTCA

F1rev (SEQ ID No. 15)
20 GCCGATTTCGGCCTATTGGTTAAA

REDfor (SEQ ID No. 16)
CCGCCGACATCCCCGACTACAAGAA

L2rev (SEQ ID No. 17)
TTCCTTCGAAGGGGATCCGCCTACC.

# F. Sequence analysis of recombination junctions

REDfor and L2rev flank the attL junction (see Figure 7):

PCR products spanning the recombination junction were Topocloned into pcDNA3.1D/V5His (Invitrogen Inc., San Diego, CA) and then sequenced by cycle-sequencing. The clones were confirmed to have the correct attR and attL junctions by cycle sequencing.

### G. Fluorescent In Situ Hybridization (FISH)

The cell lines containing the correct recombination junction sequence were further analyzed by fluorescent *in situ* hybridization (FISH)

by probing with the DsRed coding region labeled with biotin and visualizing with the Tyramide Signal Amplification system (TSA; NEN Life Science Products). The results indicate that the RFP sequence is present on the *ACes*.

### H. Southern analysis

5

15

20

Genomic DNA was harvested from the cell lines containing an ACes with the correct recombinant event and digested with EcoR I. The digested DNAs were separated on a 0.7% agarose gel, transferred and fixed to a nylon membrane and probed with RFP coding sequences. The result showed that there is an integrated copy of RFP coding sequence in each clone.

#### **EXAMPLE 5**

Delivery of a second gene encoding GFP onto the RFP platform ACes

A. Construction of integration vector containing attB and GFP (pD2eGFPlresPuroattB).

The plasmid pIRESpuro2 (Clontech, Palo Alto, CA; SEQ ID NO: 88) was digested with *Eco*Rl and *Not*l then ligated to the D2eGFP *Eco*Rl-*Not*l fragment from pD2eGFP-N1 (Clontech, Palo Alto, CA) to create pD2eGFPlresPuro2. Subsequently, oligos encoding the attB site were annealed and ligated into the *Nru*l site of pD2eGFPlresPuro2 to create pD2eGFPlresPuroattB. The orientation of attB in the *Nru*l site was determined by PCR.

## B. Transfection of LMtk- cells

The LMtk- cells containing the RFP platform *ACes* produced in Example 4, which has multiple attP sites, were co-transfected with pCXLamIntR and pD2eGFPIresPuroattB using LipofectAMINE PLUS reagent. Five  $\mu$ g of each vector was placed into a tube containing 750  $\mu$ l of DMEM (Dulbecco's modified Eagles Medium). Twenty  $\mu$ l of the Plus reagent was added to the DNA and incubated at room temperature for 15

minutes. A mixture of 30  $\mu$ l of lipofectamine and 750  $\mu$ l DMEM was added to the DNA mixture and incubated an additional 15 minutes at room temperature. The DNA mixture was then added dropwise to approximately 3 million cells attached to a 10cm dish in 5 mls of DMEM.

The cells were incubated 4 hours (37°C, 5% CO<sub>2</sub>) with the DNA-lipid mixture, after which DMEM with 20% fetal bovine serum was added to the dishes to bring the culture medium to 10% fetal bovine serum. The dishes were incubated at 37°C with 5% CO<sub>2</sub>.

Plasmid pD2eGFPIresPuroattB has a puromycin gene

transcriptionally linked to the GFP gene via an IRES element. Two days after the transfection the cells were placed in medium containing puromycin at 4µg/ml to select for cells containing the pD2eGFPIresPuroattB plasmid integrated into the genome. Twenty-three clones were isolated after 17 days of selection with puromycin. These clones were expanded and then analyzed for the presence of the GFP gene on the ACes by 2-color (RFP/biotin & GFP/digoxigenin) TSA-FISH (NEN) according to the manufacturers protocol. Sixteen of the 23 clones produced a positive FISH signal on the ACes with a GFP probe.

### **EXAMPLE 6**

# 20 Delivery Of ACes Into human Mesenchymal Stem Cells (hMSC)

### A. Transfection

Transfection conditions for the most efficient delivery of the *ACes* into hMSCs (Cambrex BioWhittaker Product Code PT-2501, lot# F0658, East Rutherford, New Jersey) were assayed using LipofectAMINE PLUS and Superfect. One million prototype B *ACes*, which is a murine derived 60Mb *ACes* having primarily murine pericentric heterochromatin, and carrying a "payload" containing a hygromycin B selectable marker gene and a *lacZ* reporter gene (see , Telenius et al., 1999, <u>Chrom. Res.</u>, 7:3-7; and Kereso et al., 1996, <u>Chrom. Res.</u>, 4:226-239; each of which is

incorporated herein by reference in its entirety), were combined with 1-12  $\mu$ I of the transfection agent. In the case of LipofectAMINE PLUS, the PLUS reagent was combined with the ACes for 15 minutes followed by LipofectAMINE for a further 15 minutes. Superfect was complexed for 10 minutes at a ratio of  $2\mu$ l Superfect per 1 million ACes. The ACes/transfection agent complex was then applied to 0.5 million recipient cells and the transfection was allowed to proceed according to the manufacturer's protocol. Percent transfected cells was determined on a FACS Vantage flow cytometer with argon laser tuned to 488 nm at 200mW and FITC fluorescence collected through a standard FITC 530/30 nm band pass filter. After 24 hours, IdUrd labeled ACes were delivered to human MSCs in the range of 30-50%, varying with transfection agent and dose. ACes delivery curves were generated from data collected in experiments that varyied the dose of the transfection reagents. Dose response curves of Superfect and LipofectAMINE PLUS, showing delivery 15 of ACes into recipient hMSCs cells, were prepared, measured by transfer of IdUrd labeled ACes and detected by flow cytometry. Superfect shows maximum delivery in the range of 30-50% at doses greater than 2  $\mu$ l per million ACes. LipofectAMINE PLUS has a 42-48% delivery peak around 5-8  $\mu$ l per million ACes. These dose curves were then correlated with 20 toxicity data to determine the transfection conditions that will allow for highest potential transfection efficiency. Toxicity was determined by a modified plating efficiency assay (de Jong et al., 2001, Chrom. Research, 9:475-485). The population's normalized plating efficiency (at maximum % delivery doses) was in the range of 0.2 - 0.4 for Superfect and 0.5 -25 0.6 with LipofectAMINE PLUS.

Due to the transfected population consisting of mixed cell types, flow cytometry allowed for the assessment of *ACes* delivery into each sub-population and the purification of the target population. Flow profiles

showing forward scatter (cell size) and side scatter (internal cell granularity) revealed three distinct hMSC populations that were gated into three regions: R3 (small cell region), R4 (medium cell region), R5 (large cell region). Transfection conditions were further optimized by re-5 analyzing delivery curves and assessing the differences in delivery to each sub-population. Dose response curves of Superfect and LipofectAMINE were prepared showing % delivery to each sub-population represented by the gating on basis of cell size and granularity properties of the mixed population. Three distinct hMSC populations were gated and % delivery dose curves generated. Using Superfect and LipofectAMINE PLUS the 10 overall % delivery increased with cell size (80-90% delivery in large cells). LipofectAMINE PLUS at high doses (8-12  $\mu$ l per 1 million ACes) shows an increase in the overall proportion of chromosome transfer to the small population (10-20%). This suggests an advantage to using this transfection agent if the small-undifferentiated cell population is the desired target host cell.

#### Expression from Genes on ACes IN hMSCs В.

15

20

25

Following the delivery screening process conducted in section (A) above, the most promising results were subjected to further analyses to monitor expression and verify the presence of structurally intact ACes. The transfection conditions employed for these experiments were exactly ' the same as those that had been used during the screening process. Short-term expression was monitored by transfecting hMSCs with ACes containing a RFP gene (red fluorescent protein) set forth in Example 2C as "D11C4". The unselected population was harvested at 72-96 hours post transfection and % positive fluorescent cells measured by flow cytometry. RFP expression was in the range of 1-20%.

Long term-gene expression was assayed by selecting for hygromycin B resistant cells over a period of 7-10 days. Cytogenetic

analysis was done to detect presence of intact ACes by Fluorescent In Situ hybridization (FISH), where metaphase chromosomes were hybridized to a mouse major satellite-DNA probe (targeting murine pericentric heterochromatin) and a lambda probe (hybridizing to the lacZ gene). The human mesenchymal transfected culture could not undergo standard subcloning as diffuse colonies form with limited doublings available for expansion. Cytogenetic analysis was performed on the entire population, sampling over a period of 3-10 days post-transfection. The hygromycin resistant population was then blocked in mitosis with colchicine and 10 analyzed for presence of intact ACes by FISH. Preliminary FISH results show approximately 2-8% of the hMSC-transfected population had an intact ACes. This compared to rat skeletal muscle myoblast clones, which were in the range of 60-95%. To increase the % of intact ACes in the hMSC-transfected population an enrichment step can be utilized as described in Example 2C.

### Differentiation of The hMSCs

15

20

25

In initial experiments where transfected hMSCs cells have been induced to differentiate into adipose or osteocytes, the results indicate that the transfected cells appear to be differentiating at a rate comparable to the untransfected controls and the cultures are lineage specific as tested by microscopic examination, FISH, Oil Red O staining (adipocyte assay), and calcium secretion (osteocyte assay).

Accordingly, these results indicate that the artificial chromosomes (ACes) provided herein can be successfully transferred into hMSC target cells. Targeting MSCs (such as hMSCs) permits gene transfer into cells in an undifferentiated state where the cells are easier to expand and purify. The genetically modified cells can then be differentiated in vitro or injected into a site in vivo where the microenvironment will induce transformation into specific cell lineages.

### **EXAMPLE 7**

### Delivery of a Promoterless Marker Gene to a Platform ACes

Platform ACes containing pSV40attPsensePURO (Figure 4) were constructed as set forth in Examples 3 and 4.

## 5 A. Construction of Targeting Vectors.

25

The base vector p18attBZeo (3166bp; SEQ ID NO: 114) was constructed by ligating the 1067bp *HindIII-SspI* fragment containing attBZeo, obtained from pLITattBZeo (SEQ ID NO:91), into pUC18 (SEQ ID NO: 122) digested with *HindIII* and *SspI*.

- 1. p18attBZEO-eGFP (6119bp; SEQ ID NO: 126) was constructed by inserting the 2977bp *Spel-Hind*III fragment from pCXeGFP (SEQ ID NO:71; Okabe, *et al.* (1997) *FEBS Lett* 407:313-319) containing the eGFP gene into p18attBZeo (SEQ ID NO: 114) digested with *Hind*III and *Xbal*.
- p18attBZEO-5'6XHS4eGFP (Figure 10; 7631bp; SEQ ID NO:
   116) was constructed by ligating the 4465bp *Hind*III fragment from pCXeGFPattB(6XHS4)2 (SEQ ID NO: 123), which contains the eGFP gene under the regulation of the chicken beta actin promoter, 6 copies of the HS4 core element located 5' of the chicken beta actin promoter and the polyadenylation signal, into the *Hind*III site of p18attBZeo (SEQ ID NO: 114).
  - 3. p18attBZEO-3'6XHS4eGFP (Figure 11; 7600bp; SEQ ID NO: 115) was created by removing the 5'6XHS4 element from p18attBZeo-(6XHS4)2eGFP (SEQ ID NO: 110). p18attBZeo-(6XHS4)2eGFP was digested with *Eco*RV and *Spe*I, treated with Klenow and religated to form p18attBZeo3'6XHS4eGFP (SEQ ID NO: 115).
  - 4. p18attBZEO-(6XHS4)2eGFP (Figure 12; 9080bp; SEQ ID NO: 110) was created in two steps. First, the *EcoRI-SpeI* fragment from pCXeGFPattB(6XHS4)2 (SEQ ID NO: 123), which contains 6 copies of the HS4 core element, was ligated into p18attBZeo (SEQ ID NO: 114)

Rectified Sheet (Rule 91)

digested with EcoRI and XbaI to create p18attBZeo6XHS4 (4615bp; SEQ ID NO: 117). Next, p18attBZeo6XHS4 was digested with Hindll and ligated to the 4465bp HindIII fragment from pCXeGFPattB(6XHS4)2 which contains the eGFP gene under the regulation of the chicken beta 5 actin promoter, 6 copies of the HS4 core element located 5' of the chicken beta actin promoter and the polyadenylation signal.

Table 2

Targeting plasmid	No. zeocin resistant clones	No. clones with expected PCR product size	No. clones with correct sequence at recombination junction
p18attBZEO-eGFP	12	12	NT*
p18attBZEO-5'6XHS4eGFP	11	11	NT
p18attBZEO-3'6XHS4eGFP	11	11	NT
p18attBZEO-(6XHS4)2eGFP	9	9	4/4

\*NT = not tested

10

15

### Transfection and Selection with Drug.

The mouse cell line containing the 2<sup>nd</sup> generation platform ACE, B19-38 (constructed as set forth in Example 3), was plated onto four 10cm dishes at approximately 5 million cells per dish. The cells were incubated overnight in DMEM with 10% fetal calf serum at 37°C and 5%  $CO_2$ . The following day the cells were transfected with  $5\mu g$  of each of 20 the 4 vectors listed in Example 7.A. above and  $5\mu g$  of pCXLamIntR (SEQ ID NO: 112), for a total of 10µg per 10cm dish. Lipofectamine Plus reagent was used to transfect the cells according to the manufacturers protocol. Two days post-transfection zeocin was added to the medium at 500µg/ml. The cells were maintained in selective medium until colonies 25 formed. The colonies were then ring-cloned (see, e.g., McFarland, 2000, Methods Cell Sci, Mar;22(1):63-66).

### Analysis of Clones (PCR, SEQUENCING).

Rectified Sheet (Rule 91)

Genomic DNA was isolated from each of the candidate clones with the Wizard kit (Promega) and following the manufacturers protocol. The following primer set was used to analyze the genomic DNA isolated from the zeocin resistant clones: 5PacSV40 –

CTGTTAATTAACTGTGGAATGTGTG TCAGTTAGGGTG (SEQ ID NO:76);
Antisense Zeo - TGAACAGGGTCACGTCGTCC (SEQ ID NO:77). PCR
amplification with the above primers and genomic DNA from the sitespecific integration of any of the 4 zeocin vectors would result in a 673bp
PCR product.

As set forth in Table 2, of the 4 zeocin resistant candidate clones thusfar analyzed by PCR, all 4 exhibit the correct sequence for a site-specific integration event.

### **EXAMPLE 8**

Integration of a PCR product by site-specific recombination.

In this example a gene is integrated onto the platform *ACes* by site-specific recombination without cloning said gene into a vector.

### A. PCR PRIMER DESIGN.

10

20

25

PCR primers are designed to contain an attB site at the 5' end of one of the primers in the primer set. The remaining primers, which could be one or more than one primer, do not contain an attB site, but are complementary to sequences flanking the gene or genes of interest and any associated regulatory sequences. In first example, 2 primers (one containing an attB site) are used to amplify a selective gene such as puromycin.

In a second example as shown in Figure 13, the primer set includes primers 1 & 2 that amplify the GFP gene without amplification of an upstream promoter. Primer 1 contains the attB site at the 5' end of the oligo. Primers 3 & 4 are designed to amplify the IRES-blasticidin DNA sequences from the vector pIRESblasticidin. The 5'end of primer 3

contains sequences complementary to the 5' end of primer 2 such that annealing can occur between 5' ends of the two primers.

# B. PCR REACTION AND SUBSEQUENT LIGATION TO CREATE CIRCULAR MOLECULES FROM THE PCR PRODUCT

5

10

20

25

In the first example set forth above in Section A, the two PCR primers are combined with a puromycin DNA template such as pPUR (Clontech), a heat stable DNA polymerase and appropriate conditions for DNA amplification. The resulting PCR product (attB-Puromycin) is then then purified and self-ligated to form a circular molecule.

In the second example set forth above in Section A, amplification of the GFP gene and IRES-blasticidin sequences is accomplished by combining primers 1 & 2 with DNA template pD2eGFP and primers 3 & 4 with template pIRESblasticidin under appropriate conditions to amplify the desired template. After initial amplification of the two products (attB-GFP & IRES-blasticidin) in separate reactions, a second round of amplification using both of the PCR products from the first round of amplification together with primers 1 and 4 amplifies the fusion product attB-GFP-IRES-blasticidin (Figure 13). This technique of using complementary sequences in primer design to create a fusion product is employed in *Saccharomyces cerevisiae* for allele replacement (Erdeniz *et al* (1997) *Gen Res* 7:1174-1183). The amplified product is then purified from the PCR reaction mixture by standard methods and ligated to form a circular molecule.

# C. INTRODUCTION OF PCR PRODUCT ONTO THE *ACes* USING A RECOMBINASE

The circular PCR product is then be introduced to the platform *ACes* using the bacteriphage lambda integrase E174R. The introduction can be performed *in vivo* by transfecting the pCXLamIntR (SEQ ID NO: 112) vector encoding the lambda integrase mutant E174R together with the circularized PCR product into a cell line containing the platform ACE.

# D. SELECTION FOR MARKER GENE

The marker gene (in this case either puromycin, blasticidin or GFP) is used to enrich the population for cells containing the proper integration event. A proper integration event in the second example (Figure 14)

5 juxtaposes a promoter residing on the platform ACes 5' to the attB-GFP-IRES-Blasticidin PCR product, allowing for transcription of both GFP and blasticidin. If enrichment is done by drug selection, blasticidin is added to the medium on the transfected cells 24-48 hours post-transfection.

Selection is maintained until colonies are formed on the plates. If

10 enrichment is done by cell sorting, cells are sorted 2-4 days post-transfection to enrich for cells expressing the fluorescent marker (GFP in this case).

### E. ANALYSIS OF CLONES

Clonal isolates are analyzed by PCR, FISH and sequence analysis to confirm proper integration events.

### **EXAMPLE 9**

Construction of a human platform ACes "ACE 0.1"

# A. CONSTRUCTION OF THE TARGETING VECTOR pPACrDNA

Genome Systems (IncyteGenomics) was supplied with the primers
5'HETS (GGGCCGAAACGATCTCAACCTATT; SEQ ID NO:78), and
3'HETS (CGCAGCGGCCCTCCTACTC; SEQ ID NO:79), which were used
to amplify a 538bp PCR product homologous to nt 9680-10218 of the
human rDNA sequences (GenBank Accession No. <u>U13369</u>) and used as a
probe to screen a human genomic P1AC (P1 Artificial Chromosome)
library constructed in the vector pCYPAC2 (Ioannou et al. (1994) Nat.
Genet. 6(1): 84-89). Genome Systems clone #18720 was isolated in this
screen and contains three repeats of human rDNA as assessed by
restriction analysis. GS clone #18720, was digested with Pmel, a
restriction enzyme unique to a single repeat of the human rDNA (45Kbp),

and then religated to form pPACrDNA (Figure 15). The insert in pPACrDNA was analyzed by restriction digests and sequence analysis of the 5' and 3' termini. The pPACrDNA, rDNA sequences are homologous to Genbank Accession #U13369, containing an insert of about 45 kB comprising a single repeat beginning from the end of one repeat at ~33980 (relative to the Genbank sequence) through the beginning of the next repeat up to approximately 35120 (the repeat offset from that listed in the GenBank file). Thus, the rDNA sequence is just over 1 copy of the repeat extending from 33980 (+/-10bp) to the end of the first repeat (43Kbp) and continuing into the second repeat to bp 35120 (+/-10bp).

### B. TRANSFECTION AND ACes FORMATION.

Five hundred thousand MSU1.1 cells (Morgan et al., 1991, Exp. Cell Res., Nov;197(1):125-136; provided by Dr. Justin McCormick at Michigan State University) were plated per 6cm plate (3 plates total) and allowed to grow overnight. The cells were 70-80% confluent the following day. One plate was transfected with 15μg pPACrDNA (linearized with *Pme* I) and 2μg pSV40attPsensePuro (linearized with *Sca* I; see Example 3). The remaining plates were controls and were transfected with either 20μg pBS (Stratagene) or 20μg pSV40attBsensePuro (linearized with *Sca* I). All three plates were transfected using a CaPO<sub>4</sub> protocol.

### C. SELECTION OF PUROMYCIN RESISTANT COLONIES

One day post-transfection the cells were "glycerol shocked" by the addition of PBS medium containing 10% glycerol for 30 seconds.

Subsequently, the glycerol was removed and replaced with fresh DMEM. Four days post-transfection selective medium was added. Selective medium contains 1µg/ml puromycin. The transfection plates were maintained at 37°C with 5% CO<sub>2</sub> in selective medium for 2 weeks at which point colonies could be seen on the plate transfected with

# Rectified Sheet (Rule 91)

pPACrDNA and pSV40attPsensePuro. The colonies were ring-cloned from the plate on day 17 post-selection and expanded in selective medium for analysis. Only two colonies (M2-2d & M2-2b) were able to proliferate in the selective medium after cloning. No colonies were seen on the control plates after 37 days in selective medium.

#### D. **ANALYSIS OF CLONES**

15

20

25

FISH analysis was performed on the candidate clones to detect ACes formation. Metaphase spreads from the candidate clones were probed in multiple probe combinations. In one experiment, the probes 10 used were biotin-labeled human alphoid DNA (pPACrDNA) and digoxigenin-labeled mouse major DNA (pFK161) as a negative control. Candidate M2-2d was single cell subcloned by flow sorting and the candidate subclones were reanalyzed by FISH. Subclone 1B1 of M2-2d was determined to be a platform ACes and is also designated human Platform ACE 0.1.

### **EXAMPLE 10**

### Site-specific integration of a marker gene onto a human platform ACE 0.1

The promoterless delivery method was used to deliver a promoterless blasticidin marker gene onto the human platform ACes with excellent results. The human ACes platform with a promoterless blasticidin marker gene resulted in 21 of 38 blasticidin resistant clones displaying a PCR product of the expected size from the population cotransfected with pLIT38attBBSRpolyA10 and pCXLamIntR (Figure 8; SEQ ID NOs. 111 and 112). Whereas, the population transfected with pBlueScript resulted in 0 blasticidin resistant colonies.

### Α. CONSTRUCTION OF pLIT38attB-BSRpolyA10 & pLIT38attB-BSRpolyA2.

The vector pLITMUS 38 (New England Biolabs; U.S. Patent No. 5,691,140; SEQ ID NO: 119) was digested with EcoRV and ligated to two annealed oligomers, which form an attB site (attB1 5'TGAAGCCTGCTTTTTTATACTAACTTGAGCGAA-3' (SEQ ID NO:8); attB2
5'- TTCGCTCAAGTTAGTATAAAAAAGCAGGCTTCA-3'; SEQ ID NO:9).
This ligation reaction resulted in the vector pLIT38attB (SEQ ID NO: 120).

The blasticidin resistance gene and SV40 polyA site were PCR amplified with primers: 5BSD (ACCATGAAAACATTTAACATTTCTCAACA; SEQ ID NO:80) and SV40polyA (TTTATTTGTGAAATTTGTGATGCTATTGC; SEQ ID NO:81) using pPAC4 (Frengen, E., et al. (2000) Genomics 68 (2), 118126; GenBank Accession No. U75992) as template. The blasticidinSV40polyA PCR product was then ligated into pLIT38attB at the BamHI site, which was Klenow treated following digestion with BamHI.
pLIT38attB-BSDpolyA10 (SEQ ID NO: 111) and pLIT38attB-BSDpolyA2 (SEQ ID NO: 121) are the two resulting orientations of the PCR product ligated into the vector.

# 15 B. TRANSFECTION OF MSU1.1 CELLS CONTAINING HUMAN PLATFORM ACE 0.1.

MSU1.1 cells containing human platform ACE 0.1 (see Example 9) were expanded and plated to five 10cm dishes with 1.3x10<sup>6</sup> cells per dish. The cells were incubated overnight in DMEM with 10% fetal bovine serum, at 37°C and 5% CO<sub>2</sub>. The following day the cells were transfected with 5μg of each plasmid as set forth in Table 3, for a total of 10μg of DNA per plate of cells transfected (see Table 3) using ExGen 500 in vitro transfection reagent (MBI fermentas, cat. no. R0511). The transfection was performed according to the manufacturers protocol.

25 Cells were incubated at 37°C with 5% CO<sub>2</sub> in DMEM with 10% fetal bovine serum following the transfection.

Table 3

Plate #	Plasmid 1	Plasmid 2	No. Bsd <sup>R</sup> Colonies
1	pBS	None	0
2	pCXLamInt	pLIT38attB- BSRpolyA10	16
3	pCXLamintR	pLIT38attB- BSRpolyA10	40
4	pCXLamInt	pLIT38attB- BSRpolyA2	28
5	pCXLamintR	pLIT38attB- BSRpolyA2	36

# 10 C. SELECTION OF BLASTICIDIN RESISTANT CLONES.

Three days following the transfection the cells were split from a 10 cm dish to two 15cm dishes. The cells were maintained in DMEM with 10% fetal bovine serum for 4 days in the 15 cm dishes. Seven days post-transfection blasticidin was introduced into the medium. Stably transfected cells were selected with 1µg/ml blasticidin. The number of colonies formed on each plate is listed in Table 3. These colonies were ring-cloned and expanded for PCR analysis. Upon expansion in blasticidin containing medium some clones failed to live and therefore do not have corresponding PCR data.

### 20 D. PCR ANALYSIS

5

25

Thirty-eight of the 40 clones from plate 3 grew after ring-cloning. Genomic DNA was isolated from these clones with the Promega Wizard Genomic cDNA purification kit, digested with *Eco*Rl and used as template in a PCR reaction with the following primers: 3BSP – TTAATTTCGGG TATATTTGAGTGGA (SEQ ID NO:82); 5PacSV40 – CTGTTAATTAACTGTGGAA TGTGTGTCAGTTAGGGTG (SEQ ID NO:76). The PCR conditions were as follows. 100ng of genomic DNA was

amplified with 0.5 $\mu$ l Herculase polymerase (Stratagene) in a 50 $\mu$ l reaction that contained 12.5pmole of each primer, 2.5mM of each dNTP, and 1X Herculase buffer (Stratagene). The reactions were placed in a PerkinElmer thermocycler programmed as follows: Initial denaturation at 95°C for 10 minutes; 35 cycles of 94°C for 1minute, 53°C for 1 minute, 72°C for 1 minute, and 72°C for 1 minute; Final extension for 10 minutes at 72°C; and 4°C hold. If pLIT38attB-BSRpolyA10 integrates onto the human platform ACE 0.1 correctly, PCR amplification with the above primers should yield an 804bp product. Twenty-one of the 38 clones from plate 3 produced a PCR product of the expected 804bp size.

### **EXAMPLE 11**

Delivery of a Vector comprising a Promoterless Marker Gene and a gene encoding a therapeutic product to a Platform ACes

Platform ACes containing pSV40attPsensePURO (Figure 4) were constructed as set forth in Examples 3 and 4.

### A. CONSTRUCTION OF DELIVERY VECTORS

10

20

1. Erythropoietin cDNA vector, p18EPOcDNA.

library (E. Perkins *et al.*, 1999, *Proc. Natl. Acad. Sci. USA 96(5)*: 2204-2209) using the following primers: EPO5XBA - TATCTAGAATGGGGGTGC ACGAATGTCCTGCC (SEQ ID NO: 83); EPO3BSI - TACGTACGTCATC TGTCCCCTGTCCTGCAGGC (SEQ ID NO: 84). The cDNA was amplified through two successive rounds of PCR using the following conditions: heat denaturation at 95°C for 3 minutes; 35 cycles of a 30 second denaturation (95°C), 30 seconds of annealing (60°C), and 1 minute extension (72°C); the last cycle is followed by a 7 minute extension at 72°C. BIO-X-ACT (BIOLINE) was used to amplify the erythropoietin cDNA from 2.5ng of the human cDNA library in the first round of amplification. Five  $\mu$ I of the first amplification product was used

The erythropoietin cDNA was PCR amplified from a human cDNA

# Rectified Sheet (Rule 91)

as template for the second round of amplification. Two PCR products were produced from the second amplification with Taq polymerase (Eppendorf), each product was cloned into pCR2.1-Topo (Invitrogen) and sequenced. The larger PCR product contained the expected cDNA sequence for erythropoietin. The erythropoietin cDNA was moved from pTopoEPO into p18attBZeo(6XHS4)2eGFP (SEQ ID NO: 110). pTopoEPO was digested with BsiWI and Xbal to release a 588 bp EPO cDNA. BsrGI and BsiWI create compatable ends. The eGFP gene was removed from p18attBZeo(6XHS4)2eGFP by digestion with BsiWI and Xbal, the 8.3 Kbp vector backbone was gel purified and ligated to the 588 bp EPO cDNA to create p18EPOcDNA (SEQ ID NO: 124).

# 2. Genomic erythropoietin vector, p18genEPO.

The erythropoietin genomic clone was PCR amplified from a human genomic library (Clontech) using the following primers: GENEPO3BSI -CGTACGTCATCTGTCCCCT GTCCTGCA (SEQ ID NO: 85); GENEPO 15 5XBA -TCTAGAATGGGGGT GCACGGTGAGTACT (SEQ ID NO: 86). The reaction conditions for the amplification were as follows: heat denaturation for 3 minutes (95°C); 30 cycles of a 30 second denaturation (95°C), 30 seconds annealing (from 65°C decreasing 0.5°C per cycle to 50°C), and 3 minutes extension (72°C); 15 cycles of a 30 second 20 denaturation (95°C), 30 seconds annealing (50°C), and 3 minute extension (72°C); the last cycle is followed by a 7 minute extension at 72°C. The erythropoietin genomic PCR product (2147 bp) was gel purified and cloned into pCR2.1Topo to create pTopogenEPO. Sequence analysis revealed 2bp substitutions and insertions in the intronic 25 sequences of the genomic clone of erythropoietin. A partial digest with Xbal and complete digest with BsiWl excised the erythropoietin genomic insert from pTopogenEPO. The resulting 2158 bp genomic erythropoietin fragment was ligated into the 8.3 Kbp fragment resulting from the

digestion of p18attBZeo(6XHS4)2eGFP (SEQ ID NO: 110) with Xbal and BsrGl to create p18genEPO (SEQ ID NO: 125).

# B. TRANSFECTION AND SELECTION WITH DRUG

The erythropoietin genomic and cDNA genes were each moved
onto the platform ACes B19-38 (constructed as set forth in Example 3) by
co-transfecting with pCXLamIntR. Control transfections were also
performed using pCXLamInt (SEQ ID NO: 127) together with either
p18EPOcDNA (SEQ ID NO: 124) or p18genEPO (SEQ ID NO: 125).
Lipofectamine Plus was used to transfect the DNA's into B19-38 cells
according to the manufacturer's protocol. The cells were placed in
selective medium (DMEM with 10% FBS and Zeocin @ 500ug/ml) 48
hours post-transfection and maintained in selective medium for 13 days.
Clones were isolated 15 days post-transfection.

## C. ANALYSIS OF CLONES (ELISA, PCR)

### 1. ELISA Assays

15

Thirty clones were tested for erythropoietin production by an ELISA assay using a monoclonal anti-human erythropoietin antibody (R&D Systems, Catalogue # MAB287), a polyclonal anti-human erythropoietin antibody (R & D Systems, Catalogue # AB-286-NA) and alkaline

20 phosphotase conjugated goat-anti-rabbit IgG (heavy and light chains) (Jackson ImmunoResearch Laboratories, Inc., Catalogue # 111-055-144). The negative control was a Zeocin resistant clone isolated from B19-38 cells transfected with p18attBZeo(6XHS4) (SEQ ID NO: 117; no insert control vector) and pCXLamIntR (SEQ ID NO: 112). The preliminary

25 ELISA assay was executed as follows: 1) Nunc-Immuno Plates (MaxiSorb 96-well, Catalogue # 439454) were coated with 75µl of a 1/200 dilution (in Phosphate buffered Saline, pH 7.4 (PBS), Sigma Catalogue # P-3813) of monoclonal anti-human erythropoietin antibody overnight at 4°C. 2) The following day the plates were washed 3 times with 300µl PBS

containing 0.15% Tween 20 (Sigma, Catalogue # P-9416). 3) The plates were then blocked with 300µl of 1% Bovine Serum Albumin (BSA; Sigma Catalogue # A-7030) in PBS for 1 hour at 37°C. 4) Repeat the washes as in step 2. 5) The clonal supernatants (75 $\mu$ l per clone per well of 96-well plate) were then added to the plate and incubated for 1 hour at 37°C. The clonal supernatant analyzed in the ELISA assay had been maintained on the cells 7 days prior to analysis. 6) Repeat the washes of step 2. 7) Add 75 $\mu$ l of polyclonal anti-human erythropoietin antibody (1/250 dilution in dilution buffer (0.5% BSA, 0.01% Tween 20, 1X PBS, pH 7.4) and incubate 1 hour at 37°C. 8) Repeat washes of step 2. 9) Add 75µl of goat anti-rabbit conjugated alkaline phosphatase diluted 1/4000 in dilution buffer and incubate 1 hour at 37°C. 10) Repeat washes of step 2. 11) Add  $75\mu$ l substrate, p-nitrophenyl phosphate (Sigma N2640), diluted to 1mg/ml in substrate buffer (0.1 Ethanolamine-HCI (Sigma, Catalogue # E-6133), 5mM MgCl<sub>2</sub> (Sigma, Catalogue # M-2393), pH 9.8). Incubate the 15 plates in the dark for 1 hour at room temperature (22°C). 12) Read the absorption at 405nm (reference wavelength 495nm) on an Universal Microplate Reader (Bio-Tek Instruments, Inc., model # ELX800 UV). The erythropoietin standard curve was derived from readings of diluted human recombinant Erythropoietin (Roche, catalogue # 1-120-166; dilution range 20 125 - 7.8mUnits/ml). From this preliminary assay the 21 clones displaying the highest expression of erythropoietin were analyzed a second time in the same manner using medium supernatants that had been on the clones for 24 hours and a 1:3 dilution therof.

### 2. PCR Analysis

25

Genomic DNA was isolated from the 21 clones with the best expression (as assessed by the initial ELISA assay above) as well as the B19-38 cell line and used for PCR analysis. Genomic DNA was isolated using the Wizard genomic DNA purification kit (Promega) according to the

manufacturers protocol. Amplification was performed on 100ng of genomic DNA as template with MasterTaq DNA Polymerase (Eppendorf) and the primer set 5PacSV40 – CTGTTAATTAACTGTGGAATGTGTG TCAGTTAGGGTG (SEQ ID NO: 76) and Antisense Zeo -

- TGAACAGGGTCACGTCGTCC (SEQ ID NO: 77). The amplification conditions were as follows: heat denaturation for 3 minutes (95°C); 30 cycles of a 30 second denaturation (95°C), 30 seconds annealing (from 65°C) decreasing 0.5°C per cycle to 50°C), and 1 minutes extension (72°C); 15 cycles of a 30 second denaturation (95°C), 30 seconds
  annealing (50°C), and 1 minute extension (72°C); the last cycle is
- followed by a 10 minute extension at 72°C. PCR products were size separated by gel electrophoresis. Of the 21 clones analyzed 19 produced a PCR product of 650 bp as expected for a site-specific integration event. All nineteen clones were the result of transformations with p19EPOcDNA
- (5) or p18genEPO (14) and pCXLamIntR (i.e. mutant integrase). The remaining two clones, both of which were the result of transformation with p18genEPO (SEQ ID NO: 125) and pCXLamInt (i.e. wildtype integrase; SEQ ID NO: 127), produced a 400 bp PCR product.

### **EXAMPLE 12**

# 20 Preparation of a Transformation Vector Useful for the Induction of Plant Artificial Chromosome Formation

Plant artificial chromosomes (PACs) can be generated by introducing nucleic acid, such as DNA, which can include a targeting DNA, for example rDNA or lambda DNA, into a plant cell, allowing the cell to grow, and then identifying from among the resulting cells those that include a chromosome with a structure that is distinct from that of any chromosome that existed in the cell prior to introduction of the nucleic acid. The structure of a PAC reflects amplification of chromosomal DNA, for example, segmented, repeat region-containing and heterochromatic

Rectified Sheet (Rule 91)

25

structures. It is also possible to select cells that contain structures that are precursors to PACs, for example, chromosomes containing more than one centromere and/or fragments thereof, and culture and/or manipulate them to ultimately generate a PAC within the cell.

5

25

In the method of generating PACs, the nucleic acid can be introduced into a variety of plant cells. The nucleic acid can include targeting DNA and/or a plant expressable DNA encoding one or multiple selectable markers (e.g., DNA encoding bialophos (bar) resistance) or scorable markers (e.g., DNA encoding GFP). Examples of targeting DNA 10 include, but are not limited to, N. tabacum rDNA intergenic spacer sequence (IGS) and Arabidopsis rDNA such as the 18S, 5.8S, 26S rDNA and/or the intergenic spacer sequence. The DNA can be introduced using a variety of methods, including, but not limited to Agrobacteriummediated methods, PEG-mediated DNA uptake and electroporation using, for example, standard procedures according to Hartmann et al [(1998) Plant Molecular Biology 36:741]. The cell into which such DNA is introduced can be grown under selective conditions and can initially be grown under non-selective conditions and then transferred to selective media. The cells or protoplasts can be placed on plates containing a 20 selection agent to grow, for example, individual calli. Resistant calli can be scored for scorable marker expression. Metaphase spreads of resistant cultures can be prepared, and the metaphase chromosomes examined by FISH analysis using specific probes in order to detect amplification of regions of the chromosomes. Cells that have artificial chromosomes with functioning centromeres or artificial chromosomal intermediate structures, including, but not limited to, dicentric chromosomes, formerly dicentric chromosomes, minichromosomes, heterochromatin structures (e.g. sausage chromosomes), and stable self-replicating artificial chromosomal intermediates as described herein, are

identified and cultured. In particular, the cells containing self-replicating artificial chromosomes are identified.

The DNA introduced into a plant cell for the generation of PACs can be in any form, including in the form of a vector. An exemplary vector for use in methods of generating PACs can be prepared as follows.

For the production of artificial chromosomes, plant transformation vectors, as exemplified by pAglla and pAgllb, containing a selectable marker, a targeting sequence, and a scorable marker were constructed using procedures well known in the art to combine the various fragments. The vectors can be prepared using vector pAg1 as a base vector and inserting the following DNA fragments into pAg1: DNA encoding  $\beta$ -glucoronidase under the control of the nopaline synthase (NOS) promoter fragment and flanked at the 3' end by the NOS terminator fragment, a fragment of mouse satellite DNA and an *N. tabacum* rDNA intergenic spacer sequence (IGS). In constructing plant transformation vectors, vector pAg2 can also be used as the base vector.

## 1. Construction of pAG1

10

15

20

25

Vector pAg1 (SEQ. ID. NO: 89) is a derivative of the CAMBIA vector named pCambia 3300 (Center for the Application of Molecular Biology to International Agriculture, i.e., CAMBIA, Canberra, Australia; www.cambia.org), which is a modified version of vector pCambia 1300 to which has been added DNA from the bar gene confering resistance to phosphinothricin. The nucleotide sequence of pCambia 3300 is provided in SEQ. ID. NO: 90. pCambia 3300 also contains a lacZ alpha sequence containing a polylinker region.

pAg1 was constructed by inserting two new functional DNA fragments into the polylinker of pCambia 3300: one sequence containing an attB site and a promoterless zeomycin resistance-encoding DNA flanked at the 3' end by a SV40 polyA signal sequence, and a second

sequence containing DNA from the hygromycin resistance gene (hygromycin phosphotransferase) confering resistance to hygromycin for selection in plants. Although the zeomycin-SV40 polyA signal fusion is not expected to function in plant cells, it can be activated in mammalian 5 cells by insertion of a functional promoter element into the attB site by site-specific recombination catalyzed by the Lambda att integrase. Thus, the inclusion of the attB-zeomycin sequences allows for evaluation of functionality of plant artificial chromosomes in mammalian cells by activation of the zeomycin resistance-encoding DNA, and provides an att site for further insertion of new DNA sequences into plant artificial chromosomes formed as a result of using pAg1 for plant transformation. The second functional DNA fragment allows for selection of plant cells with hygromycin. Thus, pAg1 contains DNA from the bar gene confering resisance to phosphinothricin, DNA from the hygromycin resistance gene, both resistance-encoding DNAs under the control of a separate cauliflower mosaic virus (CaMV) 35S promoter, and the attB-promoterless zeomycin resistance-encoding DNA.

pAg1 is a binary vector containing Agrobacterium right and left T-DNA border sequences for use in Agrobacterium-mediated transformation of plant cells or protoplasts with the DNA located between the border sequences. pAg1 also contains the pBR322 Ori for replication in E.coli. pAg1 was constructed by ligating HindIII/PstI-digested p3300attBZeo with HindIII/PstI-digested pBSCaMV35SHyg as follows.

### Generation of p3300attBZeo

15

20

25

30

Plasmid pCambia 3300 was digested with PstI/Ec/136 II and ligated with Pstl/Stul-digested pLITattBZeo (the nucleotide sequence of pLITattBZeo is provided in SEQ. ID. NO: 91), which contains DNA encoding the zeocin resistance gene and an attB Integrase recognition sequence, to generate p3300attBZeo which contains an attB site, a promoterless

zeomycin resistance-encoding DNA flanked at the 3' end by a SV40 polyA signal, and a reconstructed *Pst*I site.

### b. Generation of pBSCaMV35SHyg

A DNA fragment containing DNA encoding hygromycin

5 phosphotransferase flanked by the CaMV 35S promoter and the CaMV

35S polyA signal sequence was obtained by PCR amplification of plasmid pCambia 1302 (GenBank Accession No. AF234298 and SEQ. ID. NO:

92). The primers used in the amplification reaction were as follows:

CaMV35SpolyA:

10 5'-CTGAATTAACGCCGAATTAATTCGGGGGATCTG-3' SEQ. ID. NO: 93 CaMV35Spr:

5'-CTAGAGCAGCTTGCCAACATGGTGGAGCA-3' SEQ. ID. NO: 94
The 2100-bp PCR fragment was ligated with *Eco*RV-digested pBluescript
II SK + (Stratagene, La Jolla, CA, U.S.A.) to generate pBSCaMV35SHyg.

### c. Generation of pAg1

To generate pAg1, pBSCaMV35SHyg was digested with HindIII/PstI and ligated with HindIII/PstI-digested p3300attBZeo. Thus, pAg1 contains the pCambia 3300 backbone with DNA conferring resistance to phophinothricin and hygromycin under the control of separate CaMV 35S promoters, an attB-promoterless zeomycin resistance-encoding DNA recombination cassette and unique sites for adding additional markers, e.g., DNA encoding GFP. The attB site can be used as decribed herein for the addition of new DNA sequences to plant artificial chromosomes, including PACs formed as a result of using the pAg1 vector, or derivatives thereof, in the production of PACs. The attB site provides a convenient site for recombinase-mediated insertion of DNAs containing a homologous att site.

### 2. pAG2

15

The vector pAg2 (SEQ. ID. NO: 95) is a derivative of vector pAg1 formed by adding DNA encoding a green fluorescent protein (GFP), under the control of a NOS promoter and flanked at the 3' end by a NOS polyA signal, to pAg1. pAg2 was constructed as follows. A DNA fragment 5 containing the NOS promoter was obtained by digestion of pGEM-T-NOS, or pGEMEasyNOS (SEQ. ID. NO: 96), containing the NOS promoter in the cloning vector pGEM-T-Easy (Promega Biotech, Madison, WI, U.S.A.), with Xbal/Ncol and was ligated to a Xbal/Ncol fragment of pCambia 1302 containing DNA encoding GFP (without the CaMV 35S promoter) to 10 generate p1302NOS (SEQ. ID. NO: 97) containing GFP-encoding DNA in operable association with the NOS promoter. Plasmid p1302NOS was digested with Smal/BsiWI to yield a fragment containing the NOS promoter and GFP-encoding DNA. The fragment was ligated with Pmel/BsiWI-digested pAg1 to generate pAg2. Thus, pAg2 contains DNA 15 from the bar gene confering resistance to phosphinothricin, DNA conferring resistance to hygromycin, both resistance-encoding DNAs under the control of a cauliflower mosaic virus 35S promoter, DNA encoding kanamycin resistance, a GFP gene under the control of a NOS promoter and the attB-zeomycin resistance-encoding DNA. One of skill in the art will appreciate that other fragments can be used to generate the pAg1 and pAg2 derivatives and that other heterlogous DNA can be incorporated into pAg1 and pAg2 derivatives using methods well known in the art.

### 3. pAglla and pAgllb transformation vectors

Vectors pAglla and pAgllb were constructed by inserting the following DNA fragments into pAg1: DNA encoding β-glucoronidase, the nopaline synthase terminator fragment, the nopaline synthase (NOS) promoter fragment, a fragment of mouse satellite DNA and an N. tabacum

rDNA intergenic spacer sequence (IGS). The construction of pAglla and pAgllb was as follows.

An N. tabacum rDNA intergenic spacer (IGS) sequence (SEQ. ID. NO: 98; see also GenBank Accession No. YO8422; see also Borysyuk et al. (2000) Nature Biotechnology 18:1303-1306; Borysyuk et al. (1997) Plant Mol. Biol.35:655-660; U.S. Patent Nos. 6,100,092 and 6,355,860) was obtained by PCR amplification of tobacco genomic DNA. The IGS can be used as a targeting sequence by virtue of its homology to tobacco rDNA genes; the sequence is also an amplification promoter sequence in plants. This fragment was amplified using standard PCR conditions (e.g., as described by Promega Biotech, Madison, WI, U.S.A.) from tobacco genomic DNA using the primers shown below:

5'- GTG CTA GCC AAT GTT TAA CAA GAT G- 3' (SEQ ID No. 99) and

15 NTIGS-RI

5'-ATG TCT TAA AAA AAA AAA CCC AAG TGA C- 3' (SEQ ID No. 100) Following amplification, the fragment was cloned into pGEM-T Easy to give pIGS-I A fragment of mouse satellite DNA (Msat1 fragment; GenBank Accession No. V00846; and SEQ ID No. 101) was amplified via

20 PCR from pSAT-1 using the following primers:

MSAT-F1

5'- AAT ACC GCG GAA GCT TGA CCT GGA ATA TCG C -3'(SEQ ID No. 102) and

MSAT-Ri

5'-ATA ACC GCG GAG TCC TTC AGT GTG CA T- 3' (SEQ'ID No. 103)
This amplification added a Sacll and a HindIII site at the 5'end and a Sacll site at the 3' end of the PCR fragment. This fragment was then cloned into the Sacll site in pIGS-1 to give pMIGS-1, providing a eukaryotic

centromere-specific DNA and a convenient DNA sequence for detection via FISH.

A functional marker gene containing a NOS-promoter:GUS:NOS terminator fusion was then constructed containing the NOS promoter (GenBank Accession No. U09365; SEQ ID No. 104), *E. coli* β-glucuronidase coding sequence (from the GUS gene; GenBank Accession No. S69414; and SEQ ID No. 105), and the nopaline synthase terminator sequence (GenBank Accession No. U09365; SEQ ID No. 107). The NOS promoter in pGEM-T-NOS was added to a promoterless GUS gene in pBlueScript (Stratagene, La Jolla, CA, U.S.A.) using *Notl/Spel* to form pNGN-1, which has the NOS promoter in the opposite orientation relative to the GUS gene.

pMIGS-1 was digested with *Notl/Spel* to yield a fragment containing the mouse major satellite DNA and the tobacco IGS which was then added to *Notl*-digested pNGN-1 to yield pNGN-2. The NOS promoter was then re-oriented to provide a functional GUS gene, yielding pNGN-3, by digestion and religation with *Spel*. Plasmid pNGN-3 was then digested with *Hind*III, and the *Hind*III fragment containing the  $\beta$ -glucuronidase coding sequence and the rDNA intergenic spacer, along with the Msat sequence, was added to pAG-1 to form pAglla (SEQ ID NO: 108), using the unique *Hind*III site in pAg1 located near the right T-DNA border of pAg1, within the T-DNA region.

Another plasmid vector, referred to as pAgIIb, was also recovered, which contained the inserted HindIII fragment (SEQ ID NO: 108) in the opposite orientation relative to that observed in pAgIIa. Thus, pAgIIa and pAgIIb differ only in the orientation of the HindIII fragment containing the mouse major satellite sequence, the GUS DNA sequence and the IGS sequence. The nucleotide sequence of pAgIIa is provided in SEQ. ID. NO: 109.

25

Since modifications will be apparent to those of skill in this art, it is intended that this invention be limited only by the scope of the appended claims.

### WHAT IS CLAIMED IS:

5

20

1. A eukaryotic chromosome comprising one or a plurality of att site(s), wherein:

an att site is heterologous to the chromosome; and an att site permits site-directed integration in the presence of lambda integrase.

- 2. The eukaryotic chromosome of claim 1, wherein the att sites are selected from the group consisting of attP and attB or attL and attR, or variants thereof.
- 10 3. The eukaryotic chromosome of claim 1 that is an artificial chromosome.
  - 4. The eukaryotic chromosome of claim 1 that is an artificial chromosome expression system (ACes).
- The eukaryotic chromosome of claim 4 that is predominantly
   heterochromatin.
  - 6. The chromosome of claim 1 that is an artificial chromosome that contains no more than about 30%, 40%, 50%, 60%, 70%, 80%, 90% or 95% euchromatin.
    - 7. The chromosome of claim 1 that is a plant chromosome.
    - 8. The chromosome of claim 1 that is an animal chromosome.
  - 9. The chromosome of claim 7 that is a plant artificial chromosome.
  - 10. The chromosome of claim 8 that is an animal artificial chromosome.
- 25 11. The chromosome of claim 8 that is a mammalian chromosome.
  - 12. The chromosome of claim 11 that is a mammalian artificial chromosome.

- 13. The chromosome of claim 6 that is an artificial chromosome expression system (ACes).
- 14. A platform artificial chromosome expression system (ACes) comprising one or a plurality of sites that participate in recombinase catalyzed recombination.
  - 15. The ACes of claim 14 that contains one site.
  - 16. The ACes of claim 14 that is predominantly heterochromatin.
- 17. The *ACes* of claim 14 that contains no more than about 30%, 40%, 50%, 60%, 70%, 80%, 90% or 95% euchromatin.
- 18. The ACes of claim 14 that is a plant ACes.

10

25

- 19. The ACes of claim 14 that is an animal ACes.
- 20. The ACes of claim 14 that is selected from a fish, insect, reptile, amphibian, arachnid or a mammalian ACes.
  - 21. The ACes of claim 14 that is a fish ACes.
- 15 22. The artificial chromosome expression system (*ACes*) of claim 14, wherein the recombinase and site(s) are from the Cre/lox system of bacteriophage P1, the int/att system of lambda phage, the FLP/FRT system of yeast, the Gin/gix recombinase system of phage Mu, the Cin recombinase system, the Pin recombinase system of *E. coli* and the R/RS system of the pSR1 plasmid, or any combination thereof.
  - 23. A method of introducing heterologous nucleic acid into a chromosome, comprising:

contacting a chromosome of any of claims 1 or 14 with a nucleic acid molecule comprising both the heterologous nucleic acid and a recombination site, in the presence of a recombinase that promotes recombination between the sites in the chromosome and in the nucleic acid molecule.

- 24. The method of claim 23, wherein the recombinase is selected from the group consisting of Cre, Gin, Cin, Pin, FLP, a phage integrase and R from the pSR1 plasmid.
- 25. The method of claim 23, wherein the nucleic acid molecule encodes a therapeutic protein, antisense nucleic acid, or comprises an artificial chromosome.
- 26. The method of claim 25, wherein the nucleic acid molecule comprises a yeast artificial chromosomes (YAC), a bacterial artificial chromosome (BAC) or an insect artificial chromosome (IAC).
- 27. A combination, comprising, the chromosome of claim 1 and a first vector comprising the cognate recombination site, wherein the cognate recombination site is a site that recombines with the site engineered into the chromosome.

10

20

- 28. The combination of claim 27, further comprising nucleic acid encoding a recombinase, wherein the nucleic acid is on a second vector or on the first vector, or on the *ACes* under an inducible promoter.
  - 29. The combination of claim 28, wherein the recombinase and sites are from the Cre/lox system of bacteriophage P1, the int/att system of lambda phage, the FLP/FRT system of yeast, the Gin/gix recombinase system of phage Mu, the Pin recombinase system of E. coli and the R/RS system of the pSR1 plasmid, or any combination thereof.
  - 30. The combination of claim 28, wherein a vector is the plasmid pCXLamIntR.
- 31. The combination of claim 27, wherein a vector is the plasmid 25 pDsRedN1-attB.
  - 32. A kit, comprising the combination of claim 27 and optionally instructions for introducing heterologous nucleic acid into the chromosome.

- 33. A method for introducing heterologous nucleic acid into a platform artificial chromosome, comprising:
- (a) mixing an artificial chromosome comprising at least a first recombination site and a vector comprising at least a second recombination site and the heterologous nucleic acid;

5

- (b) incubating the resulting mixture in the presence of at least one recombination protein under conditions whereby recombination between the first and second recombination sites is effected, thereby introducing the heterologous nucleic acid into the artificial chromosome.
- 10 34. The method of claim 33, wherein the artificial chromosome is an *ACes*.
  - 35. The method of claim 33, wherein said mixing step (a) is conducted in cells ex vivo.
- 36. The method of claim 33, wherein said mixing step (a) is conducted extracellularly in an in vitro reaction mixture.
  - 37. The method of claim 33, wherein the at least one recombination protein is encoded by a bacteriophage selected from the group consisting of bacteriophage lambda, phi 80, P22, P2, 186, P4 and P1.
- 20 38. The method of claim 37, wherein the at least one recombination protein is encoded by bacteriophage lambda, or mutants thereof.
- 39. The method of claim 33, wherein at least one recombination protein is selected from the group consisting of Int, IHF, Xis and Cre, γδ,
  25 Tn3 resolvase, Hin, Gin, Cin and Flp.
  - 40. The method of claim 32, wherein the recombination sites are selected from the group consisting of att and lox P sites.

- 41. The method of claim 33, wherein the first and/or second recombination site contains at least one mutation that removes one or more stop codons.
- 42. The method of claim 33, wherein the first and/or second recombination site contains at least one mutation that avoids hairpin formation.
  - 43. The method of claim 33, wherein the first and/or second recombination site comprises at least a first nucleic acid sequence selected from the group consisting of SEQ ID NOs:41-56:
    - a) RKYCWGCTTTYKTRTACNAASTSGB (m-att) (SEQ ID NO:41);

20

25

- b) AGCCWGCTTTYKTRTACNAACTSGB (m-attB) (SEQ ID NO:42);
- c) GTTCAGCTTTCKTRTACNAACTSGB (m-attR) (SEQ ID NO:43);
- d) AGCCWGCTTTCKTRTACNAAGTSGB (m-attL) (SEQ ID NO:44);
- e) GTTCAGCTTTYKTRTACNAAGTSGB (m-attP1) (SEQ ID NO:45);
- 15 f) AGCCTGCTTTTTTGTACAAACTTGT (attB1) (SEQ ID NO:46);
  - g) AGCCTGCTTTCTTGTACAAACTTGT (attB2) (SEQ ID NO:47);
  - h) ACCCAGCTTTCTTGTACAAACTTGT (attB3) (SEQ ID NO:48);
  - i) GTTCAGCTTTTTTGTACAAACTTGT (attR1) (SEQ ID NO:49);
  - j) GTTCAGCTTTCTTGTACAAACTTGT (attR2) (SEQ ID NO:50);
  - k) GTTCAGCTTTCTTGTACAAAGTTGG (attR3) (SEQ ID NO:51);
    - I) AGCCTGCTTTTTTGTACAAAGTTGG (attL1) (SEQ ID NO:52);
    - m) AGCCTGCTTTCTTGTACAAAGTTGG (attL2) (SEQ ID NO:53);
    - n) ACCCAGCTTTCTTGTACAAAGTTGG (attL3) (SEQ ID NO:54);
    - o) GTTCAGCTTTTTTGTACAAAGTTGG (attP1) (SEQ ID NO:55);
  - p) GTTCAGCTTTCTTGTACAAAGTTGG (attP2, P3) (SEQ ID NO: 56);

and a corresponding or complementary DNA or RNA sequence, wherein R=A or G, K=G or T/U, Y=C or T/U, W=A or T/U, N=A or C or G or T/U, S=C or G, and G or G or

the core region does not contain a stop codon in one or more reading frames.

- 44. The method of claim 33, wherein the first and/or second recombination site comprises at least a first nucleic acid sequence selected from the group consisting of a mutated att recombination site containing at least one mutation that enhances recombinational specificity, a complementary DNA sequence thereto, and an RNA sequence corresponding thereto.
- 45. The method of claim 33, wherein the vector comprising the 10 second site further encodes at least one selectable marker.
  - 46. The method of claim 45, wherein the marker is a promoterless marker, which, upon recombination is under the control of a promoter and is thereby expressed.
- 47. The method of claim 46, wherein the first recombination site is attP and is in the sense orientation prior to recombination.
  - 48. The method of claim 46, wherein the selectable marker is selected from the group consisting of an antibiotic resistance gene, and a detectable protein, wherein the detectable protein is chromogenic, fluorescent, or capable of being bound by an antibody and FACs sorted.
  - 49. The method of claim 48, wherein the selectable marker is selected from the group consisting of green fluorescent protein (GFP), red fluorescent protein (RFP), blue fluorescent protein (BFP), and *E. coli* histidinol dehydrogenase (hisD).
    - 50. A cell comprising, the chromosome of claim 1.

20

- 51. The cell of claim 50, wherein the cell is a nuclear donor cell.
- 52. The cell of claim 50, wherein the cell is a stem cell.
- 53. The stem cell of claim 52, wherein said stem cell is human and is selected from the group consisting of a mesenchymal stem cell, a hematopoietic stem cell, an adult stem cell and an embryonic stem cell.

- 54. The cell of claim 50, wherein the cell is mammalian.
- 55. The cell of claim 54, wherein the mammal is selected from the group consisting of humans, primates, cattle, pigs, rabbits, goats, sheep, mice, rats, guinea pigs, hamsters, cats, dogs, and horses.
  - 56. The cell of claim 50, wherein the cell is a plant cell.
  - 57. A cell comprising the platform ACes of claim 14.

. 20

- 58. The cell of claim 57, wherein the cell is a nuclear donor cell.
- 59. The cell of claim 57, wherein the cell is a stem cell.
- 60. The stem cell of claim 59, wherein said stem cell is human and is selected from the group consisting of a mesenchymal stem cell, a hematopoietic stem cell, an adult stem cell and an embryonic stem cell.
  - 61. A human mesenchymal cell comprising an artificial chromosome.
- 62. The human mesenchymal cell of claim 61, wherein said 15 artificial chromosome is an *ACes*.
  - 63. The human mesenchymal cell of claim 62, wherein the *ACes* is a platform-*ACes*.
  - 64. A method for introducing heterologous nucleic acid into the mesenchymal cell of claim 63, comprising:
  - (a) introducing into the cell of claim 63, wherein the platform-ACes has a first recombination site, a vector comprising at least a second recombination site and the heterologous nucleic acid;
  - (b) incubating the resulting mixture in the presence of at least one recombination protein under conditions whereby recombination between the first and second recombination sites is effected, thereby introducing the heterologous nucleic acid into the platform-ACes within the mesenchymal cell.
  - 65. A lambda-intR mutein comprising a glutamic acid to arginine change at position 174 of wild-type lambda-intR.

- 66. The lambda-intR mutein of claim 65, wherein the lambda-intR mutein comprises SEQ ID NO:37.
- 67. The method of claim 46 wherein the promoterless marker is transcriptionally downstream of the heterologous nucleic acid, wherein the heterologous nucleic acid encodes a heterologous protein, and wherein the expression level of the selectable marker is transcriptionally linked to the expression level of the heterologous protein.
- 68. The method of claim 67, wherein the selectable marker and the heterologous nucleic acid are transcriptionally linked by the presence of a IRES between them.
- 69. The method of claim 68, wherein the selectable marker is selected from the group consisting of an antibiotic resistance gene, and a detectable protein, wherein the detectable protein is chromogenic or fluorescent.
- 15 70. The method of claim 69, wherein the selectable marker is selected from the group consisting of green fluorescent protein (GFP), red fluorescent protein (RFP), blue fluorescent protein (BFP), and *E. coli* histidinol dehydrogenase.
- 71. The method of claim 67 further comprising expressing the 20 heterologous protein and isolating the heterologous protein.
  - 72. A method for producing a transgenic animal, comprising introducing a platform-ACes into an embryonic cell.
  - 73. The method of claim 72, wherein the embryonic cell is a stem cell.
- 74. The method of claim 72, wherein the embryonic cell is in an embryo.
  - 75. The method of claim 72, wherein the platform-ACes comprises heterologous nucleic acid that encodes a therapeutic product.

- 76. The method of claim 72, wherein the transgenic animal is a fish, insect, reptile, amphibians, arachnid or mammal.
- 77. The method of claim 72, wherein the *ACes* is introduced by cell fusion, lipid-mediated transfection by a carrier system, microinjection, microcell fusion, electroporation, microprojectile bombardment or direct DNA transfer.
  - 78. A transgenic animal produced by the method of claim 72.
- 79. A cell line useful for making a library of ACes, comprising a multiplicity of heterologous recombination sites randomly integrated
  10 throughout the endogenous chromosomes.
  - 80. A method of making a library of *ACes* comprising random portions of a genome, comprising introducing one or more *ACes* into the cell line of claim 79, under conditions that promote the site-specific chromosomal arm exchange of the *ACes* into, and out of, a multiplicity of the heterologous recombination sites within the cell's chromosomal DNA; and isolating said multiplicity of *ACes*, thereby producing a library of *ACes* whereby multiple *ACes* have different portions of the genome within.
  - 81. A library of cells useful for genomic screening, said library comprising a multiplicity of cells, wherein each cell comprises an *ACes* having a mutually exclusive portion of a chromosomal nucleic acid therein.

- 82. The library of cells of claim 81, wherein the cells of the library are from a different species than the chromosomal nucleic acid within the ACes.
  - 83. A method of making one or more cell lines, comprising
     a) integrating into endogenous chromosomal DNA of a selected cell species, a multiplicity of heterologous recombination sites,

- b) introducing a multiplicity of *ACes* under conditions that promote the site-specific chromosomal arm exchange of the *ACes* into, and out of, a multiplicity of the heterologous recombination sites integrated within the cell's endogenous chromosomal DNA;
- c) isolating said multiplicity of *ACes*, thereby producing a library of *ACes* whereby a multiplicity of *ACes* have mutually exclusive portions of the endogenous chromosomal DNA therein;
- d) introducing the isolated multiplicity of ACes of step c) into a multiplicity of cells, thereby creating a library of cells;

- e) selecting different cells having mutually exclusive *ACes* therein and clonally expanding or differentiating said different cells into clonal cell cultures, thereby creating one or more cell lines.
- 84. The method of claim 23, wherein the nucleic acid molecule with a recombination site is a PCR product.
- 15 85. Method of claim 23 wherein the recombinase is a protein and the recombination event occurs in vitro.
  - 86. The method of claim 33, wherein the vector is a PCR product comprising a second recombination site.
- 87. The lambda-intR mutein of claim 65, wherein the mutein 20 further comprises an amino acid signal for nuclear localization.
  - 88. The lambda-intR mutein of claim 65, wherein the mutein further comprises an epitope tag for protein purification.
  - 89. A modified iron-induced promoter comprising SEQ ID NO:128.
- 25 90. A plasmid or expression cassette comprising the promoter of claim 89.
  - 91. A vector, comprising:a recognition site for recombination; and

a sequence of nucleotides that targets the vector to an amplifiable region of a chromosome.

- 92. The vector of claim 91, wherein the amplifiable region comprises heterochromatic nucleic acid.
- 93. The vector of claim 91, wherein the amplifiable region comprises rDNA.

5

20

- 94. The vector of claim 93, wherein the rDNA comprises an intergenic spacer.
- 95. The vector of claim 91, further comprising nucleic acid one encoding a selectable marker that is not operably associated with any promoter.
  - 96. The vector of claim 91, wherein the chromosome is a mammalian chromosome.
- 97. The vector of claim 91, wherein the chromosome is a plant 15 chromosome.
  - 98. A cell of claim 57 that is a plant cell, wherein the ACes platform is a MAC.
  - 99. The plant cell of claim 98, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.
  - 100. The plant cell of claim 99, wherein the regulatory sequence is selected from the group consisting of promoters, terminators, enhancers, silencers and transcription factor binding sites.
    - 101. A cell of claim 57 that is an animal cell, wherein the ACes platform is a plant artificial chromosome (PAC).
      - 102. The cell of claim 101 that is a mammalian cell.
    - 103. The cell of claim 98, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.
  - 104. The cell of claim 102, wherein the MAC comprises transcriptional regulatory sequence of nucleotides derived from plants.

- 105. The cell of claim 104, wherein the regulatory sequence is selected from the group consisting of promoters, terminators, enhancers, silencers and transcription factor binding sites.
  - 106. A method, comprising:
- 5 introducing a vector of claim 91 into a cell;

growing the cells; and

selecting a cell comprising an artificial chromosome that comprises one or more repeat regions.

- 107. The method of claim 106, wherein sufficient portion of thevector integrates into a chromosome in the cell to result in amplification of chromosomal DNA.
  - 108. The method of claim 106, wherein the artificial chromsome is an *ACes*.
    - 109. A method for screening, comprising:
- 15 contacting a cell comprising a reporter *ACes* with test compounds or known compounds, wherein:

the reporter ACes comprises one or a plurality of reporter constructs;

a reporter construct comprises a reporter gene in operative linkage
with a regulatory region responsive to test or known compounds; and

detecting any increase or decrease in signal output from the reporter, wherein a change in the signal is indicative of activity of the test or known compound on the regulatory region.

110. The method of claim 109, wherein the reporter is operatively linked to a promoter that controls expression of a gene in a signal transduction pathway, whereby activation or reduction in the signal indicates that the pathway is activated or down-regulated by the test compound.

111. The method of claim 109, wherein the reporter in the construct encodes drug resistance or encodes a fluorescent protein.

- 112. The method of claim 111, wherein the fluorescent protein is selected from the group consisting of red, green and blue fluorescent proteins.
- 113. The method of claim 109, wherein the *ACes* comprises a plurality of reporter-linked constructs, each with a different reporter, whereby the pathway(s) affected by the test compounds can be elucidated.
- 10 114. The method of claim 109, wherein a reporter is operatively linked to a promoter that is transcriptionally regulated in resopnse to DNA damage, and the test compounds are genotoxicants.
  - 115. The method of claim 114, wherein the DNA damage is induced by apoptosis, necrosis or cell-cycle perturbations.
- 15 116. The method of claim 114, wherein unknown compounds are screened to assess whether they are genotoxicants.
  - 117. The method of claim 114, wherein the promoter is a cytochrome P450-profiled promoter.
- 118. The method of claim 114, wherein the cell is in a transgenic 20 animal and toxicity is assessed in the animal.
  - 119. The method of claim 109, wherein:
    the cell is a patient cell sample; the patient has a disease;
    the regulatory region-is one targeted by a drug or drug regimen;
    and
- 25 the method assesses the effectiveness of a treatment for the disease for the particular patient.
  - 120. The method of claim 119, wherein the cell is a tumor cell.
  - 121. The method of claim 109, wherein the cell is a stem cell or a progenitor cell, whereby expression of the reporter is operatively linked to

a regulatory region expressed in the cells to thereby identify stem cells or progenitor cell.


122. The method of claim 109, wherein the cell is in an animal; and the method comprises whole-body imaging to monitor expression of the reporter in the animal.


5

123. A reporter *ACes* comprises one or a plurality of reporter constructs, wherein the reporter construct comprises a reporter gene in operative linkage with a regulatory region responsive to test or known compounds.


AMPLIFICATION BREAKAGE Artificial Chromosome Expression System Generation of ACes for Platform Dicentric Chromosome Chromosome Engineering Targeting DNA and Marker Genes TRANSFECTION STANDARD AND Host Cell Acrocentric Chromosome Natural Chromosomes Nucleus -

**SUBSTITUTE SHEET (RULE 26)** 






SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)




**SUBSTITUTE SHEET (RULE 26)** 

λ integrase recombination


of the x attB

	Core Region
attP	CAGCTTTTTTATACTAAGTTG
attB	CIGCTTTTTTATACTAACTTG
attI	CIGCTTTTTTATACTAAGTTG
attR	CAGCTTTTTTATACTAACTTG


FIG. 6




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)




**SUBSTITUTE SHEET (RULE 26)** 




SUBSTITUTE SHEET (RULE 26)







**SUBSTITUTE SHEET (RULE 26)** 



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

## SEQUENCE LISTING

<110> CHROMOS MOLECULAR SYSTEMS, INC. Perkins, Edward Perez, Carl Lindenbaum, Michael Greene, Amy Leung, Josephine Fleming, Elena Stewart, Sandra Shellard, Joan	
<120> CHROMOSOME-BASED PLATFORMS	
<130> 24601-420PC	
<140> Not Yet Assigned <141> Herewith	
<150> 60/294,758 <151> 2001-05-30	
<150> 60/366,891 <151> 2002-03-21	
<160> 129	
<170> FastSEQ for Windows Version 4.0	
<210> 1 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer: attPUP	
<400> 1 cettgegeta atgetetgtt acagg	25
<210> 2 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Primer: attPDWN	
<400> 2 cagaggcagg gagtgggaca aaattg	26
<210> 3 <211> 35 <212> DNA <213> Artificial Sequence	
<220> <223> Primer: Lamint 1	
<400> 3 ttcgaattca tgggaagaag gcgaagtcat gagcg	35
<210>'4 <211> 34 <212> DNA <213> Artificial Sequence	

```
<220>
<223> Primer: Lamint 2
                                                                              34
ttcgaattct tatttgattt caattttgtc ccac
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
<400> 5
                                                                              20
cggacaatgc ggttgtgcgt
<210> 6
<211> 46
<212> DNA
<213> Artificial Sequence
<220>
<223> primer
<400> 6
cgcgcagcaa aatctagagt aaggagatca agacttacgg ctgacg
                                                                              46
<210> 7
<211> 46
<212> DNA
<213> Artificial Sequence
<220>
<223> LambdaINTER174rev
cgtcagccgt aagtcttgat ctccttactc tagattttgc tgcgcg
                                                                              46
<210> 8
<211> 33
<212> DNA
<213> Artificial Sequence
<220>
<223> attB1
<400> 8
                                                                             33
tgaagcetge ttttttatac taacttgage gaa
<210> 9
<211> 33
<212> DNA
<213> Artificial Sequence
<220>
<223> attB2
                                                                             33
ttcgctcaag ttagtataaa aaagcaggct tca
<210> 10
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
```

<223> Primer: attPdwn2	
<400> 10 tcttctcggg cataagtcgg acacc	25
<210> 11 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer: CMVen	
<400> 11 ctcacgggga tttccaagtc tccac	25
<210> 12 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:attPdwn	
<400> 12 cagaggcagg gagtgggaca aaattg	26
<210> 13 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer: CMVEN2	
<400> 13 caactccgcc ccattgacgc aaatg	25
<210> 14 <211> 26 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:L1	
<400> 14 agtatcgccg aacgattagc tcttca	26
<210> 15 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:Fl rev	
<400> 15 gccgatttcg gcctattggt taaa	24
<210> 16 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer:RED	

<400> 16 ccgccgacat ccccgactac aag	aa			25
<210> 17 <211> 25 <212> DNA <213> Artificial Sequence				
<220> <223> Primer:L2rev				
<400> 17 ttccttcgaa ggggatccgc cta	cc			25
<210> 18 <211> 22118 <212> DNA <213> Mus musculus				
<300> <308> GenBank X82564 <309> 1996-04-09	·			
<400> 18				
gaattcccct atccctaatc cag	attggtg gaataacttg	gtatagatgt	ttgtgcatta	60 120
aaaaccctgt aggatcttca ctc ctgagtgata ggtcctggga cat	taggica cigitcagca	cagacagaca	gacagacaga	180
cagacagaca gacagacgtt aca	argeagt tergeacaga	atataccaac	acacacacaa	240
acaccactet ggccataatt att	gaggacg ttgatttatt	attctgtgtt	tgtgagtctg	300
tetatetate tatetateta teta	gtctgtc tatcaaacca	aaagaaacca	aacaattatg	360
actacctace tacctaceta ect.	acacaga gaaatgattt	cttcaatcaa	tctaaaacga	420 480
cctcctaagt ttgccttttt tct	ctttctt tatcttttc	ttettette	cttacttct	540
ttettteett ettacattta tte	ttttcat acatacttc	ttagtgtaag	catccctgac	600
totottosag acactttota ggo	ctcaatc ctqtaaqaqc	cttcctctgc	ttttcaaatg	660
ctogcatoaa tottotacct cac	tatgacc agettagtet	tcaagtctga	gttactggaa	720
aggagttcca agaagactgg tta	tattttt catttattat	tgcattttaa	ttaaaattta	780
atttcaccaa aagaatttag act	gaccaat tcagagtctg	ccgtttaaaa	gcataaggaa	840 900
aaagtaggag aaadacgtga ggc tcaccattct gcacttgcaa acc	rgaccac tagaacccgg	tgaagggaga	aaccaaagcg	960
acctggaaac aataggtcac atg	aaggccac cagaacccgg	tcttqttqtg	cgggagttca	1020
ottagcagae aagatggetg cca	tocacat ottotcttc	agcttggtga	ggtcaaagta	1080
caaccgagtc acagaacaag gaa	gtataca cagtgagttc	caggtcagcc	agagtttaca	1140
cagagaaacc acatcttgaa aaa	aacaaaa aaataaatta	aataaatata	atttaaaaat	1200 1260
ttaaaaatag ccgggagtga tgg gggaggattt ctgagtttga ggc	caccta atctactaca	tgagttccag	gacagtcagg	1320
gctatacaga gaaaccctgt ctt	gaaaact aaactaaatt	aaactaaact	aaactaaaaa	1380
aatataaaat aaaaatttta aag	aatttta aaaaactaca	qaaatcaaac	ataagcccac	1440
gagatggcaa gtaactgcaa tca	tagcaga aatattatac	acacacacac	acacagactc	1500
tgtcataaaa tccaatgtgc ctt gaatcatatg tctgaaaata aaa	catgatg atcaaatttc	gatagtcagt	ttttgcccca	1560 1620
agatagggtt tetetcagtg tat	ccetage atccetacet	ggaacttcct	ttgtaggttt	1680
gotageetea aacteagaga ggt	cetetet acetacetae	ctgcctgcct	gcctgcctgc	1740
charcharch accharatea ctt	cttctcc cacccacaca	accgagtcga	acctaggatc	1800
tttatttctt tctctttctc tct	tettet ttettett	ctttcttct	ttctttcttt	1860 1920
ctttctttct ttcttattca att tgcctatagg cctgcttgcc agg	agttttc aatgtaagtg	tgtgtttgtg	accatocage	1920
tcctgagaat aagtgaaaaa aca	agagggo dacagddccc	taatcacata	gaatgtagat	2040
atatoccoao octotcagag tgc	tttttaa ggcttagtgt	aagtaatgaa	aattgttgtg	2100
totettttat ccaaacacag aag	agaggta actegaceta	catgtctgtt	gtctgcatgt	2160
agaccagget ggeettgaac aca	ttaatct gtctgcctct	gcttccctaa	tgggatt	2220 2280
aaaggcatgt gccaccactg ccc	tttatta atteatiat	ttctttctat	tetttttt	2340
threather caracterit ttt	tttttaa aatttqccta	aggttaaagg	tgtgctccac	2400
aattocctca octotoctct aat	tctcttt aaaaaaaaac	aaacaaaaaa	aaaaccaaaa	2460
cactatotat otatotatat tta	gaagaaa tactaatcca	ttaataactc	ttttttccta	2520
aaattcatgt cattcttgtt cca	caaagtg agttccagga	cttaccagag	aaaccctgtg	2580

ttcaaatttc tgtgttcaag gtcaccctgg cttacaaagt gagttccaag tccgataggg ctacacagaa aaaccatato tcagaaaaaa aaaaagttoo aaacacacao acacacacao acacacacac acacacac acacacacac acacacag cgcgccgcgg cgatgagggg aagtcgtgcc taaaataaat atttttctgg ccaaagtgaa agcaaatcac tatgaagagg tactcctaga aaaaataaat acaaacgggc tttttaattct ttccagcact gttttaattt aactctgaat ttagtcttgg aaaagggggc gggtgtgggt gagtgagggc gagcgagcag acgggcggc gggcggtta gtggccggcg gcggtggcag cgagcaccag aaaacaacaa accccaagcg gtagagtgtt ttaaaaatga gacctaaatg tggtggaacg gaggtcgccg ccaccctct cttccactgc ttagatgctc ccttcccctt actgtgctcc cttcccctaa ctgtgcctaa ctgtgcctgt tccctcaccc cgctgattcg ccagcgacgt actttgactt caagaacgat tttgcctgtt ttcaccgctc cctgtcatac tttcgttttt gggtgcccga gtctagcccg ttcgctatgt tcgggggg cgatggggac cgtttgtgcc actcgggaga agtggtgggt gggtacgctg ctccgtcgtg cgtgcgtgag tgccggaacc tgagctcggg agaccetceg gagagacaga atgagtgagt gaatgtggeg gegegtgaeg gatetgtatt ggtttgtatg gttgategag accattgteg ggegacacet agtggtgaca agttteggga acgeteeagg ceteteaggt tggtgacaca ggagagggaa gtgcetgtgg tgaggegace agggtgacag gaggccgggc aagcaggcgg gagcgtctcg gagatggtgt cgtgtttaag gacggtctct aacaaggagg tcgtacaggg agatggccaa agcagaccga gttgctgtac gcccttttgg gaaaaatgct agggttggtg gcaacgttac taggtcgacc agaaggctta agtcctacc ccccccct ttttttttt tttcctccag aagccctctc ttgtccccgt yygccceggc ttccaagccg gtgtggctcg gccagctgga gcttcgggtc ttttttttt
tttttttt tttttttc cagaagcctt gtctgtcgct gtcaccgggg gcgctgtact
tctgaggccg agaggacgcg atgggtcggc ttccaagccg atgtggcggg
gcttcggft ttttttttc ctccagaagc cctctcttgt ccccggtcac ggggggcgctg
tacttctgag gccgagagga cgtgatgggc ccgggttcca ggcggatgtc ggatctttt ttttttttt cctccagaag ccctctctttt tccccggggccac ccgggggcac ttacatctga ggcgagagg acgtgatggg tccggcttcc aagccgatgt
ggcggggcac gctgagctt cgggttttt tttttccc cagaagccc ctcttgtccc
ggcggggcaa gctgagct cgggttttt tttttccc cagaagccc cctcttgtccc
cgtcaccggg gccgagagt tccggctcac cagaagccct cagaagccc cctcttgtccc
ggcggggcaa gctgagct cgggttttt tttttcctc cagaagccc cctcttgtccc
cgtcaccggg gccgatgtac tccggcttcac cagaagccct cagaagccc cctcttgtccc cgtcaccggg ggcgctgtac ttctgaggcc gagaggacgt gatgggcccg ggttccaggc ggatgtcgcc cggtcagctg gagctttgga tcatttttt ttttccctcc agaagccctc cacettacat etgaggeeta gaggacaega tgggeeeggg ttecaggeeg atgtggeeegg gteagetgga getttggate tttttttt tttettete gaaggeette tgteeeggt ecaateegg gggacattatg ggceegget ecaateegat gtggeeeggt eagetggaeg tttggatet attttttt taattttte ttecagaage getttgtae etgteeegg tegageeggt eagetggaeg tttggatett attttttt taatttttte ttecagaage cetettgtee etgteacegg tggcacggta catetgagge egagaggaca ttatgggeee cccgaggtgt cgttgtcaca cctgtcccgg ttggaatggt ggagccagct gtggttgagg gccaccttat ttcggctcac ttttttttt ttttttcc ttggagtccc gaacctccgc gccaccttat treggereac trettreet trettreet treggagreec gaaccteege tettteet teceggrett tettecacat gccteegag tgcatteet tregttett treggagreec gagractee ectegrete treggagreec gagractee ectegreece cacgreece cegagreece trettreet ggcagreece egttgtte tettgteet treecegat tgcagrace treetreece egegreece egegreece egegreece treetreece egegreece eg ggtgctccgg agttctcttc gggccagggc caagccgcgc caggcgaggg acggacattc atggcgaatg gcggccgctc ttctcgttct gccagcgggc cctcgtctct ccaccccatc cgtctgccgg tggtgtgtgg aaggcagggg tgcggctctc cggcccgacg ctgcccgcg cgcacttttc tcagtggttc gcgtggtcct tgtggatgtg tgaggcgcc ggttgtgccc tcacgtgttt cactttggtc gtgtctcgct tgaccatgtt cccagagtcg gtggatgtgg 

ccggtggcgt tgcataccct tcccgtctgg tgtgtgcacg cgctgtttct tgtaagcgtc gaggtgctcc tggagcgttc caggtttgtc tcctaggtgc ctgcttctga gctggtggtg gegeteecca treeetggtg tgeeteeggt geteegtetg getgtgtgee treeegttg tgtctgagaa gcccgtgaga ggggggtcga ggagagaagg aggggcaaga ccccccttct tcgtcgggtg aggcgccac cccgcgacta gtacgcctgt gcgtagggct ggtgctgagc ggtcgcggct ggggttggaa agtttctcga gagactcatt gctttcccgt ggggagcttt gagaggcctg gctttcgggg gggaccggtt gcagggtctc ccctgtccgc ggatgctcag aatgcccttg gaagagaacc ttcctgttgc cgcagaccc cccgcgcggt cgcccgcgtg ttggtcttct ggtttccctg tgtgctcgtc gcatgcatcc tctctcggtg gccggggctc gtcggggttt tgggtccgtc ccgccctcag tgagaaagtt tccttctcta gctatcttcc ggaaagggtg cgggcttctt acggtctcga ggggtctctc ccgaatggtc ccctggaggg ctcgcccct gaccgcctcc cgcgcgcgca gcgtttgctc tctcgtctac cgcggcccgc ggcctccccg ctccgagttc ggggagggat cacgcggggc agagcctgtc tgtcgtcctg ggtgtggtgg gactgctcag gggagtggtg cagtgtgatt cccgccggtt ttgcctcgcg tgccctgacc ggtcgccgc cctgaccgt tctcggcgc ctttcgcgc cccctcccg gtcgccgcc tttgccctccc gtcgccgcc cttgccgtc tttcgccgcc cccctcccc gcccgccgca gccggtcttt tttcctctct cccccctct cctctgactg accegtggcc gtgctgtcgg accecccgca tgggggcggc cgggcacgta cgcgtccggg cggtcaccgg ggtcttgggg gggggccgag gggtaagaaa gtcggctcgg cgggcgggag catctctcgc gcaatggcgc cgcccgagtt cacggtgggt tcgtcctccg cctccgcttc tegeegggg etggeegetg teeggtetet eetgeeegae eeeegttgge gtggtettet etegeegget tegeggaete etggettege eeggagggte agggggette eeggtteeee tegeeggtgt egegettete ttteegecaa ceccaegee aacceaecae cetgetetee tegeoggtgt egegettete ttteegeeaa eecetaegee aacetaeae eetgetetee eggeceggtg eggtegaegt teeggetete eegatgeega gggategggg atttgtgeeg gttggetttg eegegtgegt gtgetegegg aegggttetgg teeggaegeg teeggeegea teetgeege gagegeege eeggeteae eegeggttegt eeteteege eggeteaee eggettegt etetegege gggeteege teeteegege teetgeggt teeggeege teetegege eegeggttegt etetgeget etetgeege cetggtcetg teceacece gaegeteege tegegettee ttacetggt gateetgea ggtageatat gettgtetea aagattaage catgatgte taagtaeget eggeeggtae agtgaaactg egaatggete attaaateag ttatggttee tttggteget egeteetete ctacttggat aactgtggta attctagagc taatacatgc cgacgggcgc tgacccccct tcccgggggg ggatgcgtgc atttatcaga tcaaaaccaa cccggtgagc tccctcccgg ctccggccgg gggtcgggcg ccggcggctt ggtgactcta gataacctcg ggccgatcgc acgcccccg tggcggcac gaccattcg acgtctgcc ctatcaactt tcgatggtag tcgccgtgcc taccatggtg accatggtg acggggaatc agggttcgat tccggagagg gagcetgaga aacggetace acatecaagg aaggeageag gegegeaaat tacceactee egaceegggg aggtagtgae gaaaaataac aatacaggae tetttegagg ecetgtaatt ggaatgagte caetttaaat cetttaacga ggatecattg gagggeaagt etggtgeeag cageegeggt aattecaget ceaatagegt atattaaagt tgetgeagtt aaaaageteg tagttggate ttgggagegg gegggeggte egeegegagg egagteaeeg ecegteeeeg ccccttgcct ctcggcgccc cctcgatgct cttagctgag tgtcccgcgg ggcccgaagc gtttactttg aaaaaattag agtgttcaaa gcaggcccga gccgcctgga taccgcagct aggaataatg gaataggacc gcggttctat tttgttggtt ttcggaactg aggccatgat taagagggac ggccgggggc attcgtattg cgccgctaga ggtgaaattc ttggaccggc 

qcaaqacqqa	ccaqaqcqaa	agcatttgcc	aagaatgttt	tcattaatca	agaacgaaag	10680
tcggaggttc	gaagacgatc	agataccgtc	qtaqttccga	ccataaacga	tgccgactgg	10740
cgatgcggcg	acattattcc	catgacccgc	cgggcagctt	ccgggaaacc	aaagtetttg	10800
aattecaaaa	agagtatagt	tacaaaacta	aaacttaaag	gaattgacgg	aagggcacca	10860
ccaggagtgg	acctacaact	taatttgact	caacacqqqa	aacctcaccc	ggcccggaca	10920
cqqacaqqat	tgacagattg	atagetettt	ctcgattccg	tgggtggtgg	tgeatggeeg	10980
ttcttagttg	qtqqaqcqat	ttgtctggtt	aattccgata	acgaacgaga	ctetggcatg	11040
ctaactagtt	acgcgacccc	caaacaatca	gcgtcccca	acttcttaga	gggacaagtg	11100
gcgttcagcc	acccgagatt	gagcaataac	aggtctgtga	tgcccttaga	tgtccggggc	11160
tacacacaca	ctacactgac	tageteageg	tgtgcctacc	ctgcgccggc	aggegegggt	11220
aacccottga	accccattcg	taataaaat	caggattgc	aattattccc	catgaacgag	11280
gaattcccag	taaqtqcqqq	tcataaqctt	gcgttgatta	agtccctgcc	ctttgtacac	11340
accoccotc	actactacca	attagatagt	ttagtgaggc	cctcggatcg	gccccgccgg	11400
aatcaaccca	caaccctaac	ggagcgctga	gaagacggtc	gaacttgact	atctagagga	11460
agtaaaagtc	gtaacaaggt	ttccgtaggt	gaacctgcgg	aaggatcatt	aaacgggaga	11520
ctatagagga	acaacaacat	ggcccgctct	ccccgtcttg	tgtgtgtcct	cgccgggagg	11580
cacatacata	ccaaatccca	tcacccacat	gtggagcgag	gtgtctggag	tgaggtgaga	11640
gaaggggt.gg	ataaaatcaa	tctaaatcca	tctqqqaccg	cctccgattt	CCCCCCCC	11700
teccetetee	ctcatccaac	tctqacctcq	ccaccctacc	gcggcggcgg	cegeregegg	11760
acatettace	tettteeeqt	ccqqctcttc	cgtgtctacg	aggggcggta	cgtcgttacg	11820
ggtttttgac	ccatcccaaa	ggcgttcggt	cgtcggggcg	cgcgctttgc	tctcccggca	11880
cccatccccq	ccacaactct	ggcttttcta	cattagctag	ggcggttgtc	gcgtgtgggg	11940
ggatgtgagt	atcacatata	ggctcgcccg	tcccgatgcc	acgettttct	ggcctcgcgt	12000
ghecheceea	ctcctatccc	gggtacctag	ctatcacatt	ccggcgcgga	ggtttaagga	12060
GCCCGGGGGG	atcaccctac	cgccccagg	atcaaaaaac	gatagaaccc	gtagggaagt	12120
caatcattca	gacgactata	cctcagactc	catgaccctc	ctcccccqc	taccaccatt	12180
cadacadacad	caatcatata	ggggggtgga	tatctagage	ccctcaaac	accatagaga	12240
cccgaggcgg	accaccaact	tgcccgattt	ccacagatca	atcetatega	taccaatcat	12300
cocgaccogc	geogeoggee	tgtttttccg	ctcccaccc	tttttttt	ctcccccca	12360
gggcccccgc	atttacttac	tgctggccgg	cctcagacta	cccctcaatc	catctottct	12420
caegegeeee	greregree	agggcggtgg	trattagaga	actotoggot	catcagcacc	12480
cererere	cggggagagg	agggcggcgg	accactctta	acceptedate	actoggeteg	12540
cgtgagttcg	ctcacacccg	aaataccgat	gastestat	geggeggace	acacattoat	12600
tgcgtcgatg	aagaacgcag	ctagctgcga	gaattaatgt	gaactgcagg	cctatctgac	12660
catcgacact	tcgaacgcac	ttgcggcccc	taaaataaat	cagageraca	taggettta	12720
cgtcggttga	cgatcaatcg	cgtcacccgc	cgcggcgggc	gergegege	tcacacctct	12780
ctcgcagggc	caacccccca	accegggteg	ggeeeccegc	actactata	cagacgege	12840
agacaárrar	caararaaca	cgcgcgcccg	egregeggag	couggictee	cccgcgcacc	12900
cacactcaca	gettetteee	gctccgccgt	tecegeette	behaviore	cccggccccg	12960
geetegegte	ggcgcctccc	ggaccgctgc	ctcaccagtc	retereggee	tastatasta	13020
tgggaaccca	ccgcgcccc	gtggcgcccg	agaaraaaca	egeeegeace	cgccccggcc	13080
gaggttggcg	gttgagggtg	tgcgtgcgcc	gaggtggtgg	teggteeeet	geggeegegg	13140
ggttgtcggg	gtggcggtcg	acgagggccg	gtcggtcgcc	tgcggtggtt	gcecgcgcgc	13200
gtttgggtct	tgcgctgggg	gaggcggggt	cgaccgctcg	cggggttggc	geggtegeee	13260
ggcgccgcgc	accctccggc	ttgtgtggag	ggagagcgag	ggcgagaacg	gagagaggtg	
gtatccccgg	tggcgttgcg	agggagggtt	tggcgtcccg	carccarcca	recerecere	13320
cetegataga	caccttcaca	ccgcacgcgg	ccgctagggg	cggtcggggc	ccgtggcccc	13380
cataactett	cttcatctcc	gcttctcctt	cacccgggcg	gtacccgctc	cggcgccggc	13440
ccgcgggacg	ccgcggcgtc	cgtgcgccga	tgcgagtcac	ccccgggtgt	tgcgagttcg	13500
adaaaaaaa	gaaceteact	gacccgttgc	gtcccggctt	ccctgggggg	gacccggcgt	13560
ctataaacta	tacatcccaa	gggttgcgtg	tgagtaagat	cctccacccc	cgccgccctc	13620
cecteceace	aacctctcaa	ggaccccctg	agacggttcg	ccggctcgtc	ctcccgtgcc	13680
accaaatacc	atctctttcc	egeeegeete	ctcgctctct	tetteeegeg	gctgggcgcg	13740
tatccccct	ttctgaccgc	gacctcagat	cagacgtggc	gacccgctga	atttaagcat	13800
attagtcagc	ggaggaaaag	aaactaacca	qqattccctc	agtaacggcg	agtgaacagg	13860
gaagagccca	acaccaatc	cccqccqcqc	qtcgcggcgt	gggaaatgtg	gcgtacggaa	13920
gacccactcc	ccaacaccac	tcgtggggg	cccaagtcct	tetgategag	gcccagcccg	13980
tagacagtat	gaggccggta	gcggccccgg	cacaccaaac	tegggtette	ccggagtcgg	14040
attacttaga	aatgcagccc	aaagcgggtg	gtaaactcca	tctaaggcta	aataccggca	14100
cgagaccgat	agtcaacaag	taccgtaagg	gaaagttgaa	aagaactttg	aagagagagt	14160
tcaagagggc	graaaaccgt	taagaggtaa	acqqqtqqqq	tccqcqcagt	ccqcccqgag	14220
gattcaaccc	aacaacacac	gtccggccgt	gecegataat	cccggcggat	ctttcccgct	14280
cccattcct	cccasccct	ccacccgcgc	atcattecce	tettectece	cgcgtccgac	14340
geeteegee	acadacacaa	ggggtggtgt	gatgataaca	cgcggacaaa	accagaaata	14400
acat caacaa	20222020	ccggccggcg	acconceace	gccgggcgca	cttccaccat	14460
322 22 - 23 - 23 - 23 - 23 - 23 - 2	Tagaccacc	tccgggacgg	ccadaaaaac	ccaataaaaa	aggtggctcg	14520
22222222	cacatatagge	ggcgcgccga	accacctcac	cccgagtatt	acagecetee	14580
222222244	tcaccaata	ccggggccga	ggaagccaga	tacccatcac	cacactetee	14640
Jaccacacac	2090094400		J9J	-33-	J=J	

ctctccccc	gtccgcctcc	cgggcgggcg	tgggggtggg	ggccgggccg	cccctcccac	14700
ggcgcgaccg	ctctcccacc	cccctccgtc	gcctctctcg	gggcccggtg	gggggcgggg	14760
cggactqtcc	ccagtgcgcc	ccgggcgtcg	tegegeegte	gggtcccggg	gggaccgtcg	14820
gtcacgcgtc	tcccgacgaa	gccgagcgca	cggggtcggc	ggcgatgtcg	gctacccacc	14880
cgacccgtct	tgaaacacgg	accaaggagt	ctaacgcgtg	cgcgagtcag	gggctcgtcc	14940
qaaaqccqcc	gtggcgcaat	qaaqqtqaaq	ggccccgccc	gggggcccga	ggtgggatcc	15000
caaaacctct	ccagtccgcc	gaggggggac	caccqqcccq	tetegeeege	cgcgccgggg	15060
aggtggagga	cgagcgtacg	cattaggacc	cqaaaqatqq	tgaactatgc	ttgggcaggg	15120
cgaagccaga	ggaaactctg	atagaagtcc	atageagtee	tgacgtgcaa	atcggtcgtc	15180
caacctaaat	ataggggcga	aagactaatc	gaaccatcta	gtagctggtt	ccctccgaag	15240
tttccctcag	gatagctggc	acticticactic	ccgacgtacg	cagttttatc	cootaaaoco	15300
aatrattara	ggtcttgggg	ccgaaacgat	ctcaacctat	tctcaaactt	taaatgggta	15360
ageageeaga	ctcgctggcg	tagaaccaaa	catagaatac	gagtgcctag	tagaccactt	15420
ttaataaaa	gaactggcgc	tacaaataa	accoaacoco	gagagagaga	acccaatacc	15480
gacgeteate	agaccccaga	aaaggtgttg	attaatataa	acadcaddac	gatagccata	15540
gacgcccacc	tccgctaagg	agtototaac	aactcacctg	ccgaatcaac	tagccctgaa	15600
aatgaatga	gctggagcgt	coccccata	cccaaccatc	accacaatca	gaacggaacg	15660
aacggacggc	ggccgcgggt	coccatatat	cagaatcaa	gatacataac	addadaccat	15720
ggacgggagc	ccctccgcgc	gegegettee	ccccccccc	atracarce	ggggggccta	15780
agagagaga	agtaggagg	geegggeeeg	gagggttgaa	gccgggcccc	acadacada	15840
egeegegaeg	agtaggaggg	ctgttgtggt	tagtaggaa	tattcaaacc	agaactttga	15900
Lggageegee	gcaggtgcag	accitggigg	cagcagcaaa	nantagatas	ataactccga	15960
aggccgaagt	ggagaagggt	tecatgtgaa	cagcagttga	acatyggtca	ataggagast	16020
agagatgggc	gagtgccgtt	ccgaagggac	gggcgatgge	eccegtigee	cceggeegat	16020
cgaaagggag	tegggttcag	atccccgaat	ccggagtgge	ggagatgggc	geegegagge	16140
cagtgcggta	acgcgaccga	tcccggagaa	gccggcggga	ggeetegggg	agagetetet	16200
tttctttgtg	aagggcaggg	cgccctggaa	rgggttegee	ccgagagagg	ggeeegtgee	
ttggaaagcg	tegeggttee	ggcggcgtcc	agraagerer	cgctggccct	tgaaaateeg	16260
ggggagaggg	tgtaaatctc	acaccaaacc	gtacccatat	ccgcagcagg	tetecaaggt	16320
gaacagcctc	tggcatgttg	gaacaatgta	ggtaagggaa	gtcggcaagc	cggatccgta	16380
acttcgggat	aaggattggc	tctaagggct	gggtcggtcg	aacraaaaca	cgaagcgggg	16440
ctgggcgcgc	gccgcggctg	gacgaggcgc	cgccgccctc	teccaegtee	ggggagaccc	16500
cccgtccttt	ccgcccgggc	ccgccctccc	ctcttccccg	caaaacccca	tcgtcccccg	16560
cgtcgtcgcc	acctctcttc	ccccctcctt	cttcccgtcg	aaaaacaaar	cgggggtcgg	16620
cgcgcggcgc	gggctccggg	gcggcgggtc	caaccccgcg	ggggttccgg	agcgggagga	16680
accagcggtc	cccggtgggg	cggggggccc	ggacactcgg	agaaccaaca	gcggcggcga	16740
ctctggacgc	gagccgggcc	cttcccgtgg	atcgcctcag	ctgcggcggg	cgtcgcggcc	16800
gctcccgggg	agcccggcgg	gtgccggcgc	gggtcccctc	cccgcggggc	ctcgctccac	16860
cccccatcg	cctctcccga	ggtgcgtggc	gggggcgggc	gggcgtgtcc	cgcgcgtgtg	16920
gggggaacct	ccgcgtcggt	gttcccccgc	cgggtccgcc	ccccgggccg	cggttttccg	16980
cgcggcgccc	ccgcctcggc	cggcgcctag	cagccgactt	agaactggtg	cggaccaggg	17040
gaatccgact	gtttaattaa	aacaaagcat	cgcgaaggcc	cgcggcgggt	gttgacgcga	17100
tgtgatttct	gcccagtgct	ctgaatgtca	aagtgaagaa	attcaatgaa	gcgcgggtaa	17160
acggcgggag	taactatgac	tctcttaagg	tagccaaatg	cctcgtcatc	taattagtga	17220
cgcgcatgaa	tggatgaacg	agattcccac	tgtccctacc	tactatccag	cgaaaccaca	17280
gccaagggaa	cgggcttggc	ggaatcagcg	gggaaagaag	accctgttga	gcttgactct	17340
agtctggcac	ggtgaagaga	catgagaggt	gtagaataag	tgggaggccc	ccggcgcccg	17400
gccccgtcct	cgcgtcgggg	tcggggcacg	ccggcctcgc	gggccgccgg	tgaaatacca	17460
ctactctcat	cgttttttca	ctgacccggt	gaggcggggg	ggcgagcccc	gaggggctct	17520
cacttctggc	gccaagcgtc	cgtcccgcgc	gtgcgggcgg	gcgcgacccg	ctccggggac	17580
agtgccaggt	ggggagtttg	actggggcgg	tacacctgtc	aaacggtaac	gcaggtgtcc	17640
taaggcgagc	tcagggagga	cagaaacctc	ccgtggagca	gaagggcaaa	agctcgcttg	17700
atcttgattt	tcagtacgaa	tacagaccgt	gaaagcgggg	cctcacgatc	cttctgacct	17760
	aagcaggagg					17820
ccaagcgttc	atagcgacgt	coctttttga	tccttcgatg	teggetette	ctatcattgt	17880
gaagcagaat	tcaccaagcg	ttggattgtt	cacccactaa	tagggaacgt	gagctgggtt	17940
tagaccgtcg	tgagaçaggt	tagttttacc	ctactgatga	tgtgttgttg	ccatggtaat	18000
cctgctcagt	acgagaggaa	ccgcaggttc	agacatttgg	tgtatgtgct	tggctgagga	18060
gccaatgggg	cgaagctacc	atctqtqqqa	ttatgactga	acgeetetaa	gtcagaatcc	18120
gcccaagcgg	aacgatacgg	cagcgccgaa	ggagcctcgg	ttggccccgg	atagccgggt	18180
ccccgtccgt	cccactcaac	ggggtccccg	cgtcgccccg	cggcggcgcg	gggtctcccc	18240
ccgccgggcg	tegggacegg	ggtccggtgc	ggagagccgt	tcgtcttggg	aaacggggtg	18300
cggccggaaa	gggggccgcc	ctctcgcccg	tcacgttgaa	cgcacgttcg	tgtggaacct	18360
ggcgctaaac	cattcgtaga	cgacctgctt	ctgggtcggg	gtttcgtacg	tagcagagca	18420
geteceteae	tgcgatctat	tgaaagtcag	ccctcgacac	aagggtttgt	ctctgcgggc	18480
tttcccgtcg	cacqcccqct	cqctcgcacg	cgaccgtgtc	gccgcccggg	cgtcacgggg	18540
acaatcacct	caaccccac	acaattaccc	gaacgaccgt	gtggtggttg	gggggggat	18600
cgtcttctcc	tccgtctccc	gaggacggtt	cgtttctctt	tccccttccg	tegeteteet	18660
<del>-</del> .	-				_	

```
18720
                                                                                                                                                                                    18780
                                                                                                                                                                                    18840
                                                                                                                                                                                    18900
                                                                                                                                                                                    18960
geggegeete ttecattttt teccecccaa etteggaggt egaceagtae teeggegaa
                                                                                                                                                                                    19020
                                                                                                                                                                                    19080
 actitgtttt tttttttcc cccgatgctg gaggtcgacc agatgtccga aagtgtcccc
                                                                                                                                                                                    19140
19200
                                                                                                                                                                                    19260
                                                                                                                                                                                    19320
gaccagatat cegaaagtee tetetteee thactette cecacagega teetetttt
ttttttttt tttggtgte etettttga ettataea tgtaaatag gtgtaegtt
atataettat aggaggaggt egaccagtae teegggegae aetttgttt tttttttt
tecacegatg atggaggteg accagatgte egacagtgte eg
                                                                                                                                                                                    19380
                                                                                                                                                                                    19440
                                                                                                                                                                                    19500
                                                                                                                                                                                    19560
                                                                                                                                                                                    19620
                                                                                                                                                                                    19680
 tggaacctta aggtcgacca gttgtccgtc tttcactcat tcatataggt cgaccggtgg
 tactttgtct ttttctgaaa atcgcagagg tcgaccagat gtcagaaagt ctggtggtcg ataaattatc tgatctagat ttgtttttct gtttttcagt tttgttgttgt
                                                                                                                                                                                    19740
                                                                                                                                                                                    19800
 tttgtgttgt tttgttttgt tttgttttgt tttgttttgt tttgttttgt tttgttttgt
                                                                                                                                                                                    19860
19920
                                                                                                                                                                                    19980
                                                                                                                                                                                    20040
                                                                                                                                                                                    20100
                                                                                                                                                                                    20160
 tgtgtgtgtg tgcgtgtgtg tgtgtgtgtg cgtgcagcgt gcgcgcgctc gttttataaa tacttataat aataggtcgc cgggtggtgg tagcttcccg gactccagag gcagaaggcag
                                                                                                                                                                                    20220
                                                                                                                                                                                     20280
 gcagacttct gagttcgagg ccagcctggt ctacagagga accctgtctc gaaaaatgaa
                                                                                                                                                                                    20340
 20400
                                                                                                                                                                                     20460
                                                                                                                                                                                    20520
                                                                                                                                                                                     20580
20640
                                                                                                                                                                                     20700
                                                                                                                                                                                     20760
                                                                                                                                                                                     20820
                                                                                                                                                                                     20880
                                                                                                                                                                                     20940
                                                                                                                                                                                     21000
                                                                                                                                                                                     21060
                                                                                                                                                                                     21120
                                                                                                                                                                                     21180
 21240
                                                                                                                                                                                     21300
                                                                                                                                                                                     21360
 aaaagttota acaaagtgat ctttaacttt ttttttttt tttteteette tacttetaet tgtteteaet ctgecaccaa cgegetttgt acattgaatg tgagetttgt tttgettaac agacatatat ttttetttt ggttttgett gacatggttt ccctttetat cggtgggggtteccagaacg geettttgag aataaaatgg gaggecagaa ccaaagtett ttgaataaag gaaaaagcat ctaacetgtt tggetgttt cetteccaag geacagatet ttgaataaag ggaaaaagcat gtagcagttg taggacacae tagacgagag caccagatet cattgtgggt ggttgtgaac caccaccat gtggttgeet gggatttgaa ctcaggatet tcaagagacg agacaggget ctaaaccgat gagcatete tecagecete ctacatteet tettaaggca agacagateta cactatteet cattatee
                                                                                                                                                                                     21420
                                                                                                                                                                                     21480
                                                                                                                                                                                     21540
                                                                                                                                                                                     21600
                                                                                                                                                                                     21660
                                                                                                                                                                                     21720
                                                                                                                                                                                     21780
  tgaatgatcc cagcatggga agacagtctg ccctctttgt ggtatatcac catatactca
                                                                                                                                                                                     21840
 ataaaataat gaaatgaatg aagtotocac gtatttattt ottogagota totaaaattot otcacagoac otcococtoc occacactgo ottotococ atgtttggg gaggggtggg gtgggggcag ggatotgcat gtotoctoca aggtotgtga actatttgcg atggootggt tototogaact gtotatocag aggotgaotg gctagttto
                                                                                                                                                                                     21900
                                                                                                                                                                                     21960
                                                                                                                                                                                     22020
                                                                                                                                                                                     22080
  tacctgaagt ccctgagtga tgatttccct gtgaattc
  <210> 19
  <211> 175
```

<sup>&</sup>lt;211> 175 <212> DNA

<sup>&</sup>lt;213> Mus musculus

<sup>&</sup>lt;400> 19 ctcccgcgcg gcccccgtgt tegccgttcc cgtggcgcgg acaatgcggt tgtgcgtcca cgtgtgcgtg tccgtgcagt gccgttgtgg agtgcctcgc tctcctcctc ctccccggca

gegtteceae ggttggggae caeeggtgae etegeeetet tegggeetgg ateeg	175
<210> 20 <211> 755 <212> DNA <213> Mus musculus	
931	60 120 180 240 360 420 480 540 600 720 755
<210> 21 <211> 463 <212> DNA <213> Mus musculus	
eggetetece aaccecege cggaaagggtt teggegete teggeceeg teggegete teg	60 120 180 240 300 360 420 463
<210> 22 <211> 378 <212> DNA <213> Mus musculus	
<pre>&lt;400&gt; 22 ggattcttca ggattgaaac ccaaaccggt tcagtttcct ttccggctcc ggcgggggg ggcggcccg ggcggtttgg tgagttagat aacctcgggc cgatcgcacg cccccgtgg cggcgacgac ccattcgaac gtctgcccta tcaactttcg atggtagtcg atgtgcctac catggtgacc acgggtgacg gggaatcagg gtcgattcc ggagagggag tagtgacgaa tccaaggaag gcagcaggcg cgcaaattac ccactccga cccggggagg tagtgacgaa aaataacaat acaggactct ttcgaggccc tgtaattgga atgagtccac tttaaatcct ttaagcag</pre>	60 120 180 240 300 360 378
<210> 23 <211> 378 <212> DNA <213> Mus musculus	
<pre>&lt;400&gt; 23 gatccattgg agggcaagtc tggtgccagc agccgcggta attccagctc caatagcgta tattaaagtt gctgcagtta aaaagctcgt agttggatct tgggagcggg cgggcggtcc gcgcgaggc gagtcaccgc ccgtccccgc cccttgcctc tcggcgcccc ctcgatgctc ttagctgagt tgtcccgcagg ggcccgaagc gtttactttg aaaaaattag agttgtttca aagcaggccc gagccgctg gaaccgcca gctaggaaat aatggaatag gaccgcggtt cctattttgt ttggttttcg gaactgagcc catgattaag ggaaacggcc gggggcattc ccttattgcg cccccta</pre>	60 120 180 240 300 360 378
<210> 24 <211> 719	

```
<212> DNA
 <213> Mus musculus
 <400> 24
 ggatetttee egeteeeegt teeteeegge ceeteeacce gegegtetee eeeettettt
                                                                                                                                60
120
                                                                                                                               180
                                                                                                                               240
                                                                                                                               300
                                                                                                                               360
                                                                                                                               420
                                                                                                                               480
                                                                                                                               540
tcacgccgcc cccgacgaag ccgagcgcac ggggtcggcg gcgatgtcgg ctacccaccc gacccgtctt gaaacacgga ccaaggagtc taacgcgtgc gcgagtcagg ggctcgcacg aaagccgccg tggcgcaatg aaggtgaagg gccccgtccg ggggcccgag gtgggatcc
                                                                                                                               600
                                                                                                                               660
                                                                                                                               719
 <210> 25
 <211> 685
 <212> DNA
 <213> Mus musculus
 <400> 25
cgaggcctct ccagtccgcc gagggcgcac caccggcccg tetcgcccgc cgcgtcgggg
aggtggagca cgagcgtacg cgttaggacc cgaaagatgg tgaactatgc ctgggcaggg cgaagccaga ggaaactctg gtggaggtcc gtagcggtcc tgacgtgcaa atcggtcgtc cgacctgggt ataggggcga aagactaatc gaaccatcta gtagctggt ccctccgaag tttccctcag gatagctggc gctctcgcaa ccttcggaag cagaatggat taggaggtct tggggccgga aacgatcaca aaccatttat caaactttaa
                                                                                                                               120
                                                                                                                               180
                                                                                                                               240
                                                                                                                               300
                                                                                                                               360
atgggtaagg aagccgget cgctggcgtg gagccgggcg tggaatgcga gtgcctagtg ggccactttt ggtaagcaga actggcgctg cggatgaac cgaacgccgg gttaaggcgc ccgatgccga cgctcatcag accccagaaa aggtgttggt tgatatagac agcaggacgg
                                                                                                                               420
                                                                                                                               480
                                                                                                                               540
                                                                                                                               600
 tggccatgga agtcggaatc cgctaaggag tgtgtaacaa ctcacctgcc gaatcaacta
gccctgaaaa tggatggcgc tggagcgtcg ggcccatacc cggccgtcgc cggcagtcgg
                                                                                                                               660
 aacgggacgg gacgggagcg gccgc
                                                                                                                               685
 <210> 26
 <211> 5162
 <212> DNA
 <213> Artificial Sequence
 <220.>
<223> Chimeric bacterial plasmid
<400> 26
gacggatcgg gagatctccc gatcccctat ggtcgactct cagtacaatc tgctctgatg ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg
                                                                                                                            60
                                                                                                                           120
cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc
                                                                                                                          180
ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata
                                                                                                                           240
                                                                                                                          300
tggagtteeg egitacataa ettaeggtaa atggeeegee tggetgaeeg eecaaegaee
                                                                                                                          360
cccgcccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc attgacgtca atgggtggac tatttacggt aaactgccca cttggcagta catcaagtgt
                                                                                                                          420
                                                                                                                          480
atcatatgec aagtacgec ectattgacg teaatgacgg taaatggeec geetggeatt atgeccagta catgacetta tgggaettte etaettggea gtacatetae gtattagtea
                                                                                                                          540
                                                                                                                          600
tegetattae categetgatg eggittigge agtacateaa tegegeetega tageeggitte
                                                                                                                          660
actcacgggg atttccaagt ctccaccca ttgacgtcaa tgggagtttg ttttggcacc aaaatcaacg ggactttca aaatgtcgta acaactccgc cccattgacg caaatgggcg gtaggcgtgt acggtgggag gtctatataa gcagagctct ctggctaact agagaaccca
                                                                                                                          720
                                                                                                                          780
                                                                                                                          840
ctgcttactg gcttatcgaa attaatacga ctcactatag ggagacccaa gcttggtacc gagctcggat cgatatctgc ggccgcgtcg acggaattca gtggatccac tagtaacggc cgccagtgtg ctggaattaa ttcgctgtct gcgagggcca gctgttgggg tgagtactcc ctctcaaaag cgggcatgac ttctgcgcta agattgtcag tttccaaaaa cgaggaggat
                                                                                                                          900
                                                                                                                          960
                                                                                                                         1020
                                                                                                                         1080
ttgatattca cctggcccgc ggtgatgcct ttgagggtgg ccgcgtccat ctggtcagaa
                                                                                                                         1140
aagacaatet tittgitigte aagettigagg tigtgggagge tigtgagatetig gecatacact tigagtigacaa tigtgagateta tittgettite tetecacagg tigtecactee caggiceaac tigtgaggiega geatgeatet agggeggeea attecgeece teteceteee cececectaa
                                                                                                                         1200
                                                                                                                         1260
                                                                                                                        1320
```

cgttactggc cgaagecgct tggaataagg ccggtgtgcg tttgtctata tgtgattttc caccatattg ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg aaccccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacet geaaaggegg cacaacecea gtgccaegtt gtgagttgga tagttgtgga aagagtcaaa tggctctcet caagegtatt caacaagggg ctgaaggatg cecagaaggt accecattgt atgggatetg atetggggce teggtgeaca tgetttacat gtgtttagte gaggttaaaa aaacgtctag gccccccgaa ccacggggac gtggttttcc tttgaaaaac acgatgataa gcttgccaca acccgggatc caccggtcgc caccatggtg agcaagggcg aggagctgtt caccggggtg gtgcccatcc tggtcgagct ggacggcgac gtaaacggcc acaagttcag cytytccggc gagggcgagg gcgatgccac ctacggcaag ctgaccctga agttcatctg caccaccggc aagctgcccg tgccctggcc caccctcgtg accaccctga cctacggcgt gcagtgcttc agccgctacc ccgaccacat gaagcagcac gacttcttca agtccgccat gcccgaaggc tacgtccagg agcgaccat cttcttcaag gacgacggca actacaagac ccgcgccgag gtgaagttcg agggcgacac cctggtgaac cgcatcgagc tgaagggcat cgacttcaag gaggacggca acatcctggg gcacaagctg gagtacaact acaacagcca caacgtctat atcatggccg acaagcagaa gaacggcatc aaggtgaact tcaagatccg ccacaacatc gaggacggca gcgtgcagct cgccgaccac taccagcaga acaccccat cggcgacggc cccgtgctgc tgcccgacaa ccactacctg agcacccagt ccgccctgag caaagacccc aacgagaagc gcgatcacat ggtcctgctg gagttcgtga caagggggag gattgggaag acaatagcag gcatgctggg gatgcggtgg gctctatggc ttctgaggcg gaaagaacca gctggggctc gagtgcattc tagttgtggt ttgtccaaac tcatcaatgt atcttatcat gtctgtatac cgtcgacctc tagctagagc ttggcgtaat catggtcata getgttteet gtgtgaaatt gttateeget cacaatteea cacaacatae tcactgacte getgegeteg gtegttegge tgeggegage ggtateaget caetcaaagg cggtaatacg gttatccaca gaatcagggg ataacgcagg aaagaacatg tgagcaaaag gccagcaaaa ggccaggaac cgtaaaaaagg ccgcgttgct ggcgtttttc cataggctcc geccectga egageateac aaaaategac getcaagtea gaggtggega aaccegacag gactataaag ataccaggeg tttececetg gaageteect egtgegetet cetgtteega ceetgeeget taceggatac etgteeget ttetecette gggaagegtg gegetttete aatgeteacg etgtaggtat etcagttegg tgtaggtegt tegeteeaag etgggetgtg tegeacgaac eeeegtteag eeegategagtgtgegaactat egtettgagt ccaaccoggt aagacacgac ttatcgccac tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcggt gctacagagt tcttgaagtg gtggcctaac tacggctaca ctagaaggac agtatttggt atctgcgctc tgctgaagcc agttaccttc ggaaaaagag ttggtagete ttgateegge aaacaaacca eegetggtag eggtggtttt tttgtttgca ageageagat taegegeaga aaaaaaggat etcaagaaga teetttgate ttttetaegg ggtctgacgc tcagtggaac gaaaactcac gttaagggat tttggtcatg agattatcaa aaaggatctt cacctagatc cttttaaatt aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct gacagttacc aatgcttaat cagtgaggca cctatctcag cgatctgtct atttcgttca tocatagttg cctgactccc cgtcgtgtag ataactacga tacgggaggg cttaccatct ggccccagtg ctgcaatgat accgcgagac ccacgctcac cggctccaga tttatcagca ataaaccagc cagccggaag ggccgagcgc agaagtggtc ctgcaacttt accgcctcc atccagtcta ttaattgttg ccgggaagct agagtaagta gttcgccagt taatagtttg cgcaacgttg ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggtatggct tcattcagct ccggttccca acgatcaagg cgagttacat gatececeat gttgtgeaaa aaageggtta geteettegg teeteegate gttgteagaa gtaagttgge egeagtgtta teaeteatgg ttatggeage aetgeataat tetettaetg teatgecate egtaagatge ttttetgtga etggtgagta etcaaceaag teattetgag aatagtgtat geggegaceg agttgetett geeeggegte aataegggat aataeegge cacatagcag aactttaaaa gigcicatca tiggaaaacg ticticgggg cgaaaactci caaggatett accgetgttg agatecagtt egatgtaace caetegtgca eccaactgat etteageate ttttaettte accagegttt etgggtgage aaaaacagga aggeaaaatg ccgcaaaaaa gggaataagg gcgacacgga aatgttgaat actcatactc ttccttttc aatattattg aagcattat cagggttatt gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata ggggttccgc gcacatttcc ccgaaaagtg ccacctgacg 

<211> 5627

```
<212> DNA
 <213> Artificial Sequence
<220>
<223> pMG plasmid from InvivoGen; IRES sequence modified
                EMCV nucleotides 2736-3308
<400> 27
                                                                                                                                                                              60
caccggcgaa ggaggcctag atctatcgat tgtacagcta gctcgacatg ataagataca
                                                                                                                                                                            120
ttgatgagtt tggacaaacc acaactagaa tgcagtgaaa aaaatgcttt atttgtgaaa
                                                                                                                                                                            180
tttgtgatgc tattgcttta tttgtgaaat ttgtgatgct attgctttat ttgtaaccat
tataagctgc aataaacaag ttaacaacaa caattgcatt cattttatgt ttcaggttca
                                                                                                                                                                            240
300
                                                                                                                                                                            360
                                                                                                                                                                            420
                                                                                                                                                                            480
                                                                                                                                                                            540
                                                                                                                                                                            600
                                                                                                                                                                            660
                                                                                                                                                                             720
actggcagca gccactggta acaggattag cagagcgagg tatgtaggcg gtgctacaga gttcttgaag tggtggccta actacggcta cactagaaga acagtatttg gtatctgcgc tctgctgaag ccagttacct tcggaaaaag agttggtagc tcttgatccg gcaaacaaac
                                                                                                                                                                            780
                                                                                                                                                                            840
                                                                                                                                                                            900
caccgctggt agcggtggtt tttttgtttg caagcagcag attacgcgca gaaaaaaagg atctcaagaa gatcctttga tctttctac ggggtctgac gctcagtgga acgaaaactc
                                                                                                                                                                            960
                                                                                                                                                                          1020
                                                                                                                                                                          1080
acgttaaggg attttggtca tggctagtta attaagctgc aataaacaat cattattttc
acgreagg arringtea tggeragtta arraagetge aaraaacaat carrattite attgatetg tgtgttgtt tittgtgtgg gettggggga gggggaggee agaatgacte caagagetae aggaaggeag gteagagaee ceateggaea aacagtgget ggaetetgea ceataacae caateaacag gggagtgage tggategage tagagteegt tacataactt acggtaaatg gecegeetgg etgacegee aacgaeeeee geceattgae gteaataatg acgtatgte ceatagtaae gecaataggg actitecatt gaegteaatg ggtggagtat tacaggtaaa etgacegee atgacegee tagaetgae etagaegeeee tagaetatge gaettaetg gaettaetg gaettaetg
                                                                                                                                                                          1140
                                                                                                                                                                          1200
                                                                                                                                                                          1260
                                                                                                                                                                          1320
                                                                                                                                                                          1380
                                                                                                                                                                          1440
                                                                                                                                                                          1500
gactttccta cttggcagta catctacgta ttagtcatcg ctattaccat ggtgatgcgg
ttttggcagt acatcaatgg gcgtggatag cggtttgact cacggggatt tccaagtctc
caccccattg acgtcaatgg gagtttgttt tggcaccaaa atcaacggga ctttccaaaa
tgtcgtaaca actccgccc attgacgcaa atgggcggta ggcgtgtacg gtgggaggtc
tatataagca gagctcgttt agtgaaccgt cagatcgctt ggagacgcca tccacgctgt
                                                                                                                                                                          1560
                                                                                                                                                                          1620
                                                                                                                                                                          1680
                                                                                                                                                                          1740
                                                                                                                                                                          1800
tttgacctcc atagaagaca ccgggaccga tccagcctcc gcggccggga acggtgcatt
                                                                                                                                                                          1860
ggaacgcgga ttccccgtgc caagagtgac gtaagtaccg cctatagagt ctataggcc accccttgg cttcttatgc atgctatact gtttttggct tggggtctat acacccccgc ttcctcatgt tataggtgat ggtatagctt agcctatagg tgtgggttat tgaccattat
                                                                                                                                                                         1920
                                                                                                                                                                          1980
                                                                                                                                                                          2040
tracted tatagrigat gratagett agectatagg tgtgggttat tgaccattat tgaccactec cetattggtg acgatacttt coattactaa tecataacat ggetetttge cacaactete tttattgget atatgecaat acactgeet teagagactg acaeggacte tgtattttta caggatgggg teteatttat tatttacaaa tteacatata caacaccace gteeccagtg ecogeagttt ttattaaaca taacgtggga tetecaceggg aatetegggt acgtgtteeg gacatggget etteteeggt ageggegggg ettetacate egageeetge tecatgeet ecagegacte atggtegete ggeageteet tgeteetaa agtgggggge agettaggg acaegacgat gecaccace accagtgtge egcacagge egtgggggta eggagateet tgaaaaatga gecaccace accagtgtge egcacagge egtggggta aggtatgtgt etgaaaaatga geteggggag eggetteet egeteacag atttagaaga
                                                                                                                                                                         2100
                                                                                                                                                                         2160
                                                                                                                                                                          2220
                                                                                                                                                                         2280
                                                                                                                                                                          2340
                                                                                                                                                                         2400
                                                                                                                                                                          2460
gggtatgtgt ctgaaaatga gctcggggag cgggcttgca ccgctgacgc atttggaaga
                                                                                                                                                                         2520
cttaaggcag cggcagaaga agatgcaggc agctgagttg ttgtgttctg ataagagtca gaggtaactc ccgttgcggt gctgttaacg gtggagggca gtgtagtctg agcagtactc gttgctgccg cgcgcgcac cagacataat agctgacaga ctaacagact gttcctttc tctgcagtca cccgggggat ccttcaacg tagctctaga ttgagtcgac gttactggc gaggagggaa gtgagtcgac tagctctaga ttgagtcgac gttactggacgac gaggaggaa ccttacagacg tagctctaga ttgagtcgac
                                                                                                                                                                         2580
                                                                                                                                                                         2640
                                                                                                                                                                          2700
                                                                                                                                                                         2760
gttactggcc gaagccgctt ggaataaggc cggtgtgcgt ttgtctatat gttattttcc accatattgc cgtcttttgg caatgtgagg gcccggaaac ctggccctgt cttcttgacg agcattccta ggggtctttc ccctctcgcc aaaggaatgc aaggtctgtt gaatgtcgtg
                                                                                                                                                                         2820
                                                                                                                                                                         2880
                                                                                                                                                                         2940
```

aaggaagcag ttcctctgga agcttcttga agacaaacaa cgtctgtagc gaccctttgc aggcagcgga acccccacc tggcgacagg tgcctctgcg gccaaaagcc acgtgtataa

aggcagcgga acccccacc tggcgacagg tgcctctgcg gccaaaagcc acgtgtataa gatacacctg caaaggcggc acaaccccag tgccacgttg tgagttggat agttgtggaa aggtcaaat ggctctcct aagcgtattc aacaaggggg tgaaggatgg cccccattgta tgggatctga tctggggcct cggtgcacat gctttacatg tgtttagtcg aggttaaaaa aacgtctagg ccccccgaac cacggggacg tggtttcct ttgaaaaaca cgataatacc atgggtaagt gatatctact agttgtgacc ggcgcctagt gttgacaatt aatcatcggc atagtatatc ggcatagtat aatacgactc actataggag ggccaccatg tcgactacta accttcttct ctttcctaca gctgagatca ccggtaggag ggccatcatg

```
aaaaagcctg aactcaccgc gacgtctgtc gcgaagtttc tgatcgaaaa gttcgacagc
gtctccgacc tgatgcagct ctcggagggc gaagaatctc gtgctttcag cttcgatgta ggagggcgtg gatatgtcct gcgggtaaat agctgcgccg atggtttcta caaagatcgt
                                                                                                                                                                                                   3600
                                                                                                                                                                                                   3660
tatgtttate ggcactttge ateggeegeg etecegatte eggaagtget tgacattggg
                                                                                                                                                                                                   3720
gaattcagcg agagcctgac ctattgcatc tcccgccgtg cacagggtgt cacgttgcaa gacctgcctg aaaccgaact gcccgctgtt ctgcaacccg tcgcggagct catggatgcg atcgctgcgg ccgatcttag ccagacggg gggttcggcc cattcggacc gcaaggaatc
                                                                                                                                                                                                   3780
                                                                                                                                                                                                   3840
                                                                                                                                                                                                   3900
ggtcaataca ctacatggcg tgatttcata tgcgcgattg ctgatcccca tgtgtatcac
                                                                                                                                                                                                   3960
 tggcaaactg tgatggacga caccgtcagt gcgtccgtcg cgcaggctct cgatgagctg
                                                                                                                                                                                                   4020
atgetttggg cegaggactg cecegaagte eggeaceteg tgeacgegga ttteggetee aacaatgtee tgaeggacaa tggeegeata acageggtea ttgaetggag egaggegatg
                                                                                                                                                                                                   4080
                                                                                                                                                                                                   4140
 ttcggggatt cccaatacga ggtcgccaac atcttcttct ggaggccgtg gttggcttgt
                                                                                                                                                                                                   4200
atggagcagc agacgcgcta cttcgagcgg aggcatccgg agcttgcagg atcgccgcgg ctccgggcgt atatgctccg cattggtctt gaccaactct atcagagctt ggttgacggc aatttcgatg atgcagcttg ggcgcagggt cgatgggacg caatcgtccg atccggagcc
                                                                                                                                                                                                   4260
                                                                                                                                                                                                   4320
                                                                                                                                                                                                   4380
gggactgtcg ggcgtacaca aatcgcccgc agaaggcgg ccgtctggac cgatggctgt gtagaagtac tcgccgatag tggaaaccga cgcccagca ctcgtccgag ggcaaaggaa tgagtcgaga attcgctaga gggccctatt ctatagtgtc acctaaatgc tagagccgc cctccttga cgctgtgcc ttctagttgc cagcagtcgt tcgtagagg tgccactccc actgtcctt cctaataaaa tgaggaaatt
                                                                                                                                                                                                   4440
                                                                                                                                                                                                   4500
                                                                                                                                                                                                   4560
                                                                                                                                                                                                    4620
                                                                                                                                                                                                    4680
4740
                                                                                                                                                                                                    4800
                                                                                                                                                                                                    4860
 taacatacgo totocatcaa aacaaaacga aacaaaacaa actagcaaaa taggotgtoo ccagtgcaag tgcaggtgco agaacattto totatogaag gatotgcgat cgctooggtg
                                                                                                                                                                                                    4920
                                                                                                                                                                                                    4980
 cccgtcagtg ggcagagcgc acatcgccca cagtccccga gaagttgggg ggaggggtcg gcaattgaac cggtgcctag agaaggtggc gcggggtaaa ctgggaaagt gatgtcgtgt actggctccg cctttttccc gagggtgggg gagaaccgta tataagtgca gtagtcgccg
                                                                                                                                                                                                    5040
                                                                                                                                                                                                    5100
                                                                                                                                                                                                    5160
 tgaacgttet ttttegeaac gggtttgeeg ceagaacaca getgaagett egaggggete geatetetee tteaegegee egeegeeta eetgaggeeg ceatecaege eggttgagte
                                                                                                                                                                                                    5220
                                                                                                                                                                                                    5280
 gegttetgee geeteegee tgtggtgeet eetgaactge gteegeegte taggtaagtt taaageteag gtegagaceg ggeetttgte eggegeteee ttggageeta eetagactea
                                                                                                                                                                                                    5340
                                                                                                                                                                                                    5400
 geeggetete caegetttge etgaccetge ttgetcaaet etaegtettt gtttegtttt
                                                                                                                                                                                                    5460
 ctgttctgcg ccgttacaga tccaagctgt gaccggcgcc tacgtaagtg atatctacta gatttatcaa aaagagtgtt gacttgtgag cgctcacaat tgatacttag attcatcgag agggacacgt cgactactaa ccttcttctc tttcctacag ctgagat
                                                                                                                                                                                                    5520
                                                                                                                                                                                                    5580
                                                                                                                                                                                                    5627
  <210> 28
  <211> 553
  <212> DNA
  <213> Artificial Sequence
  <220>
  <223> pMG plasmid from InvivoGen: EMCV IRES sequence
 <400> 28
aacgttactg
tccaccatat
tccaccatat
acgagcattc
tgcagtcttt
tggcaatgtg
acgagcagc
cttggaataa ggcccgga
aaggcccga
aacgtcacct
tgcaaggagc
taagatacac
gaaaggatca
gtaacccatt
tgcaaaggc
taagatcac
gaaaggtca
gtaacccatt
tccaccatat
tgccgtcttt
tggcaatgtg
agggcccgga
acctggcac
gcaaaggaa
gcaaaggaagcaccc
acctggcgac
acctggcaca
gcaaaggacaccc
ggaagcttct
tgaagacaaa
accacgggaa
accaccgggaa
ttcaacaagg
ggcccacaa
ccagggcacaaccc
ggaagctca
tcaagggtaa
aacacgtca
ggcccccga
accacgggga
accacgggga
cgtttgtcta
tatgttattt
tatgttattt
tatgttattt
tatgttattt
tatgttattt
tatgttattt
tatgttattt
tatgttatt
tatgtatt
tatgttatt
tatgtaatgc
caacgtct
tatgaatgc
caacgtct
tcaacaggg
caggaccct
tcaacaggga
catgccccc
caacgtccc
cagtgccaaaa
ttgtaggatc
ggcacaaac
caacgtcta
gcacaagga
catgccccc
cagtgccaaa
ttgtaacac
cagggcaaa
caacgtcta
gcacaaggc
caacgtcta
gcacaaggc
caacgtcta
caacgtcta
gcacaggc
caacgtcta
gcacaaggc
caacgtcta
gcacaggta
gcacaggc
caacgtcta
gcacaggc
caacgtcta
gcacaggta
gcacagga
caacgtcta
gcacaggc
caacgtcta
gcacaggc
caacgtcta
gcacaggta
gcacagga
caacgtcta
gcacaggta
gcacagga
cacacgt
caacgtcta
gcacaggc
caacgtcta
gcacaggc
caacgtcta
gcacaggc
caacgtca
caacgtcta
gcacaggc
caacgtca
caacgtcta
gcacaggc
caacgtca
caacgtcta
gcacagga
cacacgtca
caacgtca
caacgtca
caacgtca
caacgtcaaa
caacgtca
caacgtcaaa
caacgtca
caacgtca
caacgtca
caacgtca
caacgtca
caacgtca
caacgtca
  <400> 28
                                                                                                                                                                                                                60
                                                                                                                                                                                                             120
                                                                                                                                                                                                              180
                                                                                                                                                                                                              240
                                                                                                                                                                                                              300
                                                                                                                                                                                                              360
                                                                                                                                                                                                              420
                                                                                                                                                                                                              480
                                                                                                                                                                                                              540
                                                                                                                                                                                                              553
  cacgatgata ata
  <210> 29
  <211> 4692
  <212> DNA
  <213> Artificial Sequence
   <220>
   <223> pDSred1-N1 plasmid from Clontech
   <400> 29
   tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata tggagttccg
```

cgttacataa	cttacggtaa	atggcccgcc	tggctgaccg	cccaacgacc	cccgcccatt	120
gacgtcaata	atgacgtatg	ttcccatagt	aacqccaata	gggactttcc	attgacgtca	180
atgagtagaa	tatttacggt	aaactgccca	cttggcagta	catcaagtgt	atcatatgcc	240
aagtacgccc	cctattgacg	tcaatgacgg	taaatggccc	gcctggcatt	atgcccagta	300
catgacctta	taggactttc	ctacttqqca	gtacatctac	gtattagtca	tcgctattac	360
catootoato	caattttaac	agtacatcaa	tgggcgtgga	tagcggtttg	actcacgggg	420
atttccaaqt	ctccacccca	ttgacgtcaa	tgggagtttg	ttttggcacc	aaaatcaacg	480
ggactttcca	aaatqtcqta	acaactccgc	cccattgacg	caaatgggcg	gtaggcgtgt	540
accottoocac	gtctatataa	acagaactgg	tttagtgaac	cgtcagatcc	gctagcgcta	600
ccggactcag	atctcgagct	caaqcttcqa	attctgcagt	cgacggtacc	gcgggcccgg	660
gatccaccgg	tcgccaccat	ggtgcgctcc	tccaagaacg	tcatcaagga	gttcatgcgc	720
ttcaaggtgc	qcatqqaqqq	caccgtgaac	ggccacgagt	tcgagatcga	gggcgagggc	780
gagggcgcc	cctacqaqqq	ccacaacacc	gtgaagctga	aggtgaccaa	gggcggcccc	840
ctaccettca	cctgggacat	cctqtcccc	cagttccagt	acggctccaa	ggtgtacgtg	900
aagcaccccg	ccgacatccc	cgactacaag	aagctgtcct	tccccgaggg	cttcaagtgg	960
gagcgcgtga	tqaacttcga	ggacggcggc	gtggtgaccg	tgacccagga	ctcctccctg	1020
caggacggct	gcttcatcta	caaggtgaag	ttcatcggcg	tgaacttccc	ctccgacggc	1080
cccataatac	agaagagac	catgggctgg	gaggcctcca	ccgagcgcct	gtacccccgc	1140
aacaacatac	tqaaqqqqqa	gatccacaag	gccctgaagc	tgaaggacgg	cggccactac	1200
ctqqtqqaqt	tcaagtccat	ctacatggcc	aagaagcccg	tgcagctgcc	cggctactac	1260
tacgtggact	ccaagctgga	catcacctcc	cacaacgagg	actacaccat	cgtggagcag	1320
tacgagcgca	ccgagggccg	ccaccacctg	ttcctgtagc	ggccgcgact	ctagatcata	1380
atcaqccata	ccacatttgt	agaggtttta	cttgctttaa	aaaacctccc	acacctcccc	1440
ctgaacctga	aacataaaat	gaatgcaatt	gttgttgtta	acttgtttat	tgcagcttat	1500
aatggttaca	aataaagcaa	tagcatcaca	aatttcacaa	ataaagcatt	tttttcactg	1560
cattctagtt	ataatttatc	caaactcatc	aatgtatctt	aaggcgtaaa	ttgtaagcgt	1620
taatattttg	ttaaaattcg	cgttaaattt	ttgttaaatc	agctcatttt	ttaaccaata	1680
ggccgaaatc	ggcaaaatcc	cttataaatc	aaaagaatag	accgagatag	ggttgagtgt	1740
tgttccagtt	tggaacaaga	gtccactatt	aaagaacgtg	gactccaacg	tcaaagggcg	1800
aaaaaccqtc	tatcaggggg	atggcccact	acgtgaacca	tcaccctaat	caagttttt	1860
ggggtcgagg	tqccqtaaaq	cactaaatcg	gaaccctaaa	gggagccccc	gatttagagc	1920
ttaacaaaaa	aaqccqqcqa	acqtqqcqaq	aaaggaaggg	aagaaagcga	aaggagcggg	1980
cgctagggcg	ctggcaagtg	tagcggtcac	gctgcgcgta	accaccacac	ccgccgcgct	2040
taatgcgccg	ctacagggcg	cgtcaggtgg	cacttttcgg	ggaaatgtgc	gcggaacccc	2100
tatttgttta	tttttctaaa	tacattcaaa	tatgtatccg	ctcatgagac	aataaccctg	2160
ataaatgctt	caataatatt	gaaaaaggaa	gagtcctgag	gcggaaagaa	ccagctgtgg	2220
aatgtgtgtc	agttagggtg	tggaaagtcc	ccaggeteee	cagcaggcag	aagtatgcaa	2280
agcatgcatc	tcaattagtc	agcaaccagg	tgtggaaagt	ccccaggctc	cccagcaggc	2340
agaagtatgc	aaagcatgca	tctcaattag	tcagcaacca	tagtcccgcc	cctaactccg	2400
cccatcccgc	ccctaactcc	gcccagttcc	gcccattctc	cgccccatgg	ctgactaatt	2460
ttttttattt	atgcagaggc	cgaggccgcc	teggeetetg	agctattcca	gaagtagtga	2520
ggaggctttt	ttggaggcct	aggettttge	aaagatcgat	caagagacag	gatgaggate	2580
gtttcgcatg	attgaacaag	atggattgca	cgcaggttct	ccggccgctt	gggcggagag	2640
gctattcggc	tatgactggg	cacaacagac	aatcggctgc	tetgatgeeg	eegtgtteeg	2700 2760
gctgtcagcg	caggggcgcc	cggttcttt	tgtcaagacc	gacetgteeg	gtgeeetgaa	2820
tgaactgcaa	gacgaggcag	cgcggctatc	grageragee	acgacgggcg	tteettgege	2880
agctgtgctc	gacgttgtca	ctgaageggg	aagggactgg	cigotatigg	tastaatas	2940
ggggcaggat	ctcctgtcat	ctcaccttgc	teetgeegag	adaytateea	ccatggetga	3000
tgcaatgcgg	cggctgcata	cgcttgatcc	ggetacetge	attatagate	accaagegaa	3060
acatcgcatc	gagcgagcac	gtacteggat	ggaageeggt	gagagagata	aggatgatet	3120
ggacgaagag	catcaggggc	tegegeeage	tegaactgccc	tacttacca	aggegageat	3180
gcccgacggc	gaggatctcg	tegtgaeeea	tggcgacgcc	ctcccccca	acaccacggc	3240
ggaaaatggc	cgcttttctg	gatteatega	testesses	cttcccccc	aatagggta	3300
ccaggacata	gcgttggcta	cccgcgatat	toccoattco	caccacates	ccttctatca	3360
eegetteete	gtgctttacg gagttcttct	gracegeege	staggetteg	aaatgaacga	cceacca	3420
cettettgae	catcacgaga	tttaasttaa	ccggggcccg	totatoaaa	attagastts	3480
cccaacctgc	tccgggacgc	garataasta	atcotco	acadaatat	catactacaa	3540
ttattagaca	accctagggg	gacctaact	gaaacacaga	aggagacaat	accadasada	3600
agggggta	tgacggcaat	gaggeeaace	antananco	accontattoo	atcatttatt	3660
cataaaccc	gggttcggtc	ccadagacay	cactetatea	ataccccacc	gagaggggt	3720
toggggge	acgcccgcgt	ttetteettt	teeceacee	acccccaag	ttcagatass	3780
adcccadc	tcgcagccaa	catcaggggg	gcaggccctg	ccatageete	aggttactca	3840
tatatacttt	agattgattt	aaaacttcat	ttttaattta	aaaqqatcta	ggtgaagatc	3900
ctttttcata	atctcatgac	caaaatccct	taacataaat	tttcqttcca	ctgagcgtca	3960
gaccccgtec	aaaagatcaa	aggatettet	tgagatcctt	tttttctaca	cotaatctoc	4020
tacttacasa	caaaaaaacc	accoctacca	acaataattt	gtttgccaaa	tcaagagcta	4080
			2 33 33			

```
ccaactcttt ttccgaaggt aactggcttc agcagagcgc agataccaaa tactgtcctt
                                                                                                                                                                                                            4140
 ctagtgtagc cgtagttagg ccaccacttc aagaactctg tagcaccgcc tacatacctc gctctgctaa tcctgttacc agtggctgct gccagtggcg ataagtcgtg tcttaccggg
                                                                                                                                                                                                            4200
                                                                                                                                                                                                            4260
ttggactcaa gacgatagtt accggataag gcgcagcggt cgggctgaac ggggggttcg tgcacacagc ccagcttgga gcgaacgacc tacaccgaac tgagatacct acagcgtgag ctatgagaaa gcgccacgct tcccggaggag agaaaggcgg acaggtatcc ggtaagcggc agggtcggaa caggaggag caccaggag cttccaggg gaaacgcctg gtatcttta agtcctgtcg ggtttcgcca cctctgactt gagcgtcgat ttttgtaatg ctcgtcaggg
                                                                                                                                                                                                            4320
                                                                                                                                                                                                            4380
                                                                                                                                                                                                            4440
                                                                                                                                                                                                            4500
                                                                                                                                                                                                            4560
gggcggagcc tatggaaaaa cgccagcaac gcggcctttt tacggttcct ggccttttgc tggccttttg ctcacatgtt ctttcctgcg ttatcccctg attctgtgga taaccgtatt accgccatgc at
                                                                                                                                                                                                            4620
                                                                                                                                                                                                            4680
                                                                                                                                                                                                            4692
 <210> 30
 <211> 4257
 <212> DNA
 <213> Artificial Sequence
 <223> pPur plasmid from Clontech
 ctgtggaatg tgtgtcagtt agggtgtgga aagtccccag gctccccagc aggcagaagt
                                                                                                                                                                                                                 60
 atgcaaagca tgcatctcaa ttagtcagca accaggtgtg gaaagtcccc aggctcccca gcaggcagaa gtatgcaaag catgcatctc aattagtcag caaccatagt cccgccccta
                                                                                                                                                                                                               120
                                                                                                                                                                                                               180
                                                                                                                                                                                                               240
 actecgeeca tecegeecet aactecgeec agttecgeec attetecgee ceatggetga
 ctaatttttt ttatttatgc agaggccgag gccgcctcgg cctctgagct attccagaag tagtgaggag gcttttttgg aggcctaggc ttttgcaaaa agcttgcatg cctgcaggtc
                                                                                                                                                                                                               300
                                                                                                                                                                                                               360
 ggccgccacg accggtgccg ccaccatccc ctgacccacg cccctgaccc ctcacaagga gacgaccttc catgaccgag tacaagccca cggtgcgcct cgccacccgc gacgacgtcc
                                                                                                                                                                                                               420
                                                                                                                                                                                                               480
ceacgeegga gagegtegaa gegggggegg tgttegeega gateggeegg egeatageeggeegga gagegtegaa gegggggegg tgttegeega gateggeegg egeatageeggeeggatega gagegtegaa gagegtegaa gagegtegaa gageggeeggatgaa gageggeeggatgaa gageggeeggatgaa gateggeeggatgaa gateggeeggatgaa gateggeeggatgaa gagegtegaa gateggeeggatgaa gateggeeggatgaa gateggeeggatgaa gateggeeggatgaa gateggeeggatgaa gagegtegaa gateggeeggatgaa gateggatgaa gategg
                                                                                                                                                                                                              540
                                                                                                                                                                                                               600
                                                                                                                                                                                                              660
                                                                                                                                                                                                               720
 agttgagegg tteceggetg geegegeage aacagatgga aggeeteetg gegeegeace ggeecaagga geeegetgg tteetggeea eegteggegt etegeeegae caccagggea
                                                                                                                                                                                                               780
                                                                                                                                                                                                              840
agggtctggg cagegccgtc gtgctccccg gagtggaggc ggccgagcgc gccggggtgc ccgccttcct ggagacctcc gcgccccgca acctcccctt ctacgagcgg ctcggcttca
                                                                                                                                                                                                              900
                                                                                                                                                                                                              960
cogteacege cgacgtegag gtgcccgaag gaccgcgcae ctggtgcatg acccgcaage ccggtgcetg acgcccgcc cacgacccgc agcgcccgae cgaaaggage gcacgacccc
                                                                                                                                                                                                            1020
                                                                                                                                                                                                            1080
 atggetecga ecgaageega ecegggegge ecegeegace ecgeaceege eceegaggee
                                                                                                                                                                                                            1140
 caccgactct agaggatcat aatcagccat accacatttg tagaggtttt acttgcttta
                                                                                                                                                                                                            1200
 aaaaacctcc cacacctccc cctgaacctg aaacataaaa tgaatgcaat tgttgttgtt aacttgttta ttgcagctta taatggttac aaataaagca atagcatcac aaatttcaca
                                                                                                                                                                                                            1260
                                                                                                                                                                                                            1320
aataaagcat ttttttcact gcattctagt tgtggtttgt ccaaactcat caatgtatct tatcatgtct ggatccccag gaagctcctc tgtgtcctca taaaccctaa cctcctctac
                                                                                                                                                                                                            1380
                                                                                                                                                                                                           1440
                                                                                                                                                                                                            1500
 ttgagaggac attccaatca taggctgccc atccaccete tgtgtcctcc tgttaattag
gtcacttaac aaaaaggaaa ttgggtaggg gtttttcaca gaccgctttc taagggtaat tttaaaaatat ctgggaagtc ccttccactg ctgtgttcca gaagtgttgg taaacagccc
                                                                                                                                                                                                            1560
                                                                                                                                                                                                            1620
acaaatgtca acagcagaaa catacaagct gtcagctttg cacaagggcc caacacctg ctcatcaaga agcactgtgg ttgctgtgtt agtaatgtgc aaaacaggag gcacattttc cccacctgtg taggttccaa aatatctagt gttttcattt ttacttggat caggaaccca
                                                                                                                                                                                                            1680
                                                                                                                                                                                                           1740
                                                                                                                                                                                                           1800
gcactccact ggataagcat tatccttatc caaaacagcc ttgtggtcag tgttcatctg ctgactgtca actgtagcat tttttggggt tacagtttga gcaggatatt tggtcctgta
                                                                                                                                                                                                           1860
                                                                                                                                                                                                           1920
gtttgctaac acaccetgca gctccaaagg ttccccacca acagcaaaaa aatgaaaatt tgaccettga atgggttttc cagcaccatt ttcatgagtt ttttgtgtcc ctgaatgcaa
                                                                                                                                                                                                           1980
                                                                                                                                                                                                           2040
 gtttaacata gcagttaccc caataacctc agttttaaca gtaacagctt cccacatcaa
                                                                                                                                                                                                           2100
aatatttcca caggttaagt cctcatttaa attaggcaaa ggaattcttg aagacgaaag ggcctcgtga tacgcctatt tttataggtt aatgtcatga taataatggt ttcttagacg
                                                                                                                                                                                                           2160
                                                                                                                                                                                                           2220
ggcccggga tacgcctatt tttataggtt aatgtcatga taataatggt ttcttagacg tcaggtggca cttttcgggg aaatgtggc ggaaccccta tttgtttatt tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt ttttgcggca ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa gatccttgag agttttcgcc ccgaagaacg ttttccaatg atgagcactt ttaaagttct gctattggg
                                                                                                                                                                                                           2280
                                                                                                                                                                                                           2340
                                                                                                                                                                                                           2400
                                                                                                                                                                                                           2460
                                                                                                                                                                                                           2520
                                                                                                                                                                                                           2580
geggtattat ceegtgttga egeegggcaa gageaacteg gtegeegcat acactattet cagaatgact tggttgagta etcaccagte acagaaaage atettaegga tggcatgaca gtaagagaat tatgeagtge tgccataace atgagtgata acactgegge caacttaett
                                                                                                                                                                                                           2640
                                                                                                                                                                                                           2700
```

```
2820
ctgacaacga tcggaggacc gaaggagcta accgcttttt tgcacaacat gggggatcat
gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa cgacgagcgt gacaccacga tgcctgcagc aatggcaaca acgttgcgca aactattaac tggcgaacta
                                                                                                                                                      2880
                                                                                                                                                       2940
cttactctag cttcccggca acaattaata gactggatgg aggcggataa agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc tggagccggt
                                                                                                                                                       3000
                                                                                                                                                       3060
gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta ctcatatata
                                                                                                                                                       3120
                                                                                                                                                       3180
                                                                                                                                                       3240
                                                                                                                                                       3300
ctttagattg atttaaaact tcatttttaa tttaaaagga tctaggtgaa gatccttttt
gataatetea tgaccaaaat ceettaaegt gagttttegt teeaetgage gteagaeeee gtagaaaaga teaaaggate ttettgagat cetttttte tgegegtaat etgetgettg
                                                                                                                                                       3360
                                                                                                                                                       3420
caaacaaaaa aaccaccgct accagcggtg gtttgtttgc cggatcaaga gctaccaact
                                                                                                                                                       3480
ctttttccga aggtaactgg cttcagcaga gcgcagatac caaatactgt ccttctagtg tagccgtagt taggccacca cttcaagaac tctgtagcac cgcctacata cctcgctctg
                                                                                                                                                       3540
                                                                                                                                                       3600
ctaatcetgt taccagtggc tgctgccagt ggcgataagt cgtgtcttac cgggttggac tcaagacgat agttaccgga taaggcgcag cggtcgggct gaacgggggg ttcgtgcaca
                                                                                                                                                       3660
                                                                                                                                                       3720
                                                                                                                                                       3780
cageccaget tggagegaac gacetacace gaactgagat acetacageg tgagetatga
gaaagegeca egetteeega agggagaaaag geggaeaggt ateeggtaag eggeagggte
ggaacaggag agegeaegag ggagetteea gggggaaaeg eetggtatet ttatagteet
                                                                                                                                                       3840
                                                                                                                                                       3900
ggaacaggag agcgcacgag ggagcttcca gggggaaacg cctggtatct ttatagtcct gtcgggtttc gccacctctg acttgagcgt cgatttttgt gatgctcgtc aggggggggg agcctatgga aaaacgccag caacgcggcc tttttacggt tcctggccttttgctcaca tgttctttcc tgcgttatcc cctgattctg tggataaccg tattaccgcc tttgagtgag ctgataccgc tcgcagcag cgaacgacga gtcagtgagc gagggaacgg aagagcgcct gatgcggtat tttctctta cgcatctgtg cggtatttca
                                                                                                                                                       3960
                                                                                                                                                       4020
                                                                                                                                                       4080
                                                                                                                                                       4140
                                                                                                                                                       4200
                                                                                                                                                       4257
caccycatat ggtgcactct cagtacaatc tgctctgatg ccgcatagtt aagccag
<210> 31
<211> 8136
 <212> DNA
 <213> Artificial Sequence
 <220>
<223> pWE15 cosmid vector
 <300>
 <308> GenBank X65279
 <309> 1995-04-14
 <400> 31
ctatagtgag tcgtattatg cggccgcgaa ttcttgaaga cgaaagggcc tcgtgatacg
cctattttta taggttaatg tcatgataat aatggtttct tagacgtcag gtggcacttt
tcggggaaat gtgcgcggaa cccctatttg tttattttc taaatacatt caaatatgta
tccgctcatg agacaataac cctgataaat gcttcaataa tattgaaaaa ggaagagtat
                                                                                                                                                           60
                                                                                                                                                         120
                                                                                                                                                         180
                                                                                                                                                         240
gagtattcaa catttccgtg tcgcccttat tccctttttt gcggcatttt gcttcctgtt tttgctcacc cagaaacgct ggtgaaagta aaagatgctg aagatcagtt gggtgcacga gtgggttaca tcgaactgga tctcaacagc ggtaagatcc ttgagagttt tcgccccgaa
                                                                                                                                                         300
                                                                                                                                                         360
                                                                                                                                                         420
gaacgttttc caatgatgag cacttttaaa gttctgctat gtggcgcggt attatcccgt gttgacgccg ggcaagagca actcggtcgc cgcatacact attctcagaa tgacttggtt gagtactcac cagtcacaga aaagcatctt acggatggca tgacagtaag agaattatgc gcggccaacg tgataacact tactctgac aacgatcgga ggaccgaagg agctaaccgc ttttttgcac aacaatggggg atcatgtaac tcgccttgat
                                                                                                                                                         480
                                                                                                                                                         540
                                                                                                                                                         600
                                                                                                                                                         660
                                                                                                                                                         720
cgttgggaac cggagctgaa tgaagccata ccaaacgacg agcgtgacac cacgatgcct
gcagcaatgg caacaacgtt gcgcaaacta ttaactggcg aactacttac tctagcttcc
                                                                                                                                                         780
                                                                                                                                                         840
eggcaacaat taatagactg gatggagggg gataaagttg caggaccact tctgcgctcg gcccttccgg ctggctggtt tattgctgat aaatctggag ccggtgagcg tgggtctcgc ggtatcattg cagcactggg gccagatggt aagccctccc gtatcgtagt tatctacacg
                                                                                                                                                         900
                                                                                                                                                         960
                                                                                                                                                       1020
acggggagtc aggcaactat ggatgaacga aatagacaga tcgctgagat aggtgcctca ctgattaagc attggtaact gtcagaccaa gtttactcat ataacttca gatgattaa aaggatctag gtgaagatcc tttttgataa tctcatgacca aaaatccctt aacgtgagtt ttcgttccac tgaggagatcatagataaa aggatctat
                                                                                                                                                       1080
                                                                                                                                                       1140
                                                                                                                                                       1200
                                                                                                                                                       1260
ggatcttctt gagatccttt ttttctgcgc gtaatctgct gcttgcaaac aaaaaaacca
                                                                                                                                                       1320
ccgctaccag cggtggtttg tttgccggat caagagctac caactctttt tccgaaggta actggcttca gcagagcgca gataccaaat actgtccttc tagtgtagcc gtagttaggc caccacttca agaactctgt agcaccgcct acatacctcg ctctgctaat cctgttacca
                                                                                                                                                       1380
                                                                                                                                                       1440
                                                                                                                                                       1500
gtggctgctg ccagtggcg taagtcgtgt cttaccgggt tggactcaag acgatagtta ccggataagg cgcagcggtc gggctgaacg gggggttcgt gcacacagcc cagcttggag cgaacgacct acaccgaact gagataccta cagcgtgagc tatgagaaag cgccacgctt
                                                                                                                                                       1560
                                                                                                                                                       1620
                                                                                                                                                       1680
```

ccgaagggag aaaggcggac aggtatccgg taagcggcag ggtcggaaca ggagagcgca egagggaget teeagggga aacgeetggt atetttatag teetgtegg gtttegeeacetetgacttg agegtegatt tttgtgatge tegteaggg ggeggageet atggaaaaac geeageaacg eggeettttt aeggtteetg geettttget ggeettttge teacatgtte ttteetggt tateecetga ttetgtggat aacgtatta eeggettetga gtgagetgat accectegec gcagcegaac gaccegagegc agcegagtcag tgagcegagga agcegaagag cgctgacttc cgcgtttcca gactttacga aacacggaaa ccgaagacca ttcatgttgt tgetcaggte geagacgttt tgeageagea gtegetteae gttegetege gtateggtga tteattetge taaceagtaa ggeaaceceg ceagectage egggteetea acgacaggag caegateatg egeaceegte agatecagae atgataagat acattgatga gtttggacaa accacaacta gaatgcagtg aaaaaaatgc tttatttgtg aaatttgtga tgctattgct ttatttgtaa ccattataag ctgcaataaa caagttaaca acaacaattg cattcatttt trattrgraa ccarrataag crgcaaraaa caagtraaca acaacaarry carrearra atgettcagg traggggg ggtgtgggag gtttttaaa gcaagtaaaa cctaacaa tgtggtatgg ctgattatga tctctagtca aggcactata catcaaatat tccttattaa cccctttaca aattaaaaag ctaaaggtac acaatttttg agcatagtta ttaatagcag acactctatg cctgtggga gtaagaaaaa acagtatgt atgattataa ctgttatgcc tactataaaa ggttacagaa tatttttcca taattttctt gtatagcag gcagctttt tacttataaa ggttacagaa tattttcca taattttctt gtatagcagt gcagcttttt cctttgtggt gtaaatagca aagcaagcaa gagttctatt actaaacaca gcatgagtaga atgttgaag tcagcagtag cctcatcatc actagatgge atgttgaat ctaaaataca caaacaatta gaatcagtag ctccatcatc aggttggaat ctaaaataca caaacaatta gaatcagtagg tagattttat atttacctta gagctttaaa tctctgtagg actcctggag gtaaggttc ttcacaaaga tccggaccaa agcggccatc ggatttgca ctgggggga aactcgggg gatcggcc cggggtgggc gaagaactcc agcatgagat ccggaggataatc cagcagcgt cccggaaaac gattccgaag ggatcgagc cggggtgggc gaagaactcc agcatgagat cccgggagg ggatcgagc cccggaaaac gattccgaag gcttggtcg cccaaccttt cattagaaggc ggaggatcatc cagcagcgt gtggtggc gaagaactcc agcatgagat cattagaaggc ggattggaa tcgaaatcc gtgatggca gttgggggt ggcttggtc cattagaaggc cccaaccttt catagaaggc ggagggtggaa tcgaaacca gttgggggg gattgggcg gcttggtcgg gcttggtcgg tcatttcgaa ggcggtggaa tcgaaatctc gtgatggcag gttgggcgtc gcttggtcgg tcatttcgaa ccccagagtc ccgctcagaa gaactcgtca agaaggcgat agaaggcgat gcgctgcgaa togggagogg cgatacogta aagcacgagg aagcggtcag cccattogco gccaagctct tcagcaatat cacgggtagc caacgctatg tcctgatagc ggtccgccac acccagccgg ccacagtcga tgaatccaga aaagcggcca ttttccacca tgatattcgg caagcaggca tegecatggg teacgacgag atectegeeg tegggatgeg egecttgage etggegaaca gtteggetgg egegageee tgatgetett egtecagate atectgateg acaagacegg gccacgatag ccgcgctgcc tcgtcctgca gttcattcag ggcaccggac aggtcggtct tgacaaaaag aaccgggcgc ccctgcgctg acagccggaa cacggcggca tcagagcagc tgacaaaaag aaccgggcg ccctgcgctg acagccggaa cacggcggca tcagagcagc cgattgtctg ttgtgccag tcatagcga atagcctctc cacccaagcg gccggagaac ctgcgtgcaa tccatcttgt tcaatcatgc gaaacgatcc tcatcctgt tcttgatcag atcttgatca cacctacaca gagggcgcc cagtcgcaa accttactaca gagggcgcc cagtcgcaa ttccggttcg cataaaaccgc cagtctagc tatcgccatg taaggccact gcaagctacc tgcttctt gtccagatag cccagtagct tcttgcggttcg gttttccctt gtccagatag cccagtagct tcaggggggaga agcttctg gaaagctacc gagggcgaga ccagtttctg gaaaagctca gaggccgagg cggctaaat ggggggggaga atgggcggaa ctgggggaga ggactatggt tgctgactaa ttgagatgat gattgagatg catgctttgca tacggggggaga tgctggaactaggt tgctgactaa ttgagatgat catgctttgca catgctttgc gctgagagactatggt tgctgactaa ttgagatgat catgctttgca catgctttgca catgctttgca catgctttgca catgctttgca catgctttgca aattgagatg catgctttgca aattcttgc ctggggactt tccacacctg gttgctgact aattgagatg catgctttgc atacttctgc ctgctgggga gcctggggac tttccacacc ctaactgaca cacattccac agccggatct gcaggaccca acgctgcccg agatgcgccg cgtgcggctg ctggagatgg cggacgcgat ggatatgttc tgccaagggt tggtttgcgc attcacagtt ctccgcaaga attgattggc tccaattctt ggagtggtga atccgttagc gaggtgccgc cggcttccat tcaggtcggag gtggcccggc tccatgcacc gcgacgcaac gcggggaggc agacaaggta tagggcggcg cctacaatcc atgccaaccc gttccatgtg ctcgccgagg cgcataaatc gccgtgacga tcageggtcc aatgatcgaa gttaggctgg taagagccgc gagcgatcct tgaagctgtc cctgatggtc gtcatctacc tgcctggaca gcatggcctg caacgcggca tcccgatgcc geeggaageg agaagaatea taatggggaa ggeeateeag cetegegteg egaaegeeag caagaegtag eecagegegt egggeegeea tgeeggegat aatggeetge ttetegeega aacgtttggt ggcgggacca gtgacgaagg cttgagcgag ggcgtgcaag attccgaata ccgcaagcga caggccgatc atcgtcgcgc tccagcgaaa gcggtcctcg ccgaaaatga cccagagcgc tgccggcacc tgtcctacga gttgcatgat aaagaagaca gtcataagtg cggcgacgat agtcatgcc cgcgcccacc ggaaggagct gactgggttg aaggctctca 

```
5760
 agggcatcgg tcgacgctct cccttatgcg actcctgcat taggaagcag cccagtagta
ggttgaggec gttgagcacc gccgccgcaa ggaatggtgc atgcaaggag atggcgcca acagtccccc ggccacgggc ctgccaccat acccacgccg aaacaagcgc tcatgagccc
                                                                                                                                                                                                                5820
                                                                                                                                                                                                                5880
gaagtggcga gecegatett ecceateggt gatgteggeg atataggege eageaacege acetgtggeg eeggtgatge eggecaegat gegteeggeg tagaggatet tggeagteac ageatgegea tatecatget tegaceatge geteacaaag taggtgaatg egcaatgtag taeccacate getategett tecactgete tegegaataa agatggaaaa teaateteat ggtaatagte eatgaaaate ettgtattea taaateetee aggtagetat atgeaaattg
                                                                                                                                                                                                                5940
                                                                                                                                                                                                                6000
                                                                                                                                                                                                                6060
                                                                                                                                                                                                                6120
                                                                                                                                                                                                                6180
                                                                                                                                                                                                                6240
 aaacaaaaga gatggtgatc tttctaagag atgatggaat ctcccttcag tatcccgatg
gtcaatgcgc tggatatggg atagatggga atatgctgat ttttatggga cagagttgcg aactgttccc aactaaaatc attttgcacg atcagcgcac tacgaacttt acccacaaat
                                                                                                                                                                                                                6300
                                                                                                                                                                                                                6360
 agtcaggtaa tgaatcctga tataaagaca ggttgataaa tcagtcttct acgcgcatcg
                                                                                                                                                                                                                6420
 cacgcgcaca ccgtagaaag tetttcagtt gtgagcetgg gcaaaccgtt aactttcggc
                                                                                                                                                                                                                 6480
ggctttgctg tgcgacaggc tcacgtctaa aaggaaataa atcatgggtc ataaaattat
                                                                                                                                                                                                                6540
ggctttgtcg tgcgacggcga cggatgttct gtatgcgctg tttttccgtg gcgcgttgct gtctggtgat ctgccttcta aatctggcac agccgaattg cgcgagcttg gtttgctgacaccagacac acagcaactg aataccagaa agaaaatcac tttacctttc tgacatcaga
                                                                                                                                                                                                                6600
                                                                                                                                                                                                                 6660
                                                                                                                                                                                                                 6720
agggcagaaa tttgccgttg aacacctggt caatacgcgt tttggtgagc agcaatattg cgcttcgatg acgcttggcg ttgagattga tacctctgct gcacaaaagg caatcgacga
                                                                                                                                                                                                                6780
                                                                                                                                                                                                                6840
gctggaccag cgcattcgtg acaccgtctc cttcgaactt attcgcaatg gagtgtcatt catcaaggac gccgctatcg caaatggtgc tatccacgca gcggcaatcg aaacacctca
                                                                                                                                                                                                                6900
                                                                                                                                                                                                                 6960
gccggtgacc aatatctaca acatcagcct tggtatccag cgtgatgagc cagcgcagaa caaggtaacc gtcagtgccg ataagttcaa agttaaacct ggtgttgata ccaacattga aacgttgatc gaaaacgcgc tgaaaaacgc tgctgaatgt gcggcgctgg atgtcacaaa gcaaatggca gcagacaaga aagcgatgga tgaactggct tcctatgtcc gcacggccat
                                                                                                                                                                                                                 7020
                                                                                                                                                                                                                 7080
                                                                                                                                                                                                                 7140
                                                                                                                                                                                                                 7200
catgatggaa tgtttccccg gtggtgttat ctggcagcag tgccgtcgat agtatgcaat tgataattat tatcatttgc gggtcctttc cggcgatccg ccttgttacg gggcggcgac
                                                                                                                                                                                                                 7260
                                                                                                                                                                                                                 7320
tgataattat tatcattige gggteettie eggegateeg eetigitaeg gggeggegade etegegggt titegetatti atgaaaatti teeggtitaa ggegtiteeg titettetteg teataactta atgititat titaaaatae etetgaaaag aaaggaaaeg acaggigetg aaagegaget tititigeete titegititee titetetgit titigiteegig gaatgaacaa tiggaagteaa caaaaageag etegetgaea tititeggige gagtateegi accatteaga actggeagga acagggaatg eeegtitetge gaggeggigg eaagggtaat gaggitgitaa agetgegeeg ggaggitgaa gaaetgegge aggeeagggigg geagateea eaggaeggat gigaggitgaa gaaetgegga aggeeagega ggeagateea eaggaegggigg tigtigaaeta gagaeggaggitgaa gaaetgegga aggeeagega ggeagateea eaggaegggigg tigtigaaeta gagaeggaggitgaa gaaetgegga ggeagateea eaggaegggitgaa gaaetgegaa ggeagateea eaggaeggat geegaaagegaa eaggaeggat geegaaagegaa eaggaeggateea eaggaeggateea gagaeggaagaa eaggaeggateea eaggaeggateeaa eaggaeggateeaa eaggaeggateeaaateeaggaateeaaateeaggaateeaaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaateeagaatee
                                                                                                                                                                                                                 7380
                                                                                                                                                                                                                 7440
                                                                                                                                                                                                                 7500
                                                                                                                                                                                                                 7560
                                                                                                                                                                                                                 7620
                                                                                                                                                                                                                 7680
                                                                                                                                                                                                                 7740
gtggtcgccg ggaggtgga gatctgggg ggtcaagta gcgaagcggg caggactggg caggactggg cagcagcaa gcgtcggac agtgctccga gaacgggtgc gcatagaaat tgcatcaacg catatagcgc tagcagcacg ccatagtgac tggcgatgct gtcggaatgg acgatatccc gcaagaggcc cggcagtacc ggcataacca agcctatgcc tacagcatcc agggtgacgg
                                                                                                                                                                                                                 7800
                                                                                                                                                                                                                 7860
                                                                                                                                                                                                                 7920
                                                                                                                                                                                                                 7980
tgccgaggat gacgatgagc gcattgttag atttcataca cggtgcctga ctgcgttagc aatttaactg tgataaacta ccgcattaaa gcttatcgat gataagcggt caaacatgag aattcgcggc cgcaattaac cctcactaaa ggatcc
                                                                                                                                                                                                                8040
                                                                                                                                                                                                                8100
                                                                                                                                                                                                                8136
 <210> 32
 <211> 2713
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> pNEB193 plasmid
 <400> 32
 tegegegttt eggtgatgae ggtgaaaace tetgacacat geageteeeg gagaeggtea cagettgtet gtaageggat geegggagea gacaageeeg teageggegeg teagegggtg
                                                                                                                                                                                                                             60
                                                                                                                                                                                                                          120
 ttggcgggtg tcggggctgg cttaactatg cggcatcaga gcagattgta ctgagagtgc accatatgcg gtgtgaaata ccgcacagat gcgtaaggag aaaataccgc atcaggcgcc
                                                                                                                                                                                                                          180
                                                                                                                                                                                                                          240
 attegecatt caggetgege aactgttggg aagggegate ggtgegggee tettegetat
                                                                                                                                                                                                                          300
tacgccaget ggcgaaaggg ggatgtgctg caaggcgatt aagttgggta acgccagggt tttcccagtc acgacgttgt aaaacgacgg ccagtgaatt cgagctcggt acccgggggc gcgccggatc cttaattaag tctagagtcg actgtttaaa cctgcaggca tgcaagcttg
                                                                                                                                                                                                                          360
                                                                                                                                                                                                                          420
                                                                                                                                                                                                                          480
gcgtaatcat ggtcatagct gtttcctgtg tgaaattgtt atccgctcac aattccacac acatacgag ccggaagcat aaagtgtaaa gcctggggtg cctaatgagt gagctaactc acattaattg cgttgcgctc actgcccgct ttccagtcgg gaaacctgtc gtgccagctg cattaatgaa tcggccaacac ggcggggaga ggcggtttgc gtattgggcg ctcttccgct
                                                                                                                                                                                                                          540
                                                                                                                                                                                                                          600
                                                                                                                                                                                                                          660
                                                                                                                                                                                                                          720
 tectegetea etgacteget gegeteggte gtteggetge ggegageggt ateageteae
                                                                                                                                                                                                                          780
 tcaaaggcgg taatacggtt atccacagaa tcaggggata acgcaggaaa gaacatgtga
                                                                                                                                                                                                                          840
 gcaaaaggcc agcaaaaggc caggaaccgt aaaaaggccg cgttgctggc gtttttccat aggctccgcc ccctgacga gcatcacaaa aatcgacgct caagtcagag gtggcgaaac
                                                                                                                                                                                                                          900
                                                                                                                                                                                                                          960
```

		• •			
atctcagcga actactatt actacgatac cgctcaccgg caactttatc ggagaggctt cgctagtagt gtgtcacgt gttacatgat actactgat actactgat accgcgcac aaactctcaa acctgatct caaaatgccg cttttcat actact caaaatgccg cttttcaat gaatgtatt cctgaccttc acgcccttc accgccct accgcccac aactgatct caaaatgccg cttttcaat accgccctact aggcccttc gtc	cggatacctg taggtatctc cgttcagccc acacgactta aggcggtgct atttggtatc atccggcaaa gcgcagaaaa gtggaacgaa ctagatcctt ttggtcatcg accatcatcgc atcagcaata cgcctccatc tagtttcac atggcaaaaa agtgtatca gtgcaaaaaa agtgttatca gtgcaaaaaa agtgttatca gcgaccgagt tttaaaagtg gctttaacac acatagaccg acatataggg acaaataggg	tccgccttc agttcggtgt gaccgctgcg tcgccactgg acagagttct tgcgctctgc caaaccaccg aaaggatctc aactcacgtt ttaaattaaa	teeetteggg aggtegtteg cettateegg cageagtegtg tgaagtegtg tgaagtegt ctggtagegg aagaagtttt aatgaagttt gettaateegt caatgaagte caatgatace ceggaaggge attgttgeeg cetteggtae getteeggt tgageaet getteeggt tgageaet gtgagtaete cggegteaat gaaaaegtte tgtaaeeaa gttgaagea gttgaagea ttgaagea ttgaagea ttgaagea ttgaagea ttgaagea ttgaagea ttgaagea ttgaagea ttgaagea	aagcgtggcg ctccaagctg taactaccgg taactacagg gcctaactac taccttcgga tggtttttt tttgatcttt ggtcatgaga taaatcatc tgaggcacct tgaggcacca cgaggcgcaga ggaagccaa ggaagctaga atcaaggcga atcaaggcga tccgatcgtt accaagtca acggggataat ttcggggga tcaaggacacc acagggataat ttcgtgcaccc acaggaacga	1020 1080 1140 1200 1320 1380 1440 1500 1620 1680 1740 1800 1920 2140 22100 22160 22280 2340 2460 2520 2580 2640 2713
<210> 33 <211> 21 <212> DNA <213> Artificial Seque	ence				
<220> <223> attP					
<400> 33 cagctttttt atactaagtt	g				21
<210> 34 <211> 21 <212> DNA <213> Artificial Seque	ence				
<220> <223> attB					
<400> 34 ctgctttttt atactaactt	g				21
<210> 35 <211> 21 <212> DNA <213> Artificial Seque	ence				
<220> <223> attL		•		· .'	
<400> 35 ctgctttttt atactaagtt	g				21
<210> 36 <211> 21 <212> DNA					

```
<213> Artificial Sequence
<220>
<223> attR
<400> 36
                                                                                                                               21
cagctttttt atactaactt g
<210> 37
<211> 1071
<212> DNA
<213> Artificial Sequence
<220>
<223> Integrase E174R
<221> CDS
<222> (1)...(1071)
<223> Nucleotide sequence encoding Integrase E147R
atg gga aga agg cga agt cat gag cgc cgg gat tta ccc cct aac ctt
Met Gly Arg Arg Ser His Glu Arg Arg Asp Leu Pro Pro Asn Leu
                                                                                                                       96
tat ata aga aac aat gga tat tac tgc tac agg gac cca agg acg ggt
Tyr Ile Arg Asn Asn Gly Tyr Tyr Cys Tyr Arg Asp Pro Arg Thr Gly
20 25 30
aaa gag ttt gga tta ggc aga gac agg cga atc gca atc act gaa gct
Lys Glu Phe Gly Leu Gly Arg Asp Arg Arg Ile Ala Ile Thr Glu Ala
                                                                                                                       144
ata cag gcc aac att gag tta ttt tca gga cac aaa cac aag cct ctg
Ile Gln Ala Asn Ile Glu Leu Phe Ser Gly His Lys His Lys Pro Leu
                                                                                                                       192
aca gcg aga atc aac agt gat aat tcc gtt acg tta cat tca tgg ctt
Thr Ala Arg Ile Asn Ser Asp Asn Ser Val Thr Leu His Ser Trp Leu
gat cgc tac gaa aaa atc ctg gcc agc aga gga atc aag cag aag aca Asp Arg Tyr Glu Lys Ile Leu Ala Ser Arg Gly Ile Lys Gln Lys Thr
ctc ata aat tac atg agc aaa att aaa gca ata agg agg ggt ctg cct
Leu Ile Asn Tyr Met Ser Lys Ile Lys Ala Ile Arg Arg Gly Leu Pro
gat gct cca ctt gaa gac atc acc aca aaa gaa att gcg gca atg ctc Asp Ala Pro Leu Glu Asp Ile Thr Thr Lys Glu Ile Ala Ala Met Leu
aat gga tac ata gac gag ggc aag gcg gcg tca gcc aag tta atc aga
Asn Gly Tyr Ile Asp Glu Gly Lys Ala Ala Ser Ala Lys Leu Ile Arg
tca aca ctg agc gat gca ttc cga gag gca ata gct gaa ggc cat ata
Ser Thr Leu Ser Asp Ala Phe Arg Glu Ala Ile Ala Glu Gly His Ile
                                                                                                                       480
                                    150
aca aca aac cat gtc gct gcc act cgc gca gca aaa tct aga gta agg
Thr Thr Asn His Val Ala Ala Thr Arg Ala Ala Lys Ser Arg Val Arg
                                                                                                                       528
aga tca aga ctt acg gct gac gaa tac ctg aaa att tat caa gca gca
Arg Ser Arg Leu Thr Ala Asp Glu Tyr Leu Lys Ile Tyr Gln Ala Ala
```

180		185	190
gaa tca tca cca t Glu Ser Ser Pro C 195	tgt tgg ctc aga Cys Trp Leu Arg 200	Leu Ala Met Glu L	tg gct gtt gtt 624 eu Ala Val Val 05
acc ggg caa cga g Thr Gly Gln Arg V 210	gtt ggt gat tta Val Gly Asp Leu 215	tgc gaa atg aag t Cys Glu Met Lys T 220	gg tct gat atc 672 rp Ser Asp Ile
gta gat gga tat o Val Asp Gly Tyr I 225	ctt tat gtc gag Leu Tyr Val Glu 230	caa agc aaa aca g Gln Ser Lys Thr G 235	gc gta aaa att 720 Ny Val Lys Ile 240
Ala Ile Pro Thr A	gca ttg cat att Ala Leu His Ile 245	gat gct ctc gga a Asp Ala Leu Gly I 250	ta tca atg aag 768 le Ser Met Lys 255
gaa aca ctt gat a Glu Thr Leu Asp I 260	aaa tgc aaa gag Lys Cys Lys Glu	att ctt ggc gga g Ile Leu Gly Gly G 265	aa acc ata att 816 lu Thr Ile Ile 270
gca tct act cgt of Ala Ser Thr Arg A 275	cgc gaa ccg ctt Arg Glu Pro Leu 280	tca tcc ggc aca g Ser Ser Gly Thr V 2	ta tca agg tat 864 al Ser Arg Tyr 85
ttt atg cgc gca o Phe Met Arg Ala A 290	cga aaa gca tca Arg Lys Ala Ser 295	ggt ctt tcc ttc g Gly Leu Ser Phe G 300	aa ggg gat ccg 912 lu Gly Asp Pro
cct acc ttt cac of Pro Thr Phe His 0	gag ttg cgc agt Glu Leu Arg Ser 310	ttg tct gca aga c Leu Ser Ala Arg I 315	tc tat gag aag 960 eu Tyr Glu Lys 320
Gln Ile Ser Asp I	aag ttt gct caa Lys Phe Ala Gln 325	cat ctt ctc ggg c His Leu Leu Gly H 330	at aag tcg gac 1008 is Lys Ser Asp 335
acc atg gca tca ( Thr Met Ala Ser ( 340	cag tat cgt gat Gln Tyr Arg Asp	gac aga ggc agg g Asp Arg Gly Arg G 345	ag tgg gac aaa 1056 Hu Trp Asp Lys 350
att gaa atc aaa t Ile Glu Ile Lys 355	taa *		1071
<210> 38 <211> 356 <212> PRT <213> Artificial	Sequence		
<220> <223> Integrase I	E147R		
<400> 38 Met Gly Arg Arg A	Arg Ser His Glu	Arg Arg Asp Leu F	Pro Pro Asn Leu 15
	Asn Gly Tyr Tyr	Cys Tyr Arg Asp F	
Lys Glu Phe Gly 1	Leu Gly Arg Asp	Arg Arg Ile Ala I	
Ile Gln Ala Asn I		Ser Gly His Lys H	is Lys Pro Leu
		Ser Val Thr Leu H	is Ser Trp Leu 80
Asp Arg Tyr Glu	Lys Ile Leu Ala	Ser Arg Gly Ile I	ys Gln Lys Thr

```
Leu Ile Asn Tyr Met Ser Lys Ile Lys Ala Ile Arg Arg Gly Leu Pro
Asp Ala Pro Leu Glu Asp Ile Thr Thr Lys Glu Ile Ala Ala Met Leu
                                120
                                                      125
        115
Asn Gly Tyr Ile Asp Glu Gly Lys Ala Ala Ser Ala Lys Leu Ile Arg
                           135
    130
Ser Thr Leu Ser Asp Ala Phe Arg Glu Ala Ile Ala Glu Gly His Ile
                                                                     160
                                             155
                      150
Thr Thr Asn His Val Ala Ala Thr Arg Ala Ala Lys Ser Arg Val Arg
165 170 175
                                         170
                  165
Arg Ser Arg Leu Thr Ala Asp Glu Tyr Leu Lys Ile Tyr Gln Ala Ala
                                     185
             180
Glu Ser Ser Pro Cys Trp Leu Arg Leu Ala Met Glu Leu Ala Val Val
                                200
                                                       205
         195
Thr Gly Gln Arg Val Gly Asp Leu Cys Glu Met Lys Trp Ser Asp Ile
                                                   220
    210
                           215
Val Asp Gly Tyr Leu Tyr Val Glu Gln Ser Lys Thr Gly Val Lys Ile
225 230 235
Ala Ile Pro Thr Ala Leu His Ile Asp Ala Leu Gly Ile Ser Met Lys
245 250 255
Glu Thr Leu Asp Lys Cys Lys Glu Ile Leu Gly Gly Glu Thr Ile Ile
260 265 270
                                   265
Ala Ser Thr Arg Arg Glu Pro Leu Ser Ser Gly Thr Val Ser Arg Tyr
275 280 285
Phe Met Arg Ala Arg Lys Ala Ser Gly Leu Ser Phe Glu Gly Asp Pro
                                                 300
                          295
    290
Pro Thr Phe His Glu Leu Arg Ser Leu Ser Ala Arg Leu Tyr Glu Lys
                                            315
                       310
305
Gln Ile Ser Asp Lys Phe Ala Gln His Leu Leu Gly His Lys Ser Asp 325 330 335
Thr Met Ala Ser Gln Tyr Arg Asp Asp Arg Gly Arg Glu Trp Asp Lys
                                     345
              340
Ile Glu Ile Lys
         355
<210> 39
<211> 876
<212> DNA
<213> Discosoma species
<220>
<221> CDS
 <222> (45)...(737)
<223> Nucleotide sequence encoding red flourescent
      protein (FP593)
<300>
<308> GenBank AF272711
<309> 2000-09-26
<400> 39
agtttcagcc agtgacaggg tgagctgcca ggtattctaa caag atg agt tgt tcc
                                                         Met Ser Cys Ser
aag aat gtg atc aag gag ttc atg agg ttc aag gtt cgt atg gaa gga
Lys Asn Val Ile Lys Glu Phe Met Arg Phe Lys Val Arg Met Glu Gly
                                                                             104
                        10
acg gtc aat ggg cac gag ttt gaa ata aaa ggc gaa ggt gaa ggg agg
Thr Val Asn Gly His Glu Phe Glu Ile Lys Gly Glu Gly Glu Gly Arg
                                                                             152
cct tac gaa ggt cac tgt tcc gta aag ctt atg gta acc aag ggt gga
Pro Tyr Glu Gly His Cys Ser Val Lys Leu Met Val Thr Lys Gly Gly
                                                                             200
```

	40	45		50	
cct ttg cca Pro Leu Pro 55	Phe Ala Phe	gat att ttg Asp Ile Leu 60	tca cca caa Ser Pro Gln	ttt cag tat Phe Gln Tyr 65	gga 248 Gly
			gac ata cca Asp Ile Pro 80		
ctg tca ttt Leu Ser Phe 85	cct gag gga Pro Glu Gly 90	Phe Lys Trp	gaa agg gtc Glu Arg Val 95	atg aac ttt Met Asn Phe	gaa 344 Glu 100
gac ggt ggc Asp Gly Gly	gtg gtt act Val Val Thr 105	gta tcc caa Val Ser Gln	gat tcc agt Asp Ser Ser 110	ttg aaa gac Leu Lys Asp 115	ggc 392 Gly
tgt ttc atc Cys Phe Ile	tac gag gto Tyr Glu Val	aag ttc att Lys Phe Ile 125	ggg gtg aac Gly Val Asn	ttt cct tct Phe Pro Ser 130	gat 440 Asp
gga cct gtt Gly Pro Val 135	. Met Gln Arg	agg aca cgg Arg Thr Arg 140	ggc tgg gaa Gly Trp Glu	gcc agc tct Ala Ser Ser 145	gag 488 Glu
cgt ttg tat Arg Leu Tyr 150	cct cgt gat Pro Arg Asp	ggg gtg ctg Gly Val Leu 155	aaa gga gac Lys Gly Asp 160	atc cat atg Ile His Met	gct 536 Ala
ctg agg ctg Leu Arg Leu 165	gaa gga ggo Glu Gly Gly 170	Gly His Tyr	ctc gtt gaa Leu Val Glu 175	ttc aaa agt Phe Lys Ser	att 584 Ile 180
tac atg gta Tyr Met Val	aag aag cct . Lys Lys Pro 185	tca gtg cag Ser Val Glm	ttg cca ggc Leu Pro Gly 190	tac tat tat Tyr Tyr Tyr 195	gtt 632 Val
gac tcc aaa Asp Ser Lys	ctg gat atg Leu Asp Met 200	acg agc cac Thr Ser His 205	aac gaa gat Asn Glu Asp	tac aca gtc Tyr Thr Val 210	gtt 680 Val
gag cag tat Glu Gln Tyr 215	Glu Lys Thr	cag gga cgc Gln Gly Arg 220	cac cat ccg His His Pro	ttc att aag Phe Ile Lys 225	cct 728 Pro
ctg cag tga Leu Gln * 230	acteggetea	gtcatggatt a	gcggtaatg gco	cacaaaag	777
		aatgcagcc aa aaacatgta at	aaattgaa ggt! tgaaaac	atgaca gtag	aaatac 837 876
<210> 40 <211> 230 <212> PRT <213> Disco	esoma species				
<400> 40				<b>5 5</b> 1 <b>7</b> .	**-3
1	5	_	Glu Phe Met	15	
_	20	25	Glu Phe Glu	30	
35		40	Cys Ser Val	45 .	
Thr Lys Gly 50	Gly Pro Leu	Pro Phe Ala 55	Phe Asp Ile 60	Leu Ser Pro	Gln

```
Phe Gln Tyr Gly Ser Lys Val Tyr Val Lys His Pro Ala Asp Ile Pro
                                        75
Asp Tyr Lys Lys Leu Ser Phe Pro Glu Gly Phe Lys Trp Glu Arg Val
                                                        95
                85
                                    90
Met Asn Phe Glu Asp Gly Gly Val Val Thr Val Ser Gln Asp Ser Ser
                                                    110
           100
                                105
Leu Lys Asp Gly Cys Phe Ile Tyr Glu Val Lys Phe Ile Gly Val Asn
                            120
       115
Phe Pro Ser Asp Gly Pro Val Met Gln Arg Arg Thr Arg Gly Trp Glu
                                            140
   130
                        135
Ala Ser Ser Glu Arg Leu Tyr Pro Arg Asp Gly Val Leu Lys Gly Asp
145
                    150
                                        155
Ile His Met Ala Leu Arg Leu Glu Gly Gly Gly His Tyr Leu Val Glu
                                                        175
                165
                                    170
Phe Lys Ser Ile Tyr Met Val Lys Lys Pro Ser Val Gln Leu Pro Gly
            180
                               185
                                                    190
Tyr Tyr Tyr Val Asp Ser Lys Leu Asp Met Thr Ser His Asn Glu Asp
                                               205
                           200
Tyr Thr Val Val Glu Gln Tyr Glu Lys Thr Gln Gly Arg His His Pro
                                            220
                       215
   210
Phe Ile Lys Pro Leu Gln
<210> 41
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> m-att;
<221> misc_difference
<222> 18
<223> n is a or g or c or t/u
<400> 41
                                                                       25
rkycwgcttt yktrtacnaa stsgb
<210> 42
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> m-attB;
<221> misc_difference
<222> 18
<223> n is a or g or c or t/u
<400> 42
                                                                        25
agccwgcttt yktrtacnaa ctsgb
<210> 43
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> m-attR
<221> misc_difference
<222> 18
<223> n is a or g or c or t/u
```

<400> 43 gttcagcttt cktrtacnaa ctsgb	25
<210> 44 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> m-attL	
<221> misc_difference <222> 18 <223> n is a or g or c or t/u	
<400> 44 agccwgcttt cktrtacnaa gtsgb	25
<210> 45 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> m-attPl	
<221> misc_difference <222> 18 <223> n is a or g or c or t/u	
<400> 45 gttcagcttt yktrtacnaa gtsgb	25
<210> 46 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attB1	
<400> 46 agectgettt tttgtacaaa ettgt	25
<210> 47 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attB2	
<400> 47 agcctgcttt cttgtacaaa cttgt	25
<210> 48 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attB3	
<400> 48 acccagcttt cttgtacaaa cttgt	25
<210> 49	

<211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attR1	
<400> 49 gttcagcttt tttgtacaaa cttgt	25
<210> 50 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attR2	
<400> 50 gttcagcttt cttgtacaaa cttgt	25
<210> 51 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attR3	
<400> 51 gttcagcttt cttgtacaaa gttgg	25
<210> 52 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attL1	
<400> 52 agcctgcttt tttgtacaaa gttgg	25
<210> 53 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attL2	
<400> 53 agcctgcttt cttgtacaaa gttgg	25
<210> 54 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> attL3	
<400> 54 acccagettt ettgtacaaa gttgg	25
<210> 55 <211> 25	

<212> DNA <213> Artificial Sequence												
<220> <223> attP1												
<400> 55 gttcagcttt tttgtacaaa gttgg												
<210> 56 <211> 25 <212> DNA <213> Artificial Sequence												
<220> <223> attP2,P3												
<400> 56 gttcagcttt cttgtacaaa gttgg	25											
<210> 57 <211> 34 <212> DNA <213> Artificial Sequence												
<220> <223> Lox P site												
<400> 57 ataacttcgt ataatgtatg ctatacgaag ttat	34											
<210> 58 <211> 1032 <212> DNA <213> Escherichia coli												
<220> <221> CDS <222> (1)(1032) <223> nucleotide sequence encoding Cre recombinase												
<400> 58 atg tcc aat tta ctg acc gta cac caa aat ttg cct gca tta ccg gtc Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro Ala Leu Pro Val 1 5 10 15	48											
gat gca acg agt gat gag gtt cgc aag aac ctg atg gac atg ttc agg Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met Asp Met Phe Arg 20 25 30	96											
gat cgc cag gcg ttt tct gag cat acc tgg aaa atg ctt ctg tcc gtt Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met Leu Leu Ser Val 35 40 45	144											
tgc cgg tcg tgg gcg gca tgg tgc aag ttg aat aac cgg aaa tgg ttt Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn Arg Lys Trp Phe 50 55 60	192											
ccc gca gaa cct gaa gat gtt cgc gat tat ctt cta tat ctt cag gcg Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu Tyr Leu Gln Ala 65 70 75 80	240											
cgc ggt ctg gca gta aaa act atc cag caa cat ttg ggc cag cta aac Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu Gly Gln Leu Asn 85 90 95	288											
atg ctt cat cgt cgg tcc ggg ctg cca cga cca agt gac agc aat gct	336											

Met	Leu	His	Arg 100	Arg	Ser	Gly	Leu	Pro 105	Arg	Pro	Ser	Ąsp	Ser 110	Asn	Ala		
gtt Val	tca Ser	ctg Leu 115	gtt Val	atg Met	cgg Arg	cgg Arg	atc Ile 120	cga Arg	aaa Lys	gaa Glu	aac Asn	gtt Val 125	gat Asp	gcc Ala	ggt Gly	384	
gaa Glu	cgt Arg 130	gca Ala	Lys	cag Gln	gct Ala	cta Leu 135	gcg Ala	ttc Phe	gaa Glu	cgc Arg	act Thr 140	gat Asp	ttc Phe	gac Asp	cag Gln	432	
gtt Val 145	cgt Arg	tca Ser	ctc Leu	atg Met	gaa Glu 150	aat Asn	agc Ser	gat Asp	cgc Arg	tgc Cys 155	cag Gln	gat Asp	ata Ile	cgt Arg	aat Asn 160	480	
ctg Leu	gca Ala	ttt Phe	ctg Leu	999 Gly 165	att Ile	gct Ala	tat Tyr	aac Asn	acc Thr 170	ctg Leu	tta Leu	cgt Arg	ata Ile	gcc Ala 175	gaa Glu	528	
att Ile	gcc Ala	agg Arg	atc Ile 180	agg Arg	gtt Val	aaa Lys	gat Asp	atc Ile 185	tca Ser	cgt Arg	act Thr	gac Asp	ggt Gly 190	gjå aaa	aga Arg	576	
atg Met	tta Leu	atc Ile 195	cat His	att Ile	ggc Gly	aga Arg	acg Thr 200	aaa Lys	acg Thr	ctg Leu	gtt Val	agc Ser 205	acc Thr	gca Ala	ggt Gly	624	
gta Val	gag Glu 210	aag Lys	gca Ala	ctt Leu	agc Ser	ctg Leu 215	gly ggg	gta Val	act Thr	aaa Lys	ctg Leu 220	gtc Val	gag Glu	cga Arg	tgg Trp	672	
att Ile 225	tcc Ser	gtc Val	tct Ser	ggt Gly	gta Val 230	gct Ala	gat Asp	gat Asp	ccg Pro	aat Asn 235	aac Asn	tac Tyr	ctg Leu	ttt Phe	tgc Cys 240	720	
cgg Arg	gtc Val	aga Arg	aaa Lys	aat Asn 245	ggt Gly	gtt Val	gcc Ala	gcg Ala	cca Pro 250	tct Ser	gcc Ala	acc Thr	agc Ser	cag Gln 255	cta Leu	768	
tca Ser	act Thr	cgc Arg	gcc Ala 260	ctg Leu	gaa Glu	Gly 999	att Ile	ttt Phe 265	gaa Glu	gca Ala	act Thr	cat His	cga Arg 270	ttg Leu	att Ile	816	
tac Tyr	ggc Gly	gct Ala 275	aag Lys	gat Asp	gac Asp	tct Ser	ggt Gly 280	cag Gln	aga Arg	tac Tyr	ctg Leu	gcc Ala 285	tgg Trp	tct Ser	gga Gly	864	
cac His	agt Ser 290	gcc Ala	cgt Arg	gtc Val	gga Gly	gcc Ala 295	gcg Ala	cga Arg	gat Asp	atg Met	gcc Ala 300	cgc Arg	gct Ala	gga Gly	gtt Val	912	
tca Ser 305	ata Ile	ccg Pro	gag Glu	atc Ile	atg Met 310	caa Gln	gct Ala	ggt Gly	ggc	tgg Trp 315	acc Thr	aat Asn	gta Val	aat Asn	att Ile 320	960	
gtc Val	atg Met	aac Asn	tat Tyr	atc Ile 325	cgt Arg	aac Asn	ctg Leu	gat Asp	agt Ser 330	gaa Glu	aca Thr	gly ggg	gca Ala	atg Met 335	gtg Val	1008	,
	ctg Leu															1032	

<210> 59 <211> 343 <212> PRT

## <213> Escherichia coli

20

<400> 59

```
Met Ser Asn Leu Leu Thr Val His Gln Asn Leu Pro Ala Leu Pro Val
                                       10
Asp Ala Thr Ser Asp Glu Val Arg Lys Asn Leu Met Asp Met Phe Arg
                                   25
                                                        30
             20
Asp Arg Gln Ala Phe Ser Glu His Thr Trp Lys Met Leu Leu Ser Val
                              40
Cys Arg Ser Trp Ala Ala Trp Cys Lys Leu Asn Asn Arg Lys Trp Phe
50 60
Pro Ala Glu Pro Glu Asp Val Arg Asp Tyr Leu Leu Tyr Leu Gln Ala
                      70
Arg Gly Leu Ala Val Lys Thr Ile Gln Gln His Leu Gly Gln Leu Asn
                  85
                                       90
Met Leu His Arg Arg Ser Gly Leu Pro Arg Pro Ser Asp Ser Asn Ala
                                105
                                                       110
            100
Val Ser Leu Val Met Arg Arg Ile Arg Lys Glu Asn Val Asp Ala Gly
115 120 125
Glu Arg Ala Lys Gln Ala Leu Ala Phe Glu Arg Thr Asp Phe Asp Gln
                         135
                                               140
    130
Val Arg Ser Leu Met Glu Asn Ser Asp Arg Cys Gln Asp Ile Arg Asn
                                          155
                    150
Leu Ala Phe Leu Gly Ile Ala Tyr Asn Thr Leu Leu Arg Ile Ala Glu
165 170 175
Ile Ala Arg Ile Arg Val Lys Asp Ile Ser Arg Thr Asp Gly Gly Arg
180 185
Met Leu Ile His Ile Gly Arg Thr Lys Thr Leu Val Ser Thr Ala Gly
195 200 205
        195
Val Glu Lys Ala Leu Ser Leu Gly Val Thr Lys Leu Val Glu Arg Trp
                                               220
                         215
Ile Ser Val Ser Gly Val Ala Asp Asp Pro Asn Asn Tyr Leu Phe Cys
                    230
                                          235
Arg Val Arg Lys Asn Gly Val Ala Ala Pro Ser Ala Thr Ser Gln Leu
                                     250
                245
Ser Thr Arg Ala Leu Glu Gly Ile Phe Glu Ala Thr His Arg Leu Ile
                                 265
            260
Tyr Gly Ala Lys Asp Asp Ser Gly Gln Arg Tyr Leu Ala Trp Ser Gly
                                                  285
                             280
        275
His Ser Ala Arg Val Gly Ala Ala Arg Asp Met Ala Arg Ala Gly Val
                                              300
                         295
Ser Ile Pro Glu Ile Met Gln Ala Gly Gly Trp Thr Asn Val Asn Ile
                    310
                                          315
305
Val Met Asn Tyr Ile Arg Asn Leu Asp Ser Glu Thr Gly Ala Met Val
                                      330
                 325
Arg Leu Leu Glu Asp Gly Asp
            340
<210> 60
<211> 1272
<212> DNA
<213> Saccharomyces cerevisiae
<220>
<221> CDS
<222> (1)...(1272)
<223> nucleotide sequence encoding Flip recombinase
atg cca caa ttt ggt ata tta tgt aaa aca cca cct aag gtg ctt gtt Met Pro Gln Phe Gly Ile Leu Cys Lys Thr Pro Pro Lys Val Leu Val
                                                                           48
cgt cag ttt gtg gaa agg ttt gaa aga cct tca ggt gag aaa ata gca
                                                                           96
Arg Gln Phe Val Glu Arg Phe Glu Arg Pro Ser Gly Glu Lys Ile Ala
```

Leu	Cys	Ala 35	Ala	Glu	cta Leu	Thr	Tyr 40	Leu	Cys	Trp	Met	45	THE	urs	ASII	144
gga Gly	aca Thr 50	gca Ala	atc Ile	aag Lys	aga Arg	gcc Ala 55	aca Thr	ttc Phe	atg Met	agc Ser	tat Tyr 60	aat Asn	act Thr	atc Ile	ata Ile	192
agc Ser 65	aat Asn	tcg Ser	ctg Leu	agt Ser	ttc Phe 70	gat Asp	att Ile	gtc Val	aat Asn	aaa Lys 75	tca Ser	ctc Leu	cag Gln	ttt Phe	aaa Lys 80	240
tac Tyr	aag Lys	acg Thr	caa Gln	aaa Lys 85	gca Ala	aca Thr	att Ile	ctg Leu	gaa Glu 90	gcc Ala	tca Ser	tta Leu	aag Lys	aaa Lys 95	ttg Leu	288
att Ile	cct Pro	gct Ala	tgg Trp 100	gaa Glu	ttt Phe	aca Thr	att Ile	att Ile 105	cct Pro	tac Tyr	tat Tyr	gga Gly	caa Gln 110	aaa Lys	cat His	336
caa Gln	tct Ser	gat Asp 115	atc Ile	act Thr	gat Asp	att Ile	gta Val 120	agt Ser	agt Ser	ttg Leu	caa Gln	tta Leu 125	cag Gln	ttc Phe	gaa Glu	384
tca Ser	tcg Ser 130	gaa Glu	gaa Glu	gca Ala	gat Asp	aag Lys 135	gga Gly	aat Asn	agc Ser	cac His	agt Ser 140	aaa Lys	aaa Lys	atg Met	ctt Leu	432
aaa Lys 145	Ala	ctt Leu	cta Leu	agt Ser	gag Glu 150	ggt Gly	gaa Glu	agc Ser	atc Ile	tgg Trp 155	GIU	atc Ile	act Thr	gag Glu	aaa Lys 160	480
ata Ile	cta Leu	aat Asn	tcg Ser	ttt Phe 165	Glu	tat Tyr	act Thr	tcg Ser	aga Arg 170	ttt Phe	aca Thr	aaa Lys	aca Thr	aaa Lys 175	act Thr	528
tta Leu	tac Tyr	caa Gln	ttc Phe 180	Leu	ttc Phe	cta Leu	gct Ala	act Thr 185	Pne	atc Ile	aat Asn	tgt Cys	gga Gly 190	r a	ttc Phe	576
ago Ser	gat Asp	att Ile 195	Lys	aac Asn	gtt Val	gat Asp	ccg Pro 200	гу	tca Ser	ttt Phe	aaa Lys	tta Leu 205		caa Gln	aat Asn	624
aag Lys	tat Tyr 210	Leu	gga Gly	gta Val	ata Ile	ato Ile 215	Gln	tgt Cys	tta Leu	gtg Val	aca Thr 220	GIL	aca Thr	aag Lys	aca Thr	672
ago Ser 225	· Val	. agt . Ser	agg Arg	cac His	ata Ile 230	Tyr	tto Phe	ttt Phe	ago Ser	gca Ala 235	LALC	ggt Gly	agg Arg	rato rIle	gat Asp 240	720
cca	ctt Leu	gta Val	tat Tyr	ttg Leu 245	ı Asp	gaa Glu	ttt Phe	ttg Leu	agg Arg 250	ABI	tct Ser	gaa Glu	cca Pro	gto Val 255	cta Leu	768
aaa Lys	cga Arg	gta y Val	aat Asr 260	Arg	g acc g Thr	ggc Gly	aat Asr	tct Ser 265	Ser	ago Ser	aat Asr	aaa Lys	cag Glr 270	I GTF	tac Tyr	816
caa Glr	tta Lei	tta Leu 279	ı Lya	gat Asp	aac Asr	tta Lev	gto Val 280	LArg	tcg Sei	tac Tyl	aat Asr	aaa 1 Lys 28	HIC	tto Lev	g aag 1 Lys	864
aaa Lys	a aat s Asr 290	ı Ala	g cct a Pro	tat Tyi	tca Sei	a ato Ile 299	Phe	gct Ala	ata i Ile	a aaa e Lys	a aat s Asr 300	1 GT	c cca y Pro	a aaa o Lys	a tct s Ser	912

cac His 305	att Ile	gga Gly	aga Arg	cat His	ttg Leu 310	atg Met	acc Thr	tca Ser	ttt Phe	ctt Leu 315	tca Ser	atg Met	aag Lys	ggc Gly	cta Leu 320	960
acg Thr	gag Glu	ttg Leu	act Thr	aat Asn 325	gtt Val	gtg Val	gga Gly	aat Asn	tgg Trp 330	agc Ser	gat Asp	aag Lys	cgt Arg	gct Ala 335	tct Ser	1008
gcc Ala	gtg Val	gcc Ala	agg Arg 340	aca Thr	acg Thr	tat Tyr	act Thr	cat His 345	cag Gln	ata Ile	aca Thr	gca Ala	ata Ile 350	cct Pro	gat Asp	1056
cac His	tac Tyr	ttc Phe 355	gca Ala	cta Leu	gtt Val	tct Ser	cgg Arg 360	tac Tyr	tat Tyr	gca Ala	tat Tyr	gat Asp 365	cca Pro	ata Ile	tca Ser	1104
aag Lys	gaa Glu 370	atg Met	ata Ile	gca Ala	ttg Leu	aag Lys 375	gat Asp	gag Glu	act Thr	aat Asn	cca Pro 380	att Ile	gag Glu	gag Glu	tgg Trp	1152
cag Gln 385	cat His	ata Ile	gaa Glu	cag Gln	cta Leu 390	aag Lys	ggt Gly	agt Ser	gct Ala	gaa Glu 395	gga Gly	agc Ser	ata Ile	cga Arg	tac Tyr 400	1200
ccc Pro	gca Ala	tgg Trp	aat Asn	999 Gly 405	ata Ile	ata Ile	tca Ser	cag Gln	gag Glu 410	gta Val	cta Leu	gac Asp	tac Tyr	ctt Leu 415	tca Ser	1248
tcc Ser	tac Tyr	ata Ile	aat Asn 420	aga Arg	cgc Arg	ata Ile	taa *									1272

<210> 61

<211> 422

<212> PRT <213> Saccharomyces cerevisiae

<400> 61 Pro Gln Phe Gly Ile Leu Cys Lys Thr Pro Pro Lys Val Leu Val Arg 10 5 Gln Phe Val Glu Arg Phe Glu Arg Pro Ser Gly Glu Lys Ile Ala Leu 25 20 Cys Ala Ala Glu Leu Thr Tyr Leu Cys Trp Met Ile Thr His Asn Gly 40 Thr Ala Ile Lys Arg Ala Thr Phe Met Ser Tyr Asn Thr Ile Ile Ser 60 Asn Ser Leu Ser Phe Asp Ile Val Asn Lys Ser Leu Gln Phe Lys Tyr 65 70 75 80 Lys Thr Gln Lys Ala Thr Ile Leu Glu Ala Ser Leu Lys Lys Leu Ile 90 Pro Ala Trp Glu Phe Thr Ile Ile Pro Tyr Tyr Gly Gln Lys His Gln
100 105 110 Ser Asp Ile Thr Asp Ile Val Ser Ser Leu Gln Leu Gln Phe Glu Ser 125 115 120 Ser Glu Glu Ala Asp Lys Gly Asn Ser His Ser Lys Lys Met Leu Lys
130
135
140 Ala Leu Leu Ser Glu Gly Glu Ser Ile Trp Glu Ile Thr Glu Lys Ile 155 150 Leu Asn Ser Phe Glu Tyr Thr Ser Arg Phe Thr Lys Thr Leu
165 170 175 170 165 Tyr Gln Phe Leu Phe Leu Ala Thr Phe Ile Asn Cys Gly Arg Phe Ser 185 180 Asp Ile Lys Asn Val Asp Pro Lys Ser Phe Lys Leu Val Gln Asn Lys 195 200 205 Tyr Leu Gly Val Ile Ile Gln Cys Leu Val Thr Glu Thr Lys Thr Ser

```
215
    210
Val Ser Arg His Ile Tyr Phe Phe Ser Ala Arg Gly Arg Ile Asp Pro
225 230 235 240
Leu Val Tyr Leu Asp Glu Phe Leu Arg Asn Ser Glu Pro Val Leu Lys
                                                          255
                                     250
                245
Arg Val Asn Arg Thr Gly Asn Ser Ser Ser Asn Lys Gln Glu Tyr Gln
                                                      270
                                 265
            260
Leu Leu Lys Asp Asn Leu Val Arg Ser Tyr Asn Lys Ala Leu Lys Lys
                            280
        275
Asn Ala Pro Tyr Ser Ile Phe Ala Ile Lys Asn Gly Pro Lys Ser His
                                              300
                         295
    290
Ile Gly Arg His Leu Met Thr Ser Phe Leu Ser Met Lys Gly Leu Thr
305
                    31.0
                                         315
Glu Leu Thr Asn Val Val Gly Asn Trp Ser Asp Lys Arg Ala Ser Ala
                                                          335
                                     330
Val Ala Arg Thr Thr Tyr Thr His Gln Ile Thr Ala Ile Pro Asp His
                              345
                                                      350
            340
Tyr Phe Ala Leu Val Ser Arg Tyr Tyr Ala Tyr Asp Pro Ile Ser Lys
                                                  365
                             360
        355
Glu Met Ile Ala Leu Lys Asp Glu Thr Asn Pro Ile Glu Glu Trp Gln
                         375
                                             380
    370
His Ile Glu Gln Leu Lys Gly Ser Ala Glu Gly Ser Ile Arg Tyr Pro
                                         395
                     390
Ala Trp Asn Gly Ile Ile Ser Gln Glu Val Leu Asp Tyr Leu Ser Ser
                                     410
                405
Tyr Ile Asn Arg Arg Ile
            420
<210> 62
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> IR2
<400> 62
                                                                          48
gaagttoota ttoogaagtt ootattotot agaaagtata ggaactto
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> IR1
<400> 63
                                                                          48
gaagtteeta taetttetag agaataggaa etteggaata ggaaette
<210> 64
<211> 66
<212> DNA
<213> Bacteriophage mu
<220>
<221> CDS
<222> (1) ... (66)
<223> nucleotide sequence encoding GIN recombinase
                                                                         48
tca act ctg tat aaa aaa cac ccc gcg aaa cga gcg cat ata gaa aac
Ser Thr Leu Tyr Lys Lys His Pro Ala Lys Arg Ala His Ile Glu Asn
                                      10
                                                                         66
gac gat cga atc aat taa
Asp Asp Arg Ile Asn *
```

```
<210> 65
<211> 21
<212> PRT
<213> bacteriophage mu
Ser Thr Leu Tyr Lys Lys His Pro Ala Lys Arg Ala His Ile Glu Asn
Asp Asp Arg Ile Asn
               20
<210> 66
<211> 69
<212> DNA
<213> Bacteriophage mu
<220>
<221> CDS
<222> (1) ... (69)
<223> nucleotide sequence encoding Gin recombinase
<400> 66
tat aaa aaa cat ccc gcg aaa cga acg cat ata gaa aac gac gat cga
Tyr Lys Lys His Pro Ala Lys Arg Thr His Ile Glu Asn Asp Asp Arg
                                                                                            48
                                                                                            69
atc aat caa atc gat cgg taa
Ile Asn Gln Ile Asp Arg *
<210> 67
<211> 22
<212> PRT
<213> bacteriophage mu
<220>
<223> Gin recombinase of bacteriophage mu
Tyr Lys Lys His Pro Ala Lys Arg Thr His Ile Glu Asn Asp Asp Arg
                      5 .
Ile Asn Gln Ile Asp Arg
               20
<210> 68
<211> 555
<212> DNA
<213> Escherichia coli
<220>
<221> CDS
<222> (1) ... (555)
<223> nucleotide sequence encoding PIN recombinase
atg ctt att ggc tat gta cgc gta tca aca aat gac cag aac aca gat
Met Leu Ile Gly Tyr Val Arg Val Ser Thr Asn Asp Gln Asn Thr Asp
                                                                                            48
cta caa cgt aat gcg ctg aac tgt gca gga tgc gag ctg att ttt gaa
Leu Gln Arg Asn Ala Leu Asn Cys Ala Gly Cys Glu Leu Ile Phe Glu
                                                                                            96
                 20
                                           25
```

gac Asp	aag Lys	ata Ile 35	agc Ser	ggc Gly	aca Thr	aag Lys	tcc Ser 40	gaa Glu	agg Arg	ccg Pro	gga Gly	ctg Leu 45	aaa Lys	aaa Lys	ctg Leu	144
ctc Leu	agg Arg 50	aca Thr	tta Leu	tcg Ser	gca Ala	ggt Gly 55	gac Asp	act Thr	ctg Leu	gtt Val	gtc Val 60	tgg Trp	aag Lys	ctg Leu	gat Asp	192
					atg Met 70											240
					aac Asn											288
					cgc Arg											336
					ctg Leu											384
					gga Gly											432
					caa Gln 150											480
					att Ile											528
					gly aaa			taa *								555

<210> 69

<211> 184

<212> PRT

<213> Escherichia coli

 Ad00> 69

 Met
 Leu
 Ile
 Gly
 Tyr
 Val
 Arg
 Val
 Ser
 Thr
 Asn
 Asp
 Gln
 Asn
 Thr
 Asp

 Leu
 Gln
 Arg
 Asn
 Ala
 Leu
 Asn
 Cys
 Ala
 Glu
 Leu
 Ile
 Phe
 Glu

 Asp
 Lys
 Ile
 Ser
 Gly
 Thr
 Lys
 Ser
 Glu
 Arg
 Pro
 Gly
 Leu
 Lys
 Leu
 Asp
 Leu
 Arg
 Pro
 Gly
 Arg
 Leu
 Asp
 Fro
 Gly
 Arg
 Int
 Arg
 Int
 Arg
 Int
 Arg
 Int
 Arg
 Int
 Int
 Arg
 Int
 Arg
 Int
 Int
 Int
 Arg
 Int
 Int
 Int
 Int
 Int

```
Arg Gln Lys Val Ala Ile Ile Tyr Asp Val Gly Val Ser Thr Leu Tyr
                        165
Lys Arg Phe Pro Ala Gly Asp Lys
                  180
<210> 70
<211> 4778
<212> DNA
<213> Artificial Sequence
<220>
<223> pcx plasmid
<400> 70
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata
                                                                                                            60
                                                                                                           120
gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag
                                                                                                           180
ggactītcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac
                                                                                                           240
atcaagtgta tcatatgcca agtacgcccc ctattgacgt caatgacggt aaatggcccg
                                                                                                           300
                                                                                                           360
cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg
tattagtcat cgctattacc atgggtcgag gtgagcccca cgttctgctt cactctcccc atctccccc cctccccac cccaattttg tatttattta ttttttaatt attttgtgca
                                                                                                           420
                                                                                                           480
540
                                                                                                           600
                                                                                                           660
                                                                                                           720
                                                                                                           780
                                                                                                           840
cettaaaggg etcegggagg geeetttgtg eggggggag eggetegggg ggtgegtgeg
tgtgtgtgtg egtggggag geegegtgeg geeegegetg eeeggegget gtgagegetg
egggegegge geggggettt gtgegeteeg egtgtgegeg aggggagege ggeegggg
                                                                                                           900
                                                                                                           960
                                                                                                          1020
ggtgccccgc ggtgcggggg ggctgcgagg ggaacaaagg ctgcgtgcgg ggtgtgtgcgccccc cctgcacccc
                                                                                                         1080
                                                                                                         1140
                                                                                                         1200
ceteceegag ttgetgagea eggecegget tegggtgegg ggeteegtge ggggegtgge
1260
cegceteggg ceggggaggg ctegggggag gggegegge geeceggage gceggegget
gtegaggege ggegageege agecattgee ttttatggta ategtgegag agggegeagg
gaetteettt gteccaaate tggeggagee gaaatetggg aggegeegee geacececte
                                                                                                         1320
                                                                                                         1380
                                                                                                         1440
tagegggege gggegaageg gtgeggegee ggeaggaagg aaatgggegg ggagggeett egtgegtege egegeegeeg teceettete catetecage eteggggetg eegeaggggg
                                                                                                         1500
                                                                                                         1560
acggetgeet teggggggga eggggeaggg eggggttegg ettetggegt gtgaceggeg getetagage etetgetaac catgtteatg cettettett titeetacag eteetgggea acgtgetggt tgttgtgetg teteateatt ttggeaaaga atteaeteet caggtgeagg
                                                                                                         1620
                                                                                                         1680
                                                                                                          1740
                                                                                                          1800
ctgcctatca gaaggtggtg gctggtgtgg ccaatgccct ggctcacaaa taccactgag
 atctttttcc ctctgccaaa aattatgggg acatcatgaa gccccttgag catctgactt
                                                                                                         1860
ctggctaata aaggaaattt atttcattg caatagtgtg ttggaatttt ttgtgtctct cactcggaag gacatatggg agggcaaatc atttaaaaca tcagaatgag tatttggttt agagtttggc aacatatgcc atatgctggc tgccatgaac aaaggtggct ataaagaggt
                                                                                                         1920
                                                                                                         1980
                                                                                                          2040
                                                                                                          2100
catcagtata tgaaacagcc ccctgctgtc cattccttat tccatagaaa agccttgact
tgaggttaga tittittat attitgtitt gtgttattit titcittaac atccctaaaa tittccttac atgtttact agccagatti ticctcctct cctgactact cccagtcata
                                                                                                         2160
                                                                                                         2220
                                                                                                          2280
getgtecete ttetettatg aagateeete gacetgeage ceaagettgg egtaateatg
gtcatagctg tttcctgtgt gaaattgtta tccgctcaca attccacaca acatacgagc cggaagcata aagtgtaaag cctggggtgc ctaatgagtg agctaactca cattaattgc gttgcgctca ctgcccgctt tccagtcggg aaacctgtcg tgccagcgga tccgcatctc aattagtcag caaccatagt cccgcccta actccgccca tcccgcccc acctccgccc
                                                                                                         2340
                                                                                                         2400
                                                                                                          2460
                                                                                                         2520
 agttccgccc attctccgcc ccatggctga ctaattttt ttatttatgc agaggccgag
                                                                                                         2580
gccgcctcgg cctctgagct attccagaag tagtgaggag gcttttttgg aggcctaggc
ttttgcaaaa agctaacttg tttattgcag cttataatgg ttacaaataa agcaatagca
tcacaaattt cacaaataaa gcatttttt cactgcattc tagttgtggt ttgtccaaac
                                                                                                         2640
                                                                                                          2700
                                                                                                          2760
 tcatcaatgt atcttatcat gtctggatcc gctgcattaa tgaatcggcc aacgcgcggg
                                                                                                         2820
gagaggeggt ttgcgtattg ggcgctcttc cgcttcctcg ctcactgact cgctgcgctc ggtcgttcgg ctgcggcgag cggtatcagc tcactcaaag gcggtaatac ggttatccac agaatcaggg gataacgcag gaaagaacat gtgagcaaaa ggccagcaaa aggccaggaa
                                                                                                         2880
                                                                                                         2940
                                                                                                          3000
 ccgtaaaaag gccgcgttgc tggcgttttt ccataggctc cgccccctg acgagcatca
                                                                                                          3060
```

caaaaatcga cgctcaagtc agaggtggcg aaacccgaca ggactataaa gataccaggcgtttccccct ggaagctccc tcgtgcgctc tcctgttccg accctgccgc ttaccggata

```
3240
cctgtccgcc tttctccctt cgggaagcgt ggcgctttct caatgctcac gctgtaggta
totcagttcg gtgtaggtcg ttcgctccaa gctgggctgt gtgcacgaac cccccgttca gcccgaccgc tgcgccttat ccggtaacta tcgtcttgag tccaacccgg taagacacga
                                                                                                         3300
                                                                                                         3360
cttatcgcca ctggcagcag ccactggtaa caggattagc agagcgaggt atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa ctacggctac actagaagga cagtatttgg tatctgcgct ctgctgaagc cagttacctt cggaaaaaaga gttggtagct cttgatccgg
                                                                                                         3420
                                                                                                         3480
                                                                                                         3540
caaacaaacc accgctggta gcggtggttt ttttgtttgc aagcagcaga ttacgcgcag aaaaaaaagga tctcaagaag atcctttgat cttttctacg gggtctgacg ctcagtggaa
                                                                                                         3600
                                                                                                         3660
cgaaaactca cgttaaggga ttttggtcat gagattatca aaaaggatct tcacctagat
                                                                                                         3720
ccttttaaat taaaaatgaa gttttaaatc aatctaaagt atatatgagt aaacttggtc tgacagttac caatgcttaa tcagtgaggc acctatctca gcgatctgtc tatttcgttc
                                                                                                         3780
                                                                                                         3840
atccatagtt gcctgactcc ccgtcgtgta gataactacg atacgggagg gcttaccatc tggccccagt gctgcaatga taccgcgaga cccacgctca ccggctccag atttatcagc
                                                                                                         3900
                                                                                                         3960
aataaaccag ccagccggaa gggccgagcg cagaagtggt cctgcaactt tatccgcctc catccagtct attaattgtt gccgggaagc tagagtaagt agttcgccag ttaatagttt gcgcaacgtt gttgccattg ctacaggcat cgtggtgtca cgctcgtcgt ttggtatggc
                                                                                                         4020
                                                                                                         4080
                                                                                                         4140
tteatteage teeggtteec aacgateaag gegagttaca tgateecea tgttgtgeaa aaaageggtt ageteetteg gteeteegat egttgteaa agtaagttgg eegcagtgtt ateacteatg gttatggeag cactgeataa tteetetaat gteatgecat eegtaagatg
                                                                                                         4200
                                                                                                         4260
                                                                                                         4320
cttttctgtg actggtgagt actcaaccaa gtcattctga gaatagtgta tgcggcgacc gagttgctct tgcccggcgt caatacggga taataccgcg ccacatagca gaactttaaa
                                                                                                         4380
                                                                                                         4440
gagttgetet tydetgydyt caatacygyd tattetgyd teatholygol agtgeteate attggaaaac gttettegyg gegaaaacte teaaggatet tacegetgtt gagatecagt tegatgtaac ceaetegtge acceaactga tetteageat ettttaettt caecagegtt tetgggtgag caaaaacagg aaggeaaaat geegeaaaaa agggaataag
                                                                                                         4500
                                                                                                         4560
                                                                                                         4620
ggcgacacgg aaatgttgaa tactcatact cttccttttt caatattatt gaagcattta
                                                                                                         4680
tcagggttat tgtctcatga gcggatacat atttgaatgt atttagaaaa ataaacaaat aggggttccg cgcacatttc cccgaaaagt gccacctg
                                                                                                         4740
                                                                                                         4778
<210> 71
<211> 5510
 <212> DNA
 <213> Artificial Sequence
<220>
 <223> pCXeGFP plasmid
 <400> 71
                                                                                                            60
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata
gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc
                                                                                                           120
 ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag
                                                                                                           180
ggactttcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac atcaagtgta tcatatgcca agtacgccc ctattgacgt caatgacggt aaatggcccg
                                                                                                           240
                                                                                                           300
cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg
                                                                                                           360
tattagtcat cgctattacc atgggtcgag gtgagcccca cgttctgctt cactctcccc atctccccc cctccccac cccaattttg tatttattta ttttttaatt attttgtgca
                                                                                                           420
                                                                                                           480
540
                                                                                                           600
                                                                                                           660
720
                                                                                                           780
                                                                                                           840
                                                                                                           900
                                                                                                           960
                                                                                                          1020
                                                                                                          1080
                                                                                                          1140
                                                                                                         1200
                                                                                                          1260
                                                                                                          1320
                                                                                                         1380
 1440
                                                                                                          1500
                                                                                                          1560
 acggctgcct tcggggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg
                                                                                                          1620
 getetagage etetgetaac catgiteatg cettettett titeetacag eteetgggea acgtgetggt tgttgtgetg teteateatt titgeaaaaga attegecace atggtgagea
                                                                                                          1680
                                                                                                          1740
 agggcgagga gctgttcacc ggggtggtgc ccatcctggt cgagctggac ggcgacgtaa
                                                                                                          1800
```

acooccacaa	gttcagcgtg	tecaacaaaa	gcgagggga	tgccacctac	ggcaagctga	1860
ccctgaagtt	catctgcacc	accoccaacc	tacccatacc	ctggcccacc	ctcgtgacca	1920
ccctgaccta	cggcgtgcag	tacttcaacc	gctaccccqa	ccacatgaag	cagcacgact	1980
tetteaagte	cgccatgccc	gaaggctacg	tccaggaggg	caccatcttc	ttcaaggacg	2040
accaccaacta	caagacccgc	accasaatas	agttcgaggg	cgacaccctg	qtqaaccqca	2100
tranactana	gggcatcgac	ttcaaggagg	acoocaacat	cctagaacac	aagctggagt	2160
acaactacaa	cagccacaac	atctatatca	tagacaacaa	gcagaagaac	ggcatcaagg	2220
tanactacaa	gatccgccac	ascatogada	acaacaacat	gcagetcace	gaccactacc	2280
ogaacticaa	ccccatcggc	aacaccgagg	tactactacc	cdacaaccac	tacctgagga	2340
ageagaacae	cctgagcaaa	gacggccccg	raccaccac	tcacatootc	ctactaggat	2400
eceagreege	cergageaaa	gaccccaacg	teeseesee	atacaaataa	caattcactc	2460
ccgtgaccgc	cgccgggatc	acteteggea	tagatgaget	gcacaagcaa	ctcactcaca	2520
ctcaggtgca	ggctgcctat	cagaaggtgg	constant	ggccaatgcc	aaggcccaca	2580
aataccactg	agatctttt	ccctctgcca	adaditatyy	teesteete	tattaaaatt	2640
agcatctgac	ttctggctaa	taaaggaaat		tentttanna	catcagaatc	2700
ttttgtgtct	ctcactcgga	aggacatatg	ggagggcaaa	tt-	caccagaacg	2760
agtatttggt	ttagagtttg	gcaacatatg	ccatatgetg	getgecatga	acaaaggegg	2820
ctataaagag	gtcatcagta	tatgaaacag	ccccctgctg	tecatteett	attecataga	2880
aaagccttga	cttgaggtta	gattttttt	atattttgtt	ttgtgttatt	-tt-c-t-a	2940
acatccctaa	aattttcctt	acatgtttta	ctagccagat	tttteeteet	etectgaeta	
ctcccagtca	tagctgtccc	tcttctctta	tgaagatccc	tegacetgea	gcccaagett	3000
ggcgtaatca	tggtcatagc	tgtttcctgt	gtgaaattgt	tatccgctca	caattecaca	3060
caacatacga	gccggaagca	taaagtgtaa	agcctggggt	gcctaatgag	tgagctaact	3120
cacattaatt	gcgttgcgct	cactgcccgc	tttccagtcg	ggaaacctgt	cgtgccagcg	3180
gatccgcatc	tcaattagtc	agcaaccata	gtcccgcccc	taactccgcc	catcccgccc	3240
ctaactccgc	ccagttccgc	ccattctccg	ccccatggct	gactaatttt	ttttatttat	3300
gcagaggccg	aggccgcctc	ggcctctgag	ctattccaga	agtagtgagg	aggctttttt	3360
ggaggcctag	gcttttgcaa	aaagctaact	tgtttattgc	agcttataat	ggttacaaat	3420
aaaqcaataq	catcacaaat	ttcacaaata	aagcattttt	ttcactgcat	tctagttgtg	3480
gtttgtccaa	actcatcaat	gtatettate	atqtctqqat	ccgctgcatt	aatgaatcgg	3540
ccaacacaca	qqqaqaqqqq	gtttgcgtat	tgggcgctct	tccgcttcct	cgctcactga	3600
ctcactacac	teggtegtte	ggctgcggcg	agcggtatca	gctcactcaa	aggcggtaat	3660
accottatcc	acagaatcag	gggataacgc	aggaaagaac	atgtgagcaa	aaggccagca	3720
aaaggccagg	aaccqtaaaa	aggccgcgtt	gctggcgttt	ttccataggc	teegeeeee	3780
tgacgagcat	cacaaaaatc	gacgeteaag	tcagaggtgg	cgaaacccga	caggactata	3840
aagataccag	acatttcccc	ctqqaaqctc	cctcgtgcgc	tctcctgttc	cgaccctgcc	3900
acttaccaga	tacctqtccq	cctttctccc	ttcgggaagc	gtggcgcttt	ctcaatgctc	3960
acactataga	tatctcaqtt	cggtgtaggt	cgttcgctcc	aagctgggct	gtgtgcacga	4020
accccccqtt	caqcccqacc	gctgcgcctt	atccggtaac	tatcgtcttg	agtccaaccc	4080
ggtaagacac	gacttatcgc	cactggcagc	agccactggt	aacaggatta	gcagagcgag	4140
gtatgtaggc	ggtgctacag	agttcttgaa	gtggtggcct	aactacggct	acactagaag	4200
gacagtattt	ggtatctgcg	ctctqctqaa	gccagttacc	ttcggaaaaa	gagttggtag	4260
ctcttgatcc	ggcaaacaaa	ccaccactaa	tagcagtagt	ttttttqttt	gcaagcagca	4320
gattacgcgc	agaaaaaaag	gatctcaaga	agateetttg	atcttttcta	cggggtctga	4380
cactcaataa	aacgaaaact	cacqttaaqq	gattttggtc	atgagattat	caaaaaggat	4440
cttcacctag	atccttttaa	attaaaaatq	aagttttaaa	tcaatctaaa	gtatatatga	4500
gtaaacttgg	tctgacagtt	accaatoctt	aatcaqtqaq	qcacctatct	cagcgatctg	4560
tctatttcgt	tcatccatag	ttgcctgact	cccatcata	tagataacta	cgatacggga	4620
gggcttacca	tctggcccca	gtgctgcaat	gataccgcga	gacccacqct	caccggctcc	4680
agatttatca	gcaataaacc	adccadccdd	aagggcgag	cacagaaata	gtcctgcaac	4740
tttatcccc	tccatccagt	ctattaattg	ttgccgggaa	qctaqaqtaa	gtagttcgcc	4800
agttaatagt	ttgcgcaacg	ttattaccat	toctacagge	atcatagtat	cacqctcqtc	4860
atttaatata	gcttcattca	acticegatic	ccaacgatca	aggcgagtta	catgatcccc	4920
catattatac	aaaaaagcgg	ttageteett	caatceteca	atcottotca	gaagtaagtt	4980
aaccacaata	ttatcactca	taattataac	agcactgcat	aattetetta	ctatcatacc	5040
atccataaca	tgcttttctg	tgactggtga	gtactcaacc	aagtcattct	gagaatagtg	5100
tatacaacaa	ccgagttgct	cttacccac	gtcaatacoo	gataatacco	coccacatao	5160
cacacettta	aaagtgctca	tcattogas	acattettea	gggggaaaag	tctcaaggat	5220
cttacccctc	ttgagatcca	ottcostots	acceacted	gcacccaact	gatetteage	5280
atatttaat	ttcaccagcg	tttctgggtg	agcaaaaaca	ggaaggcaaa	atoccocaaa	5340
assertasts	agggcgacac	agaaatatta	aatactcata	ctcttccttt	ttcaatatta	5400
ttgaaggatt	tatcagggtt	attototoat	gagcggatac	atatttgaat	gtatttagaa	5460
asatasacas	ataggggttc	cacacacatt	tccccqaaaa	gtgccacctg		5510
-uacuaacaa		2505040400				

<sup>&</sup>lt;210> 72 <211> 282 <212> DNA <213> Artificial Sequence

```
<220>
<223> attp
<400> 72
ccttgcgcta atgctctgtt acaggtcact aataccatct aagtagttga ttcatagtga
                                                                                        60
                                                                                       120
ctgcatatgt tgtgttttac agtattatgt agtctgtttt ttatgcaaaa tctaatttaa
tatattgata titatatcat titacgittc tegitcaget tittatact aagitggeat tataaaaaag cattgettat caattigitg caacgaacag gicactatca gicaaaataa aatcattatt tgatticaat titgicccac teeetgeete tg
                                                                                       180
                                                                                        240
                                                                                       282
<210> 73
<211> 20
<212> DNA
<213> Artificial Sequence
<223> Primer
<400> 73
                                                                                20
ggccccgtaa tgcagaagaa
<210> 74
<211> '32
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
<400> 74
                                                                                32
ggtttaaagt gcgctcctcc aagaacgtca tc
<210> 75
<211> 40
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer
                                                                               40
agatetagag cegeegetac aggaacaggt ggtggeggee
<210> 76
<211> 37
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer 5PacSV40
ctgttaatta actgtggaat gtgtgtcagt tagggtg
                                                                               37
<210> 77
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer Antisense Zeo
<400> 77
tgaacagggt cacgtcgtcc
                                                                               20
<210> 78 <211> 24
```

<212> DNA <213> Artificial Sequence	
<220> <223> Primer 5' HETS	
<400> 78 gggccgaac gatctcaacc tatt	24
<210> 79 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Primer 3' HETS	
<400> 79 cgcagcggcc ctcctactc	9
<210> 80 <211> 29 <212> DNA <213> Artificial Sequence	
<220> <223> Primer 5BSD	
<400> 80 accatgaaaa catttaacat ttctcaaca	29
<210> 81 <211> 29 <212> DNA <213> Artificial Sequence	
<220> <223> Primer SV40polyA	
<400> 81 tttatttgtg aaatttgtga tgctattgc 2	29
<210> 82 <211> 25 <212> DNA <213> Artificial Sequence	
<220> <223> Primer 3BSP	
<400> 82 ttaatttcgg gtatatttga gtgga	25
<210> 83 <211> 32 <212> DNA <213> Artificial Sequence	
<220> <223> Primer EPO5XBA	
<400> 83 tatctagaat gggggtgcac gaatgtcctg cc 3	32
<210> 84 <211> 32 <212> DNA	

```
<213> Artificial Sequence
<220>
<223> Primer EPO3SBI
<400> 84
                                                                                               32
tacgtacgtc atctgtcccc tgtcctgcag gc
<210> 85
<211> 27
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer GENEPO3BSI
<400> 85
                                                                                               27
cgtacgtcat ctgtcccctg tcctgca
<210> 86
<211> 28
<212> DNA
<213> Artificial Sequence
<220>
<223> Primer GENEPO5XBA
<400> 86
                                                                                               28
tctagaatgg gggtgcacgg tgagtact
<210> 87
<211> 4862
<212> DNA
<213> Artificial Sequence
<220>
<223> pD2eGFP-1N plasmid from Clontech
tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata tggagttccg 60
cqttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc cccgcccatt 120
gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc attgacgtca 180
atgggtggag tatttacggt aaactgccca cttggcagta catcaagtgt atcatatgcc 240
aagtacgccc cctattgacg tcaatgacgg taaatggccc gcctggcatt atgcccagta 300
catgacetta tgggacette ctacteggea gtacatetac gtattagtea tegetattac 360
catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg actcacgggg 420 atttccaagt ctccaccca ttgacgtcaa tgggagtttg ttttggcacc aaaatcaacg 480
ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg gtaggcgtgt 540
acggtgggag gtctatataa gcagagctgg tttagtgaac cgtcagatcc gctagcgcta 600 ccggactcag atctcgagct caagcttcga attctgcagt cgacggtacc gcgggcccgg 660 gatccaccgg tcgccaccat ggtgagcaag ggcgaggagc tgttcaccgg ggtggtgccc 720 atcctggtcg agctggacgg cgacgtaaac ggccacaagt tcagcgtgtc cggcgaggg 780
qaqqqqatq ccacctacqq caaqctgacc ctgaagttca tctgcaccac cggcaagctg 840
cogtgeect ggcccacct cgtgaccacc ctgacctacg gcgtgcagtg cttcagccgc 900 taccccgacc acatgaagca gcacgacttc ttcaagtccg ccatgcccga aggctacgtc 960
caggagegea ceatettett caaggaegae ggeaactaca agaecegege egaggtgaag 1020 ttegagggeg acaceetggt gaacegeate gagetgaagg geategaett caaggaggae 1080 ggeaacatee tggggeacaa getggagtae aactacaaca gecacaaegt etatateatg 1140
gccgacaagc agaagaacgg catcaaggtg aacttcaaga tccgccacaa catcgaggac 1200 ggcagcgtgc agctcgccga ccactaccag cagaacaccc ccatcggcga cggccccgtg 1260
ctgctgcccg acaaccacta cctgagcacc cagtccgccc tgagcaaaga ccccaacgag 1320
aagegegate acatggteet getggagtte gtgacegeeg eegggateae teteggeatg 1380 gaegagetgt acaagaaget tageeatgge tteeegeegg aggtggagga geaggatgat 1440
ggcacgctgc ccatgtcttg tgcccaggag agcgggatgg accgtcaccc tgcagcctgt 1500 gcttctgcta ggatcaatgt gtagatgcgc ggccgcgact ctagatcata atcagccata 1560
ccacatttgt agaggtttta cttgctttaa aaaacctccc acacctcccc ctgaacctga 1620
aacataaaat gaatgcaatt gttgttgtta acttgtttat tgcagcttat aatggttaca 1680
```

```
aataaagcaa tagcatcaca aatttcacaa ataaagcatt tttttcactg cattctagtt 1740
gtggtttgtc caaactcatc aatgtatctt aaggcgtaaa ttgtaagcgt taatattttg 1800 ttaaaattcg cgttaaattt ttgttaaatc agctcatttt ttaaccaata ggccgaaatc 1860
ggcaaaatc cttataaatc aaaagaatag accgagatag ggttgagtgt tgttccagtt 1920 tggaacaaga gtccactatt aaagaacgtg gactccaacg tcaaagggcg aaaaccgtc 1980 tatcagggcg atggccact acgtgaacca tcaccctaat caagttttt ggggtcgagg 2040
tgccgtaaag cactaaatcg gaaccctaaa gggagccccc gatttagagc ttgacgggga 2100
aagccggcga acgtggcgag aaaggaaggg aagaaagcga aaggagcggg cgctagggcg 2160 ctggcaagtg tagcggtcac gctgcgcgta accaccacac ccgccgcgct taatgcgccg 2220
ctacagggcg cgtcaggtgg cacttttcgg ggaaatgtgc gcggaacccc tatttgttta 2280 tttttctaaa tacattcaaa tatgtatccg ctcatgagac aataaccctg ataaatgctt 2340
caataatatt gaaaaaggaa gagtcctgag gcggaaagaa ccagctgtgg aatgtgtgtc 2400 agttagggtg tggaaagtcc ccaggctccc cagcaggcag aagtatgcaa agcatgcatc 2460 tcaattagtc agcaaccagg tgtggaaagt ccccaggctc cccagcaggc agaagtatgc
aaagcatgca totcaattag toagcaacca tagtocogco cotaactoog cocatcoogc 2580 coctaactoo goccagttoo goccattoto ogcoccatgg otgactaatt titttatti 2640 atgcagaggo cgaggoogco toggoctotg agotattoca gaagtagtga ggaggottit 2700
ttggaggcct aggcttttgc aaagatcgat caagagacag gatgaggatc gtttcgcatg 2760 attgaacaag atggattgca cgcaggttct ccggccgctt gggtggagag gctattcggc 2820
tatgactggg cacaacagac aatcggctgc tctgatgccg ccgtgttccg gctgtcagcg 2880 caggggcgcc cggttcttt tgtcaagacc gacctgtccg gtgcctgaa tgaactgcaa 2940 gacgaggcag cgcggctatc gtggctgcc acgacgggcg ttccttgcgc agctgtgctc 3000
gacgttgtca ctgaageggg aagggactgg ctgctattgg gegaagtgce ggggcaggat 3060 ctcctgtcat ctcaccttgc tcctgccgag aaagtatcca tcatggctga tgcaatgegg 3120 cggctgcata cgcttgatcc ggctacctgc ccattcgacc accaagegaa acatcgcatc 3180
gagcgagcac gtactcggat ggaagccggt cttgtcgatc aggatgatct ggacgaagag 3240 catcaggggc tcgcgccagc cgaactgttc gccaggctca aggcgagcat gcccgacggc 3300
gaggateteg tegtgaceca tggegatgee tgettgeega atateatggt ggaaaatgge 3360
getttetet gatteatega etgtggeegg etgggtgtgg eggacegeta teaggacata 3420 gegttggeta eeggtatat tgetgaega ettggegge aatgggetga eegetteete 3480 gtgetttaeg gtategeege teeegatteg eagegeateg eettetateg eettettgae 3540 gagttettet gagegggaet etggggtteg aaatgaeega eeaagegaeg eecaaeetge 3600
catcacgaga tttcgattcc accgccgct tctatgaaag gttgggcttc ggaatcgttt 3660 tccgggacgc cggctggatg atcctccagc gcggggatct catgctggag ttcttcgccc 3720 accctagggg gaggctaact gaaacacgga aggagacaat accggaagga acccgcgcta 3780
tgacggcaat aaaaagacag aataaaacgc acggtgttgg gtcgtttgtt cataaacgcg 3840 gggttcggtc ccagggctgg cactctgtcg ataccccacc gagaccccat tggggccaat 3960 acgcccgcgt ttcttccttt tccccacccc accccccaag ttcgggtgaa ggcccagggc 3960 tcgcagccaa cgtcggggcg gcaggccctg ccatagcctc aggttactca tataacttt 4020 agattgattt aaaacttcat ttttaattta aaaggatcta ggtgaagatc ctttttgata 4080 atctcatggc caaaatccct tacagggt tttcgttcca ctcaccgct cagggccat 4140
atctcatgac caaaatccct taacgtgagt tttcgttcca ctgagcgtca gaccccgtag 4140 aaaagatcaa aggatcttct tgagatcctt tttttctgcg cgtaatctgc tgcttgcaaa 4200 caaaaaaacc accgctacca gcggtggttt gtttgccgga tcaagagcta ccaactcttt 4260
ttccgaaggt aactggcttc agcagagcgc agataccaaa tactgtcctt ctagtgtagc 4320 cgtagttagg ccaccacttc aagaactctg tagcaccgcc tacatacctc gctctgctaa 4380
tcctgttacc agtggctgct gccagtggcg ataagtcgtg tcttaccggg ttggactcaa 4440
gacgatagtt accggataag gcgcagcggt cgggctgaac gggggggttcg tgcacacagc 4500 ccagcttgga gcgaacgacc tacaccgaac tgagatacct acagcgtgag ctatgagaaa 4560
gegecaeget teeegaaggg agaaaggegg acaggtatee ggtaagegge agggteggaa 4620
caggagageg cacgagggag cttccagggg gaaacgcttg gtatctttat agtcctgtcg 4680 ggtttcgca cctctgactt gagcgtcgat ttttgtgatg ctcgtcaggg gggcggagcc 4740 tatggaaaaa cgccagcaac gcggcctttt tacggttcct ggccttttgc tggccttttg 4800 ctcacatgtt ctttcctgcg ttatccctg attctgtgga taaccgtatt accgccatgc 4860
                                                                                                                                                            4862
at
 <210> 88
 <211> 5192
 <212> DNA
<213> Artificial Sequence
<223> pIRESpuro2 plasmid from Clontech
<400> 88
gacggatcgg gagatctccc gatcccctat ggtcgactct cagtacaatc tgctctgatg 60 ccgcatagtt aagccagtat ctgctccctg cttgtgtgtt ggaggtcgct gagtagtgcg 120
```

cgagcaaaat ttaagctaca acaaggcaag gcttgaccga caattgcatg aagaatctgc 180

ttagggttag gcgttttgcg ctgcttcgcg atgtacgggc cagatatacg cgttgacatt 240 gattattgac tagttattaa tagtaatcaa ttacggggtc attagttcat agcccatata 300 tggagttccg cgttacataa cttacggtaa atggcccgcc tggctgaccg cccaacgacc 360 cccgcccatt gacgtcaata atgacgtatg ttcccatagt aacgccaata gggactttcc 420 attgacgtca atgggtggac tatttacggt aaactgccca cttggcagta catcaagtgt 480 atcatatgcc aagtacgcc cctattgacg tcaatgacgg taaatggccc gcctggcatt 540 atgcccagta catgacctta tgggactttc ctacttggca gtacatctac gtattagtca 600 tcgctattac catggtgatg cggttttggc agtacatcaa tgggcgtgga tagcggtttg 660 actcacgggg atttccaagt ctccacccca ttgacgtcaa tgggagtttg ttttggcacc 720 aaaatcaacg ggactttcca aaatgtcgta acaactccgc cccattgacg caaatgggcg 780 gtaggcgtgt acggtgggag gtctatataa gcagagctct ctggctaact agagaaccca 840 gtaggcgtgt acggtggag gtctatataa gcagagctct ctggctaact agagaaccca 840 ctgcttactg gcttatcgaa attaatacga ctcactatag ggagacccaa gcttggtacc 900 gagctcggattc cagattctgc ggcctagcta gcgcttaagg cctgttaacc ggctgtaacc ggctgtaacc agctgttggg gtgagtact cctctcaaaa acgaggagga agctgttggg gtgagtact cctctcaaaa acgaggagga tttgatattc acctggcccg 1140 caggctgag gtgtgagag cttgagatct ctgagatcc tttgagatc ctgagatcc ccaggtcaa atgacaac ttgagtgaca atgacacca 1260 cttggcgcc aattccgcc attccccc cccccca acctactag gcgctaacc 340 gctgtaacc 340 gctgtaac ctttgccttt ctctccacag gtgtccactc ccaggtccaa ctgcaggtcg agcatgcatc 1320 tagggcggcc aattccgccc ctctccctcc ccccccta acgttactgg ccgaagccgc 1380 ttggaataag gccggtgtgc gtttgtctat atgtgatttt ccaccatatt gccgtctttt 1440 ggcaatgtga gggcccggaa acctggccct gtcttcttga cgagcattcc taggggtctt 1500 tcccctctcc ccaaaggaat gcaaggtctg ttgaatgtcg tgaaggaagc agttcctctg 1560 gaagcttctt gaagacaaac cacgtctga ggccaaaag ccacgtgtat aagatacacc tgcaaaggcg 1680 gaacctgggac ttcaacaaggg gctgaaggat gccagaagg taccccattg tatgggatct 1800 gatctggggc ctcggtgaa gatctggggc ctcggtgcac atgctttaca tgtgtttagt cgaggttaaa aaaacgtcta 1860 ggcccccga accacgggga cgtggttttc ctttgaaaaa cacgatgata agcttgcac 1920 aacccacaag gagacgacct tccatgaccg agtacaagcc cacggtgcgc ctcgccaccc 1980 gcgacgacgt ccccgggcc gtacgacccc tcgcgcgcg gttcgccgac taccccgcca 2040 cgcgccacac cgtcgacccg gaccgccacac tcgagggggt caccgagctg caagaactct 2100 tectcaegeg egteggete gacateggea aggtgtgggt egeggaegae ggegeegegg 2160 tggeggttg gacategee gagagegteg aaggegggg ggtgttegee gagateggee egegeatgge egagttggee ggtgttegee gaagtggeegee 2280 tggegecgea ceggeceas gageceget ggtteetge cacegtege gtetegecg 2340 accaecagg caagggtetg ggeagege tegtgetee eggagtggag geggeegag 2400 gegeegggt geegeette etggagaeet eeggeceeg caaceteee ttetaegag 2460 ggeteggett cacegteace geegaegteg agtgeeegaa ggaeegegeg acetggtgea 2520 tgaeeegeaa geeeggtgee tgaegeeege eccaegaeee geagegeeeg acegaaagga 2580 gcgcacgacc ccatggctcc gaccgaagcc gacccgggcg gccccgccga ccccgcaccc 2640 gcccccgagg cccaccgact ctagagctcg ctgatcagcc tcgactgtgc cttctagttg 2700 ccagccatct gttgtttgcc cctccccgt gccttccttg accctggaag gtgccactcc 2760 cactgtcctt tcctaataaa atgaggaaat tgcatcgcat tgtctgagta ggtgtcattc 2820 tattettgggg ggtgggtgg ggcaggacag caagggggag gattgggaag acaatagcag 2880 gcatgetggg gatgeggtgg gctctatggc ttetgaggeg gaaagaacca getggggete 2940 gagtgcatte tagttgtggt ttgtccaaac teatcaatgt atettateat gtetgtatac 3000 cgtcgacctc tagctagagc ttggcgtaat catggtcata gctgtttcct gtgtgaaatt 3060 gctcaagtca gaggtggcga aacccgacag gactataaag ataccaggcg tttccccctg 3540 gaagctccct cgtgcgctct cctgttccga ccctgccgct taccggatac ctgtccgcct 3600 ttetecette gggaagegtg gegettete aatgeteaeg etgtaggtat etcagttegg 3660 tgtaggtegt tegeteeaag etgggetgtg tgeaegaaee eeeegtteag eeegaeeget 3720 gegeettate eggtaaetat egtettgagt eeaaeeeggt aagaeaegae ttategeeae 3780 tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcggt gctacagagt 3840 tettgaagte gtegetaac tacgetaca etagaaggac agtattiggt atctgegete 3900 tetgaagce agttacette ggaaaaagag ttggtagete ttgatcegge aaacaaacca 3960 cegetggtag eggtggtttt tttgtttgca agcagcagat tacgeggaga aaaaaaaggat 4020 ctcaagaaga tootttgato ttttotacgg ggtotgacgo toagtggaac gaaaactcac 4080 gttaagggat tttggtoatg agattatoaa aaaggatott cacctagato ottttaaatt 4140 aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtot gacagttaco 4200

```
aatgettaat cagtgaggea cetateteag egatetgtet atttegttea tecatagttg 4260
 cctgactccc cgtcgtgtag ataactacga tacgggaggg cttaccatct ggccccagtg 4320
 ctgcaatgat accgcgagac ccacgctcac cggctccaga tttatcagca ataaaccagc 4380
 cagccggaag ggccgagcgc agaagtggtc ctgcaacttt atccgcctcc atccagtcta 4440 ttaattgttg ccgggaagct agagtaagta gttcgccagt taatagtttg cgcaacgttg 4500
ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggtatggct tcattcagct 4560 ccggttccca acgatcaagg cgagttacat gatccccat gttgtgcaaa aaagcggtta 4620 gctccttcgg tcctccgatc gttgtcagaa gtaagttggc cgcagtgtta tcactcatgg 4680 ttatggcagc actgcataat tctcttactg tcatgccatc cgtaagatgc ttttctgtga 4740
ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg agttgctctt 4800 gcccggcgtc aatacgggat aataccgcgc cacatagcag aactttaaaaa gtgctcatca 4860 ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg agatccagtt 4920 cgatgtaacc cactcgtgca cccaactgat cttcagcatc ttttactttc accagcgttt 4980
 ctgggtgage aaaaacagga aggcaaaatg ccgcaaaaaa gggaataagg gcgacacgga 5040 aatgttgaat actcatactc ttccttttc aatattattg aagcatttat cagggttatt 5100
gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata ggggttccgc 5160
 gcacatttcc ccgaaaagtg ccacctgacg tc
 <210> 89
 <211> 11182
<212> DNA
 <213> Artificial Sequence
 <220>
 <223> pAg1 Plasmid
 <400> 89
catgccaacc acagggttcc cctcgggatc aaagtacttt gatccaaccc ctccgctgct 60 atagtgcagt cggcttctga cgttcagtgc agccgtcttc tgaaaacgac atgtcgcaca 120
 agtectaagt tacgegacag getgeegeee tgeeetttte etggegtitt ettgtegegt 180
gttttagtcg cataaagtag aatacttgcg actagaaccg gagacattac gccatgaaca 240 agagegeege egetggeetg etgggetatg eeegegteag caecgaegae eaggacttga 300
ccaaccaacg ggccgaactg cacgcggccg gctgcaccaa gctgttttcc gagaagatca 360 ccggcaccag gcgcgaccgc ccggagctgg ccaggatgct tgaccaccta cgccctggcg 420 acgttgtgac agtgaccagg ctagaccgcc tggcccgcag cacccgcgac ctactggaca 480
ttgccgagcg catccaggag gccggcgcgg gcctgcgtag cctggcagag ccgtgggccg 540 acaccaccac gccggccggc cgcatggtgt tgaccgtgtt cgccggcatt gccgagttcg 600
agogttocot aatoatogac ogcacoogga gogggogoga ggcogocaag gocogaggog 660 tgaagtttgg cocoogcot accotoacco oggcacagat ogcgcacgoc ogcgagotga 720
tegaceagga aggeogeace gtgaaagagg eggetgeact gettggegtg categetega 780 ceetgtaceg egeacttgag egeagegagg aagtgacgee eacegaggee aggeggegeg 840 gtgeetteeg tgaggaegea ttgacegagg eegacgeeet ggeggeegee gagaatgaac 900
gccaagagga acaagcatga aaccgcacca ggacggcaag gacgaaccgt ttttcattac 960 cgaagagatc gaggcggaga tgatcgcgc cgggtacgtg ttcgagccgc ccgcgcacgt 1020 ctcaaccgtg cggctgcatg aaatcctggc cggtttgtct gatgccaagc tggcggcctg 1080
gccggccagc ttggccgctg aagaaaccga gcgccgccgt ctaaaaaggt gatgtgtatt 1140
tgagtaaaac agcttgcgtc atgcggtcgc tgcgtatatg atgcgatgag taaataaaca 1200
aatacgcaag gggaacgcat gaaggttate getgtaetta accagaaagg egggteagge 1260 aagacgaeca tegcaaceca tetageeege geeetgeaac tegcegggge egatgttetg 1320 ttagtegatt eegateeeca gggeagtgee egegattggg eggeegtgeg ggaagateaa 1380
 cegetaaceg ttgteggeat egacegeeeg aegattgace gegaegtgaa ggccategge 1440
cggcgcgact tcgtagtgat cgacggagcg ccccaggcgg cggacttggc tgtgtccgcg 1500 atcaaggcag ccgacttcgt gctgattccg gtgcagccaa gcccttacga catatgggcc 1560
accgccgacc tggtggagct ggttaagcag cgcattgagg tcacggatgg aaggctacaa 1620
geggeetttg tegtgtegeg ggegateaaa ggeaegegea teggeggtga ggttgeegag 1680 gegetggeeg ggtaegaget geeeattett gagteeegta teaegeageg egtgagetae 1740
ccaggcactg ccgccgccgg cacaaccgtt cttgaatcag aacccgaggg cgacgctgcc 1800 cgcgaggtcc aggcgctggc cgctgaaatt aaatcaaaac tcatttgagt taatgaggta 1860
aagagaaaat gagcaaaagc acaaacacgc taagtgccgg ccgtccgagc gcacgcagca 1920
gcaaggctgc aacgttggcc agcctggcag acacgccagc catgaagcgg gtcaacttte 1980
agttgccggc ggaggatcac accaagctga agatgtacgc ggtacgccaa ggcaagacca 2040
ttaccgaget getatetgaa tacategege agetaccaga gtaaatgage aaatgaataa 2100 atgagtagat gaattttage ggetaaagga ggeggeatgg aaaatcaaga acaaccagge 2160
accgacgccg tggaatgccc catgtgtgga ggaacggggg gttggccagg cgtaagggg 2220 tgggttgtct gccggccctg caatggcact ggaacccca agcccgagga atcggcgtga 2280 cggtcgcaaa ccatccggcc cggtacaaat cggcgcgggg ctgggtgatg acctggtgga 2340 gaagttgaag gccgcgcagg ccgcccagcg gcaacgcatc gaggcagaag cacgcccgg 2400
```

tgaatcgtgg caagcggccg ctgatcgaat ccgcaaagaa tcccggcaac cgccggcagc 2460 cggtgcgccg tcgattagga agccgcccaa gggcgacgag caaccagatt ttttcgttcc 2520 gatgetetat gaegtgggea ceegegatag tegeageate atggaegtgg cegttiteeg 2580 tetgtegaag egtgacegae gagetggega ggtgateege taegagette cagaegggea cgtagaggtt tccgcagggc cggccggcat ggccagtgtg tgggattacg acctggtact 2700 gatggcggtt teccatetaa ecgaatecat gaaccgatae egggaaggga agggagacaa 2760 gcccggccgc gtgttccgtc cacacgttgc ggacgtactc aagttctgcc ggcgagccga 2820 tggcggaaag cagaaagacg acctggtaga aacctgcatt cggttaaaca ccacgcacgt 2880 tgccatgcag cgtacgaaga aggccaagaa cggccgcctg gtgacggtat ccgagggtga 2940 agccttgatt agccgctaca agatcgtaaa gagcgaaacc gggcggccgg agtacatcga 3000 gatcgagcta gctgattgga tgtaccgcga gatcacagaa ggcaagaacc cggacgtgct 3060 gacggttcac cccgattact ttttgatcga tcccggcatc ggccgttttc tctaccgcct 3120 ggcacgccgc gccgcaggca aggcagaaga cagatggttg ttcaagacga tctacgaacg 3180 cagtggcage geeggagagt teaagaagtt etgttteace gtgegcaage tgategggte 3240 aaatgacctg ccggagtacg atttgaagga ggaggcgggg caggctggcc cgatcctagt 3300 catgcgctac cgcaacctga tcgagggcga agcatccgcc ggttcctaat gtacggagca 3360 gatgctaggg caaattgccc tagcagggga aaaaggtcga aaaggtctct ttcctgtgga tagcacgtac attgggaacc caaagccgta cattgggaac cggaacccgt acattgggaa 3480 cccaaagccg tacattggga accggtcaca catgtaagtg actgatataa aagagaaaaa 3540 aggogatttt toogootaaa actotttaaa acttattaaa actottaaaa coogootggo 3600 ctgtgcataa ctgtctggcc agcgcacagc cgaagagctg caaaaagcgc ctaccettcg 3660 gtcgctgcgc tccctacgc ccgccgcttc gcgtcggcct atcgggccg ctggccgctc 3720
aaaaatggct ggcctacggc caggcaatct accagggcgc ggacaagccg cgccgtcgcc 3780
actcgaccgc cggcgcccac atcaaggcac cctgcctcgc gcgtttcggt gatgacggtg 3840
aaaacctctg acacatggag ccggtcacaagc ttgtctgtaa gcggatgccg 3900 ggagcagaca agcccgtcag ggcgcgtcag cgggtgttgg cgggtgtcgg ggcgcagcca 3960 tgacccagtc acgtagcgat agcggagtgt atactggctt aactatgcgg catcagagca 4020 gattgtactg agagtgcacc atatgcggtg tgaaataccg cacagatgcg taaggagaaa 4080 ataccgcatc aggcgctctt ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg 4140 getgeggega geggtateag etcaeteaaa ggeggtaata eggttateea eagaateagg 4200 ggataaegea ggaaagaaca tgtgagcaaa aggecagcaa aaggecagga acegtaaaaa 4260 ggeegegttg etggegttt tecatagget eeggeeeeet gaegageate acaaaaateg 4320 acgeteaagt cagaggtgge gaaaccegae aggactataa agataccagg egtttcccce 4380 tggaagetee etegtgeget etectgttee gaccetgeeg ettaceggat acetgteege 4440 ctttctccct tcgggaagcg tggcgctttc tcatagctca cgctgtaggt atctcagttc 4500 ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa ccccccgttc agcccgaccg 4560 ctgcgcctta tccggtaact atcgtcttga gtccaacccg gtaagacacg acttatcgcc 4620 actggcagca gccactggta acaggattag cagagcgagg tatgtaggcg gtgctacaga 4680 gttcttgaag tggtggccta actacggcta cactagaagg acagtatttg gtatctgcgc 4740 totgotgaag coagttacot toggaaaaag agttggtago tottgatcog gcaaacaaac 4800 caccactage agestact teggaaaaag agetygeage teetygeeg geaaaaaag 4860 ateteaagaa gateetttga tetttetae gaggtetgae geteagtgga aegaaaacta 4920 aegttaaggg attttggtea tegeattetag gtaetaaaae aatteateea gtaaaatata 4980 atatttatt teeteeaat eaggettgat eeccagtaag teaaaaaata getegaeata 5040 eegteettee eegatateet eectgatega eeggaegeag aaggeaatgt eataceactt 5100 eegatateet gegatateeg eeggataagat aaggeaatgt eataceactt 5100 gtccgccctg ccgcttctcc caagatcaat aaagccactt actttgccat ctttcacaaa 5160 gatgttgctg tctcccaggt cgccgtggga aaagacaagt tcctcttcgg gcttttccgt 5280 ctttaaaaaaa tcatacagct cgcgcggatc tttaaatgga gtgtcttctt cccagttttc gcaatccaca tcggccagat cgttattcag taagtaatcc aattcggcta agcggctgtc 5340 taagctattc gtatagggac aatccgatat gtcgatggag tgaaagagcc tgatgactc 5400 cgcatacagc tcgataatct tttcagggct ttgttcatct tcatactctt ccgagcaaag 5460 gacgecateg geeteactea tgageagatt getecageea teatgeegtt caaagtgeag 5520 gacetttgga acaggeaget třecttecag ceatageate atgreetitt ecegitecae 5580 atcataggtg gtccctttat accggctgtc cgtcattttt aaatataggt tttcattttc 5640 tcccaccagc ttatatacct tagcaggaga cattccttcc gtatctttta cgcagcggta 5700 tttttcgatc agttttttca attccggtga tattctcatt ttagccattt attatttcct tectetttte tacagtattt aaagataeee caagaageta attataacaa gaegaaetee 5820 aattcactgt tccttgcatt ctaaaacctt aaataccaga aaacagcttt ttcaaagttg 5880 ttttcaaagt tggcgtataa catagtatcg acggagccga ttttgaaacc gcggtgatca caggeageaa egetetgtea tegttacaat caacatgeta cecteegega gateateegt 6000 gtttcaaacc cggcagctta gttgccgttc ttccgaatag catcggtaac atgagcaaag 6060 tctgccgcct tacaacggct ctcccgctga cgccgtcccg gactgatggg ctgcctgtat 6120 cgagtggtga ttttgtgccg agctgccggt cggggagctg ttggctggct ggtggcagga 6180 tatattgtgg tgtaaacaaa ttgacgctta gacaacttaa taacacattg cggacgtttt taatgtactg aattaacgcc gaattaattc gggggatctg gattttagta ctggattttg 6300 gttttaggaa ttagaaattt tattgataga agtattttac aaatacaaat acatactaag 6360 ggtttcttat atgctcaaca catgagcgaa accctatagg aaccctaatt cccttatctg 6420

ggaactactc acacattatt atggagaaac tcgagtcaaa tctcggtgac gggcaggacc 6480 ggacgggggg gtaccggcag gctgaagtcc agctgccaga aacccacgtc atgccagttc 6540 ccgtgcttga agccggccgc ccgcagcatg ccgcgggggg catatccgag cgcctcgtgc 6600 gcctcggtgg cacggcggat gtcggccggg cgtcgttctg ggctcatggt agactcgaga 7020 gagatagatt tgtagagaga gactggtgat ttcagcgtgt cctctccaaa tgaaatgaac 7080 ttccttatat agaggaaggt cttgcgaagg atagtgggat tgtgcgtcat cccttacgtc atggaatccg aggaggtttc ccgatattac cctttgttga aaagtctcaa tagccctttg 7740 gtcttctgag actgtatctt tgatattctt ggagtagacg agagtgtcgt gctccaccat 7800 gttggcaagc tgctctagcc aatacgcaaa ccgcctctcc ccgcgcgttg gccgattcat 7860 taatgcagct ggcacgacag gtttcccgac tggaaagcgg gcagtgagcg caacgcaatt 7920 aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 7980 atgttgtgtg gaattgtgag cggataacaa tttcacacag gaaacagcta tgaccatgat 8040 tacgaatteg ageettgaet agagggtega eggtatacag acatgataag atacattgat 8100 gagtttggae aaaceacaac tagaatgeag tgaaaaaaat getttatttg tgaaatttg 8160 gatgetattg etttatttgt aaceattata agetgeaata aacaagttg ggtgggegaa 8220 gaactecage atgagateec eggetggag gateateeag eggegteec ggaaaacgat 8280 teegaageec aacettteat agaaggegge ggtggaateg aaatetegta geacgtgtea 8340 gtcctgctcc tcggccacga agtgcacgca gttgccggcc gggtcgcgca gggcgaactc 8400 ccgcccccac ggctgctcgc cgatctcggt catggccggc ccggaggcgt cccggaagtt 8460 cgtggacacg acctccgacc actcggcgta cagctcgtcc aggccgcgca cccacaccca 8520 ggccagggtg ttgtccggca ccacctggtc ctggaccgcg ctgatgaaca gggtcacgtc 8580 gtcccggacc acaccggcga agtcgtcctc cacgaagtcc cgggagaacc cgagccggtc 8640 ggtccagaac tcgaccgctc cggcgacgtc gcgcgcggtg agcaccggaa cggcactggt 8700 caacttggcc atggatccag atttcgctca agttagtata aaaaagcagg cttcaatcct 8760 gcaggaattc gatcgacact ctcgtctact ccaagaatat caaagataca gtctcagaag 8820 accaaagggc tattgagact tttcaacaaa gggtaatatc gggaaacctc ctcggattcc 8880 attgcccage tatetgtcae ttcatcaaaa ggacagtaga aaaggaaggt ggcacctaca 8940 aatgccatca ttgcgataaa ggaaaggcta tcgttcaaga tgcctctgcc gacagtggtc 9000 ccaaagatgg acccccaccc acgaggagca tcgtggaaaa agaagacgtt ccaaccacgt 9060 cttcaaagca agtggattga tgtgataaca tggtggagca cgacactctc gtctactcca 9120 agaatatcaa agatacagtc tcagaagacc aaagggctat tgagactttt caacaaaggg 9180 taatatogg aaacotooto ggattocatt goccagotat ctgtoactto atcaaaagga 9240 cagtagaaaa ggaaggtggo acotacaat gocatoattg cgataaagga aaggotatog 9360 ttcaagatgo ctctgcogac agtggtocca aagatggaco coccacoacg aggagcatog 9360 tggaaaaaga agacgttcca accacgtctt caaagcaagt ggattgatgt gatatctcca 9420 ctgacgtaag ggatgacgca caatcccact atccttcgca agaccttcct ctatataagg 9480 aagttcattt catttggaga ggacacgctg aaatcaccag tctctctcta caaatctatc 9540 tctctcgagc tttcgcagat ccgggggggc aatgagatat gaaaaagcct gaactcaccg 9600 cgacgtctgt cgagaagttt ctgatcgaaa agttcgacag cgtctccgac ctgatgcagc 9660 tctcggaggg cgaagaatct cgtgctttca gcttcgatgt aggagggcgt ggatatgtcc 9720 tgcgggtaaa tagctgcgcc gatggtttct acaaagatcg ttatgtttat cggcactttg 9780 categgeege geteegatt ceggaagtge ttgacattgg ggagtttage gagageetga 9840 cetattgeat eteeegeegt geacagggtg teaegttgea agacetgeet gaaacegaae 9900 tgcccgctgt tctacaaccg gtcgcggagg ctatggatgc gatcgctgcg gccgatctta 9960 gccagacgag cgggttcggc ccattcggac cgcaaggaat cggtcaatac actacatggc 10020 gtgatttcat atgcgcgatt gctgatcccc atgtgtatca ctggcaaact gtgatggacg 10080 acaccgtcag tgcgtccgtc gcgcaggctc tcgatgagct gatgctttgg gccgaggact 10140 gccccgaagt ccggcacctc gtgcacgcgg atttcggctc caacaatgtc ctgacggaca 10200 atggccgcat aacagcggtc attgactgga gcgaggcgat gttcgggggat tcccaatacg 10260 aggtegecaa catettette tggaggeegt ggttggettg tatggageag cagaegeget 10320 aettegageg gaggeateeg gagettgeag gategeeaeg aeteegggeg tatatgetee 10380 geattggtet tgaceaacte tateagaget tggttgaegg caatttegat gatgeagett 10440

```
gggcgcaggg tcgatgcgac gcaatcgtcc gatccggagc cgggactgtc gggcgtacac 10500
 aaatogoccg cagaagogog googtotgga oogatggotg tgtagaagta otogoogata 10560
 gtggaaaccg acgccccagc actcgtccga gggcaaagaa atagagtaga tgccgaccgg 10620
 atctgtcgat cgacaagctc gagtttctcc ataataatgt gtgagtagtt cccagataag 10680 ggaattaggg ttcctatagg gtttcgctca tgtgttgagc atataagaaa cccttagtat 10740
 gtatttgtat ttgtaaaata cttctatcaa taaaatttct aattcctaaa accaaaatcc 10800
 agtactaaaa tocagatooc cogaattaat toggogttaa ttoagatoaa gottggoact 10860
 ggccgtcgtt ttacaacgtc gtgactggga aaaccctggc gttacccaac ttaatcgcct 10920
 tgcagcacat ccccctttcg ccagctggcg taatagcgaa gaggcccgca ccgatcgccc 10980 ttcccaacag ttgcgcagcc tgaatggcga atgctagagc agcttgagct tggatcagat 11040
 tgtcgtttcc cgccttcagt ttaaactatc agtgtttgac aggatatatt ggcgggtaaa 11100
 cctaagagaa aagagcgttt attagaataa cggatattta aaagggcgtg aaaaggttta 11160
 tccgttcgtc catttgtatg tg
 <210> 90
 <211> 8428
 <212> DNA
  <213> Artificial Sequence
 <220>
 <223> pCambia3300 Plasmid
 <400> 90
 catgccaacc acagggttcc cetegggatc aaagtacttt gatccaaccc ctccgctgct 60
 atagtgcagt cggcttctga cgttcagtgc agccgtcttc tgaaaacgac atgtcgcaca 120 agtcctaagt tacgcgacag gctgccgccc tgcccttttc ctggcgtttt cttgtcgcgt 180
 gttttagtcg cataaagtag aatacttgcg actagaaccg gagacattac gccatgaaca 240 agagcgccgc cgctggcctg ctgggctatg cccgcgtcag caccgacgac caggacttga 300 ccaaccaacg ggccgaactg cacgggccg gctgcaccaa gctgttttcc gagaagatca 360
 ccggcaccag gcgcgaccgc ccggagctgg ccaggatgct tgaccaccta cgccctggcg 420 acgttgtgac agtgaccagg ctagaccgcc tggcccgcag cacccgcgac ctactggaca 480
 ttgecgageg catecaggag geeggegegg geetgegtag eetggeagag eegtgggeeg 540 acaecaceae geeggeegge egeatggtgt tgaeegtgtt egeeggeatt geegagtteg 600
 agogtteeet aateategae egeaceegga gegggegega ggeegeeaag geeegaggeg 660 tgaagtttgg eeceegeet acceteacee eggcacagat egegeacgee egegagetga 720
 tcgaccagga aggccgcacc gtgaaagagg cggctgcact gcttggcgtg catcgctcga 780 ccctgtaccg cgcacttgag cgcagcgagg aagtgacgcc caccgaggcc aggcggcgcg 840
 gtgccttccg tgaggacgca ttgaccgagg ccgacgccct ggcggccgcc gagaatgaac 900 gccaagagga acaagcatga aaccgcacca ggacggccag gacgaaccgt ttttcattac 960
 cgaagagate gaggeggaga tgategege egggtacgtg ttegageege cegeggacgt 1020
ctcaacegtg eggetgeatg aaateetgge egggtaget ttegageege egggecage 1080
geeggecage ttggeegetg aagaaacega gegeegeegt etaaaaaggt gatgtgtatt 1140
tgagtaaaac agettgegte atgeggtege tgegtatatg atgeggatgag taaataaaca 1200
 aatacgcaag gggaacgcat gaaggttatc gctgtactta accagaaagg cgggtcaggc 1260 aagacgacca tcgcaaccca tctagcccgc gccctgcaac tcgccggggc cgatgttctg 1320 ttagtcgatt ccgatcccca gggcagtgcc cgcgattggg cggccgtgcg ggaagatcaa 1380 ccgctaaccg ttgtcggcat cgaccgccg acgattgacc gcgacgtgaa ggccatcggc 1440
 cggcgcgact tcgtagtgat cgacggagcg ccccaggcgg cggacttggc tgtgtccgcg 1500
 atcaaggcag ccgacttcgt gctgattccg gtgcagccaa gcccttacga catatgggcc 1560 accgccgacc tggtggagct ggttaagcag cgcattgagg tcacggatgg aaggctacaa 1620
 geggeetttg tegtgtegeg ggegateaaa ggeacgegea teggeggtga ggttgeegag 1680 gegetggeeg ggtacgaget geceattett gagteegta teacgeageg egtgagetae 1740
 ccaggeactg cgccgccgg cacaaccgtt cttgaatcag aacccgaggg cgacgctgcc 1800 cgcgaggtcc aggcgctggc cgctgaaatt aaatcaaaac tcatttgagt taatgaggta 1860 aagagaaaat gagcaaaagc acaaacacgc taagtgccgg ccgtccgagc gcacgcagta 1920
 gcaaggetge aacgttggee agectggeag acaegecage catgaagegg gtcaacttte 1980
 agttgccggc ggaggatcac accaagctga agatgtacgc ggtacgccaa ggcaagacca 2040
ttaccgagct gctatctgaa tacatcgcgc agctaccaga gtaaatgagc aaatgaataa 2100
 atgagtagat gaattttagc ggctaaagga ggcggcatgg aaaatcaaga acaaccaggc 2160
 accgacgccg tggaatgccc catgtgtgga ggaacgggcg gttggccagg cgtaagcggc 2220
 tgggttgtet gceggcctg caatggcact ggaacccca agcegagga ateggegtga 2280 cggtegcaaa ccateeggee cggtacaaat cggegegge ctggtgatg acetggtga 2340 gaagttgaag geegegeagg cegeceageg gcaacgcate gaggcagaag cacgeceegg 2400 tgaategtgg caageggeeg ctgategaat cegeaaagaa teeeggcaac cgceggcage 2460
 cggtgcgccg tcgattagga agccgccaa gggcgacgag caaccagatt ttttcgttcc
                                                                                                                  2520
 gatgetetat gacgtgggea ceegegatag tegeageate atggaegtgg cegttiteeg 2580
 totgtogaag ogtgacogac gagotggoga ggtgatocgo tacgagotto cagaogggoa 2640
```

cgtagaggtt tccgcagggc cggccggcat ggccagtgtg tgggattacg acctggtact 2700 gatggcggtt tcccatctaa ccgaatccat gaaccgatac cgggaaggga agggagacaa 2760 gcccggccgc gtgttccgtc cacacgttgc ggacgtactc aagttctgcc ggcgagccga 2820 tggcggaaag cagaaagacg acctggtaga aacctgcatt cggttaaaca ccacgcacgt 2880 tgccatgcag cgtacgaaga aggccaagaa cggccgctg gtgacggtat ccgagggtga 2940 agccttgatt agccgctaca agatcgtaaa gagcgaaacc gggcggccgg agtacatcga 3000 gatcgagcta gctgattgga tgtaccgcga gatcacagaa ggcaagaacc cggacgtgct 3060 gacggticac occgattact tittgatega teceggeate ggeegttite tetacegeet 3120 ggcacgccgc gccgcaggca aggcagaagc cagatggttg ttcaagacga tctacgaacg 3180 cagtggcagc gccggagagt tcaagaagtt ctgtttcacc gtgcgcaagc tgatcgggtc 3240 aaatgacctg ccggagtacg atttgaagga ggaggcgggg caggctggcc cgatcctagt 3300 catgogotac ogcaacotga togagggoga agcatoogoo ggitoctaat gtacggagca 3360 gatgctaggg caaattgccc tagcagggga aaaaggtcga aaaggtctct ttcctgtgga 3420 tagcacgtac attgggaacc caaagccgta cattgggaac cggaacccgt acattgggaa 3480 cccaaagccg tacattggga accggtcaca catgtaagtg actgatataa aagagaaaaa 3540 aggcgatttt tccgcctaaa actctttaaa acttattaaa actcttaaaa cccgcctggc 3600 ctgtgcataa ctgtctggcc agcgcacagc cgaagagctg caaaaagcgc ctacccttcg 3660 gtcgctgcgc tccctacgcc ccgccgcttc gcgtcggcct atcgcggccg ctggccgctc 3720 aaaaatgget ggeetaegge caggeaatet accagggege ggacaageeg egeegtegee 3780 actogacogo oggogocoao atcaaggoao octgootogo gogtttoggt gatgaoggtg 3840 aaaacototg acacatgoag otocoggaga oggtcacago ttgtotgtaa goggatgoog 3900 ggagcagaca agcccgtcag ggcgcgtcag cgggtgttgg cgggtgtcgg ggcgcagcca 3960 tgacccagtc acgtagcgat agcggagtgt atactggctt aactatgcgg catcagagca 4020 gattgtactg agagtgcacc atatgeggtg tgaaataccg cacagatgcg taaggagaaa 4080 ataccgcatc aggcgctctt ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg 4140 gctgcggcga gcggtatcag ctcactcaaa ggcggtaata cggttatcca cagaatcagg 4200 ggataacgca ggaaagaaca tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa 4260 ggccgcgttg ctggcgtttt tccataggct ccgccccct gacgagcatc acaaaaatcg 4320 acgctcaagt cagaggtgc gaaacccgac aggactataa agataccagg cgtttccccc 4380 tggaagctcc ctcgtgcgct ctcctgttcc gaccctgccg cttaccggat acctgtccgc 4440 ctttctccct tcgggaaggc tggcgcttc tcatagctca cgctgtaggt atctcagttc 4500 ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa ccccccgttc agcccgaccg 4560 ctgcgcctta tccggtaact atcgtcttga gtccaacccg gtaagacacg acttatcgcc 4620 actggcagca gccactggta acaggattag cagagcgagg tatgtaggcg gtgctacaga 4680 gttcttgaag tggtggccta actacggcta cactagaagg acagtatttg gtatctgcgc 4740 tctgctgaag ccagttacct tcggaaaaag agttggtagc tcttgatccg gcaaacaaac 4800 caccgctggt agcggtggtt tttttgtttg caagcagcag attacgcgca gaaaaaaagg 4860 atotoaagaa gatootttga tottttotao ggggtotgao gotoagtgga acgaaaacto 4920 acgttaaggg attttggtoa tgoattotag gtactaaaac aattoatooa gtaaaatata 4980 atatttatt ttctcccaat caggettgat ccccagtaag tcaaaaaata gctcgacata 5040 ctgttcttcc ccgatatcct ccctgatcga ccggacgcag aaggcaatgt cataccactt 5100 gtccgccctg ccgcttctcc caagatcaat aaagccactt actttgccat ctttcacaaa 5160 gatgttgctg tctcccaggt cgccgtggga aaagacaagt tcctcttcgg gcttttccgt 5220 ctttaaaaaa tcatacagct cgcgcggatc tttaaatgga gtgtcttctt cccagttttc 5280 gcaatccaca toggocagat ogttattoag taagtaatoo aattoggota agoggotgto 5340 taagctattc gtatagggac aatccgatat gtcgatggag tgaaagagcc tgatgcactc 5400 cgcatacagc tcgataatct tttcagggct ttgttcatct tcatactctt ccgagcaaag 5460 gacgccateg gcctcactca tgagcagatt gctccagcca tcatgccgtt caaagtgcag 5520 gacctttgga acaggcagct ttccttccag ccatagcatc atgtcctttt cccgttccac 5580 atcataggtg gtccctttat accggctgtc cgtcattttt aaatataggt tttcattttc 5640 tcccaccage ttatatacet tagcaggaga catteettee gtatetttta egeageggta 5700 tttttegate agtttttea atteeggtga tatteteatt ttagccattt attatteet 5760 tcctcttttc tacagtattt aaagataccc caagaagcta attataacaa gacgaactcc 5820 aattcactgt tccttgcatt ctaaaacctt aaataccaga aaacagcttt ttcaaagttg 5880 ttttcaaagt tggcgtataa catagtatcg acggagccga ttttgaaacc gcggtgatca 5940 caggcagcaa cgctctgtca tcgttacaat caacatgcta ccctccgcga gatcatccgt 6000 gttcaaacc cggcagctta gttgccgttc ttccgaatag catcggtaac atgagcaaag 6060 tctgccgcct tacaacggct ctcccgctga cgccgtcccg gactgatggg ctgcctgtat 6120 cgagtggtga ttttgtgccg agctgccggt cggggagctg ttggctggct ggtggcagga 6180 tatattgtgg tgtaaacaaa ttgacgctta gacaacttaa taacacattg cggacgtttt 6240 taatgtactg aattaacgcc gaattaattc gggggatctg gattttagta ctggattttg 6300 gttttaggaa ttagaaattt tattgataga agtattttac aaatacaaat acatactaag 6360 ggtttcttat atgctcaaca catgagcgaa accctatagg aaccctaatt cccttatctg 6420 ggaactactc acacattatt atggagaaac tcgagtcaaa tctcggtgac gggcaggacc 6480 ggacggggeg gtaccggcag getgaagtec agetgccaga aacccaegte atgccagtte 6540 cegtgettga ageeggeege eegeageatg eegegggggg catateegag egeetegtge 6600 atgegeacge tegggtegtt gggeageeeg atgacagega ceaegetett gaageeetgt 6660

```
gcctccaggg acttcagcag gtgggtgtag agcgtggagc ccagtcccgt ccgctggtgg 6720 cggggggaga cgtacacggt cgactcggcc gtccagtcgt aggcgttgcg tgccttccag 6780
gggcccgcgt aggcgatgcc ggcgacctcg ccgtccacct cggcgacgag ccagggatag 6840
cgctcccgca gacggacgag gtcgtccgtc cactcctgcg gttcctgcgg ctcggtacgg 6900 aagttgaccg tgcttgtctc gatgtagtgg ttgacgatgg tgcagaccgc cggcatgtcc 6960
taccetttgt tgaaaagtet caatageet ttggtettet gagaetgtat etttgatatt 7440 ettggagtag acgagagtgt egtgeteeae eatgtatea eateaateea ettgetttga 7500 agaecgtggt ggaaegtett etttteeae gatgeteete gtgggtgggg gteeatettt 7560 gggaecaetg teggeagagg eatettgaae gatageettt eetttatege aatgatggea 7620 tttgtaggtg eeaeetteet eegatattae eetttgatgaagtgaeaga tageetgggea 7620 atggaateet eegatattae eetttgtga aaagteeaa tageeegttg 7740 gtettetgag actgtatett tgatattett ggagtagaeg agagtgtegt geteeaeeat 7800 gttggeaage tgetetagee aataegeaaa eegeetetee eegegegttg geegatteat 7860 taatgeaget ggeaegaeag gtteeegae tggaaageg geagtgageg eaaegeaat 7920 aatgtgagt ageteaetea ttageeeee eaggettae eaettatget 7980
taatgcagct ggcacgacag gtttcccgac tggaaagcgg gcagtgagcg caacgcaatt 7920 aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 7980 atgttgtgtg gaattgtgag cggataacaa tttcacacag gaaacagcta tgaccatgat 8040 tacgaattcg agctcggtac ccggggatcc tctagagtcg acctgcaggc atgcaagctt 8100 ggcactggcc gtcgttttac aacgtcgtga ctgggaaaac cctggcggtac cccaacttaa 8160 tcgccttgca gcacatcccc cttcgccag ctggcgtaat agcgaagagg cccgcaccga 8220 tcgccttcc caacagttgc gcagcctgaa tggcgaatgc tagagcagct tgagcttgga 8280 tcagattgtc gtttcccgcc ttcagttaa actatcagtg tttgacagga tatattggcg 8340 ggtaaaccta agagaaaaga gcgtttatta gaataaccga tatttaaaaa ggcgtgaaaa 8400
 ggtaaaccta agagaaaaga gcgtttatta gaataacgga tatttaaaag ggcgtgaaaa 8400
 ggtttatccg ttcgtccatt tgtatgtg
 <210> 91
 <211> 3438
 <212> DNA
  <213> Artificial Sequence
 <220>
 <223> pLIT38attBZeo Plasmid
 <400> 91
 tcgaccctct agtcaaggcc ttaagtgagt cgtattacgg actggccgtc gttttacaac 60 gtcgtgactg ggaaaaccct ggcgttaccc aacttaatcg ccttgcagca catccccctt 120
 tegecagetg gegtaatage gaagaggeee geacegateg ceetteecaa cagttgegea 180
 gcctgaatgg cgaatggcgc ttcgcttggt aataaagccc gcttcggcgg gcttttttt 240 gttaactacg tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt 300
 tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca 360 ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt 420
 ttttgcggca ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga 480
 tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa 540 gatccttgag agttttcgcc ccgaagaacg ttctccaatg atgagcactt ttaaagttct 600
 gctatgtggc gcggtattat cccgtgttga cgccgggcaa gagcaactcg gtcgccgcat 660 acactattct cagaatgact tggttgagta ctcaccagtc acagaaaagc atcttacgga 720
 tggcatgaca gtaagagaat tatgcagtgc tgccataacc atgagtgata acactgcggc 780
 caacttactt ctgacaacga tcggaggacc gaaggagcta accgcttttt tgcacaacat 840 gggggatcat gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa 900
  cgacgagcgt gacaccacga tgcctgtagc aatggcaaca acgttgcgca aactattaac 960
  tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 1020
 tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 1020 agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc 1080 tggagccggt gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc 1140 ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag 1200 acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta 1260 ctcatatata ctttagattg atttaccccg gttgataatc agaaaagccc caaaaacagg 1320 aagattgtat aagcaaatat ttaaattgta aacgttaata tttgttaaa attcgcgtta 1380
 aatttttgtt aaatcagctc attttttaac caataggccg aaatcggcaa aatcccttat 1440 aaatcaaaag aatagcccga gatagggttg agtgttgttc cagtttggaa caagagtcca 1500
 ctattaaaga acgtggactc caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1560 ccactacgtg aaccatcacc caaatcaagt tttttggggt cgaggtgccg taaagcacta 1620
```

```
aatcggaacc ctaaagggag cccccgattt agagcttgac ggggaaagcg aacgtggcga 1680
gaaaggaagg gaagaaagcg aaaggagcgg gcgctagggc gctggcaagt gtagcggtca 1740 cgctgcgcgt aaccaccaca cccgccgcgc ttaatgcgcc gctacagggc gcgtaaaagg 1800
atctaggtga agateetttt tgataatete atgaccaaaa teeettaaeg tgagtttteg 1860 ttecaetgag egteagaece egtagaaaag atcaaaggat ettettgaga teetttttt 1920 etgegegtaa tetgetgett gcaaacaaaa aaaccaeege taccageggt ggtttgtttg 1980
ccggatcaag agctaccaac tctttttccg aaggtaactg gcttcagcag agcgcagata 2040 ccaaatactg ttcttctagt gtagccgtag ttaggccacc acttcaagaa ctctgtagca 2100
ccgcctacat acctcgctct gctaatcctg ttaccagtgg ctgctgccag tggcgataag 2160
togtgtotta cogggttgga otoaagacga tagttacogg ataaggogca goggtogggo 2220 tgaacggggg gttogtgcac acagoccago ttggagogaa cgacotacac cgaactgaga 2280
tacctacage gtgagetatg agaaagegee acgetteeeg aagggagaaa ggeggacagg 2340 tatceggtaa geggeaggt eggaacagga gagegeeeg gggagettee agggggaaac 2400 geetggtate tttatagtee tgtegggtt egeacetet gaettgageg tegattttt 2460
tgatgetegt caggggggg gagectatgg aaaaacgeca geaacgegge ettttacgg 2520 tteetggeet tttgetggee ttttgeteae atgtaatgtg agttagetea eteattagge 2580
accocagget ttacactita tgetteegge tegtatgttg tgtggaattg tgageggata 2640
acaatttcac acaggaaaca gctatgacca tgattacgcc aagctacgta atacgactca 2700 ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gattgaagcc 2760 tgctttttta tactaacttg agcgaaatct ggatccatgg ccaagttgac cagtgccgtt 2820 ccggtgctca ccggcgcgga cgtcgcgga gcggtcgagt tctggaccga ccggctcggg 2880
tteteeeggg acttegtgga ggacgaette geeggtgtgg teegggaega egtgaceetg 2940
ttcatcagcg cggtccagga ccaggtggtg ccggacaaca ccctggcctg ggtgtgggtg 3000 cgcggcctgg acgagctgta cgccgagtgg tcggaggtcg tgtccacgaa cttccgggac 3060
gcctccgggc cggccatgac cgagatcggc gagcagccgt ggggggggga gttcgccctg 3120
cgcgacccgg ccggcaactg cgtgcacttc gtggccgagg agcaggactg acacgtgcta 3180 cgagatttcg attccaccg cgccttctat gaaaggttgg gcttcggaat cgttttccgg 3240 gacgccggct ggatgatcct ccagcgcggg gatctcatgc tggagttctt cgcccaccc 3300 aacttgttta ttgcagctta taatggttac aaataaagca atagcatcac aaatttcaca 3360
aataaagcat ttttttcact gcattctagt tgtggtttgt ccaaactcat caatgtatct 3420
                                                                                                                                    3438
tatcatgtct gtataccg
<210> 92
 <211> 10549
 <212> DNA
 <213> Artificial Sequence
<223> pCambia1302 Plasmid
 <308> Genbank #AF234398
<309> 2000-04-24
 <400> 92
catggtagat ctgactagta aaggagaaga acttttcact ggagttgtcc caattcttgt 60
tgaattagat ggtgatgtta atgggcacaa attttctgtc agtggagagg gtgaaggtga 120 tgcaacatac ggaaaactta cccttaaatt tatttgcact actggaaaac tacctgttcc 180
gtggccaaca cttgtcacta ctttctctta tggtgttcaa tgcttttcaa gatacccaga 240 tcatatgaag cggcacgact tcttcaagag cgccatgcct gagggatacg tgcaggaagg 300 gaccatcttc ttcaaggacg acgggaacta caagacacgt gctgaagtca agtttgaggg 360 agacacctc gtcaacagga tcgagcttaa gggaatcgat ttcaaggagg acggaaacat 420 cctcggccac aagtttggaat acaactacaa ctcccacaac gtatacatca tggccgacaa 480
gcaaaagaac ggcatcaaag ccaacttcaa gacccgccac aacatcgaag acggcggcgt 540 gcaactcgct gatcattatc aacaaaatac tccaattggc gatggccctg tccttttacc 600 agacaaccat tacctgtcca cacaatctgc cctttcgaaa gatcccaacg aaaagagaga 660
ccacatggtc cttcttgagt ttgtaacagc tgctgggatt acacatggca tggatgaact 720 atacaaagct agccaccacc accaccacca cgtgtgaatt ggtgaccagc tcgaatttcc 780
ccgatcgttc aaacatttgg caataaagtt tcttaagatt gaatcctgtt gccggtcttg 840 cgatgattat catataattt ctgttgaatt acgttaagca tgtaataatt aacatgtaat 900
gcatgacgtt atttatgaga tgggttttta tgattagagt cccgcaatta tacatttaat 960
acgcgataga aaacaaaata tagcgcgcaa actaggataa attatcgcgc gcggtgtcat 1020 ctatgttact agatcgggaa ttaaactatc agtgtttgac aggatatatt ggcgggtaaa 1080
 cctaaqaqaa aaqaqqttt attagaataa cggatattta aaagggcgtg aaaaggttta 1140
tccgttcgtc catttgtatg tgcatgccaa ccacagggtt cccctcggga tcaaagtact 1200 ttgatccaac ccctccgctg ctatagtgca gtcggcttct gacgttcagt gcagccgtct 1260 tctgaaaacg acatgtcgca caagtcctaa gttacgcgac aggctgccgc cctgcccttt 1320
```

tcctggcgtt ttcttgtcgc gtgttttagt cgcataaagt agaatacttg cgactagaac 1380 cggagacatt acgccatgaa caagagcgcc gccgctggcc tgctgggcta tgcccgcgtc 1440 agcaccgacg accaggactt gaccaaccaa cgggccgaac tgcacgggc cggctgcacc 1500 aagctgtttt ccgagaagat caccggcacc aggcgcgacc gcccggagct ggccaggatg 1560 cttgaccacc tacgccctgg cgacgttgtg acagtgacca ggctagaccg cctggcccgc 1620 agcacccgcg acctactgga cattgccgag cgcatccagg aggccggcgc gggcctgcgt 1680 agectggcag agecgtggge egacaceaec aegeeggeeg geegeatggt gttgaeegtg 1740 ttegeeggea ttgeegagtt egagegttee etaateateg aeegeaeecg gageggege 1800 gaggeegeca aggeeegagg egtgaagttt ggeeeeegee etaceeteae eeeggeaeag 1860 atcgcgcacg cccgcgagct gatcgaccag gaaggccgca ccgtgaaaga ggcggctgca 1920 ctgcttggcg tgcatcgctc gaccctgtac cgcgcacttg agcgcagcga ggaagtgacg 1980 cccaccgagg ccaggcggcg cggtgccttc cgtgaggacg cattgaccga ggccgacgcc 2040 ctggeggeeg cegagaatga acgecaagag gaacaagcat gaaacegcac caggaeggee 2100 aggaegaace gttttcatt accgaagaga tegaggegga gatgategeg geegggtaeg 2160 tgttegagee geeggegee tgeageegge tgaagaaace gaggeggee 2280 ctgatgeeaa getggeggee tggaegeegee tgaagaaace gagegeegee 2280 gtctaaaaag gtgatgtgta tttgagtaaa acagcttgcg tcatgcggtc gctgcgtata 2340 tgatgcgatg agtaaataaa caaatacgca aggggaacgc atgaaggtta tcgctgtact 2400 taaccagaaa ggcgggtcag gcaagacgac catcgcaacc catctagccc gcgccctgca 2460 actcgccggg gccgatgttc tgttagtcga ttccgatccc cagggcagtg cccgcgattg 2520 ggcggccgtg cgggaagatc aaccgctaac cgttgtcggc atcgaccgcc cgacgattga 2580 cegegacgtg aaggecateg geeggegga ettegtagtg ategacgga eggetgaagee 2700 aagecettae gacatatggg ecaceggega ectggtgag etggtaage eggteaggat ggaagatatgg ecaceggega ectggtgag etggtaage agegeattga 2760 aagecettae ggaaggetae aageggett tgtegtgteg egggegatea aaggegaetga eggegatea egggegatea egggeg catcggcggt gaggttgccg aggcgctggc cgggtacgag ctgcccattc ttgagtcccg 2880 tatcacgcag cgcgtgagct acccaggcac tgccgccgcc ggcacaaccg ttcttgaatc 2940 agaacccgag ggcgacgctg cccgcgaggt ccaggcgctg gccgctgaaa ttaaatcaaa 3000 actcatttga gttaatgagg taaagagaaa atgagcaaaa gcacaaacac gctaagtgcc 3060 ggcegtccga gcgcacgcag cagcaaggct gcaacgttgg ccagcctggc agacacgcca 3120 gccatgaagc gggtcaactt tcagttgccg gcggaggatc acaccaagct gaagatgtac 3180 gcggtacgcc aaggcaagac cattaccgag ctgctatctg aatacatcgc gcagctacca 3240 gagtaaatga gcaaatgaat aaatgagtag atgaatttta gcggctaaag gaggcggcat 3300 ggaaaatcaa gaacaaccag gcaccgacgc cgtggaatgc cccatgtgtg gaggaacggg 3360 cggttggcca ggcgtaagcg gctgggttgt ctgccggccc tgcaatggca ctggaacccc 3420 caagecegag gaateggegt gaeggtegea aaceateegg eeeggtacaa ateggegegg 3480 cgctgggtga tgacctggtg gagaagttga aggccgcga ggccgccaag cggcaacgca 3540 tcgaggcaga agcacgccc ggtgaatcgt ggcaagcggc cgctgatcga atccgcaaag 3600 aatcccggca accgccggca gccggtgcgc cgtcgattag gaagccgcc aagggcgacg 3660 agcaacaga tttttcgt ccgatgcte atgacgtggg cacccgcgat agtcgcagca 3720 teatggaegt ggccgtttte cgtctgtcga agcgtgaecg acgagetgge gaggtgatce 3780 gctacgaget tecagaeggg cacgtagagg ttteegeagg gecggeegge atggccagtg 3840 tgtgggatta cgaectggta etgatggegg ttteecatet aaccgaatee atgaaecgat 3900 accgggaagg gaagggagac aagccggcc gcgtgttccg tccacacgtt gcggacgtac 3960 tcaagttctg ccggcgagcc gatggcggaa agcagaaaga cgacctggta gaaacctgca 4020 ttcggttaaa caccacgcac gttgccatgc agcgtacgaa gaaggccaag aacggccgcc 4080 tggtgacggt atccgagggt gaagcettga ttagccgcta caagatcgta aagagcgaaa 4140 ccgggcggcc ggagtacatc gagatcgagc tagctgattg gatgtaccgc gagatcacag 4200 aaggcaagaa cccggacgtg ctgacggttc accccgatta ctttttgatc gatcccggca 4260 teggeegitt tetetacege etggeaegee gegeegeagg caaggeagaa gecagatggt 4320 tgttcaagac gatctacgaa cgcagtggca gcgccggaga gttcaagaag ttctgttca 4380 ccgtgcgcaa gctgatcgg tcaaatgacc tgccggagta cgatttgaag gaggaggcgg 4440 ggcaggctgg cccgatccta gtcatgcgct accgcaacct gatcgaggc gaagcatccg 4500 ccggttccta atgtacggag cagatgctag ggcaaattgc cctagcaggg gaaaaaggtc 4560 gaaaaggtct ctttcctgtg gatagcacgt acattgggaa cccaaagccg tacattggga 4620 accggaaccc gtacattggg aacccaaagc cgtacattgg gaaccggtca cacatgtaag 4680 tgactgatat aaaagagaaa aaaggcgatt tttccgccta aaactcttta aaacttatta 4740 aaactettaa aaccegeetg geetgtgeat aactgtetgg eeagegeaca geegaagage 4800 tgcaaaaage geetaceett eggtegetge geteeetaeg eecegeeget tegegtegge 4860 ctatcgcggc cgctggccgc tcaaaaatgg ctggcctacg gccaggcaat ctaccagggc 4920 gcggacaagc cgcgccgtcg ccactcgacc gccggcgccc acatcaaggc accctgcctc 4980 gcgcgtttcg gtgatgacgg tgaaaacctc tgacacatgc agctcccgga gacggtcaca 5040 gettgtetgt aageggatge egggageaga caageeegte agggegegte agegggtgtt 5100 ggcgggtgtc ggggcgcagc catgacccag tcacgtagcg atagcggagt gtatactggc 5160 ttaactatgc ggcatcagag cagattgtac tgagagtgca ccatatgcgg tgtgaaatac 5220 cgcacagatg cgtaaggaga aaataccgca tcaggcgctc ttccgcttcc tcgctcactg 5280 actogotgog otoggtogtt oggotgoggo gagoggtato agotoactoa aaggoggtaa 5340

tacggttatc cacagaatca ggggataacg caggaaagaa catgtgagca aaaggccagc 5400 aaaaggccag gaaccgtaaa aaggccgcgt tgctggcgtt tttccatagg ctccgcccc ctgacgagca tcacaaaaat cgacgctcaa gtcagaggtg gcgaaacccg acaggactat 5520 aaagatacca ggcgtttccc cctggaagct ccctcgtgcg ctctcctgtt ccgaccctgc 5580 cgcttaccgg atacctgtcc gcctttctcc cttcgggaag cgtggggctt tctcatagct 5640 cacgctgtag gtatctcagt tcggtgtagg tcgttcgctc caagctgggc tgtgtgcacg 5700 aaccccccgt tcagcccgac cgctgcgcct tatccggtaa ctatcgtctt gagtccaacc 5760 cggtaagaca cgacttatcg ccactggcag cagcactgg taacaggatt agcagagcga 5820 ggtatgtagg cggtgctaca gagttcttga agtggtggcc taactacggc tacactagaa 5880 ggacagtatt tggtatctgc gctctgctga agccagttac cttcggaaaa agagttggta 5940 gctcttgatc cggcaaacaa accaccgctg gtagcggtgg tttttttgtt tgcaagcagc 6000 agattacgcg cagaaaaaaa ggatctcaag aagatccttt gatcttttct acggggtctg 6060 acgctcagtg gaacgaaaac tcacgttaag ggattttggt catgcattct aggtactaaa 6120 acaattcatc cagtaaaata taatattta ttttctccca atcaggcttg atccccagta 6180 agtcaaaaaa tagctcgaca tactgttctt ccccgatatc ctccctgatc gaccggacgc 6240 agaaggcaat gtcataccac ttgtccgccc tgccgcttct cccaagatca ataaagccac 6300 ttactttgcc atcttcaca aagatgttgc tgtctcccag gtcgccgtgg gaaaagacaa 6360 gttcctcttc ggcttttcc gtctttaaaa aatcatacag ctcgcgcgga tctttaaatg 6420 gagtgtcttc ttcccagttt tcgcaatcca catcggccag atcgttattc agtaagtaat 6480 ccaattegge taageggetg tetaagetat tegtataggg acaateegat atgtegatgg 6540 agtgaaagag cetgatgeac teegcataca getegataat etttteaggg etttgtteat 6600 etteataete tteegageaa aggaegeeat eggeeteact eatgageaga ttgeteeage 6660 catcatgccg ttcaaagtgc aggacetttg gaacaggcag ettteettee agecatagca 6720 teatgteett tteeegttee acatcatagg tggteeettt ataceggetg teegteattt 6780 ttaaatatag gttttcattt tctcccacca gcttatatac cttagcagga gacattcctt 6840 cogtatettt tacgeagegg tatttttega teagtttttt caatteeggt gatattetea 6900 ttttagecat ttattattte etteetett tetaeagtat ttaaagatae eecaagaage 6960 taattataac aagacgaact ccaattcact gttccttgca ttctaaaacc ttaaatacca 7020 gaaaacagct ttttcaaagt tgttttcaaa gttggcgtat aacatagtat cgacggagcc 7080 gattttgaaa ccgcggtgat cacaggcagc aacgctctgt catcgttaca atcaacatgc 7140 taccetccgc gagatcatcc gtgtttcaaa cccggcagct tagttgccgt tcttccgaat 7200 agcatcggta acatgagcaa agtctgccgc cttacaacgg ctctcccgct gacgccgtcc 7260 cggactgatg ggctgcctgt atcgagtggt gattttgtgc cgagctgccg gtcggggagc 7320 tgttggctgg ctggtggcag gatatattgt ggtgtaaaca aattgacgct tagacactt 7380 aataacacat tgcggacgtt tttaatgtac tgaattaacg ccgaattaat tcgggggatc 7440 tggatttag tactggattt tgtattag aattaacaa tttattgata gaagtattt 7500 acaaatacaa atacatacta agggtttctt atatgctcaa cacatgagcg aaaccctata 7560 ggaaccctaa ttcccttatc tgggaactac tcacacatta ttatggagaa actcgagctt 7620 gtcgatcgac agatccggtc ggcatctact ctatttcttt gccctcggac gagtgctggg 7680 gcgtcggttt ccactatcgg cgagtacttc tacacagcca tcggtccaga cggccgcgct 7740 tetgegggeg atttgtgtac geeegacagt eeeggeteeg gateggaega ttgegtegea 7800 tctgeggggg atttgtgtac geccgacagt cceggctcg gateggacga ttgegtcgca 7800 tcgaccttg gccaagctg catcategaa attgccgtca accaagctct gatagagttg 7860 gtcaagacca atgcggacga tatacgccg gagtcgtgg gatcctgcaa gctccggatg 7920 cctccgctcg aagtagcgcg tctgctgctc catacaagcc aaccacggcc tccagaagaa 7980 gatgttggcg acctcgtatt gggaatcccc gaacatcgcc tcgctccagt caatgaccgc 8040 tgttatgcgg ccattgtccg tcaggacatt gttggagccg aaatccgcgt gcacgaggtg 8100 ccgcactgacg gtgtcgtca tcacagtttg ccagtgatac acatggggat cagcaatcgc 8220 gcatatgaaa tcacgccatg tagtgtattg accgattect tgcggtccga atgggccgaa 8280 cccgctcgtc tggctaagat cggccgcagc gatcgcatcc atagcctccg cgaccggttg 8340 tagaacagcg ggcagttcgg tttcaggcag gtcttgcaac gtgacacct gtgcacggcg 8400 ggagatgcaa taggtcaggc tctcgctaaa ctccccaatg tcaagcactt ccggaatcgg 8460 gagcgcggcc gatgcaaagt gccgataaac ataacgatct ttgtagaaac catcggcgca 8520 getattiace egeaggacat atecaegece tectacateg aagetgaaag caegagatte 8580 ttegecetee gagagetgea teaggtegga gaegetgteg aacttttega teagaaactt 8640 etegacagae gtegeggtga gtteaggett ttteatatet eattgeeece egggatetge 8700 gaaagetega gagagataga titgtagaga gagaetggtg attteagegt gteeteteea 8760 aatgaaatga actteettat atagaggaag gtettgegaa ggatagtggg attgtgegte 8820 ateeettaeg teagtggaga tateacatea ateeaettge tttgaagaeg tggttggaae 8880 gtettettt tecaegatge teetegtggg tgggggteea tetttgggae caetgtegge 8940 agaggeatet tgaacgatag cettteettt ategeaatga tggcatttgt aggtgeeace 9000 ttccttttct actgtccttt tgatgaagtg acagatagct gggcaatgga atccgaggag 9060 gtttcccgat attacccttt gttgaaaagt ctcaatagcc ctttggtctt ctgagactgt 9120 atetttgata ttettggagt agaegagagt gtegtgetee accatgttat cacateaate 9180 cacttgcttt gaagacgtgg ttggaacgtc ttcttttcc acgatgctcc tcgtgggtgg 9240 gggtccatct ttgggaccac tgtcggcaga ggcatcttga acgatagcct ttcctttatc 9300 gcaatgatgg catttgtagg tgccaccttc cttttctact gtccttttga tgaagtgaca 9360

```
gatagctggg caatggaatc cgaggaggtt tcccgatatt accetttgtt gaaaagtctc 9420
aatageeett tggtettetg agaetgtate tttgatatte ttggagtaga egagagtgte 9480
gtgctccacc atgttggcaa gctgctctag ccaatacgca aaccgcctct ccccgcgcgt 9540
tggccgattc attaatgcag ctggcacgac aggtttcccg actggaaagc gggcagtgag 9600 cgcaacgcaa ttaatgtgag ttagctcact cattaggcac cccaggcttt acactttatg 9660
cttccggctc gtatgttgtg tggaattgtg agcggataac aatttcacac aggaaacagc 9720
tatgaccatg attacgaatt cgagctcggt acccggggat cctctagagt cgacctgcag 9780 gcatgcaagc ttggcactgg ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt 9840
tacccaactt aatcgccttg cagcacatcc ccctttcgcc agctggcgta atagcgaaga 9900
ggcccgcacc gatcgcctt cccaacagtt gcgcagcctg aatggcgaat gctagagcag 9960 cttgagcttg gatcagattg tcgtttcccg ccttcagttt agcttcatgg agtcaaagat 10020
tcaaatagag gacctaacag aactcgccgt aaagactggc gaacagttca tacagagtct 10080 cttacgactc aatgacaaga agaaaatctt cgtcaacatg gtggagcacg acacacttgt 10140
ctactccaaa aatatcaaag atacagtctc agaagaccaa agggcaattg agacttttca 10200
acaaagggta atatccggaa acctcctcgg attccattgc ccagctatct gtcactttat 10260 tgtgaagata gtggaaaagg aaggtggctc ctacaaatgc catcattgcg ataaaggaaa 10320
ggccatcgtt gaagatgcct ctgccgacag tggtcccaaa gatggacccc cacccacgag 10380
gagcatcgtg gaaaaagaag acgttccaac cacgtcttca aagcaagtgg attgatgtga 10440 tatctccact gacgtaaggg atgacgcaca atcccactat ccttcgcaag acccttcctc 10500
                                                                                      10549
tatataagga agttcatttc atttggagag aacacggggg actcttgac
<210> 93
<211> 33
<212> DNA
<213> Artificial Sequence
<220>
<223> CaMV35SpolyA Primer
                                                                                      33
ctgaattaac gccgaattaa ttcgggggat ctg
<210> 94
<211> 29
<212> DNA
<213> Artificial Sequence
<220>
<223> CaMV35Spr Primer
<400> 94
                                                                                      29
ctagagcagc ttgccaacat ggtggagca
<210> 95
<211> 12592
<212> DNA
<213> Artificial Sequence
<220>
<223> pAg2 Plasmid
<400> 95
gtacgaagaa ggccaagaac ggccgcctgg tgacggtatc cgagggtgaa gccttgatta 60
gccgctacaa gatcgtaaag agcgaaaccg ggcggccgga gtacatcgag atcgagctag 120
ctgattggat gtaccgcgag atcacagaag gcaagaaccc ggacgtgctg acggttcacc 180
ccgattactt tttgatcgat cccggcatcg gccgttttct ctaccgcctg gcacgccgcg 240 ccgcaggcaa ggcagaagcc agatggttgt tcaagacgat ctacgaacgc agtggcagcg 300 ccggagagtt caagaagttc tgtttcaccg tgcgcaagct gatcgggtca aatgacctgc 360
cggagtacga tttgaaggag gaggcggggc aggctggccc gatcctagtc atgcgctacc 420
gcaacctgat cgaggggaa gcatccgccg gttcctaatg tacggagcag atgctagggc 480 aaattgccct agcaggggaa aaaggtcgaa aaggtctctt tcctgtggat agcacgtaca 540
ttgggaaccc aaagccgtac attgggaacc ggaacccgta cattgggaac ccaaagccgt 600
acattgggaa ccggtcacac atgtaagtga ctgatataaa agagaaaaaa ggcgattttt 660
cogoctaaaa ctctttaaaa cttattaaaa ctcttaaaac cogoctggcc tgtgcataac 720
tgtctggcca gcgcacagcc gaagagctgc aaaaagcgcc tacccttcgg tcgctgcgct 780
ccctacgccc cgccgcttcg cgtcggccta tcgcggccgc tggccgctca aaaatggctg 840
gcctacggcc aggcaatcta ccagggcgcg gacaagccgc gccgtcgcca ctcgaccgcc 900
```

ggcgcccaca tcaaggcacc ctgcctcgcg cgtttcggtg atgacggtga aaacctctga 960 cacatgcagc tcccggagac ggtcacagct tgtctgtaag cggatgccgg gagcagacaa 1020 gcccgtcagg gcgcgtcagc gggtgttggc gggtgtcggg gcgcagccat gacccagtca 1080 cgtagcgata gcggagtgta tactggctta actatgcggc atcagagcag attgtactga 1140 gagtgcacca tatgcggtgt gaaataccgc acagatgcgt aaggagaaaa taccgcatca 1200 ggcgctcttc cgcttcctcg ctcactgact cgctgcgctc ggtcgttcgg ctgcggcgag 1260 cggtatcagc tcactcaaag gcggtaatac ggttatccac agaatcaggg gataacgcag 1320 gaaagaacat gtgagcaaaa ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc 1380 tggcgttttt ccataggctc cgccccctg acgagcatca caaaaatcga cgctcaagtc 1440 agaggtggcg aaacccgaca ggactataaa gataccaggc gtttccccct ggaagctccc 1500 tcgtgcgctc tcctgttccg accctgccgc ttaccggata cctgtccgcc tttctccctt 1560 cgggaagegt ggegetttet catageteae getgtaggta teteagtteg gtgtaggteg 1620 ttegeteeaa getgggetgt gtgcaegaae ceeeegttea geeegaeege tgegeettat 1680 ccggtaacta tcgtcttgag tccaacccgg taagacacga cttatcgcca ctggcagcag 1740 ccactggtaa caggattagc agagcgaggt atgtaggcgg tgctacagag ttcttgaagt 1800 ggtggcctaa ctacggctac actagaagga cagtatttgg tatctgcgct ctgctgaagc 1860 cagttacctt cggaaaaaga gttggtagct cttgatccgg caaacaaacc accgctggta 1920 gcggtggttt ttttgtttgc aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag 1980 atcetttgat etttetaeg gggtetgaeg etcagtggaa egaaaactca egttaaggga 2040 ttttggteat geattetagg tactaaaaca atteateeag taaaatataa tatttattt 2100 teeeccaate aggettgate eccagtaagt caaaaaaatag etcgacatac tgttetteec 2160 cgatatecte cetgategae eggaegeaga aggeaatgte ataceaettg teegeeetge 2220 egettetece aagateaata aageeaetta etttgeeate ttteacaaaag atgttgetgt 2280 ctoccaggtc gccgtgggaa aagacaagtt cctcttcggg cttttccgtc tttaaaaaat 2340 catacagctc gccgtgggaa aagacaagtt cctcttcggg cttttccgtc tttaaaaaat 2340 cggccagatc gttattcagt aagtaatcca attcggctaa gcggctgtct aagctattcg 2460 tatagggaca atccgatatg tcgatggagt gaaagagcct gatgcactcc gcatacagct 2520 cgataatctt ttcagggctt tgttcatctt catactcttc cgagcaaagg acgccatcgg 2580 cctcactcat gagcagattg ctccagccat catgccgttc aaagtgcagg acctttggaa 2640 caggeagett teetteeage catageatea tgteetttte cegtteeaca teataggtgg 2700 teeetttata ceggetgtee gteatttta aatataggtt tteatttet cecaceaget 2760 tatatacett ageaggagac atteetteeg tatetttae geageggtat tettegatea 2820 gttettteaa teeggtgat atteetatt tageeattta tatetteett eetetttet 2880 acagtattta aagatacece aagaagetaa tataacaag aegaacteea atteaetgtt 2940 eettgeatte taaaacette taaaacetaa aagatatta aagataete taaaacetaa aataccaagat teteaaagttgt teteaaagttgt 3000 ggcgtataac atagtatcga cggagccgat tttgaaaccg cggtgatcac aggcagcaac 3060 getetgteat egitacaate aacatgetae ceteegegag ateateegtg titeaaacec 3120 ggcagcttag ttgccgttct tccgaatagc atcggtaaca tgagcaaagt ctgccgcctt 3180 acaacggctc tcccgctgac gccgtcccgg actgatggcc tgcctgtatc gagtggtgat 3240 tttgtgccga gctgccggtc ggggagctgt tggctggctg gtggcaggat atattgtggt 3300 gtaaacaaat tgacgcttag acaacttaat aacacattgc ggacgttttt aatgtactga 3360 attaacgccg aattaattcg ggggatctgg atttagtac tggattttgg ttttaggaat 3420 tagaaatttt attgatagaa gtattttaca aatacaaata catactaagg gtttcttata 3480 tgctcaacac atgagcgaaa ccctatagga accctaattc ccttatctgg gaactactca 3540 cacattatta tggagaaact cgagtcaaat ctcggtgacg ggcaggaccg gacggggcgg 3600 taccggcagg ctgaagtcca gctgccagaa acccacgtca tgccagttcc cgtgcttgaa 3660 gccggccgcc cgcagcatgc cgcgggggc atatccgagc gcctcgtgca tgcgcacgct 3720 cgggtcgttg ggcagcccga tgacagcgac cacgctcttg aagccctgtg cctccaggga 3780 cttcagcagg tgggtgtaga gcgtggagcc cagtcccgtc cgctggtggc ggggggagac 3840 gtacacggtc gactcggccg tccagtcgta ggcgttgcgt gccttccagg ggcccgcgta 3900 ggcgatgccg gcgacctcgc cgtcacctc ggcgacgagc cagggatagc gctcccgcag 3960 acggacgag gcttgtctcg atgtagtggt tgacgatggt gcagaccgcc ggcatgtccg cctcggtggc 4080 acggcggatg tcggccgggc gtcgttctgg gctcatggta gactcgagag agatagattt 4140 gtagagagag actggtgatt tcagcgtgtc ctctccaaat gaaatgaact tccttatata 4200 gaggaaggtc ttgcgaagga tagtgggatt gtgcgtcatc ccttacgtca gtggagatat 4260 cacatcaatc cacttgcttt gaagacgtgg ttggaacgtc ttctttttcc acgatgctcc 4320 tcgtgggtgg gggtccatct ttgggaccac tgtcggcaga ggcatcttga acgatagcct 4380 ttcctttatc gcaatgatgg catttgtagg tgccaccttc ctttctact gtccttttga 4440 tgaagtgaca gatagctgg caatggaatc cgaggaggtt tcccgatatt accetttgtt 4500 gaaaagtctc aatagccctt tggtcttctg agactgtatc tttgatattc ttggagtaga 4560 cgaggagtgtc gtgctccacc atgttatcac atcaatccac ttgctttgaa gacgtggttg 4620 gaacgtette tittecaeg atgeteeteg tgggtggggg tecatetttg ggaccaetgt 4680 eggeagagge atettgaaeg atageettte etttategea atgatggeat ttgtaggtge 4740 eacetteett ttetaetgte ettttgatga agtgacagat agetgggeaa tggaateega 4800 ggaggtttcc cgatattacc ctttgttgaa aagtctcaat agccctttgg tcttctgaga 4860 ctgtatettt gatattettg gagtagaega gagtgtegtg etecaceatg ttggcaaget 4920

gctctagcca atacgcaaac cgcctctccc cgcgcgttgg ccgattcatt aatgcagctg 4980 gcacgacagg tttcccgact ggaaagcggg cagtgagcgc aacgcaatta atgtgagtta 5040 gctcactcat taggcacccc aggctttaca ctttatgctt ccggctcgta tgttgtgtgg 5100 aattgtgagc ggataacaat ttcacacagg aaacagctat gaccatgatt acgaattcga 5160 gccttgacta gagggtcgac ggtatacaga catgataaga tacattgatg agtttggaca 5220 aaccacaact agaatgcagt gaaaaaaatg ctttatttgt gaaatttgtg atgctattgc 5280 tttatttgta accattataa getgeaataa acaagttggg gtgggegaag aactecagea 5340 tgagateece gegetggagg atcatecage eggegteeeg gaaaacgatt cegaageeca 5400 acctttcata gaaggcggcg gtggaatcga aatctcgtag cacgtgtcag tcctgctcct 5460 cggccacgaa gtgcacgcag ttgccggccg ggtcgcgcag ggcgaactcc cgcccccacg 5520 gctgctcgcc gatctcggtc atggccggcc cggaggcgtc ccggaagttc gtggacacga 5580 cetegacea eteggogtae agetegteea ggeegegeae ceacacecag geeagggtgt 5640 tgteeggeae cacetggtee tggacegege tgatgaacag ggteacgteg teeeggacea 5700 caccggcgaa gtcgtcctcc acgaagtccc gggagaaccc gagccggtcg gtccagaact 5760 cgaccgctcc ggcgacgtcg cgcgcggtga gcaccggaac ggcactggtc aacttggcca 5820 tggatccaga tttcgctcaa gttagtataa aaaagcaggc ttcaatcctg caggaattcg 5880 atogacacto togtotacto caagaatato aaagatacag totcagaaga ccaaagggot 5940 attgagactt ttcaacaaag ggtaatatcg ggaaacctcc tcggattcca ttgcccagct 6000 atctgtcact tcatcaaaag gacagtagaa aaggaaggtg gcacctacaa atgccatcat 6060 tgcgataaag gaaaggctat cgttcaagat gcctctgccg acagtggtcc caaagatgga 6120 cccccaccca cgaggagcat cgtggaaaaa gaagacgttc caaccacgtc ttcaaagcaa 6180 gtggattgat gtgataacat ggtggagcac gacactctcg tctactccaa gaatatcaaa 6240 gatacagtet cagaagacca aagggetatt gagactttte aacaaagggt aatateggga 6300 aaceteeteg gattecattg cecagetate tgteaettea teaaaaggac agtagaaaag 6360 gaaggtggca cctacaaatg ccatcattgc gataaaggaa aggctatcgt tcaagatgcc 6420 tetgeegaca gtggteecaa agatggaece ceacceacga ggagcategt ggaaaaagaa 6480 gacgtteeaa ceacgtette aaagcaagtg gattgatgtg atateteeac tgacgtaagg 6540 gatgacgcac aatcccacta teettegeaa gacetteete tatataagga agtteattte 6600 atttggagag gacacgetga aatcaccagt etetetetae aaatctatet etetegaget 6660 ttcgcagatc cggggggca atgagatatg aaaaagcctg aactcaccgc gacgtctgtc 6720 gagaagtttc tgatcgaaaa gttcgacagc gtctccgacc tgatgcagct ctcggagggc 6780 gaagaatctc gtgcttcag cttcgatgta ggagggcgtg gatatgtcct gcgggtaaat 6840 agctgcgccg atggtttcta caaagatcgt tatgtttatc ggcactttgc atcggcgcg 6900 ctcccgattc cggaagtgct tgacattggg gagtttagcg agagcctgac ctattgcatc 6960 tcccgccgtg cacagggtgt cacgttgcaa gacctgcctg aaaccgaact gcccgctgtt 7020 ctacaaccgg tcgcggaggc tatggatgcg atcgctgcgg ccgatcttag ccagacgagc 7080 gggttcggcc cattcggacc gcaaggaatc ggtcaataca ctacatggcg tgatttcata 7140 7200 tgcgcgattg ctgatcccca tgtgtatcac tggcaaactg tgatggacga caccgtcagt gcgtccgtcg cgcaggctct cgatgagctg atgctttggg ccgaggactg ccccgaagtc 7260 cggcacctcg tgcacgcgga tttcggctcc aacaatgtcc tgacggacaa tggccgcata 7320 acageggtca ttgactggag cgaggcgatg ttcggggatt cccaatacga ggtcgccaac 7380 atcttcttct ggaggcgtg gttggcttgt atggagcagc agacgcgcta cttcgagcgg 7440 aggcatccgg agcttgcagg atcgccacga ctccgggcgt atatgctccg cattggtctt 7500 aggeategg agettgeagg ategeacga eteegggegt attegeteg dattggtet 7500 gaecaactet ateagaget ggttgaegge aatttegatg atgeagettg ggegtaeaca ategeecge 7620 agaageggg cegtetggae egatggetg gtagaagtae tegeegatag tegeacega 7680 egeeceagea eteegtegag ggeaaagaa tagagtagat eegacegga tetgtegate 7740 gaeaageteg agtteeca taataatgtg tgagtagtte eegataagg gaattaggt 7800 teetataggg tttegeteat gtgttgagea tataagaaac eettagatg tatttgtatt 7860 tgaaaataa teetateaa aaaatteea atteetaaaa eeaaaatee gtaetaaaa 7920 eegagatege egaattaaat eggegtaat teagagtaag ettagaetg geegtegtt 7980 ccagatcccc cgaattaatt cggcgttaat tcagatcaag cttggcactg gccgtcgttt 7980 tacaacgtcg tgactgggaa aaccctggcg ttacccaact taatcgcctt gcagcacatc 8040 cccctttcgc cagctggcgt aatagcgaag aggcccgcac cgatcgcct tcccaacagt 8100 tgcgcagcct gaatggcgaa tgctagagca gcttgagctt ggatcagatt gtcgtttccc 8160 gccttcagtt tggggatcct ctagactgaa ggcgggaaac gacaatctga tcatgagcgg 8220 agaattaagg gagtcacgtt atgacccccg ccgatgacgc gggacaagcc gttttacgtt 8280 tggaactgac agaaccgcaa cgttgaagga gccactcagc cgcgggtttc tggagtttaa 8340 tgagctaagc acatacgtca gaaaccatta ttgcgcgttc aaaagtcgcc taaggtcact 8400 atcagctage aaatatttet tgtcaaaaat getecactga egttecataa atteceeteg 8460 gtatccaatt agagteteat atteactete aatecaaata atetgcaceg gatetegaga 8520 atcgaattcc cgcggccgcc atggtagatc tgactagtaa aggagaagaa cttttcactg 8580 gagttgtece aattettgtt gaattagatg gtgatgttaa tgggcacaaa ttttcactg 8580 gtggggagaggg tgaaggtgat gcaacatacg gaaaacttac ccttaaattt atttgcacta 8700 ctggaaaact acctgttccg tggccacaca ttgtcactac tttctcttat ggtgttcaat 8760 gcttttcaag atacccagat catatgaagg ggcacgactt cttcaagagg gccatgctg 8820 aggggatacgt gcaggaggg accatcttct tcaaggacga cgggaactac aagacacgtg 8880 ctgaagtcaa gtttgaggg gacacactc tcaagaggaga cgggaactac aagacacgtg 8880 ctgaagtcaa gtttgaggga gacaccctcg tcaacaggat cgagcttaag ggaatcgatt 8940

tcaaggagga cggaaacatc ctcggccaca agttggaata caactacaac tcccacaacg 9000 tatacatcat ggccgacaag caaaagaacg gcatcaaagc caacttcaag acccgccaca 9060 acatcgaaga cggcggcgtg caactcgctg atcattatca acaaaatact ccaattggcg 9120 atggccctgt ccttttacca gacaaccatt acctgtccac acaatctgcc ctttcgaaag 9180 atcccaacga aaagagagac cacatggtcc ttcttgagtt tgtaacagct gctgggatta 9240 cacatggcat ggatgaacta tacaaagcta gccaccacca ccaccaccac gtgtgaattg 9300 gtgaccagct cgaatttccc cgatcgttca aacatttggc aataaagttt cttaagattg 9360 aatcctgttg ccggtcttgc gatgattatc atataatttc tgttgaatta cgttaagcat 9420 gtaataatta acatgtaatg catgacgtta tttatgagat gggtttttat gattagagtc 9480 ccgcaattat acatttaata cgcgatagaa aacaaaatat agcgcgcaaa ctaggataaa 9540 ttatcgcgcg cggtgtcatc tatgttacta gatcgggaat taaactatca gtgtttgaca 9600 ggatatattg gcgggtaaac ctaagagaaa agagcgttta ttagaataac ggatatttaa 9660 aagggegtga aaaggtttat cegttegtee atttgtatgt geatgeeaac cacagggtte 9720 ceetegggat caaagtactt tgateeaace ceteegetge tatagtgeag teggettetg 9780 acgttcagtg cagccgtctt ctgaaaacga catgtcgcac aagtcctaag ttacgcgaca 9840 ggctgccgcc ctgccctttt cctggcgttt tcttgtcgcg tgttttagtc gcataaagta 9900 gaatacttgc gactagaacc ggagacatta cgccatgaac aagagcgccg ccgctggcct 9960 gctgggctat gcccgcgtca gcaccgacga ccaggacttg accaaccaac gggccgaact 10020 gcacgcggcc ggctgcacca agctgttttc cgagaagatc accggcacca ggcgcgaccg 10080 cccggagctg gccaggatgc ttgaccacct acgccctggc gacgttgtga cagtgaccag 10140 gctagaccgc ctggcccgca gcaccegcga cctactggac attgccgagc gcatccagga 10200 ggceggegeg ggcctgegta gcctggcaga gccgtgggcc gacaccacca cgceggcegg 10260 ccgcatggtg ttgaccgtgt tcgccggcat tgccgagttc gagcgttccc taatcatcga 10320 ccgcacccgg agcgggegeg aggccgcaa ggccgaggc gtgaagtttg gccccggcc 10380 taccctcacc ccggcacaga tcgcgcacgc ccgcgagctg atcgaccagg aaggccgcac 10440 cgtgaaagag gcggctgcac tgcttggcgt gcatcgctcg accetgtacc gcgcacttga 10500 gcgcagcgag gaagtgacgc ccaccgaggc caggcggcgc ggtgccttcc gtgaggacgc 10560 attgaccgag gccgacgccc tggcggccgc cgagaatgaa cgccaagagg aacaagcatg 10620 aaaccgcacc aggacggcca ggacgaccg ttttcatta ccgaagagat cgaggcggag 10680 atgatcgcg ccgggtatgt tgatgccaag ctgaggcct ggccggccag cttgagccg ctgaggccag cttgagccag ctgaggccag cttgagccag cttgagccag cttgagcaca 10740 gaagaaaccg agg catgoggtog otgogtatat gatgogatga gtaaataaac aaataogcaa ggggaacgca 10920 tgaaggttat cgctgtactt aaccagaaag gcgggtcagg caagacgacc atcgcaaccc 10980 atctagcccg cgcctgcaa ctcgccgggg ccgatgttct gttagtcgat tccgatcccc 11040 agggcagtgc ccgcgattgg gcggccgtgc gggaagatca accgctaacc gttgtcggca 11100 tcgaccgccc gacgattgac cgcgacgtga aggccatcgg ccggcgcgac ttcgtagtga 11160 tcgacggagc gccccaggcg gcggacttgg ctgtgtccgc gatcaaggca gccgacttcg 11220 tgctgattcc ggtgcagcca agcccttacg acatatgggc caccgccgac ctggtggagc 11280 tggttaagca gcgcattgag gtcacggatg gaaggctaca agcggccttt gtcgtgtcgc 11340 gggcgatcaa aggcacgcgc atcggcggtg aggttgccga ggcgctggcc gggtacgagc 11400 tgcccattct tgagtcccgt atcacgcagc gcgtgagcta cccaggcact gccgccgccg 11460 gcacaaccgt tottgaatca gaacccgagg gcgacgctgc ccgcgaggtc caggcgctgg 11520 ccgctgaaat taaatcaaaa ctcatttgag ttaatgaggt aaagagaaaa tgagcaaaag 11580 cacaaacacg ctaagtgccg gccgtccgag cgcacgcagc agcaaggctg caacgttggc 11640 cagcetggca gacacgccag ccatgaagcg ggtcaacttt cagttgccgg cggaggatca 11700 caccaagctg aagatgtacg cggtacgcca aggcaagacc attaccgagc tgctatctga 11760 atacatcgcg cagctaccag agtaaatgag caaatgaata aatgagtaga tgaattttag 11820 cggctaaagg aggcggcatg gaaaatcaag aacaaccagg caccgacgcc gtggaatgcc 11880 ccatgtgtgg aggaacggg ggttggccag gcgtaagcgg ctgggttgtc tgccggcct 11940 gcaatggcac tggaaccccc aagcccgagg aatcggcgt acggtcgcaa accatccggc 12000 ccggtacaaa tcggcgcggc gctgggtgat gacctggtgg agaagttgaa ggccgcgcag 12060 gccgcccagc ggcaacgcat cgaggcagaa gcacgccccg gtgaatcgtg gcaagcggcc 12120 gctgatcgaa tccgcaaaga atcccggcaa ccgccggcag ccggtgcgcc gtcgattagg 12180 aagccgcca aggcgacga gcaaccagat tttttcgttc cgatgctcta tgacgtgggc 12240 acccgcgata gtcgcagcat catggacgtg gccgttttcc gtctgtcgaa gcgtgaccga 12300 cgagctggcg aggtgatccg ctacgagctt ccagacggc acgtagaggt ttccgcaggg 12360 ccggccggca tggccagtgt gtgggattac gacctggtac tgatggcggt ttcccatcta 12420 accgaatcca tgaaccgata ccgggaaggg aagggagaca agcccggccg cgtgttccgt 12480 ccacacgttg cggacgtact caagttctgc cggcgagccg atggcggaaa gcagaaagac 12540 gacctggtag aaacctgcat tcggttaaac accacgcacg ttgccatgca gc 12592

<sup>&</sup>lt;210> 96 <211> 3357

<sup>&</sup>lt;211> 335/ <212> DNA

<sup>&</sup>lt;213> Artificial Sequence

<220>
<223> pGEMEasyNOS Plasmid

```
<400> 96
tatcactagt gaattcgcgg ccgcctgcag gtcgaccata tgggagagct cccaacgcgt 60 tggatgcata gcttgagtat tctatagtgt cacctaaata gcttggcgta atcatggtca 120
tagetgttte etgtgtgaaa ttgttateeg etcacaatte cacacaacat acgageegga 180 agcataaagt gtaaageetg gggtgeetaa tgagtgaget aacteacatt aattgegttg 240
cgctcactgc ccgctttcca gtcgggaaac ctgtcgtgcc agctgcatta atgaatcggc 300
caacgcgcgg ggagaggcgg tttgcgtatt gggcgctctt ccgcttcctc gctcactgac 360 tcgctgcgct cggtcgttcg gctgcggcga gcggtatcag ctcactcaaa ggcggtaata 420
cggttatcca cagaatcagg ggataacgca ggaaagaaca tgtgagcaaa aggccagcaa 480 aaggccagga accgtaaaaa ggccgcgttg ctggcgtttt tccataggct ccgccccct 540
gacgagcatc acaaaaatcg acgctcaagt cagaggtggc gaaacccgac aggactataa 600 agataccagg cgtttcccc tggaagctcc ctcgtgcgct ctcctgttcc gaccctgccg 660 cttaccggat acctgtccgc ctttctccct tcgggaagcg tggcgctttc tcatagctca 720
cgctgtaggt atctcagttc ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa 780 ccccccgttc agcccgaccg ctgcgcctta tccggtaact atcgtcttga gtccaacccg 840 gtaagacacg acttatcgcc actggcagca gccactggta acaggattag cagagcgagg 900
tatgtaggcg gtgctacaga gttcttgaag tggtggccta actacggcta cactagaaga 960 acagtatttg gtatctgcgc tctgctgaag ccagttacct tcggaaaaag agttggtagc 1020
tcttgatccg gcaaacaaac caccgctggt agcggtggtt tttttgtttg caagcagcag 1080
attacgcgca gaaaaaaagg atctcaagaa gatcctttga tcttttctac ggggtctgac 1140 gctcagtgga acgaaaactc acgttaaggg attttggtca tgagattatc aaaaaggatc 1200
ttcacctaga tccttttaaa ttaaaaatga agttttaaat caatctaaag tatatatgag 1260 taaacttggt ctgacagtta ccaatgctta atcagtgagg cacctatctc agcgatctgt 1320 ctatttcgtt catccatagt tgcctgactc cccgtcgtgt agataactac gatacgggag 1380
ggcttaccat ctggccccag tgctgcaatg ataccgcgag acccacgetc accggctcca 1440 gatttatcag caataaacca gccagccgga agggccgagc gcagaagtgg tcctgcaact 1500
ttatccgcct ccatccagtc tattaattgt tgccgggaag ctagagtaag tagttcgcca 1560 gttaatagtt tgcgcaacgt tgttgccatt gctacaggca tcgtggtgtc acgctcgtcg 1620 tttggtatgg cttcattcag ctccggttcc caacgatcaa ggcgagttac atgatcccc 1680
tttggtatgg cttcattcag ctccggttcc caacgatcaa ggcgagttac atgatcccc 1680 atgttgtgca aaaaagcggt tagctccttc ggtcctccga tcgttgtcag aagtaagttg 1740 gccgcagtgt tatcactcat ggttatggca gcactgcata attctcttac tgtcatgcca 1800 tccgtaagat gcttttctgt gactggtgag tactcaacca agtcattctg agaatagtgt 1860 atgcggggac cgagttgctc ttgcccggcg tcaatacggg ataataccgc gccacatagtg 1920 agaactttaa aagtgctcat cattggaaaa cgttcttcgg ggcgaaaact ctcaaggatc 1920 tctttactt tcaccagcgt ttcgggtga gcaaaaacag gaaggcaaaa tgccgcaaaa 2100 aagggaataa gggcgacacg gaaatgttga atactcatac tcttccttt tcaatattat 2160 tgaagcattt atcacggtta ttcgtctatc agccgataca tatttaaaaa 2220
tgaagcattt atcagggtta ttgtctcatg agcggataca tatttgaatg tatttagaaa 2220 aataaacaaa taggggttcc gcgcacattt ccccgaaaag tgccacctga tgcggtgtga 2280
aataccgcac agatgcgtaa ggagaaaata ccgcatcagg aaattgtaag cgttaatatt 2340 ttgttaaaat tcgcgttaaa tttttgttaa atcagctcat tttttaacca ataggccgaa 2400 atcggcaaaa tcccttataa atcaaaagaa tagaccgaga tagggttgag tgttgttcca 2460
gtttggaaca agagtccact attaaagaac gtggactcca acgtcaaagg gcgaaaaacc 2520 gtctatcagg gcgatggcc actacgtgaa ccatcacct aatcaagttt tttggggtcg 2580
 aggtgccgta aagcactaaa tcggaaccct aaagggagcc cccgatttag agcttgacgg 2640
 ggaaagccgg cgaacgtggc gagaaaggaa gggaagaaag cgaaaggagc gggcgctagg
 gcgctggcaa gtgtagcggt cacgctgcgc gtaaccacca cacccgccgc gcttaatgcg
                                                                                                                                            2760
cegetacagg gegegtecat tegecattea ggetgegeaa etgttgggaa gggegategg 2820 tgegggeete ttegetatta egecagetgg egaaaggggg atgtgetgea aggegatta 2880 gttgggtaac gecagggtt teccagteac gaegttgtaa aacgaeggee agtgaattgt 2940
 aatacgactc actatagggc gaattgggcc cgacgtcgca tgctcccggc cgccatggcg 3000
 gccgcgggaa ttcgattctc gagatccggt gcagattatt tggattgaga gtgaatatga 3060
 gactctaatt ggataccgag gggaatttat ggaacgtcag tggagcattt ttgacaagaa 3120
atatttgcta gctgatagtg accttaggcg acttttgaac gcgcaataat ggtttctgac 3180 gtatgtgctt agctcattaa actccagaaa cccgcggctg agtggctcct tcaacgttgc 3240
 ggttctgtca gttccaaacg taaaacggct tgtcccgcgt catcggcggg ggtcataacg 3300
 tgactccctt aattctccgc tcatgatcag attgtcgttt cccgccttca gtctaga
                                                                                                                                            3357
```

<210> 97 <211> 10122

<212> DNA <213> Artificial Sequence

## <223> p1302NOS Plasmid

<400> 97 catggtagat ctgactagta aaggagaaga acttttcact ggagttgtcc caattcttgt 60 tgaattagat ggtgatgtta atgggcacaa attttctgtc agtggagagg gtgaaggtga 120 tgcaacatac ggaaaactta cccttaaatt tatttgcact actggaaaac tacctgttcc 180 gtggccaaca cttgtcacta ctttctctta tggtgttcaa tgcttttcaa gatacccaga 240 tcatatgaag cggcacgact tcttcaagag cgccatgcct gagggatacg tgcaggagag 300 gaccatette tteaaggaeg aegggaaeta caagaeaegt getgaagtea agtttgaggg 360 agaeaeeete gteaaeagga tegagettaa gggaategat tteaaggagg aeggaaaeat 420 eeteggeeae aagttggaat acaaetaeaa eteceaeaa gtatacatea tggeegaeaa 480 gcaaaagaac ggcatcaaag ccaacttcaa gaccegccac aacatcgaag acggcggcgt 540 gcaactcgct gatcattatc aacaaaatac tccaattggc gatggccctg tccttttacc 600 agacaaccat tacctgtcca cacaatctgc cctttcgaaa gatcccaacg aaaagagaga 660 ccacatggtc cttcttgagt ttgtaacagc tgctgggatt acacatggca tggatgaact 720 atacaaaget agecaceace accaceacea egtgtgaatt ggtgaceage tegaatttee ccgatcgitc aaacatttgg caataaagtt tcttaagatt gaatcctgit gccggtcttg 840 cgatgattat catataattt ctgttgaatt acgttaagca tgtaataatt aacatgtaat 900 gcatgacgtt atttatgaga tgggttttta tgattagagt cccgcaatta tacatttaat 960 acgcgataga aaacaaaata tagcgcgcaa actaggataa attatcgcgc gcggtgtcat 1020 ctatgttact agatcgggaa ttaaactatc agtgtttgac aggatatatt ggcgggtaaa 1080 cctaagagaa aagagcgttt attagaataa cggatattta aaagggcgtg aaaaggttta 1140 tccgttcgtc catttgtatg tgcatgccaa ccacagggtt cccctcggga tcaaagtact 1200 ttgatccaac ccctccgctg ctatagtgca gtcggcttct gacgttcagt gcagccgtct 1260 tetgaaaacg acatgtegea caagteetaa gttaegegae aggetgeege cetgeeettt 1320 tcctggcgtt ttcttgtcgc gtgttttagt cgcataaagt agaatacttg cgactagaac 1380 cggagacatt acgccatgaa caagaggcc gccgctggcc tgctgggcta tgcccgcgtc 1440 agcaccgacg accaggactt gaccaaccaa cgggccgaac tgcacgcggc cggctgcacc 1500 aagetgitti cegagaagat caceggeace aggegegace geeeggaget ggeeaggatg 1560 cttgaccacc tacgecetgg cgacgttgtg acagtgacca ggctagaccg cctggecege 1620 agcaccegcg acctactgga cattgccgag cgcatccagg aggccggcgc gggcctgcgt 1680 agcctggcag agccgtgggc cgacaccacc acgccggccg gccgcatggt gttgaccgtg 1740 ttegeeggea ttgeegagt cgagegttee ctaateateg acegeaceeg gagegggege 1800 gagecegea aggeeggag egtgaagttt ggeeceegee etaeceteae eeggeacag 1860 ategegeacg eeeggaget gategaceag gaaggeegea eegtgaaaga ggeggetgea 1920 etgettggeg tgeategete gaecetgtae egegeacttg aggeeagega ggaagtgaeg 1980 cccaccgagg ccaggcggcg cggtgccttc cgtgaggacg cattgaccga ggccgacgcc 2040 ctggcggcg ccgagaatga acgccaagag gaacaagcat gaaaccgcac caggacggc 2100 aggacgaacc gttttcatt accgaagaga tcgaggcga gatgatcgc gccgggtacg 2160 tgttcgagcc gccgcgcac gtctcaaccg tgcggctgca tgaaatcctg gccggtttgt 2220 ctgatgccaa gctggcggcc tggccggcca gcttggccgc tgaagaaacc gagcgccgcc 2280 gtctaaaaag gtgatgtgta tttgagtaaa acagcttgcg tcatgcggtc gctgcgtata 2340 tgatgcgatg agtaaataaa caaatacgca aggggaacgc atgaaggtta tcgctgtact 2400 taaccagaaa ggcgggtcag gcaagacgac catcgcaacc catctagccc gcgccctgca 2460 actcgccggg gccgatgttc tgttagtcga ttccgatccc cagggcagtg cccgcgattg 2520 ggcggccgtg cgggaagatc aaccgctaac cgttgtcggc atcgaccgcc cgacgattga 2580 coggacott getgtgteeg cgatcaagge agecgaette gtgetgatte eggtgeagee 2700 aagcccttac gacatatggg ccaccgccga cctggtggag ctggttaagc agcgcattga 2760 tatcacgcag cgcgtgaget acccaggcac tgccgccgcc ggcacaaccg ttcttgaatc 2940 agaacccgag ggcgacgctg cccgcgaggt ccaggcgctg gccgctgaaa ttaaatcaaa 3000 actcatttga gttaatgagg taaagagaaa atgagcaaaa gcacaaacac gctaagtgcc 3060 ggccgtccga gcgcacgcag cagcaaggct gcaacgttgg ccagcctggc agacacgcca 3120 gccatgaagc gggtcaactt tcagttgccg gcggaggatc acaccaagct gaagatgtac 3180 gcggtacgcc aaggcaagac cattaccgag ctgctatctg aatacatcgc gcagctacca 3240 gagtaaatga gcaaatgaat aaatgagtag atgaatttta gcggctaaag gaggcggcat ggaaaatcaa gaacaaccag gcaccgacgc cgtggaatgc cccatgtgtg gaggaacggg 3300 3360 cggttggcca ggcgtaagcg gctgggttgt ctgccggccc tgcaatggca ctggaacccc 3420 caagcccgag gaatcggcgt gacggtcgca aaccatccgg cccggtacaa atcggcgcgg 3480 cgctgggtga tgacctggtg gagaagttga aggccgcgca ggccgcccag cggcaacgca 3540 tcgaggcaga agcacgccc ggtgaatcgt ggcaagcggc cgctgatcga atccgcaaag 3600 aatcccggca accgccggca gccggtgcgc cgtcgattag gaagccgcc aagggcgacg 3660 agcaaccaga ttttttcgtt ccgatgctct atgacgtggg cacccgcgat agtcgcagca 3720 tcatggacgt ggccgttttc cgtctgtcga agcgtgaccg acgagctggc gaggtgatcc 3780 gctacgagct tccagacggg cacgtagagg tttccgcagg gccggccggc atggccagtg 3840

tgtgggatta cgacctggta ctgatggcgg tttcccatct aaccgaatcc atgaaccgat 3900 accgggaagg gaagggagac aagcccggcc gcgtgttccg tccacacgtt gcggacgtac 3960 tcaagttctg ccggcgagcc gatggcggaa agcagaaaga cgacctggta gaaacctgca 4020 ttcggttaaa caccacgcac gttgccatgc agcgtacgaa gaaggccaag aacggccgcc 4080 tggtgacggt atccgagggt gaagcettga ttagccgcta caagatcgta aagagcgaaa 4140 ccgggcggcc ggagtacatc gagatcgagc tagctgattg gatgtaccgc gagatcacag 4200 aaggcaagaa cccggacgtg ctgacggttc accccgatta ctttttgatc gatcccggca 4260 toggeogttt tototacogo otggeaegoo gegeogoagg caaggeagaa gecagatggt 4320 tgiicaagac gatciacgaa cgcagtggca gcgccggaga gticaagaag itcigittica 4380 ccgtgcgcaa gctgatcggg tcaaatgacc tgccggagta cgatttgaag gaggaggcgg 4440 ggcaggctgg cccgatccta gtcatgcgct accgcaacct gatcgaggc gaagcatccg 4500 ccggttccta atgtacggag cagatgctag ggcaaattgc cctagcaggg gaaaaaggtc 4560 gaaaaggtct ctttcctgtg gatagcacgt acattgggaa cccaaagccg tacattggga 4620 accggaaccc gtacattggg aacccaaagc cgtacattgg gaaccggtca cacatgtaag 4680 tgactgatat aaaagagaaa aaaggcgatt tttccgccta aaactcttta aaacttatta 4740 aaactettaa aaccegeetg geetgtgeat aactgtetgg ceagegeaca geegaagage 4800 tgcaaaaagc gcctaccctt eggtegetge geteeetaeg eeeegeeget tegegtegge 4860 ctategegge egetggeege teaaaaatgg etggeetaeg geeaggeaat etaceaggge 4920 geggaeaage egegeegteg ceaetegaee geeggegee acateaagge accetgeete 4980 gcgcgtttcg gtgatgacgg tgaaaacctc tgacacatgc agctcccgga gacggtcaca 5040 gettgtetgt aageggatge egggageaga caageeegte agggegegte agegggtgtt 5100 ggcgggtgtc ggggcgcagc catgacccag tcacgtagcg atagcggagt gtatactggc 5160 ttaactatgc ggcatcagag cagattgtac tgagagtgca ccatatgcgg tgtgaaatac 5220 cgcacagatg cgtaaggaga aaataccgca tcaggcgctc ttccgcttcc tcgctcactg 5280 actogotgog otoggtogit oggotgoggo gagoggiato agotoactoa aaggoggiaa 5340 tacggttatc cacagaatca ggggataacg caggaaagaa catgtgagca aaaggccagc 5400 aaaaggccag gaaccgtaaa aaggccgcgt tgctggcgtt tttccatagg ctccgccccc 5460 ctgacgagca tcacaaaaat cgacgctcaa gtcagaggtg gcgaaacccg acaggactat 5520 aaagatacca ggcgtttccc cctggaagct ccctcgtgcg ctctcctgtt ccgaccctgc 5580 cgcttaccgg atacctgtcc gcctttctcc cttcgggaag cgtggcgctt tctcatagct 5640 cacgctgtag gtatctcagt tcggtgtagg tcgttcgctc caagctgggc tgtgtgcacg 5700 aaccccccgt tcagcccgac cgctgcgcct tatccggtaa ctatcgtctt gagtccaacc 5760 cggtaagaca cgacttatcg ccactggcag cagccactgg taacaggatt agcagagcga 5820 ggtatgtagg cggtgctaca gagttcttga agtggtggcc taactacggc tacactagaa 5880 ggacagtatt tggtatctgc gctctgctga agccagttac cttcggaaaa agagttggta 5940 gctcttgatc cggcaaacaa accaccgctg gtagcggtgg tttttttgtt tgcaagcagc 6000 agattacgcg cagaaaaaaa ggatctcaag aagatccttt gatcttttct acggggtctg 6060 acgeteagtg gaacgaaaac teacgttaag ggattttggt catgeattet aggtactaaa 6120 acaatteate cagtaaaata taatattta tttteteeca ateaggettg ateceeagta 6180 agtcaaaaaa tagctcgaca tactgttctt ccccgatatc ctccctgatc gaccggacgc 6240 agaaggcaat gtcataccac ttgtccgccc tgccgcttct cccaagatca ataaagccac 6300 ttactitigcc atctiticaca aagatgitigc tigticiccag gitigccgtigg gaaaagacaa 6360 gttcctcttc gggcttttcc gtctttaaaa aatcatacag ctcgcgcgga tctttaaatg 6420 gagtgtcttc ttcccagttt tcgcaatcca catcggccag atcgttattc agtaagtaat 6480 ccaattegge taageggetg tetaagetat tegtataggg acaateegat atgtegatgg 6540 agtgaaagag cctgatgcac tccgcataca gctcgataat cttttcaggg ctttgttcat 6600 cttcatactc ttccgagcaa aggacgccat cggcctcact catgagcaga ttgctccagc 6660 catcatgoog ttcaaagtgc aggacetttg gaacaggcag ettteettec agceatagca 6720 tcatgtcctt ttcccgttcc acatcatagg tggtcccttt ataccggctg tccgtcattt 6780 ttaaatatag gttttcattt tctcccacca gcttatatac cttagcagga gacattcctt 6840 ccgtatettt tacgcagcgg tatttttcga teagtttttt caatteeggt gatattetca 6900 ttttagecat ttattatte etteetett tetacagtat ttaaagatae eccaagaage 6960 taattataac aagacgaact ecaatteact gtteettgea ttetaaaace ttaaatacca 7020 gaaaacagct ttttcaaagt tgttttcaaa gttggcgtat aacatagtat cgacggagcc 7080 gattttgaaa ccgcggtgat cacaggcagc aacgctctgt catcgttaca atcaacatgc 7140 taccetecge gagateatee gtgttteaaa eeeggeaget tagttgeegt tetteegaat 7200 agcatcggta acatgagcaa agtctgccgc cttacaacgg ctctcccgct gacgccgtcc 7260 cggactgatg ggctgcctgt atcgagtggt gattttgtgc cgagctgccg gtcggggagc 7320 tgttggctgg ctggtggcag gatatattgt ggtgtaaaca aattgacgct tagacaactt 7380 aataacacat tgcggacgtt tttaatgtac tgaattaacg ccgaattaat tcgggggatc 7440 tggattttag tactggattt tggttttagg aattagaaat tttattgata gaagtatttt 7500 acaaatacaa atacatacta agggtttctt atatgctcaa cacatgagcg aaaccctata 7560 ggaaccctaa ttcccttatc tgggaactac tcacacatta ttatggagaa actcgagctt 7620 gtcgatcgac agatccggtc ggcatctact ctatttcttt gccctcggac gagtgctggg 7680 gegteggttt ccactategg egagtactte tacacagea teggtecaga eggeeget 7740 tetgegggeg atttgtgtac geeggacagt eeeggeteeg gateggacga ttgegtegea 7800 tegaeeetge geccaagetg catcategaa attgeegtea accaagetet gatagagttg 7860

```
gtcaagacca atgcggagca tatacgcccg gagtcgtggc gatcctgcaa gctccggatg 7920 cctccgctcg aagtagcgcg tctgctgctc catacaagcc aaccacggcc tccagaagaa 7980
 gatgtiggeg acctegtatt gggaatcece gaacategee tegeteeagt caatgacege 8040
 tgttatgcgg ccattgtccg tcaggacatt gttggagccg aaatccgcgt gcacgaggtg 8100 ccggacttcg gggcagtcct cggcccaaag catcagctca tcgagagcct gcgcgacgga 8160
 egeactgaeg gtgtegteea teacagtttg ceagtgatac acatggggat cageaatege 8220
 gcatatgaaa tcacgccatg tagtgtattg accgattcct tgcggtccga atgggccgaa 8280 cccgctcgtc tggctaagat cggccgcagc gatcgcatcc atagcctccg cgaccggttg 8340
tagaacagcg ggcagttcgg tttcaggcag gtcttgcaac gtgacaccct gtgcacggcg 8400 ggagatgcaa taggtcaggc tctcgctaaa ctccccaatg tcaagcactt ccggaatcgg 8460 gagcgcggcc gatgcaaagt gccgataaac ataacgatct ttgtagaaac catcgcgca 8520 ggcagaac
 gctatttacc cgcaggacat atccacgccc tcctacatcg aagctgaaag cacgagattc 8580 ttcgccctcc gagagctgca tcaggtcgga gacgctgtcg aacttttcga tcagaaactt 8640
 ctcgacagac gtcgcggtga gttcaggctt tttcatatct cattgccccc ccggatctgc 8700
 gaaagctcga gagagataga tttgtagaga gagactggtg atttcagcgt gtcctctcca 8760 aatgaaatga acttccttat atagaggaag gtcttgcgaa ggatagtggg attgtgcgtc 8820
 atcecttacg teagtggaga tatcacatea atceaettge titgaagaeg tggitggaae 8880
gtettettt tecaegatge tectegtggg tgggggteca tetttgggae caetgtegge 8940 agaggcatet tgaacgatag cettteett ategeaatga tggcattgt aggtgecaec 9000 tteetttet actgteett tgatgaagtg acagataget gggcaatgga atecgaggag 9060 gttteeggat attaccettt gttgaaaagt eteaatagee etttggtett etgagaetgt 9120
atctttgata ttcttggagt agacgagagt gtcgtgctcc accatgttat cacatcaatc 9180 cacttgcttt gaagacgtgg ttggaacgtc ttctttttcc acgatgctcc tcgtgggtgg 9240 gggtccatct ttgggaccac tgtcggcaga ggcatcttga acgatagcct ttcctttatc 9300
gcaatgatgg catttgtagg tgccaccttc cttttctact gtccttttga tgaagtgaca 9360 gatagctggg caatggaatc cgaggaggtt tcccgatatt accctttgtt gaaaagtctc 9420 aatagccctt tggtcttctg agactgtatc tttgatattc ttggagtaga cgagagtgtc 9480
gtgctccacc atgttggcaa gctgctctag ccaatacgca aaccgcctct ccccgcgcgt 9540 tggccgattc attaatgcag ctggcacgac aggtttcccg actggaaagc gggcagtgag 9600
 cgcaacgcaa ttaatgigag ttagctcact cattaggcac cccaggctit acactttatg 9660
cttccggctc gtatgttgtg tggaattgtg agcggataac aatttcacac aggaaacagc 9720 tatgaccatg attacgaatt cgagctcggt acccggggat cctctagact gaaggcggga 9780
aacgacaatc tgatcatgag cggagaatta agggagtcac gttatgaccc ccgccgatga 9840 cgcgggacaa gccgttttac gtttggaact gacagaaccg caacgttgaa ggagccactc 9900
agcegegggt ttetggagtt taatgageta agcacatacg teagaaacca ttattgegeg 9960 tteaaaagte geetaaggte actateaget agcacatatt tettgteaaa aatgeteeae 10020 tgaegtteea taaatteeee teggtateea attagagtet catatteaet eteaateeaa 10080
ataatctgca ccggatctcg agaatcgaat tcccgcggcc gc
                                                                                                                                10122
 <210> 98
<211> 621
<212> DNA
<213> Artificial Sequence
<223> N. tabacum rDNA intergnic spacer (IGS) sequence
<300>
<308> Genbank #Y08422
<309> 1997-10-31
<400> 98
gtgctagcca atgtttaaca agatgtcaag cacaatgaat gttggtggtt ggtggtcgtg 60
gctggcggtg gtggaaaatt gcggtggttc gagcggtagt gatcggcgat ggttggtgtt 120
tgcagcggtg tttgatatcg gaatcactta tggtggttgt cacaatggag gtgcgtcatg 180
gttattggtg gttggtcatc tatatattt tatataata ttaagtattt tacctatttt 240 ttacatattt tttataaat ttatgtatt tacctatttt 240 ttacatattt tttataaat ttatttatt tatatatta tacttgatgt attggaaatt 360 ttctccattg tttttctat attataata attttcttat tttttttgt tttattatgt 420 atttttcgt tttataataa atatttatta aaaaaaaatat tatttttgta aaatatatca 480
tttacaatgt ttaaaagtca tttgtgaata tattagctaa gttgtacttc tttttgtgca 540
tttggtgttg tacatgtcta ttatgattct ctggccaaaa catgtctact cctgtcactt 600 gggtttttt ttttaagaca t
<210> 99
<211> 25
<212> DNA
```

```
<213> Artificial Sequence
<220>
<223> NTIGS-Fl Primer
<400> 99
                                                                                 25
gtgctagcca atgtttaaca agatg
<210> 100
<211> 28
<212> DNA
<213> Artificial Sequence
<223> NTIGS-R1 Primer
<400> 100
                                                                                 28
atgtcttaaa aaaaaaaacc caagtgac
<210> 101
<211> 233
<212> DNA
<213> Mus Musculus
<300>
<308> Genbank #V00846
<309> 1989-07-06
<400> 101
gacctggaat atggcgagaa aactgaaaat cacggaaaat gagaaataca cactttagga 60 cgtgaaatat ggcgaggaaa actgaaaaag gtggaaaatt tagaaatgtc cactgtagga 120 cgtggaatat ggcaagaaaa ctgaaaatca tggaaaatga gaaacatcca cttgacgact 180
tgaaaaatga cgaaatcact aaaaaacgtg aaaaatgaga aatgcacact gaa
<210> 102
<211> 31
<212> DNA
<213> Artificial Sequence
<220>
<223> MSAT-F1 Primer
<400> 102
aataccgcgg aagcttgacc tggaatatcg c
                                                                                 31
<210> 103
<211> 27
<212> DNA
<213> Artificial Sequence
<220>
<223> MSAT-Ri Primer
<400> 103
                                                                                 27
ataaccgcgg agtccttcag tgtgcat
<210> 104
<211> 277
<212> DNA
<213> Artificial Sequence
<220>
<223> Nopaline Synthase Promoter Sequence
<300>
<308> Genbank #U09365
<309> 1997-10-17
```

```
<400> 104
gagetegaat tteecegate gtteaaacat ttggeaataa agtttettaa gattgaatee 60
tgttgccggt cttgcgatga ttatcatata atttctgttg aattacgtta agcatgtaat 120
aattaacatg taatgcatga cgttatttat gagatgggtt tttatgatta gagtcccgca 180
attatacatt taatacgcga tagaaaacaa aatatagcgc gcaaactagg ataaattatc 240
gcgcgcggtg tcatctatgt tactagatcg ggaattc
<210> 105
<211> 1812
<212> DNA
<213> Escherichia coli
<220>
<221> CDS
<222> (1) ... (1812)
<223> Beta-Glucuronidase
<300>
<308> Genbank #S69414
<309> 1994-09-23
<400> 105
atg tta cgt cct gta gaa acc cca acc cgt gaa atc aaa aaa ctc gac
Met Leu Arg Pro Val Glu Thr Pro Thr Arg Glu Ile Lys Lys Leu Asp
ggc ctg tgg gca ttc agt ctg gat cgc gaa aac tgt gga att gat cag
Gly Leu Trp Ala Phe Ser Leu Asp Arg Glu Asn Cys Gly Ile Asp Gln
                                                                                                    96
cgt tgg tgg gaa agc gcg tta caa gaa agc cgg gca att gct gtg cca
                                                                                                    144
Arg Trp Trp Glu Ser Ala Leu Gln Glu Ser Arg Ala Ile Ala Val Pro
ggc agt ttt aac gat cag ttc gcc gat gca gat att cgt aat tat gcg
Gly Ser Phe Asn Asp Gln Phe Ala Asp Ala Asp Ile Arg Asn Tyr Ala
ggc aac gtc tgg tat cag cgc gaa gtc ttt ata ccg aaa ggt tgg gca
Gly Asn Val Trp Tyr Gln Arg Glu Val Phe Ile Pro Lys Gly Trp Ala
                                                                                                    240
ggc cag cgt atc gtg ctg cgt ttc gat gcg gtc act cat tac ggc aaa
Gly Gln Arg Ile Val Leu Arg Phe Asp Ala Val Thr His Tyr Gly Lys
                                                                                                    288
gtg tgg gtc aat aat cag gaa gtg atg gag cat cag ggc ggc tat acg
Val Trp Val Asn Asn Gln Glu Val Met Glu His Gln Gly Gly Tyr Thr
                                                                                                    336
cca ttt gaa gcc gat gtc acg ccg tat gtt att gcc ggg aaa agt gta
Pro Phe Glu Ala Asp Val Thr Pro Tyr Val Ile Ala Gly Lys Ser Val
                                                                                                    384
cgt atc acc gtt tgt gtg aac aac gaa ctg aac tgg cag act atc ccg
Arg Ile Thr Val Cys Val Asn Asn Glu Leu Asn Trp Gln Thr Ile Pro
                                                                                                    432
ccg gga atg gtg att acc gac gaa aac ggc aag aaa aag cag tct tac
Pro Gly Met Val Ile Thr Asp Glu Asn Gly Lys Lys Lys Gln Ser Tyr
                                                                                                    480
ttc cat gat ttc ttt aac tat gcc gga atc cat cgc agc gta atg ctc
Phe His Asp Phe Phe Asn Tyr Ala Gly Ile His Arg Ser Val Met Leu
                                                                                                   528
tac acc acg ccg aac acc tgg gtg gac gat atc acc gtg gtg acg cat
```

Tyr	Thr	Thr	Pro 180	Asn	Thr	Trp	Val	Asp 185	Asp	Ile	Thr	Val	Val 190	Thr	His	
gtc Val	gcg Ala	caa Gln 195	gac Asp	tgt Cys	aac Asn	cac His	gcg Ala 200	tct Ser	gtt Val	gac Asp	tgg Trp	cag Gln 205	gtg Val	gtg Val	gcc Ala	624
aat Asn	ggt Gly 210	gat Asp	gtc Val	agc Ser	gtt Val	gaa Glu 215	ctg Leu	cgt Arg	gat Asp	gcg Ala	gat Asp 220	caa Gln	cag Gln	gtg Val	gtt Val	672
gca Ala 225	act Thr	gga Gly	caa Gln	ggc	act Thr 230	agc Ser	Gly 999	act Thr	ttg Leu	caa Gln 235	gtg Val	gtg Val	aat Asn	ccg Pro	cac His 240	720
ctc Leu	tgg Trp	caa Gln	ccg Pro	ggt Gly 245	gaa Glu	ggt Gly	tat Tyr	ctc Leu	tat Tyr 250	gaa Glu	ctg Leu	tgc Cys	gtc Val	aca Thr 255	gcc Ala	768
aaa Lys	agc Ser	cag Gln	aca Thr 260	gag Glu	tgt Cys	gat Asp	atc Ile	tac Tyr 265	ccg Pro	ctt Leu	cgc Arg	gtc Val	ggc Gly 270	atc Ile	cgg Arg	816
tca Ser	gtg Val	gca Ala 275	gtg Val	aag Lys	ggc Gly	gaa Glu	cag Gln 280	ttc Phe	ctg Leu	att Ile	aac Asn	cac His 285	aaa Lys	ccg Pro	ttc Phe	864
tac Tyr	ttt Phe 290	act Thr	ggc Gly	ttt Phe	ggt Gly	cgt Arg 295	cat His	gaa Glu	gat Asp	gcg Ala	gac Asp 300	ttg Leu	cgt Arg	ggc Gly	aaa Lys	912
gga Gly 305	ttc Phe	gat Asp	aac Asn	gtg Val	ctg Leu 310	atg Met	gtg Val	cac His	gac Asp	cac His 315	gca Ala	tta Leu	atg Met	gac Asp	tgg Trp 320	960
att Ile	Gly 999	gcc Ala	aac Asn	tcc Ser 325	$\mathtt{Tyr}$	cgt Arg	acc Thr	tcg Ser	cat His 330	tac Tyr	cct Pro	tac Tyr	gct Ala	gaa Glu 335	gag Glu	1008
atg Met	ctc Leu	gac Asp	tgg Trp 340	gca Ala	gat Asp	gaa Glu	cat His	ggc Gly 345	atc Ile	gtg Val	gtg Val	att Ile	gat Asp 350	gaa Glu	act Thr	1056
gct Ala	gct Ala	gtc Val 355	ggc Gly	ttt Phe	aac Asn	ctc Leu	tct Ser 360	tta Leu	ggc Gly	att Ile	ggt Gly	ttc Phe 365	gaa Glu	gcg Ala	gly ggc	1104
aac Asn	aag Lys 370	ccg Pro	aaa Lys	gaa Glu	ctg Leu	tac Tyr 375	agc Ser	gaa Glu	gag Glu	gca Ala	gtc Val 380	aac Asn	ej aaa	gaa Glu	act Thr	1152
cag Gln 385	caa Gln	gcg Ala	cac His	tta Leu	cag Gln 390	gcg Ala	att Ile	aaa Lys	gag Glu	ctg Leu 395	ata Ile	gcg Ala	cgt Arg	gac Asp	aaa Lys 400	1200
aac Asn	cac His	cca Pro	agc Ser	gtg Val 405	gtg Val	atg Met	tgg Trp	agt Ser	att Ile 410	gcc Ala	aac Asn	gaa Glu	ccg Pro	gat Asp 415	acc Thr	1248
cgt Arg	ccg Pro	caa Gln	ggt Gly 420	gca Ala	cgg Arg	gaa Glu	tat Tyr	ttc Phe 425	gcg Ala	cca Pro	ctg Leu	gcg Ala	gaa Glu 430	gca Ala	acg Thr	1296
cgt Arg	aaa Lys	ctc Leu 435	gac Asp	ccg Pro	acg Thr	cgt Arg	ccg Pro 440	atc Ile	acc Thr	tgc Cys	gtc Val	aat Asn 445	gta Val	atg Met	ttc Phe	1344

tgc Cys	gac Asp 450	gct Ala	cac His	acc Thr	gat Asp	acc Thr 455	atc Ile	agc Ser	gat Asp	ctc Leu	ttt Phe 460	gat Asp	gtg Val	ctg Leu	Cya tgc	1392
ctg Leu 465	aac Asn	cgt Arg	tat Tyr	tac Tyr	gga Gly 470	tgg Trp	tat Tyr	gtc Val	caa Gln	agc Ser 475	ggc	gat Asp	ttg Leu	gaa Glu	acg Thr 480	1440
gca Ala	gag Glu	aag Lys	gta Val	ctg Leu 485	gaa Glu	aaa Lys	gaa Glu	ctt Leu	ctg Leu 490	gcc Ala	tgg Trp	cag Gln	gag Glu	aaa Lys 495	ctg Leu	1488
cat His	cag Gln	ccg Pro	att Ile 500	atc Ile	atc Ile	acc Thr	gaa Glu	tac Tyr 505	ggc Gly	gtg Val	gat Asp	acg Thr	tta Leu 510	gcc Ala	gjå aaa	1536
ctg Leu	cac His	tca Ser 515	atg Met	tac Tyr	acc Thr	gac Asp	atg Met 520	tgg Trp	agt Ser	gaa Glu	gag Glu	tat Tyr 525	cag Gln	tgt Cys	gca Ala	1584
tgg Trp	ctg Leu 530	gat Asp	atg Met	tat Tyr	cac His	ege Arg 535	gtc Val	ttt Phe	gat Asp	cgc Arg	gtc Val 540	agc Ser	gcc Ala	gtc Val	gtc Val	1632
ggt Gly 545	gaa Glu	cag Gln	gta Val	tgg Trp	aat Asn 550	ttc Phe	gcc Ala	gat Asp	ttt Phe	gcg Ala 555	acc Thr	tcg Ser	caa Gln	ggc	ata Ile 560	1680
ttg Leu	cgc Arg	gtt Val	ggc	ggt Gly 565	aac Asn	aag Lys	aaa Lys	gly aaa	atc Ile 570	ttc Phe	act Thr	cgc Arg	gac Asp	cgc Arg 575	aaa Lys	1728
ccg Pro	aag Lys	tcg Ser	gcg Ala 580	gct Ala	ttt Phe	ctg Leu	ctg Leu	caa Gln 585	aaa Lys	cgc Arg	tgg Trp	act Thr	ggc Gly 590	atg Met	aac Asn	1776
	ggt Gly															1812

<210> 106 <211> 603

<212> PRT

<213> Escherichia coli

<300>

<308> Genbank #S69414

<309> 1994-09-23

<400> 106

Met Leu Arg Pro Val Glu Thr Pro Thr Arg Glu Ile Lys Lys Leu Asp 10 Gly Leu Trp Ala Phe Ser Leu Asp Arg Glu Asn Cys Gly Ile Asp Gln
20
25
30 Arg Trp Trp Glu Ser Ala Leu Gln Glu Ser Arg Ala Ile Ala Val Pro 35 40 45 Gly Ser Phe Asn Asp Gln Phe Ala Asp Ala Asp Ile Arg Asn Tyr Ala 50 55 60 50 

```
Arg Ile Thr Val Cys Val Asn Asn Glu Leu Asn Trp Gln Thr Ile Pro
                        135
                                            140
Pro Gly Met Val Ile Thr Asp Glu Asn Gly Lys Lys Lys Gln Ser Tyr
                                       155
                   150
Phe His Asp Phe Phe Asn Tyr Ala Gly Ile His Arg Ser Val Met Leu
                165
                                    170
                                                        175
Tyr Thr Thr Pro Asn Thr Trp Val Asp Asp Ile Thr Val Val Thr His
            180
                               185
Val Ala Gln Asp Cys Asn His Ala Ser Val Asp Trp Gln Val Val Ala
                                                205
                           200
Asn Gly Asp Val Ser Val Glu Leu Arg Asp Ala Asp Gln Gln Val Val
                                           220
                      215
    210
Ala Thr Gly Gln Gly Thr Ser Gly Thr Leu Gln Val Val Asn Pro His 225 230 235 240
Leu Trp Gln Pro Gly Glu Gly Tyr Leu Tyr Glu Leu Cys Val Thr Ala
                                    250
               245
Lys Ser Gln Thr Glu Cys Asp Ile Tyr Pro Leu Arg Val Gly Ile Arg
                                                    270
            260
                                265
Ser Val Ala Val Lys Gly Glu Gln Phe Leu Ile Asn His Lys Pro Phe
      275
                          280
Tyr Phe Thr Gly Phe Gly Arg His Glu Asp Ala Asp Leu Arg Gly Lys
                                            300
                        295
Gly Phe Asp Asn Val Leu Met Val His Asp His Ala Leu Met Asp Trp
                    310
                                        315
Ile Gly Ala Asn Ser Tyr Arg Thr Ser His Tyr Pro Tyr Ala Glu Glu
                                    330
Met Leu Asp Trp Ala Asp Glu His Gly Ile Val Val Ile Asp Glu Thr
               325
Ala Ala Val Gly Phe Asn Leu Ser Leu Gly Ile Gly Phe Glu Ala Gly
                                                365
       355
                            360
Asn Lys Pro Lys Glu Leu Tyr Ser Glu Glu Ala Val Asn Gly Glu Thr
                        375
    370
Gln Gln Ala His Leu Gln Ala Ile Lys Glu Leu Ile Ala Arg Asp Lys
                    390
                                        395
Asn His Pro Ser Val Val Met Trp Ser Ile Ala Asn Glu Pro Asp Thr
              405
                                    410
Arg Pro Gln Gly Ala Arg Glu Tyr Phe Ala Pro Leu Ala Glu Ala Thr
420 430
Arg Lys Leu Asp Pro Thr Arg Pro Ile Thr Cys Val Asn Val Met Phe
       435
                           440
                                               445
Cys Asp Ala His Thr Asp Thr Ile Ser Asp Leu Phe Asp Val Leu Cys
                        455
                                            460
Leu Asn Arg Tyr Tyr Gly Trp Tyr Val Gln Ser Gly Asp Leu Glu Thr
                   470
                                       475
Ala Glu Lys Val Leu Glu Lys Glu Leu Leu Ala Trp Gln Glu Lys Leu
                                  490
                485
His Gln Pro Ile Ile Ile Thr Glu Tyr Gly Val Asp Thr Leu Ala Gly
500 505 510
Leu His Ser Met Tyr Thr Asp Met Trp Ser Glu Glu Tyr Gln Cys Ala
                            520
                                                525
       515
Trp Leu Asp Met Tyr His Arg Val Phe Asp Arg Val Ser Ala Val Val
   530
                       535
                                            540
Gly Glu Gln Val Trp Asn Phe Ala Asp Phe Ala Thr Ser Gln Gly Ile
                   550
                                       555
Leu Arg Val Gly Gly Asn Lys Lys Gly Ile Phe Thr Arg Asp Arg Lys 565 570 575
                565
Pro Lys Ser Ala Ala Phe Leu Leu Gln Lys Arg Trp Thr Gly Met Asn
                               585
           580
Phe Gly Glu Lys Pro Gln Gln Gly Gly Lys Gln
                            600
        595
```

<sup>&</sup>lt;210> 107

<sup>&</sup>lt;211> 277

<sup>&</sup>lt;212> DNA

<sup>&</sup>lt;213> Artificial Sequence

```
<220>
<223> Nopaline Synthase Terminator Sequence
<308> U09365
<309> 1995-10-17
gagetegaat tteccegate gtteaaacat ttggeaataa agtttettaa gattgaatee 60
tgttgccggt cttgcgatga ttatcatata atttctgttg aattacgtta agcatgtaat 120 aattaacatg taatgcatga cgttatttat gagatgggtt tttatgatta gagtcccgca 180
attatacatt taatacgcga tagaaaacaa aatatagcgc gcaaactagg ataaattatc 240
gcgcgcggtg tcatctatgt tactagatcg ggaattc
<210> 108
<211> 3451
.<212> DNA
<213> Artificial Sequence
<223> HindIII Fragment containing the beta-glucuronidase coding sequence, the rDNA intergenic spacer, and
           the Mast1 sequence
<400> 108
aagettgace tggaatateg egagtaaaet gaaaateaeg gaaaatgaga aatacacaet 60
ttaggacgtg aaatatggcg aggaaaactg aaaaaggtgg aaaatttaga aatgtccact 120
gtaggacgtg gaatatggca agaaaactga aaatcatgga aaatgagaaa catccacttg 180
acgacttgaa aaatgacgaa atcactaaaa aacgtgaaaa atgagaaatg cacactgaag 240
gactccgcgg gaattcgatt gtgctagcca atgtttaaca agatgtcaag cacaatgaat 300
gttggtggtt ggtggtcgtg gctggcggtg gtggaaaatt gcggtggttc gagcggtagt 360 gatcggcgat ggttggtgtt tgcagcggtg tttgatatcg gaatcactta tggtggttgt 420 cacaatggag gtgcgtcatg gttattggtg gttggtcatc tatatattt tataataata 480 taaatagtatt tatcgtact tgtttataa aatatttat tattatgt gttatttt 540 taaatagttt tatacgtact tgtttataa aatatttat tattatagt gttatattat 660
tacttgatgt attggaaatt ttctccattg ttttttctat atttataata attttcttat 660 ttttttttgt tttattatgt atttttcgt tttataataa atatttatta aaaaaaatat 720 tatttttgta aaatatatca tttacaatgt ttaaaagtca tttgtgaata tattagctaa 780
gttgtacttc tttttgtgca tttggtgttg tacatgtcta ttatgattct ctggccaaaa 840
catgtctact cetgtcactt gggttttttt ttttaagaca taatcactag tgattatate 900
tagactgaag gcgggaaacg acaatctgat catgagcgga gaattaaggg agtcacgtta 960
tgacccccgc cgatgacgcg ggacaagccg ttttacgttt ggaactgaca gaaccgcaac 1020 gttgaaggag ccactcagcc gcgggtttct ggagtttaat gagctaagca catacgtcag 1080
aaaccattat tgcgcgttca aaagtcgcct aaggtcacta tcagctagca aatatttctt 1140
gtcaaaaatg ctccactgac gttccataaa ttcccctcgg tatccaatta gagtctcata 1200 ttcactctca atccaaataa tctgcaccgg atctcgagat cgaattcccg cggccgcgaa 1260
ttcactagtg gatcccggg tacggtcagt cccttatgtt acgtcctgta gaaaccccaa 1320 cccgtgaaat caaaaaactc gacggcctgt gggcattcag tctggatcgc gaaaactgtg 1380 gaattgagca gcgttggtgg gaaagcgcgt tacaagaaag ccgggcaatt gctgtgccag 1440
gcagttttaa cgatcagttc gccgatgcag atattcgtaa ttatgtgggc aacgtctggt 1500 atcagcgcga agtctttata ccgaaaggtt gggcaggcca gcgtatcgtg ctgcgtttcg 1560
atgagggaa agcettata cogaaaggg ggaaggaca ggaagtgatg gagcatcagg 1620 gcggctatac gccatttgaa gccgatgtca cgccgatgt tattgccgg aaaagtgtac 1680 gtatcacagt ttgtgtgaac aacgaactga actggcagac tatcccgccg ggaatggtga 1740 ttaccgacga aaacggcaag aaaaagcagt cttacttcca tgatttctt aactacgccg 1800 ggatccatcg cagcgtaatg ctctacacca cgccgaacac ctgggtggac gatatcaccc 1860
tggtgacgca tgtcgcgcaa gactgtaacc acgcgtctgt tgactggcag gtggtggcca 1920 atggtgatgt cagcgttgaa ctgcgtgatg cggatcaaca ggtggttgca actggacaag 1980 gcaccagcgg gactttgcaa gtggtgaatc cgcacctctg gcaaccgggt gaaggttatc 2040
tctatgaact gtacgtcaca gccaaaagcc agacagagtg tgatatctac ccgctgcgcg 2100
toggcatoog gtoagtggca gtgaagggcg aacagttoot gatcaaccac aaaccgttot 2160
actttactgg ctttggccgt catgaagatg cggatttgcg cggcaaagga ttcgataacg 2220 tgctgatggt gcacgatcac gcattaatgg actggattgg ggccaactcc taccgtacct 2280 cgcattaccc ttacgctgaa gagatgctcg actgggcaga tgaacatggc atcgtggtga 2340
tigatgaaac tgcagctgtc ggctttaacc tctctttagg cattggtttc gaagcgggca 2400
acaagccgaa agaactgtac agcgaagagg cagtcaacgg ggaaactcag caggcgcact 2460 tacaggcgat taaagagctg atagcgcgtg acaaaaacca cccaagcgtg gtgatgtgga 2520
```

```
gtattgccaa cgaaccggat acccgtccgc aaggtgcacg ggaatatttc gcgccactgg 2580
cggaagcaac gcgtaaactc gatccgacgc gtccgatcac ctgcgtcaat gtaatgttct 2640 gcgacgctca caccgatacc atcagcgatc tctttgatgt gctgtgcctg aaccgttatt 2700
acggttggta tgtccaaagc ggcgatttgg aaacggcaga gaaggtactg gaaaaagaac 2760
ttctggcctg gcaggagaaa ctgcatcagc cgattatcat caccgaatac ggcgtggata 2820
cgttagccgg gctgcactca atgtacaccg acatgtggag tgaagagtat cagtgtgcat 2880
ggctggatat gtatcaccgc gtctttgatc gcgtcagcgc cgtcgtcggt gaacaggtat 2940
ggaatttcgc cgattttgcg acctcgcaag gcatattgcg cgttggcggt aacaagaagg 3000 ggatcttcac ccgcgaccgc aaaccgaagt cggcggcttt tctgctgcaa aaacgctgga 3060
ctggcatgaa cttcggtgaa aaaccgcagc agggaggcaa acaatgaatc aacaactctc
                                                                                                    3120
ctggcgcacc atcgtcggct acagcctcgg gaattgcgta ccgagctcga atttccccga 3180 tcgttcaaac atttggcaat aaagtttctt aagattgaat cctgttgccg gtcttgcgat 3240
gattatcata taatttctgt tgaattacgt taagcatgta ataattaaca tgtaatgcat 3300 gacgttattt atgagatggg tttttatgat tagagtcccg caattataca tttaatacgc 3360
gatagaaaac aaaatatagc gcgcaaacta ggataaatta tcgcgcgcgg tgtcatctat 3420
gttactagat cgggaattcg atatcaagct t
                                                                                                     3451
<210> 109
<211> 14627
<212> DNA
<213> Artificial Sequence
<220>
<223> pAglla Plasmid
<400> 109
catgccaacc acagggttcc cctcgggatc aaagtacttt gatccaaccc ctccgctgct 60
atagtgcagt cggcttctga cgttcagtgc agccgtcttc tgaaaacgac atgtcgcaca 120
agtoctaagt tacgogacag gotgoogooc tgoootttto etggogtttt ettgtogogt 180
gttttagtcg cataaagtag aatacttgcg actagaaccg gagacattac gccatgaaca 240
agagegeege egetggeetg etgggetatg eeegegteag caeegaegae caggaettga 300
ccaaccaacg ggccgaactg cacgcggccg gctgcaccaa gctgttttcc gagaagatca 360 ccggcaccag gcgcgaccgc ccggagctgg ccaggatgct tgaccaccta cgccctggcg 420
acgttgtgac agtgaccag ctagaccgcc tggcccgcag caccoccgac ctactggaca 480 ttgccgagcg catccaggag gccggcggg gcctgcgtag cctggcagag ccgtgggccg 540 acaccaccac gccggccggc cgcatggtgt tgaccgtgtt cgccggcatt gccgagttcg 600
agegtteeet aateategae egeaceegga gegggegega ggeegeeaag geeegaggeg 660 tgaagtttgg eeceegeet acceteacee eggeacagat egegeaegee egegagetga 720
togaccagga aggoogcaco gtgaaagagg oggotgoact gottggogtg catogotoga
                                                                                                    780
ccctgtaccg cgcacttgag cgcagcgagg aagtgacgcc caccgaggcc aggcggcgcg 840 gtgccttccg tgaggacgca ttgaccgagg ccgacgccct ggcggccgcc gagaatgaac 900
gccaagagga acaagcatga aaccgcacca ggacggccag gacgaaccgt ttttcattac 960 cgaagagatc gaggcggaga tgatcgcggc cgggtacgtg ttcgagccgc ccgcgcacgt 1020
ctcaaccgtg cggctgcatg aaatcctggc cggtttgtct gatgccaagc tggcggcctg 1080
gccggccagc ttggccgctg aagaaaccga gcgccgccgt ctaaaaaggt gatgtgtatt 1140 tgagtaaaac agcttgcgtc atgcggtcgc tgcgtatatg atgcgatgag taaataaaca 1200
aatacgcaag gggaacgcat gaaggttatc gctgtactta accagaaagg cgggtcaggc 1260
aagacgacca tcgcaaccca tctagcccgc gccctgcaac tcgccggggc cgatgttctg 1320 ttagtcgatt ccgatcccca gggcagtgcc cgcgattggg cggccgtgcg ggaagatcaa 1380
ccgctaaccg ttgtcggcat cgaccgccg acgattgacc gcgacgtgaa ggccatcggc 1440 cggcgcgact tcgtagtgat cgacggagcg ccccaggcgg cggacttggc tgtgtccgcg 1500
atcaaggcag ccgacttcgt gctgattccg gtgcagccaa gcccttacga catatgggcc 1560 accgccgacc tggtggagct ggttaagcag cgcattgagg tcacggatgg aaggctacaa 1620
geggeetttg tegtgtegeg ggegateaaa ggeaegegea teggeggtga ggttgeegag 1680 gegetggeeg egeegeegg cacaacegtt ettgaateag aaceegaggg egaegetgee 1800 egegaggtee aggegetgge egetgaaatt aaateaaaaa teatttgagt taatgaggta 1860
aagagaaaat gagcaaaagc acaaacacgc taagtgccgg ccgtccgagc gcacgcagca 1920 gcaaggctgc aacgttggcc agcctggcag acacgccagc catgaagcgg gtcaactttc 1980
agttgccggc ggaggatcac accaagctga agatgtacgc ggtacgccaa ggcaagacca 2040
ttaccgaget getatetgaa tacategege agetaceaga gtaaatgage aaatgaataa 2100
atgagtagat gaattttage ggctaaagga ggcggcatgg aaaatcaaga acaaccagge 2160 accgacgccg tggaatgcc catgtgtgga ggaacggcg gttggccagg cgtaagcgc 2220 tgggttgtct gccggcctg caatggcact ggaaccccca agcccgagga atcggcgtga 2280
gaagttgaag geegegeagg eegeeeageg geaacgeate gaggeagaag eaegeeegg 2400 tgaategtgg caageggeeg etgategaat eegeaaagaa teeeggeaac egeeggeage 2460
```

caatacacca	tcgattagga	agccgcccaa	gggcgacgag	caaccagatt	ttttcgttcc	2520
gatgetetat	gacgtgggga	cccacaataa	tcgcagcatc	atqqacqtgg	eegittieeg	2300
tetategaag	cataaccaac	gagetggega	ggtgatccgc	tacgagette	cagacgggca	2040
catagagatt	tecacagaa	caaccaacat	aaccaatata	tgggattacg	acctggtact	2/00
gatgggggtt	teccatetaa	ccgaatccat	gaaccgatac	cqqqaaqqga	agggagacaa	2/00
accedacede	atattccatc	cacacattac	agacatactc	aagttctgcc	ggcgagccga	2020
taacaaaaa	cagaaagacg	acctggtaga	aacctqcatt	cggttaaaca	ccacgcacgc	2000
taccatacaa	cotacoaaga	aggccaagaa	caaccaccta	gtgacggtat	ccgagggtga	27 <del>4</del> 0
ageettgatt	agccgctaca	agatcgtaaa	gagcgaaacc	gggcggccgg	agtacatega	3000
gatcgageta	getgattgga	tataccacaa	gatcacagaa	ggcaagaacc	cggacgtgct	3000
gacggttcac	cccgattact	ttttqatcqa	tcccqqcatc	ggccgttttc	tetacegeet	3 T Z V
ggcacgccgc	gccgcaggca	aggcagaagc	cagatggttg	ttcaagacga	tctacgaacg	3180
cagtagcagc	gccggagagt	tcaagaagtt	ctotttcacc	gtgcgcaagc	tgatcgggtc	3240
aaatgacctg	ccagagtaca	atttqaaqqa	qqaqqqqqq	caggctggcc	cgatcctagt	3300
catgcgctac	cgcaacctga	tcaaaaacaa	agcatccqcc	ggttcctaat	gtacggagca	3360
gatoctaggg	caaattqccc	tagcagggga	aaaaggtcga	aaaggtctct	ttcctgtgga	3420
tagcacgtac	attgggaacc	caaaqccqta	cattgggaac	cggaacccgt	acattgggaa	3460
cccaaagccg	tacattggga	accootcaca	catqtaaqtq	actgatataa	aagagaaaaa	3540
aggcgatttt	tecgeetaaa	actctttaaa	acttattaaa	actcttaaaa	cccgcctggc	3600
ctgtgcataa	ctatctaacc	agcgcacagc	cgaagagctg	caaaaagcgc	ctacccttcg	3660
atcactacac	tecetacece	ccaccacttc	gcgtcggcct	atcgcggccg	ctggccgctc	3720
aaaaatggct	gacctacaac	caggcaatct	accaggggg	ggacaagccg	cgccgtcgcc	3/80
actcgaccgc	caacacccsc	atcaaggcac	cctqcctcqc	gcgtttcggt	gatgacggtg	3840
aaaacctctq	acacatgcag	ctcccqqaqa	cggtcacagc	ttqtctqtaa	gcggatgccg	3900
ggaggagaga	agcccgtcag	aacacatcaa	cagatattaa	caagtgtcgg	ggcgcagcca	3960
tgacccagtc	acgtagcgat	agcggagtat	atactggctt	aactatgcgg	catcagagca	4020
gattgtactg	agagtgcacc	atatacaata	tgaaataccg	cacagatgcg	taaggagaaa	4080
ataccccatc	agggggtgtt	ccacttcctc	gctcactgac	tcqctqcqct	cggtcgttcg	4140
actacaacaa	gcggtatcag	ctcactcaaa	ggcggtaata	cggttatcca	cagaatcagg	4200
ggataacgca	ggaaagaaca	totoagcaaa	aggccagcaa	aaggccagga	accgtaaaaa	4260
aaccacatta	ctaacatttt	tccataggct	ccqccccct	gacgagcatc	acaaaaatcg	4320
acoctcaaot	cagaggtagc	gaaacccgac	aggactataa	agataccagg	cgtttccccc	4380
tagaagetee	ctcatacact	ctcctqttcc	gaccctgccg	cttaccggat	acctgtccgc	4440
ctttctccct	tcgggaagcg	taacactttc	tcatagctca	cgctgtaggt	atctcagttc	4500
gatatagata	gttcgctcca	agctgggctg	totocacqaa	cccccgttc	agcccgaccg	4560
ctgcgcctta	tcccctaact	atcotcttoa	qtccaacccq	gtaagacacg	acttatcgcc	4620
actoocaoca	accactaata	acaggattag	cagagcgagg	tatgtaggcg	gtgctacaga	4680
gttcttgaag	taataaccta	actacqqcta	cactagaagg	acagtatttg	gtatctgcgc	4/40
tetaetaaaa	ccagttacct	tcggaaaaag	agttggtagc	tcttgatccg	gcaaacaaac	4800
caccactaat	agcagtagtt	tttttattta	caagcagcag	attacgcgca	gaaaaaaagg	4860
atctcaagaa	gatcctttga	tcttttctac	ggggtctgac	gctcagtgga	acgaaaactc	4920
acottaaggg	attttggtca	tgcattctag	gtactaaaac	aattcatcca	gtaaaatata	4980
atattttatt	ttctcccaat	caggcttgat	ccccagtaag	tcaaaaaata	gctcgacata	5040
ctgttcttcc	ccgatatcct	ccctgatcga	ccggacgcag	aaggcaatgt	cataccactt	2100
atccaccta	ccacttctcc	caaqatcaat	aaagccactt	actttgccat	Ctttcacaaa	2700
gatgttgctg	tctcccaggt	cgccgtggga	aaagacaagt	tcctcttcgg	gcttttccgt	5220
ctttaaaaaa	tcatacagct	cgcgcggatc	tttaaatgga	gtgtcttctt	cccagttttc	5280
gcaatccaca	tcggccagat	cgttattcag	taagtaatcc	aattcggcta	agcggctgtc	5340
taagctattc	gtatagggac	aatccgatat	gtcgatggag	tgaaagagcc	tgatgcactc	5400
cgcatacagc	tcgataatct	tttcagggct	ttgttcatct	tcatactctt	ccgagcaaag	5400
gacgccatcg	gcctcactca	tgagcagatt	gctccagcca	tcatgccgtt	caaagtgcag	5520
gacctttgga	acaggcagct	ttccttccag	ccatagcatc	atgtccttt	cccgttccac	5560
atcataggtg	gtccctttat	accggctgtc	cgtcattttt	aaatataggt	tttcattttc	5040
tcccaccagc	ttatatacct	tagcaggaga	cattccttcc	gtatettta	cgcagcggta	5700
tttttcgatc	agttttttca	attccggtga	tattctcatt	ttagecattt	attatttcct	5/60
tectettte	tacagtattt	aaagataccc	caagaagcta	attataacaa	gacgaactcc	5020
aattcactgt	recttgeatt	ctaaaacctt	aaacaccaga	aaacagcttt	ttcaaagttg	5000
ttttcaaagt	tggcgtataa	catagtatcg	acygagccga	cccgaaacc	gcggtgatca	5000
caggcagcaa	cgctctgtca	tcgttacaat	ttaacatgcta	antacetes =	gatcatccgt	5000
gtttcaaacc	cggcagctta	gttgccgttc	cccgaatag	cattygtaac	atgagcaaag	6120
retgeegeet	tacaacggct	ctcccgctga	cyceyteeeg	ttooctooct	ctgcctgtat	6120
cgagcggtga	ttttgtgccg	agetgeeggt	cygygayccg	taagetgget	ggtggcagga	6240
tacactgtgg	tgtaaacaaa	ctgacgetta	gacaacttaa	cattttacts	cggacgtttt	6300
caacgtactg	aattaacgcc	gaactaaccc	aggaggacting	sastaceast	ctggattttg acatactaag	6360
guudaygaa	rtagaaattt	cattyataya	accetatace	aaccctaatt	cccttatctg	6420
gguudetat	acgeceaaca	atgagegaa	tcgagtcaaa	teteggtgae	gggcaggacc	6480
ggaactacte	acacactact	arggagaaac			2992500	

ggacggggcg gtaccggcag gctgaagtcc agctgccaga aacccacgtc atgccagttc 6540 ccgtgcttga agccggccgc ccgcagcatg ccgcgggggg catatccgag cgcctcgtgc 6600 atgogcacgo togggtogtt gggcagocog atgacagoga coacgotott gaagocotgt 6660 gcctccaggg acttcagcag gtgggtgtag agcgtggagc ccagtcccgt ccgctggtgg 6720 cggggggaga cgtacacggt cgactcggcc gtccagtcgt aggcgttgcg tgccttccag 6780 gggcccgcgt aggcgatgcc ggcgacctcg ccgtccacct cggcgacgag ccagggatag 6840 cgctcccgca gacggacgag gtcgtccgtc cactcctgcg gttcctgcgg ctcggtacgg 6900 aagttgaccg tgcttgtctc gatgtagtgg ttgacgatgg tgcagaccgc cggcatgtcc 6960 aagttgaccg tgcttgtctc gatgtagtgg ttgacgatgg tgcagaccgc cggcatgtcc 6960 gcctcggtgg cacggcggat gtcggccggg cgtcgttctg ggctcatggt agactcgaga 7020 gagatagatt tgtagagaga gactggtgat ttcagcgtgt cctctccaaa tgaaatgaac 7080 ttccttatat agaggaaggt cttgcgaagg atagtgggat tgtgggacat cccttacgtc 7140 cacgatgctc ctcgtgggtg ggggtccatc tttgggacca ctgtcggcag aggcatcttg 7260 aacgatagcc tttccttatat cgcaatgatg gcaattgtag gtgccacct cctttctac cgaagaggt ttcccgatat 7380 taccctttgt tgaaaagtct catagccct ttggtcttct gagactgtat ccttgatat 7440 cttggagtag acgaggatgt cgtgcacc catcatcca ccttgatat 7440 cttggagtag acgaggatgt cgtgcaccc catcatcca ccttgatat 7500 cttggagtag acgagagtgt cgtgctccac catgttatca catcaatcca cttgctttga 7500 agacgtggtt ggaacgtctt ctttttccac gatgctcctc gtgggtgggg gtccatcttt 7560 gggaccactg tcggcagagg catcttgaac gatagccttt cctttatcgc aatgatggca 7620 tttgtaggtg ccaccttect tttctactgt ccttttgatg aagtgacaga tagctgggca atggaatccg aggaggttc ccgatattac cctttgttg aaagtgacaga tagctgggca 7660 atggaatccg aggaggttc ccgatattac cctttgttga aaagtctcaa tagccctttg 7740 gtcttctgag actgtatctt tgatattctt ggaagtagacg agagtgtcgt gctccaccat 7800 gttggcaagc tgctctagcc aatacgcaaa ccgcctctcc ccgcgcgttg gccgattcat 7860 taatgcagct ggcacgacag gtttcccgaa tggaagcg gcagtgagcg caacgcaatt 7920 aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 7980 atgttgtgtg gaattgtgag cggataacaa tttcacacag gaaacagcta tgaccatgat 8040 tacgaattcg agccttgact agagggtcga cggtatacag acatgataag atacattgat 8100 gagtttggac aaaccacaac tagaatgcag tgaaaaaaat gctttatttg tgaaatttgt 8160 gatgctattg ctttatttgt aaccattata agctgcaata aacaagttgg ggtgggcgaa 8220 gaactccagc atgagatccc cgcgctggag gatcatccag ccggcgtccc ggaaaacgat 8280 tccgaagccc aacctttcat agaaggcgc ggtggaatcg aaatctcgta gcacgtgtca 8340 gtcctgctcc tcggccacga agtgcacgca gttgccggcc gggtcgcgca gggcgaactc 8400 cogcoccac ggotgetege egateteggt catggeegge coggaggegt cocggaagtt 8460 cgtggacacg acetecgace acteggegta cagetegtee aggeegegea eccacaceca 8520 ggeeaggtg ttgteeggea ecacetggte etggacegeg etgatgaaca gggteaegte 8580 gtcccggacc acaccggcga agtcgtcctc cacgaagtcc cgggagaacc cgagccggtc 8640 ggtccagaac tcgaccgctc cggcgacgtc gcgcgcggtg agcaccggaa cggcactggt 8700 caacttggcc atggatccag atttcgctca agttagtata aaaaagcagg cttcaatcct 8760 graggaatte gategacact etegtetact ceaagaatat caaagataca gteteagaag 8820 accanaggge tattgagaet tttcaacaaa gggtaatate gggaaacete cteggattee 8880 attgcccagc tatctgtcac ttcatcaaaa ggacagtaga aaaggaaggt ggcacctaca 8940 aatgccatca ttgcgataaa ggaaaggcta tcgttcaaga tgcctctgcc gacagtggtc 9000 ccaaagatgg accccaccc acgaggagca tcgtggaaaa agaagacgtt ccaaccacgt 9060 cttcaaagca agtggattga tgtgataaca tggtggagca cgacactctc gtctactcca 9120 agaatatcaa agatacagtc tcagaagacc aaagggctat tgagactttt caacaaaggg 9180 taatateggg aaaceteete ggatteeatt geceagetat etgteaette ateaaaagga 9240 cagtagaaaa ggaaggtgge acetacaaat gecateattg egataaagga aaggetateg 9300 tteaagatge etetgeegae agtggteeca aagatggaee eccaeceaeg aggageateg 9360 tggaaaaaga agacgttcca accacgtctt caaagcaagt ggattgatgt gatatctcca 9420 ctgacgtaag ggatgacgca caatcccact atccttcgca agaccttcct ctatataagg 9480 aagttcatt catttggaga ggacacgctg aaatcaccag tctctctcta caaatctatc 9540 tetetegage tttegeagat ceggggggge aatgagatat gaaaaageet gaacteaceg 9600 egacgtetgt egagaagttt etgategaaa agttegacag egteteegac etgategage 9660 9720 tctcggaggg cgaagaatct cgtgctttca gcttcgatgt aggagggcgt ggatatgtcc tgcgggtaaa tagctgcgcc gatggtttct acaaagatcg ttatgtttat cggcactttg 9780 catcggccgc gctcccgatt ccggaagtgc ttgacattgg ggagtttagc gagagcctga 9840 cctattgcat ctcccgccgt gcacagggtg tcacgttgca agacctgcct gaaaccgaac 9900 tgcccgctgt tctacaaccg gtcgcggagg ctatggatgc gatcgctgcg gccgatctta 9960 gccagacgag cgggttcggc ccattcggac cgcaaggaat cggtcaatac actacatggc 10020 gtgatttcat atgcgcgatt gctgatcccc atgtgtatca ctggcaaact gtgatggacg 10080 acaccgtcag tgcgtccgtc gcgcaggctc tcgatgagct gatgctttgg gccgaggact 10140 gccccgaagt ccggcacctc gtgcacgcgg atttcggctc caacaatgtc ctgacggaca 10200 atggccgcat aacagcggtc attgactgga gcgaggcgat gttcggggat tcccaatacg 10260 aggtcgccaa catcttcttc tggaggccgt ggttggcttg tatggagcag cagacgcgct 10320 acttegageg gaggeateeg gagettgeag gategeeaeg acteegggeg tatatgetee 10380 geattggtet tgaceaaete tateagaget tggttgaegg caatttegat gatgeagett 10440 gggegeaggg tegatgega geaategtee gateeggage egggaetgte gggegtaeae 10500

aaatcgcccg cagaagcgcg gccgtctgga ccgatggctg tgtagaagta ctcgccgata 10560 gtggaaaccg acgccccagc actcgtccga gggcaaagaa atagagtaga tgccgaccgg 10620 atctgtcgat cgacaagctc gagtttctcc ataataatgt gtgagtagtt cccagataag 10680 ggaattaggg ttcctatagg gtttcgctca tgtgttgagc atataagaaa cccttagtat 10740 gtatttgtat ttgtaaaata cttctatcaa taaaatttct aattcctaaa accaaaatcc 10800 agtactaaaa tocagatoco cogaattaat toggogttaa ttoagatoaa gottgacotg 10860 gaatategeg agtaaactga aaatcaegga aaatgagaaa tacacaettt aggaegtgaa 10920 atatggegag gaaaactgaa aaaggtggaa aatttagaaa tgteeactgt aggaegtgga 10980 atatggcaag aaaactgaaa atcatggaaa atgagaaaca tccacttgac gacttgaaaa 11040 atgacgaaat cactaaaaaa cgtgaaaaat gagaaatgca cactgaagga ctccgcggga 11100 attcgattgt gctagccaat gtttaacaag atgtcaagca caatgaatgt tggtggttgg 11160 tggtcgtggc tggcggtggt ggaaaattgc ggtggttcga gcggtagtga tcggcgatgg 11220 ttggtgtttg cagcggtgtt tgatatcgga atcacttatg gtggttgtca caatggaggt 11280 gcgtcatggt tattggtggt tggtcatca tatatttta taataatat aagtattta 11340 cctatttttt acatatttt tattaaattt atgcattgtt tgtattttta aatagttttt 11400 atcgtacttg ttttataaaa tattttatta ttttatgtgt tatattatta cttgatgtat 11460 tggaaatttt ctccattgtt ttttctatat ttataataat tttcttattt ttttttgttt 11520 tattatgtat tttttcgttt tataataaat atttattaaa aaaaatatta tttttgtaaa 11580 atatatcatt tacaatgttt aaaagtcatt tgtgaatata ttagctaagt tgtacttctt 11640 tttgtgcatt tggtgttgta catgtctatt atgattctct ggccaaaaca tgtctactcc 11700 tgtcacttgg gtttttttt ttaagacata atcactagtg attatatcta gactgaaggc 11760 gggaaacgac aatctgatca tgagcggaga attaagggag tcacgttatg acccccgccg 11820 atgacgcggg acaagccgtt ttacgtttgg aactgacaga accgcaacgt tgaaggagcc 11880 actcagcege gggtttetgg agtttaatga getaagcaca tacgtcagaa accattattg 11940 cgcgttcaaa agtcgcctaa ggtcactatc agctagcaaa tatttcttgt caaaaatgct 12000 ccactgacgt tccataaatt cccctcggta tccaattaga gtctcatatt cactctcaat 12060 ccaaataatc tgcaccggat ctcgagatcg aattcccgcg gccgcgaatt cactagtgga 12120 teccegggta eggteagtee ettatgttae gteetgtaga aaceccaace egtgaaatea 12180 aaaaactcga cggcctgtgg gcattcagtc tggatcgcga aaactgtgga attgagcagc 12240 gttggtggga aagcgcgtta caagaaagcc gggcaattgc tgtgccaggc agttttaacg 12300 atcagttcgc cgatgcagat attcgtaatt atgtgggcaa cgtctggtat cagcgcgaag 12360 tetttatace gaaaggttgg geaggeeage gtategtget gegttegat geggteacte 12420 attacggeaa agtgtgggte aataateagg aagtgatgga geateaggge ggetatacge 12480 catttgaage egatgteacg cegtatgtta ttgeegggaa aagtgtaegt ateaeagttt 12540 gtgtgaacaa egaactgaae tggeagacta teeeggeeggg aatggtgatt acegaegaaa 12600 acggcaagaa aaagcagtet taetteeatg atttetttaa etaegeeggg atceategea 12660 gcgtaatgct ctacaccacg ccgaacacct gggtggacga tatcaccgtg gtgacgcatg 12720 tcgcgcaaga ctgtaaccac gcgtctgttg actggcaggt ggtggccaat ggtgatgtca 12780 gcgttgaact gcgtgatgcg gatcaacagg tggttgcaac tggacaaggc accagcggga 12840 ctttgcaagt ggtgaatccg cacctctggc aaccgggtga aggttatctc tatgaactgt 12900 acgtcacage caaaagecag acagagtgtg atatetacec getgegegte ggcateeggt 12960 cagtggcagt gaagggegaa cagtteetga teaaceacaa acegttetac tttaetgget 13020 ttggccgtca tgaagatgcg gatttgcgcg gcaaaggatt cgataacgtg ctgatggtgc 13080 acgatcacgc attaatggac tggattgggg ccaactccta ccgtacctcg cattaccctt 13140 acgctgaaga gatgctcgac tgggcagatg aacatggcat cgtggtgatt gatgaaactg 13200 cagctgtcgg ctttaacctc tctttaggca ttggtttcga agcgggcaac aagccgaaag 13260 aactgtacag cgaagaggca gtcaacgggg aaactcagca ggcgcacta caggcgatta 13320 aagagctgat agcgcgtgac aaaaaccacc caagcgtggt gatgtggagt attgccaacg 13380 aaccggatac ccgtccgcaa ggtgcacggg aatatttcgc gccactggcg gaagcaacgc 13440 gtaaactcga tccgacgcgt ccgatcacct gcgtcaatgt aatgttctgc gacgctcaca 13500 ccgataccat cagcgatctc tttgatgtgc tgtgcctgaa ccgttattac ggttggtatg 13560 aggagaaact gcatcagccg attatcatca ccgaatacgg cgtggatacg ttagccgggc 13680 tgcactcaat gtacaccgac atgtggagtg aagagtatca gtgtgcatgg ctggatatgt 13740 atcaccgcgt ctttgatcgc gtcagcgccg tcgtcggtga acaggtatgg aatttcgccg 13800 attttgcgac ctcgcaaggc atattgcgcg ttggcggtaa caagaagggg atcttcaccc 13860 gcgaccgcaa accgaagtcg gcggcttttc tgctgcaaaa acgctggact ggcatgaact 13920 tcggtgaaaa accgcagcag ggaggcaaac aatgaatcaa caactctcct ggcgcaccat 13980 cgtcggctac agcctcggga attgcgtacc gagctcgaat ttccccgatc gttcaaacat 14040 ttggcaataa agtttcttaa gattgaatcc tgttgccggt cttgcgatga ttatcatata 14100 atttctgttg aattacgtta agcatgtaat aattaacatg taatgcatga cgttatttat 14160 gagatgggtt tttatgatta gagtcccgca attatacatt taatacgcga tagaaaacaa 14220 aatatagcgc gcaaactagg ataaattatc gcgcgcggtg tcatctatgt tactagatcg 14280 ggaattcgat atcaagcttg gcactggccg tcgtttaca acgtcgtgac tgggaaaacc 14340 ctggcgttac ccaacttaat cgccttgcag cacatccccc tttcgccagc tggcgtaata 14400 gcgaagaggc ccgcaccgat cgccttccc aacagttgcg cagcctgaat ggcgaatgct 14460 agagcagctt gagcttggat cagattgtcg tttcccgcct tcagtttaaa ctatcagtgt 14520

```
ttgacaggat atattggcgg gtaaacctaa gagaaaagag cgtttattag aataacggat 14580 atttaaaagg gcgtgaaaag gtttatccgt tcgtccattt gtatgtg 14627
<210> 110
<211> 9080
<212> DNA
<213> Artificial Sequence
<220>
<223> p18attBZeo(6XHS4)2eGFP Plasmid
<400> 110
cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg cacccacacc caggccaggg tgttgtccgg caccacctgg 180
tectggaceg egetgatgaa cagggteacg tegtecegga ccacacegge gaagtegtee 240
tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccggcgacg 300
tcgcgcgcgg tgagcaccgg aacggcactg gtcaacttgg ccatggatcc agatttcgct 360 caagttagta taaaaaagca ggcttcaatc ctgcagagaa gcttgatatc gaattcctgc 420
cccccgcat ccccgaccg gcagcgggg gggacagcc gggacagggg aaggtggcac 600 gggatcgctt tcctctgaac gcttctcgc gctctttgag cctgcagaca cctgggggat 660 acggggccg ggatcgctc acggggacag ccccccca aagccccag ggatgtaatt 720 acgtcctcc cccgctaggg ggcagcagcg agccgccgg ggctccgctc cggtccggcg 780 ctcccccgc atccccgag cggcagcgtg cggggacagc ccggggacagg ggaaggtggc 840 acgggatcgc tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg 900
cgctccccc gcatccccga gccggcagcg tgcggggaca gcccgggcac ggggaaggtg 1080 gcacgggatc gctttcctct gaacgcttct cgctgctctt tgagcctgca gacacctggg 1140
ggatacgggg ccgcggatcc gctcacgggg acagccccc cccaaagccc ccagggatgt 1200
aattacgtcc ctccccgct agggggcagc agcgagccgc ccggggctcc gctccggtcc 1260 ggcgctcccc ccgcatcccc gagccggcag cgtgcgggga cagcccgggc acggggaagg 1320 tggcacggga tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg 1380
ggggatacgg ggccgcggat ccgctcacgg ggacagcccc ccccaaagc ccccagggat 1440 gtaattacgt ccctcccccg ctaggggca gcagcgagcc gcccggggct ccgctccggt 1500
ceggegetee eccegeatee eegageegge agegtgeggg gacageeegg geacggggaa 1560 ggtggeacgg gategettte ettgaaege tetetggetge tetttgagee tgcagacace 1620
tgggggatac ggggccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg 1680
cctgggggat acggggcggg ggatccacta gttattaata gtaatcaatt acggggtcat 1920 tagttcatag cccatatatg gagttccgcg ttacataact tacggtaaat ggcccgcctg 1980
gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 2040 cgccaatagg gactttccat tgacgtcaat gggtggacta tttacggtaa actgccact 2100 tggcagtaca tcaagtgtat catatgccaa gtacgcccc tattgacgtc aatgacggta 2160
aatggcccgc ctggcattat gcccagtaca tgaccttatg ggactttcct acttggcagt 2220 acatctacgt attagtcatc gctattacca tgggtcgagg tgagccccac gttctgcttc 2280
acteteccca tetececcce etececacce ccaattitgt atttattat Ettttaatta 2340
gtgegtgegt gtgtgtgtge gtggggageg cegegtgegg ceegegetge ceggeggetg 2820
gggcgtggcg cggggctcgc cgtgccgggc ggggggtggc ggcaggtggg ggtgccgggc 3120
ggggggggg cgcctcgggc cggggagggc tcgggggagg ggcgcggcgg ccccggagcg 3180 ccggcgggg acttcctttg tcccaaatct ggcggagccg aaatctggga ggcgcgccg 3300
```

caccccctct	agcgggcgcg	ggcgaagcgg	tgcggcgccg	gcaggaagga	aatgggcggg	3360
gagggggtte	atacatcacc	acaccaccat	cccttctcc	atctccagcc	teggggetge	3420
cacaaaaaaa	caactacctt	caaaaaaaac	ggggcagggc	ggggttcggc	ttctggcgtg	3400
taaccaacaa	ctctagagcc	tctqctaacc	atgttcatgc	CttCttCttt	ttcctacage	3540
tectoggeaa	catactaatt	attatactat	ctcatcattt	tqqcaaaqaa	ttcgccacca	3600
taataaacaa	adacaaaaaa	ctattcacca	agatagtacc	catcctqqtc	gagetggaeg	3660
gcgacgtaaa	caaccacaa	ttcaccatat	ccqqcqaqqq	cqaqqqcgat	gecaectacg	3/20
acaaactaac	cctgaagttc	atctqcacca	ccggcaagct	gcccgtgccc	tggcccaccc	3/80
tegtgaccac	cctgacctac	aacatacaat	acttcaacca	ctaccccgac	cacatgaage	3640
agcacgactt	cttcaagtcc	accataccca	aaggctacgt	ccaggagcgc	accatcttct	3900
tcaaggacga	caacaactac	aagacccgcg	ccgaggtgaa	gttcgagggc	gacaccctgg	3900
tgaaccgcat	cgagctgaag	ggcatcgact	tcaaggagga	cggcaacatc	ctggggcaca	4020
agctggagta	caactacaac	agccacaacg	tctatatcat	ggccgacaag	cagaagaacg	4080
gcatcaaggt	gaacttcaag	atccgccaca	acatcgagga	cggcagcgtg	cagctcgccg	4140
accactacca	gcagaacacc	cccatcggcg	acggccccgt	getgetgeee	gacaaccact	4200
acctgagcac	ccagtccgcc	ctgagcaaag	accccaacga	gaagegegat	cacatggtcc	4200
tgctggagtt	cgtgaccgcc	gccgggatca	cteteggeat	ggacgagetg	tacaagtaag	4320
aattcactcc	tcaggtgcag	gctgcctatc	agaaggtggt	ggerggrgrg	gccaatgccc	4300
tggctcacaa	ataccactga	gatetttte	cetetgeeaa	tattttatt	gacatcatga	4500
agccccttga	gcatctgact	tetggetaat	aaaggaaacc	caccicact	gcaatagtgt	4560
gttggaattt	tttgtgtctc	teacteggaa	ggacatatgg	gagggcaaac	catttaaaac	4500
atcagaatga	gtatttggtt	tagagtttgg	caacatatge	catatgetgg	ctgccatgaa	4680
caaaggtggc	tataaagagg	teateagtat	atgaaacagc	tatttatt	ccattcctta	4740
ttccatagaa	aageettgae	ctgaggttag	actititita	taccongett	tgtgttattt	4800
ttttctttaa	catccctaaa	attttcctta	catguitat	gazgatgatt	tttcctcctc	4860
tcctgactac	teceagteat	agetgteeet	agtagataga	ccaccccata	cgacctgcag	4920
cccaagettg	catgeetgea	ggregaerer	ttaagagga	agggetegea	tccccaggt	4980
gtctgcaggc	tcaaagagca	gcgagaagcg	cactagaggaa	tacaaaaaaa	tgccaccttc	5040
cccgtgcccg	ggergreece	teactactac	ggcttgggga	racadadaca racadagaa	taattacatc	5100
ggagcggagc	ttaaaaaaaa	actatacaca	taaacaaatc	aggagggacg	tatccccag	5160
atatataaaa	cc99999999	geegeeeeg	cattcagaga	aaagcgatcc	cgtgccacct	5220
tagaaataaa	goccaaagag	cagegagaag	ccaactcaaa	gatgcggggg	gagcgccgga	5280
cccccgcgcc	acccaaaca	acteactact	acccctage	gaagaaagaa	cgtaattaca	5340
tecetagaa	ctttagagag	gaactateee	cataaacaaa	tecacaacce	cgtatccccc	5400
aggtgtctgc	aggeteaaag	agcagcgaga	agcgttcaga	qqaaaqcqat	cccgtgccac	5460
cttccccata	cccaaactat	ccccacacac	taccaactca	gggatgcggg	gggagcgccg	5520
gaccggagcg	aaaccccaaa	caactcacta	ctqcccccta	gcgggggagg	gacgtaatta	5580
catccctggg	aactttaaaa	agagactatc	cccgtgagcg	gatccgcggc	cccgtatece	2040
ccaggtgtct	gcaggetcaa	agagcagcga	qaaqcqttca	gaggaaagcg	atcccgtgcc	5700
accttccccq	tacccaaact	gtccccgcac	actaccaact	cggggatgcg	gggggagcgc	5760
cogaccogag	cadaacccca	aacaactcac	tgctgccccc	tagcggggga	gggacgtaat	5820
tacatccctg	aaaactttaa	agagagata	tccccgtgag	cggatccgcg	gccccgtatc	5880
ccccaggtgt	ctacaaactc	aaaqaqcaqc	gagaagcgtt	cagaggaaag	cgatcccgtg	5940
ccaccttccc	cataccaaa	ctatccccgc	acgctgccgg	ctcggggatg	cggggggagc	6000
accaaaccaa	agcagagccc	caaacaactc	actactaccc	cctagcgggg	gagggacgta	6060
attacatccc	taaaaacttt	adadadadac	tgtccccgtg	agcggatccg	cggccccgta	6120
tcccccaggt	atctacagac	tcaaaqaqca	gcgagaagcg	ttcagaggaa	agcgatcccg	PTRO
taccaccttc	cccataccca	aactatcccc	gcacgctgcc	ggctcgggga	tgcgggggga	6240
acaccaaacc	agagggaagg	cccaaacaac	tegetgetge	cccctagcgg	gggagggacg	6300
taattacatc	cctgggggct	ttggggggg	gctgtccccg	tgagcggatc	cgcggggctg	6360
caggaattcg	taatcatggt	catagctgtt	tcctgtgtga	aattgttatc	cgctcacaat	6420
tccacacaac	atacgagccg	gaagcataaa	gtgtaaagcc	tggggtgcct	aatgagtgag	6480
ctaactcaca	ttaattqcqt	tgcgctcact	geeegettte	cagtcgggaa	accuguegueg	0340
ccagctgcat	taatgaatcg	gccaacgcgc	ggggagaggc	ggtttgegta	ttgggcgctc	6660
ttccgcttcc	tegeteactg	actegetgeg	creggreger	eggetgegge	gagcggtatc	6720
ageteaetea	aaggcggtaa	cacggttatc	cacagaatca	ggggataacg	caggaaagaa	6720
catgtgagca	aaaggccagc	aaaaggccag	tcacaaaaa	caacactcaa	tgctggcgtt	6840
cccatagg	occegeeee	orgacgagea	gagatttaga	cctccaacct	gtcagaggtg	6900
gegaaaceeg	acaggactat	adayatacca	atacctctcc	acctttata	ccctcgtgcg	6960
catacacatt	tatastast	caccactates	gtatctcact	tagatateaa	tegttegete	7020
caagetgeet	tototogeco	accececet	tcagcccgac	cactacacct	tatccggtaa	7080
ctategtett	gagtccaec	contagoaca	cgacttatcg	ccactoocao	cagccactgg	7140
taacaggatt	Jageocaace	catatataca	coatactaca	gagttettga	agtagtagcc	7200
	adcadadcda					
taactacooo	tacactacea	ggcacgcagg	tggtatctgc	gctctactaa	agccagttac	7260
taactacggc cttcqqaaaa	tacactagaa	ggacagtatt	tggtatctgc	gctctgctga	agccagttac gtagcggtgg	7260

```
tttttttgtt tgcaagcagc agattacgcg cagaaaaaaa ggatctcaag aagatccttt 7380
gatetttet aeggggtetg aegeteagtg gaacgaaaac teaegttaag ggattttggt 7440
catgagatta tcaaaaagga tcttcaccta gatcctttta aattaaaaat gaagttttaa 7500
atcaatctaa agtatatatg agtaaacttg gtctgacagt taccaatgct taatcagtga 7560
ggcacctate teagogatet gtetattteg tteatecata gttgcetgae teecegtegt 7620 gtagataact acgatacggg agggettace atetggeece agtgetgeaa tgatacegeg 7680
agacccacgc tcaccggctc cagatttatc agcaataaac cagccagccg gaagggccga 7740 gcgcagaagt ggtcctgcaa ctttatccgc ctccatccag tctattaatt gttgccggga 7800
agctagagta agtagttcgc cagttaatag tttgcgcaac gttgttgcca ttgctacagg 7860
categiggig teaegetegt egittggtal ggetteatte ageteeggtt eccaaegate
                                                                                                      7920
aaggegagtt acatgatee egetteggtat ggetteatte ageteeggtt eeeaaegate 7920 aaggegagtt acatgatee eagatgteet teggtate teggteete 7920 gategttgte agaagtaagt tggeegagt tateacte atggttatgg cagcactgea 8040 taattetett actgteatge cateegtaag atgetttet gtgactggtg agtacteaae 8100 caagteatte tgagaataagt gtatgeggeg accgagttge tettgeegg egteaataeg gggataatace ggegeacata gacgaacttt aaaagtgete accattggaa aaegttette 8220
ggggcgaaaa ctctcaagga tcttaccgct gttgagatcc agttcgatgt aacccactcg 8280 tgcacccaac tgatcttcag catctttac tttcaccagc gtttctgggt gagcaaaaac 8340
aggaaggcaa aatgccgcaa aaaagggaat aagggcgaca cggaaatgtt gaatactcat 8400 actcttcctt tttcaatatt attgaagcat ttatcagggt tattgtctca tgagcggata 8460
catatttgaa tgtatttaga aaaataaaca aataggggtt ccgcgacaat ttccccgaaa 8520 agtgccacct gacgtagtta acaaaaaaa gccgccgaa gcgggcttta ttaccaagcg 8580 aagcgcatt cgccattcag gctgcgcaac tgttgggaag ggcgatcggt gcgggcctct 8640 tcgctattac gccagctggc gaaaggggga tgtgcgcaa ggcgattaag ttgggtaacg 8700
ccagggtttt cccagtcacg acgttgtaaa acgacggcca gtccgtaata cgactcactt 8760
aaggcettga ctagagggte gaeggtatac agacatgata agatacattg atgagtttgg 8820
acaaaccaca actagaatgc agtgaaaaaa atgctttatt tgtgaaattt gtgatgctat 8880
 tgctttattt gtaaccatta taagctgcaa taaacaagtt ggggtgggcg aagaactcca 8940
gcatgagate eccgegetgg aggateatee ageeggegte ecggaaaacg atteegaage 9000
 ccaacettte atagaaggeg geggtggaat egaaateteg tageaegtgt cagteetget 9060
 cctcqqccac gaagtgcacg
 <210> 111
 <211> 4223
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> pLIT38attBBSRpolyA10 Plasmid
 <400> 111
 gttaactacg tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt 60
 tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca 120
 ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt 180
 ttttgcggca ttttgccttc ctgttttgc tcacccagaa acgctggtga aagtaaaaga 240
 tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa 300 gatccttgag agttttcgcc ccgaagaacg ttctccaatg atgagcactt ttaaagttct 360
 getatgtggc geggtattat ceegtgttga egeegggcaa gagcaacteg gtegeegcat 420
 acactattet cagaatgaet tggttgagta etcaccagte acagaaaage atettacgga 480
 tggcatgaca gtaagagaat tatgcagtgc tgccataacc atgagtgata acactgcggc 540
 caacttactt ctgacaacga tcggaggacc gaaggagcta accgetttt tgcacaacat 600 ggggatcat gaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa 660
 cgacgagcgt gacaccacga tgcctgtagc aatggcaaca acgttgcgca aactattaac 720
 tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 780
 agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc 840 tggagccggt gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc 900
 ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag 960 acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta 1020 ctcatatata ctttagattg atttaccccg gttgataatc agaaaagccc caaaaacagg 1080 aagattgtat aagcaaatat ttaaattgta aacgttaata ttttgttaaa attcgcgtta 1140
 aatttttgtt aaatcagctc attttttaac caataggccg aaatcggcaa aatcccttat 1200 aaatcaaaag aatagcccga gatagggttg agtgttgttc cagtttggaa caagagtcca 1260
 ctattaaaga acgtggactc caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1320 ccactacgtg aaccatcacc caaatcaagt tttttggggt cgaggtgccg taaagcacta 1380
 aatcggaacc ctaaagggag cccccgattt agagcttgac ggggaaagcg aacgtggcga 1440
 gaaaggaagg gaagaaagcg aaaggagcgg gcgctagggc gctggcaagt gtagcggtca 1500 cgctgcgcgt aaccaccaca cccgccgcgc ttaatgcgcc gctacagggc gcgtaaaagg 1560
 atctaggtga agatcctttt tgataatctc atgaccaaaa tcccttaacg tgagttttcg 1620
```

```
ttccactgag cgtcagaccc cgtagaaaag atcaaaggat cttcttgaga tcctttttt 1680
ctgcgcgtaa tctgctgctt gcaaacaaaa aaaccaccgc taccagcggt ggtttgtttg 1740 ccggatcaag agctaccaac tctttttccg aaggtaactg gcttcagcag agcgcagata 1800
ccaaatactg ttettetagt gtagecgtag ttaggecace actteaagaa etetgtagea 1860 ccgcetacat acetegetet getaateetg ttaccagtgg etgetgecag tggegataag 1920
togtgtotta cogggttgga otcaagacga tagttaccgg ataaggcgca goggtcgggc 1980
tgaacggggg gttcgtgcac acagcccagc ttggagcgaa cgacctacac cgaactgaga 2040 tacctacagc gtgagctatg agaaagcgcc acgcttcccg aagggagaaa ggcggacagg 2100
tatccggtaa gcggcagggt cggaacagga gagcgcacga gggagcttcc aggggggaaac 2160 gcctggtatc tttatagtcc tgtcgggttt cgccacctct gacttgagcg tcgatttttg 2220
tgatgctcgt caggggggg gagctatgg aaaaacgcca gcaacgcgg ctttttacgg 2280 ttcctggct tttgctggc ttttgctcac atgtaatgtg agttagctca ctcattaggc 2340 accccaggct ttacacttta tgcttccggc tcgtatgttg tgtggaattg tgagcggata 2400
acaatttcac acaggaaaca gctatgacca tgattacgcc aagctacgta atacgactca 2460 ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gattgaagcc 2520 tgcttttta tactaacttg agcgaaatct ggatcaccat gaaaacattt aacatttctc 2580 aacaagatct agaattagta gaagtagcga cagagaagat tacaatgctt tatgaggata 2640
ataaacatca tgtgggagcg gcaattcgta cgaaaacagg agaaatcatt tcggcagtac 2700 atattgaagc gtatatagga cgagtaactg tttgtgcaga agccattgcg attggtagtg 2760
cagtttcgaa tggacaaaag gattttgaca cgattgtagc tgttagacac ccttattctg 2820 acgaagtaga tagaagtatt cgagtggtaa gtccttgtgg tatgtgtagg gagttgattt 2880
cagactatge accagattgt tttgtgttaa tagaaatgaa tggcaagtta gtcaaaacta 2940
cgattgaaga actcattcca ctcaaatata cccgaaatta aaagttttac cataccaagc 3000 ttggctgctg cctgaggctg gacgacctcg cggagttcta ccggcagtgc aaatccgtcg 3060
gcatccagga aaccagcage ggctatccge gcatccatge ccccgaactg caggagtggg 3120 gaggcacgat ggccgctttg gtccggatct ttgtgaagga accttactte tgtggtgtga 3180 cataattgga caaactacct acagagattt aaagctctaa ggtaaatata aaatttttaa 3240
gtgtataatg tgttaaacta ctgattctaa ttgtttgtgt attttagatt ccaacctatg 3300
gaactgatga atgggagcag tggtggaatg cctttaatga ggaaaacctg ttttgctcag 3360
aagaaatgoo atotagtgat gatgaggota otgotgacto toaacattot actootocaa 3420
aaaagaagag aaaggtagaa gacccaagg acttteette agaattgeta agttttttga 3480 gteatgetgt gtttagtaat agaactettg ettgetttge tatttacace acaaaggaaa 3540
aagctgcact gctatacaag aaaattatgg aaaaatattc tgtaaccttt ataagtaggc 3600 ataacagtta taatcataac atactgttt ttcttactcc acacaggcat agagtgtctg 3660
ctattaataa ctatgctcaa aaattgtgta cctttagctt tttaatttgt aaaggggtta 3720
ataaggaata tttgatgtat agtgccttga ctagagatca taatcagcca taccacattt 3780 gtagaggttt tacttgcttt aaaaaacctc ccacacctcc ccctgaacct gaaacataaa 3840
atgaatgcaa ttgttgttgt taacttgttt attgcagctt ataatggtta caaataaagc 3900
aatagcatca caaatttcac aaataaagat ccacgaattc gctagcttcg gccgtgacgc 3960 gtctccggat gtacaggcat gcgtcgaccc tctagtcaag gccttaagtg agtcgtatta 4020
cggactggcc gtcgttttac aacgtcgtga ctgggaaaac cctggcgtta cccaacttaa 4080 tcgccttgca gcacatcccc ctttcgccag ctggcgtaat agcgaagagg cccgcaccga 4140
tegecettee caacagttge geageetgaa tggegaatgg egettegett ggtaataaag 4200
cccgcttcgg cgggcttttt ttt
                                                                                                           4223
<210> 112
<211> 5855
<212> DNA
<213> Artificial Sequence
<220>
<223> pCX-LamIntR Plasmid
<400> 112
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata 60
geceatatat ggagtteege gitacataae tiacggtaaa tggeeegeet ggetgaeege 120
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag 180
ggactttcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac 240
atcaagtgta teatatgeea agtaegeee etattgaegt caatgaeggt aaatggeeeg 300
cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg 360
tattagtcat cyctattace atggstcgag gtgagccca cyttctyctt cactctccc 420 atctccccc cctcccacc cccaatttty tatttattta ttttttaatt attttytyca 480 gcgatggggg cgggggggg gggggcgcg gccaggcggg gcggggcggg gcgagggggg 540 gggcggggg aggcggagag gtgcggcgc agccaatcag agcggcgc tccgaaagtt 600
coggetetga etgacegegt tacteccaea ggtgageggg egggaeggee etteteetee 780
```

gggetgtaat tagegettgg tttaatgaeg getegtttet tttetgtgge tgegtgaaag 840 ccttaaaggg ctccgggagg gccctttgtg cgggggggag cggctcgggg ggtgcgtgcg 900 tgtgtgtgtg cgtggggagc gccgcgtgcg gcccgcgctg cccggcggct gtgagcgctg 960 egggegegge geggggettt gtgegeteeg egtgtgegeg aggggagege ggeeggggge 1020 ggtgccccgc ggtgcgggg ggctgcgagg ggaacaaagg ctgcgtgcgg ggtgtgtgcc 1080 tgggggggtt agcaggggt gtgggcggg cggtcgggct gtaaccccc cctgcaccc 1140 cctccccgag ttgctgagca cggcccggct tcgggtgcgg ggctccgtgc ggggcgtggc 1200 gcgggggctcg ccgtgccgg cggggggtgg cggcaggtgg gggtgcggg gggtgcggg 1260 cegecteggg ceggggaggg ctegggggag gggegeggeg geeceggage geeggegget 1320 gtegaggeg ggegageege agecattgee ttttatggta ategtgegag agggegeagg 1380 gactteettt gteecaaate tggeggagee gaaatetggg aggegeegee geaeceeete 1440 tagegggege gggegaageg gtgeggegee ggeaggaagg aaatgggegg ggagggeett 1500 egtgegtege egegeegeeg teccettete cateteeage eteggggetg eegeaggggg 1560 acggctgcct tcggggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg 1620 gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctcctgggca 1680 acgtgctggt tgttgtgctg tctcatcatt ttggcaaaga attcatggga agaaggcgaa 1740 gtcatgagcg ccgggattta ccccctaacc tttatataag aaacaatgga tattactgct 1800 acagggaccc aaggacggt aaagagtttg gattaggcag agacaggcga atcgcaatca 1860 ctgaagctat acaggccaac attgagttat tttcaggaca caaacacaag cctctgacag 1920 cgagaatcaa cagtgataat tccgttacgt tacattcatg gcttgatcgc tacgaaaaaa 1980 tcctggccag cagaggaatc aagcagaaga cactcataaa ttacatgagc aaaattaaag 2040 caataaggag gggtctgcct gatgctccac ttgaagacat caccacaaaa gaaattgcgg 2100 caatgctcaa tggatacata gacgagggca aggcggcgtc agccaagtta atcagatcaa 2160 cactgagcga tgcattccga gaggcaatag ctgaaggcca tataacaaca aaccatgtcg 2220 ctgccactcg cgcagcaaaa tctagagtaa ggagatcaag acttacggct gacgaatacc 2280 tgaaaattta tcaagcagca gaatcatcac catgttggct cagacttgca atggaactgg 2340 ctgttgttac cgggcaacga gttggtgatt tatgcgaaat gaagtggtct gatatcgtag 2400 atggatatet ttatgtegag caaagcaaaa caggegtaaa aattgecate ecaacagcat 2460 tgcatattga tgctctcgga atatcaatga aggaaacact tgataaatgc aaagagattc 2520 ttggcggaga aaccataatt gcatctacte gtcgcgaacc gctttcatcc ggcacagtat 2580 caaggtattt tatgcgcgca cgaaaagcat caggtctttc cttcgaaggg gatccgccta 2640 cctttcacga gttgcgcagt ttgtctgcaa gactctatga gaagcagata agcgataagt 2700 ttgctcaaca tcttctcggg cataagtcgg acaccatggc atcacagtat cgtgatgaca 2760 gaggcaggga gtgggacaaa attgaaatca aataagaatt cactcctcag gtgcaggctg 2820 cetateagaa ggtggtgget ggtgtggeca atgecetgge teacaaatac caetgagate 2880 ttttteecte tgccaaaaat tatggggaca teatgaagee cettgageat etgacttetg 2940 gctaataaag gaaatttatt ttcattgcaa tagtgtgttg gaattttttg tgtctctcac 3000 tcggaaggac atatgggagg gcaaatcatt taaaacatca gaatgagtat ttggtttaga 3060 gtttggcaac atatgccata tgctggctgc catgaacaaa ggtggctata aagaggtcat 3120 ggttagattt titttatatt tigttitigtg tiattititt cittaacatc cctaaaattt 3240 teettacatg tittactage cagattitte citectect gactactece agtcataget 3300 gteestette tettatgaag atecetegae etgeageca agettggegt aateatggte 3360 atagetgtt cettggaa attgitate getcacaat ccacacaca taggageegg 3420 aagcataaag tgtaaagcet ggggtgeeta atgagtgage taacteacat taattgegtt 3480 gegeteactg ceegetttee agtegggaaa cetgtegtge cageggatee geateteaat 3540 tagteageaa ceatagteee geecetaact eegeecatee egeeectaac teegeecagt 3600 teegeeeatt eteegeeeea tggetgaeta atttttttta tttatgeaga ggeegaggee 3660 gecteggeet etgagetatt eeagaagtag tgaggagget tttttggagg eetaggettt 3720 tgcaaaaagc taacttgttt attgcagctt ataatggtta caaataaagc aatagcatca 3780 caaatttcac aaataaagca tttttttcac tgcattctag ttgtggtttg tccaaactca 3840 tcaatgtatc ttatcatgtc tggatccgct gcattaatga atcggccaac gcgcggggag 3900 aggeggtttg egtattggge getetteege tteetegete actgaetege tgegeteggt 3960 cyttcggctg cggcgagcgg tatcagctca ctcaaaggcg gtaatacggt tatccacaga 4020 atcaggggat aacgcaggaa agaacatgtg agcaaaaggc cagcaaaagg ccaggaaccg 4080 taaaaaggcc gcgttgctgg cgtttttcca taggctccgc cccctgacg agcatcacaa 4140 aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcgtt 4200 teccectgga ageteceteg tgegetetee tgtteegace etgeegetta eeggatacet 4260 gtccgcctt ctcccttcg gaagcgtgc gctttctcaa tgctcacgct gtaggtatc 4320 cagttcggtg taggtcgttc gctccaagct gggctgtgt cacgaaccc ccgttcagcc 4380 cgaccgctgc gccttatccg gtaactatcg tcttgagtc aacccggtaa gacacgactt 4440 atcgccactg gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcggtgc 4500 tacagaggttc ttgaagtggt ggcctaacta cggctacact agaaggacag tatttggtat 4560 ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa 4620 acaaaccacc gctggtagcg gtggttttt tgtttgcaag cagcagatta cgcgcagaaa 4680 aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaacga 4740 aaactcacgt taagggattt tggtcatgag attatcaaaa aggatcttca cctagatcct 4800

```
tttaaattaa aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga 4860 cagttaccaa tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc 4920
catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg 4980
ccccagtgct gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat 5040 aaaccagcca gccggaaggg ccgagcgcag aagtggtcct gcaactttat ccgcctccat 5100
ccagtctatt aattittigcc gggaagctag agtaagtagt tcgccagtta atagtttigcg 5160
caacgttgtt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc 5220 attcagctcc ggttcccaac gatcaaggcg agttacatga tcccccatgt tgtgcaaaaa 5280 agcggttagc tccttcggtc ctccgatcgt tgtcagaagt aagttggccg cagtgttatc 5340 actcatggtt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt 5400
ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgtatgc ggcgaccgag 5460
ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt 5520
gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag 5580
atccagtteg atgtaaceca ctcgtgcace caactgatet tcagcatett ttaettteac 5640
cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc 5700 gacacggaaa tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca 5760
gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg 5820 ggttccgcgc acatttcccc gaaaagtgcc acctg 5855
<210> 113
<211> 4346
<212> DNA
<213> Artificial Sequence
<220>
<223> pSV40-193AttpsensePur Plasmid
<400> 113
ccggtgccgc caccatcccc tgacccacgc ccctgacccc tcacaaggag acgaccttcc 60
atgaccgagt acaagcccac ggtgcgcctc gccacccgcg acgacgtccc ccgggccgta 120 cgcaccctcg ccgccgcgtt cgccgactac cccgccacgc gccacaccgt cgacccggac 180
cgccacatcg agcgggtcac cgagctgcaa gaactcttcc tcacgcgcgt cgggctcgac 240
ateggeaagg tgtgggtege ggaegaegge geegeggtgg eggtetggae caegeeggag 300 agegtegaag eggggeggt gttegeegag ateggeeege geatggeega gttgageggt 360
teceggetgg cegegeagea acagatggaa ggeeteetgg egeegeaceg geecaaggag 420
cccgcgtggt tcctggccac cgtcggcgtc tcgcccgacc accagggcaa gggtctgggc 480
agegeegteg tgeteecegg agtggaggeg geegagegeg eegggtgee egeetteetg 540 gagaceteeg egeecegeaa eeteecette tacgagegge teggetteae egteacegee 600
gacgtegagg tgcccgaagg accgcgcacc tggtgcatga cccgcaagcc cggtgcctga 660
cgcccgccc acgacccgca gcgcccgacc gaaaggagcg cacgacccca tggctccgac 720 cgaagccgac ccggggggc ccgccgaccc cgcacccgc cccgaggccc accgactcta 780
gaggatcata atcagccata ccacatttgt agaggtttta cttgctttaa aaaacctccc 840
acacctcccc ctgaacctga aacataaaat gaatgcaatt gttgttgtta acttgtttat 900
tgcagcttat aatggttaca aataaagcaa tagcatcaca aatttcacaa ataaagcatt 960
titticactg catictagtt gtggttigtc caaactcatc aatgtatctt atcatgtctg 1020
gatcegegee ggatcettaa ttaagtetag agtegaetgt ttaaacetge aggeatgeaa 1080 gettggegta atcatggtea tagetgttte etgtgtgaaa ttgttateeg etcacaatte 1140
cacacaacat acgageegga ageataaagt gtaaageetg gggtgeetaa tgagtgaget 1200
aactcacatt aattgcgttg cgctcactgc ccgctttcca gtcgggaaac ctgtcgtgcc 1260
agctgcatta atgaatcggc caacgcgcgg ggagaggcgg tttgcgtatt gggcgctctt 1320
ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg gctgcggcga gcggtatcag 1380
ctcactcaaa ggcggtaata cggttatcca cagaatcagg ggataacgca ggaaagaaca 1440 tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa ggccgcgttg ctggcgtttt 1500
tccataggct ccgccccct gacgagcatc acaaaaatcg acgctcaagt cagaggtggc 1560 gaaacccgac aggactataa agataccagg cgtttccccc tggaagctcc ctcgtgcgct 1620
ctcctgttcc gaccctgccg cttaccggat acctgtccgc ctttctccct tcgggaagcg 1680
tggcgctttc tcatagctca cgctgtaggt atctcagttc ggtgtaggtc gttcgctcca 1740
agetgggetg tgtgcacgaa cccccgttc agecgaccg etgegeetta teeggtaact 1800 ategtettga gtccaacccg gtaagacacg acttategee aetggcagca gecactggta 1860
acaggattag cagagegagg tatgtaggeg gtgetacaga gttettgaag tggtggeeta 1920
actacggcta cactagaagg acagtatttg gtatctgcgc tctgctgaag ccagttacct 1980
toggaaaaag agttggtage tettgateg geaaaaaac cacegetggt ageggtggtt 2040 tttttgtttg caageageag attacgegea gaaaaaaagg atctcaagaa gateetttga 2100 tettttetac ggggtetgac geteagtgga acgaaaact aegttaaggg attttggtca 2160
tgagattatc aaaaaggatc ttcacctaga tccttttaaa ttaaaaatga agttttaaat 2220
caatctaaag tatatatgag taaacttggt ctgacagtta ccaatgctta atcagtgagg 2280
```

cacctatete agegatetgt etatttegtt catecatagt tgeetgacte ecegtegtgt 2340

```
agataactac gatacgggag ggcttaccat ctggccccag tgctgcaatg ataccgcgag 2400
acceaegete accggeteca gatttateag caataaacca gecageegga agggeegage 2460 geagaagtgg teetgeaact ttateegeet ceateeagte tattaattgt tgeegggaag 2520
ctagagtaag tagttcgcca gttaatagtt tgcgcaacgt tgttgccatt gctacaggca 2580 tcgtggtgtc acgctcgtcg tttggtatgg cttcattcag ctccggttcc caacgatcaa 2640 ggcgagttac atgatcccc atgttgtgca aaaaagcggt tagctcctc ggtcctccga 2700
tegttgtcag aagtaagttg geegeagtgt tatcactcat ggttatggca geactgcata 2760 attetettac tgtcatgca teegtaagat gettttetgt gaetggtgag tactcaacca 2820 agtcattetg agaatagtgt atgeggegae egagttgete ttgeeeggeg teaataeggg 2880
ataataccgc gccacatagc agaactttaa aagtgctcat cattggaaaa cgttcttcgg 2940 ggcgaaaact ctcaaggatc ttaccgctgt tgagatccag ttcgatgtaa cccactcgtg 3000 cacccaactg atcttcagca tcttttactt tcaccagcgt ttctgggtga gcaaaaacag 3060
gaaggcaaaa tgccgcaaaa aagggaataa gggcgacacg gaaatgttga atactcatac 3120 tcttcctttt tcaatattat tgaagcattt atcagggtta ttgtctcatg agcggataca 3180
tatttgaatg tatttagaaa aataaacaaa taggggttcc gcgcacattt ccccgaaaag 3240 tgccacctga cgtctaagaa accattatta tcatgacatt aacctataaa aataggcgta 3300
teaegaggee etttegtete gegegttteg gtgatgaegg tgaaaacete tgacacatge 3360
agetecegga gaeggteaca gettgtetgt aageggatge egggageaga caageeegte 3420
agggcgcgtc agcgggtgtt ggcgggtgtc ggggctggct taactatgcg gcatcagagc 3480
agattgtact gagagtgcac catatgcggt gtgaaatacc gcacagatgc gtaaggagaa 3540
aataccgcat caggcgccat tcgccattca ggctgcgcaa ctgttgggaa gggcgatcgg 3600
tgcgggcctc ttcgctatta cgccagctgg cgaaaggggg atgtgctgca aggcgattaa 3660 gttgggtaac gccagggttt tcccagtcac gacgttgtaa aacgacggcc agtgaattcg 3720
agetgtggaa tgtgtgtcag ttagggtgtg gaaagtcccc aggctcccca gcaggcagaa 3780 gtatgcaaag catgcatctc aattagtcag caaccaggtg tggaaagtcc ccaggctccc 3840
cagcaggcag aagtatgcaa agcatgcatc tcaattagtc agcaaccata gtcccgcccc 3900 taactccgcc catcccgccc ctaactccgc ccagttccgc ccattctccg ccccatggct 3960
gactaatttt ttttattat gcagaggccg aggccgctc ggcctctgag ctattccaga 4020 agtagtgagg aggcttttt ggaggctcgg tacccccttg cgctaatgct ctgttacagg 4080 tcactaatac catctaagta gttgattcat agtgactgca tatgttgtgt tttacagtat 4140
 tatgtagtct gttttttatg caaaatctaa titaatatat tgatatitat atcattitac 4200
gtttctcgtt cagctttttt atactaagtt ggcattataa aaaagcattg cttatcaatt 4260
 tgttgcaacg aacaggtcac tatcagtcaa aataaaatca ttatttgatt tcaattttgt 4320
                                                                                                               4346
 cccactccct gcctctgggg ggcgcg
 <210> 114
 <211> 3166
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> pl8attBZeo Plasmid
 <400> 114
 cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120
 tacagetegt ccaggeegeg cacceacace caggecaggg tgttgteegg caccacetgg 180
 tectggaceg egetgatgaa cagggteaeg tegtecegga ecacacegge gaagtegtee 240
 tecaegaagt ecegggagaa ecegageegg teggteeaga actegacege teeggegaeg 300
 tegegegegg tgageacegg aacggeactg gtcaacttgg ccatggatec agattteget 360 caagttagta taaaaaagca ggcttcaatc ctgcagagaa gcttgcatgc ctgcaggtcg 420 actctagagg atcccgggt accgagetcg aattcgtaat catggtcata gctgtttcct 480
 gtgtgaaatt gttatccgct cacaattcca cacaacatac gagccggaag cataaagtgt 540
 aaagcetggg gtgcctaatg agtgagetaa etcacattaa ttgcgttgcg etcactgeec 600
 getttecagt egggaaacet gtegtgecag etgeattaat gaateggeea aegegegggg 660 agaggeggtt tgegtattgg gegetettee getteetege teaetgaete getgegeteg 720
 gtcgttcggc tgcggcgagc ggtatcagct cactcaaagg cggtaatacg gttatccaca 780
 gaatcagggg ataacgcagg aaagaacatg tgagcaaaaag gccagcaaaa ggccaggaac 840 cgtaaaaaagg ccgcgttgct ggcgtttttc cataggctcc gccccctga cgagcatcac 900
 aaaaatcgac gctcaagtca gaggtggcga aacccgacag gactataaag ataccaggcg 960
tttccccctg gaagctcct cgtgcgctct cctgttccga ccctgcgct tacccggatac 1020
ctgtccgcct ttctcccttc gggaagcgtg gcgctttctc atagctcacg ctgtaggtat 1080
ctcagttcgg tgtaggtcgt tcgcccaag ctgtaggtat cctgggcgct tccagatcgc gcgcttatc cggtaactat cgtcttgagt ccaacccggt aagacacgac 1200
 ttatcgccac tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcggt 1260
 gctacagagt tcttgaagtg gtggcctaac tacggctaca ctagaaggac agtatttggt 1320 atctgcgctc tgctgaagcc agttaccttc ggaaaaagag ttggtagctc ttgatccggc 1380
```

```
aaacaaacca ccgctggtag cggtggtttt tttgtttgca agcagcagat tacgcgcaga 1440 aaaaaaggat ctcaagaaga tcctttgatc ttttctacgg ggtctgacgc tcagtggaac 1500 gaaaactcac gttaagggat tttggtcatg agattatcaa aaaggatctt cacctagatc 1560
 cttttaaatt aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct 1620
gacagttacc aatgcttaat cagtgaggca cctatctcag cgatctgtct atttcgttca 1680
 tccatagttg cctgactccc cgtcgtgtag ataactacga tacgggaggg cttaccatct 1740
ggccccagtg ctgcaatgat accgcgagac ccacgctcac cggctcaga atcaagcagtta ttaattgttg ccggaagct cgcaacgttg ttgccattgc tacaggcatc accaggcatca cggatagta gttcgcagt ttgccattgc tacaggcatca acgatcaagg cggattacat gatcccccat gttgtgcaaa 2040
aaageggtta geteettegg teeteegate gttgteagaa gtaagttgge egeagtgtta 2100 teaeteatgg ttatggeage actgeataat tetettaetg teatgeeate egtaagatge 2160 ttttetgtga etggtgagta etcaaceaag teattetgag aatagtgtat geggegaeeg 2220 agttgetett geeeggget aataegggat aataecggege eacatageag aactttaaaa 2280
gtgctcatca ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg 2340 agatccagtt cgatgtaacc cactcgtgca cccaactgat cttcagcatc ttttactttc 2400
accagcgttt ctgggtgagc aaaaacagga aggcaaaatg ccgcaaaaaa gggaataagg 2460 gcgacacgga aatgttgaat actcatactc ttcctttttc aatattattg aagcatttat 2520
gegacaegga aatgrigaat acteataete titeetitte aatatatu aagaatta 2580 cagggttatt gteteatgag eggatacata tittgaatgta tittagaaaaa taacaaaata 2580 ggggtteege geacatitee eaagegaage geetatege geetatege geetategee atteagetg geetategee geetat
  atgataagat acattgatga gtttggacaa accacaacta gaatgcagtg aaaaaaatgc 2940
  tttatttgtg aaatttgtga tgctattgct ttatttgtaa ccattataag ctgcaataaa 3000
  caagttgggg tgggcgaaga actccagcat gagatccccg cgctggagga tcatccagcc 3060
ggcgtcccgg aaaacgattc cgaagcccaa cctttcatag aaggcggcgg tggaatcgaa 3120
  atctcgtage acgtgtcagt cetgeteete ggccacgaag tgcacg
  <210> 115
  <211> 7600
  <212> DNA
  <213> Artificial Sequençe
  <220>
  <223> pl8attBZeo3'6XHS4eGFP Plasmid
  cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
  gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg cacccacacc caggccaggg tgttgtccgg caccacctgg 180
  tectggaceg egetgatgaa cagggteaeg tegtecegga ceaeaeegge gaagtegtee 240 tecaegaagt eeegggagaa eeegageegg teggteeaga aetegaeege teeggegaeg 300
 tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccggcgacg 300 tcggcgcgg tgagcaccgg aacggcactg gtcaacttgg ccatggatcc agatttcgct 360 caagttagta taaaaaagca ggcttcaatc ctgcagagaa gcttgatcta gtattaata 420 gtaatcaatt acggggtcat tagttcatag cccatatatg gagttccgcg cgccattga cgccattgat cccatagtat cccatagtaa cgccaatagg gactttccat tgacgtcaat catagcgcac ttgacgcac ctgccattga cgtcaataat catagcgaat catagcgcac gtattgacgc ctggcattat catatgccaa gtacgcccc 660 taggacttcct acttggcagt acatctacg attagtcatc gccaatcac tgacgcccc cattggcaca tgacgcccc ggccattat gcccagtaca tgacgtcaat ggcccact tgacgcccc ctggcattat tgacgcccac gtacgcccc actcccca tcccccca ccccaccc ccaattttgt 840 attattat tttttaatta tttttgtgcag cqatqqqqq qqqqqqqqqq qqqqqqqqq 900
   gtgagcgggc gggacggccc ttctcctccg ggctgtaatt agcgcttggt ttaatgacgg 1200 ctcgtttctt ttctgtggct gcgtgaaagc cttaaagggc tccgggaggg ccctttgtgc 1260
  gggggggage ggctcggggg gtgcgtgcgt gtgtgtgtgc gtggggagcg ccgcgtgcgg 1320 cccgcgctgc ccggcgctg tgagcgctgc gggcgcggcg cggggctttg tgcgctccgc 1380
  gtgtgcgcga ggggagcgcg gccgggggcg gtgccccgcc gtgcgggggg gctgcgaggg 1440 gaacaaaggc tgcgtgcggg gtgtgtgcgt gggggggtga gcagggggtg tgggcgggc 1500 ggtcgggctg taacccccc ctgcaccccc ctccccgagt tgctgagcac ggcccggct 1560
   cagatacaga getecataca gageatagea eagagetege eataceagae agagagatage 1620
```

ggcaggtggg ggtgccgggc ggggcggggc cgcctcgggc cggggaggc tcggggagg 1680 ggcgcggcgg ccccggagcg ccggcggctg tcgaggcgcg gcgagccgca gccattgcct 1740 tttatggtaa tcgtgcgaga gggcgcaggg acttcctttg tcccaaatct ggcggagccg 1800 aaatctggga ggcgccgccg cacccctct agcgggcgcg ggcgaagcgg tgcggcgccg 1860 gcaggaagga aatgggcgg gagggcttc gtggtcgcc gcgccgccgt cccttctcc 1920 atctccagcc tcggggtgc cgcaggggga cggctgcctt cgggggggac ggggcagggc 1980 ggggttegge ttetggegtg tgaccggegg ctetagagee tetgetaace atgtteatge 2040 ettettett tteetacage teetggeaa egtgetggtt gttgtgetgt etcateattt 2100 ggccgacaag cagaagaacg gcatcaaggt gaacttcaag atccgccaca acatcgagga 2640 cggcagcgtg cagctcgccg accactacca gcagaacacc cccatcggcg acggccccgt 2700 gctgctgccc gacaaccact acctgagcac ccagtccgcc ctgagcaaag accccaacga 2760 gaagegegat cacatggtee tgetggagtt egtgacegee geegggatea eteteggeat 2820 ggacgagetg tacaagtaag aattcactcc tcaggtgcag gctgcctatc agaaggtggt 2880 ggctggtgtg gccaatgccc tggctcacaa ataccactga gatctttttc cctctgccaa 2940 aaattatggg gacatcatga agccccttga gcatctgact tctggctaat 3000 tattttcatt gcaatagtgt gttggaattt tttgtgtctc tcactcggaa ggacatatgg 3060 gagggcaaat catttaaaac atcagaatga gtatttggt taggatttgg caacatatgc 3120 catatgctgg ctgccatgaa caaaggtggc tataaagagg tcatcagtat atgaaacagc 3180 cccctgctgt ccattcctta tcccatagaa aagcccttgac ttgaggttag attttttta tattttgttt tgtgttattt ttttctttaa catccctaaa attttcctta catgttttac 3300 tagecagatt titectecte teetgaetae teecagteat agetgteeet ettetettat 3360 gaagatccct cgacctgcag cccaagcttg catgcctgca ggtcgactct agtggatccc 3420 ccgccccgta tcccccaggt gtctgcaggc tcaaagagca gcgagaagcg ttcagaggaa 3480 agcgatcccg tgccaccttc cccgtgcccg ggctgtccc gcacgctgcc ggctcgggga 3540 tgegggggga gegeeggace ggageggage ceegggegge tegetgetge eceetagegg 3600 gggagggacg taattacate cetgggget ttggggggg gctgtcccg tgagcggatc 3660 cgcggcccg tatccccag gtgtctgcag gctcaaagag cagcgagaag cgttcagagg 3720 aaagcgatcc cgtgccacct tccccgtgcc cgggctgtcc ccgcacgetg ccggctcggg 3780 gatgeggggg gagegeegga ceggagegga geceegggeg getegetget geceectage 3840 gggggaggga cgtaattaca tecetggggg ctttgggggg gggetgteec cgtgagegga 3900 teegeggeee egtateece aggtgtetge aggeteaaag agcagegaga agegtteaga 3960 ggaaagegat ceegtgecae effeceegtg ceegggetgt ceeggaege tgeeggeteg 4020 gggatgcggg gggagcgcg gaccggagcg gagcccggg cggctcgctg ctgccccta 4080 gcgggggagg gacgtaatta catcctggg ggctttgggg gggggctgtc cccgtgagcg 4140 gatccgcggc cccgtatccc ccaggtgtct gcaggctcaa agagcagcga gaagcgttca 4200 gaggaaageg atceegtgee acetteeceg tgeeeggget gteecegeae getgeegget 4260 eggggatgeg gggggagege eggaceggag eggageeeeg ggeggetege tgetgeeeee 4320 tageggggga gggacgtaat tacatecetg ggggetttgg gggggggetg teceegtgag 4380 eggateegeg geceegtate ecceaggtgt etgeaggete aaagageage gagaagegtt 4440 cagaggaaag cgatcccgtg ccaccttccc cgtgcccggg ctgtccccgc acgctgccgg 4500 ctcggggatg cgggaccgg gccggaccgg agggaggccc cgggaggggcc cgggaggggcc cctaccgggg gagggacgta attacatccc tgggggggctt ggggggggc tgtccccgtg 4620 cccctagcgg gggaggacg taattacatc cctgggggct ttgggggggg gctgtccccg 4860 tgagcggatc cgcggggctg caggaattcg taatcatggt catagctgtt tcctgtgtga 4920 aattgttatc cgctcacaat tccacacaac atacgagccg gaagcataaa gtgtaaagcc 4980 tggggggct aatgggag ctaactcaca ttaattgcgt tgcgctcact gcccgctttc 5040 cagtegggaa acetgtegtg ceagetgeat taatgaateg gecaaegege ggggagagge 5100 ggtttgegta ttgggegete tteegettee tegeteaetg actegetgeg eteggtegt 5160 eggetgegge gageggtate ageteaeta aaggeggtaa taeggttate cacagaatea 5220 ggggataacg caggaaagaa catgtgagca aaaggccag gaaccgtaaa 5280 aaggccgct tgctggcgtt tttccatagg ctcgcccc ctgacgagca tcacaaaaa 5340 cgacgctcaa gtcagaggg gcgaaacccg acaggactat aaagatacca ggcgtttccc 5400 cetggaaget cectegtgeg etetectgtt cegaceetge egettacegg atacetgtee 5460 gcctttctcc cttcgggaag cgtggcgctt tctcatagct cacgctgtag gtatctcagt 5520 tcggtgtagg tcgttcgctc caagctgggc tgtgtgcacg aaccccccgt tcagcccgac 5580 cgctgcgcct tatccggtaa ctatcgtctt gagtccaacc cggtaagaca cgacttatcg 5640

```
ccactggcag cagccactgg taacaggatt agcagagcga ggtatgtagg cggtgctaca 5700
gagttettga agtggtggcc taactacggc tacactagaa ggacagtatt tggtatetgc 5760
gctctgctga agccagttac cttcggaaaa agagttggta gctcttgatc cggcaaacaa 5820
accaccgctg gtagcggtgg tttttttgtt tgcaagcagc agattacgcg cagaaaaaaa 5880
ggateteaag aagateettt gatetttet aeggggtetg aegeteagtg gaacgaaac 5940
tcacgttaag ggattttggt catgagatta tcaaaaagga tcttcaccta gatcctttta 6000
aattaaaaat gaagttttaa atcaatctaa agtatatatg agtaaacttg gtctgacagt 6060 taccaatgct taatcagtga ggcacctatc tcagcgatct gtctattcg ttcatccata 6120 gttgcctgac tccccgtcgt gtagataact acgatacggg agggcttacc atctggcccc 6180
gttgctgca tccccgtcgt gtagataact acgatacgg agggcttacc atctggccc 6180 agtgctgcaa tgatacggg agacccacgc tcaccggctc cagatttatc agcaataaac 6240 cagccagccg gaagggccga gcgcagaagt ggtcctgcaa ctttatccgc ctccatccag 6360 gttgttgcca ttgctacagg catcgtggtg tcacgctcgt cagttaatag tttgcgcaac 6360 gttgttgcca ttgctacagg catcgtggtg tcacgctcgt cgttggtat ggcttcattc 6420 agctccggtt cccaacgatc aaggcgagtt acatgatccc ccatgttgtg caaaaaaagcg 6480 gttagctcct tcggtcctcc gatcgttgt agaagtaagt tggccgcagt gttatcactc 6540 atggttatgg cagcactgca taattctctt actgtcatgc catccgtaag atgctttct 6600 gtgagtggt agaatagt agaatagt gtatccacg accaacttcc 6660
gtgactggtg agtactcaac caagtcattc tgagaatagt gtatgcggcg accgagttgc 6660
tettgecegg egteaatacg ggataatace gegecacata geagaacttt aaaagtgete 6720 atcattggaa aacgttette ggggegaaaa eteteaagga tettaeeget gttgagatee 6780 agttegatgt aacceacteg tgeacecaac tgatetteag catetttac ttteaceage 6840
gtttctgggt gagcaaaaac aggaaggcaa aatgccgcaa aaaagggaat aagggcgaca 6900
 cggaaatgtt gaatactcat actcttcctt tttcaatatt attgaagcat ttatcagggt 6960
 tattgtctca tgagcggata catatttgaa tgtatttaga aaaataaaca aataggggtt 7020
 ccgcgcacat ttccccgaaa agtgccacct gacgtagtta acaaaaaaa gcccgccgaa 7080
gegggettta ttaccaageg aagegecatt egecatteag getgegaac tgttgggaag 7140 ggegateggt gegggeetet tegetattac gecagetgge gaaaggggga tgtgetgeaa 7200 ggegattaag ttgggtaacg ceagggttt eecagteaeg aegttgtaaa aegaeggea 7260
ggegattaag ttgggtaacg ccagggtttt cccaggcacg acgttgtaad acgacggcaa 7260 gtccgtaata cgactcactt aaggccttga ctagagggtc gacggtatac agacatgata 7380 agatacattg atgagtttgg acaaaccaca actagaatgc agtgaaaaaaa atgctttatt 7380 tgtgaaaattt gtgatgcat tgctttattt gtaaccatta taagctgcaa atgctttatt 7380 aggggtgggcg aagaactca gcatgagatc cccaggcgtgg aggatcatcc agccggcgtc 7500 ccggaaaaccg attccgaagc ccaacctttc atagaaggcg gcggtggaat cgaaatctcg 7560
                                                                                                                                   7600
 tagcacgtgt cagtcctgct cctcggccac gaagtgcacg
 <210> 116
 <211> 7631
 <212> DNA
 <213> Artificial Sequence
 <223> p18attBZeo5'6XHS4eGFP Plasmid
 cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg cacccacac caggccaggg tgttgtccgg caccacctgg 180
 tectggaceg egetgatgaa cagggteacg tegtecegga ecacacegge gaagtegtee 240
 tocacgaagt coogggagaa coogageogg toggtocaga actogacoge tooggogacg
                                                                                                                                  300
 tegegegegg tgageacegg aacggeactg gtcaacttgg ccatggatce agattteget 360 caagttagta taaaaaagca ggettcaate etgeagagaa gettgatate gaatteetge 420 ageecegegg ateegetcae ggggacagee ecceccaaa geececaggg atgtaattae 480
 gtccctccc cgctaggggg cagcagcgag ccgcccgggg ctccgtccc gtccggcgct 540 ccccccgat ccccgagccg gcagcgtgcg gggacagcc gggcacgggg aaggtggcac 660 gggatcgctt tcctctgaac gcttctcgct gctctttgag cctgcagaca cctgggggat 660 acggggcgc ggatccgct acggggacag cccccccca aagccccaag ggatgtaatt 720 acggscatag
 aattacgtcc ctcccccgct agggggcagc agcgagccgc ccggggctcc gctccggtcc 1260
 ggcgctcccc ccgcatcccc gagccggcag cgtgcggga cagccgggc acggggaagg 1320 tggcacggga tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg 1380 ggggatacgg ggccgcggat ccgctcacgg ggacagcccc cccccaaagc ccccagggat 1440
```

						1 - 0 0
gtaattacgt	ccctcccccg	ctagggggca	gcagcgagcc	gcccggggct	ccgctccggt	T200
caaaaaataa	accordated	ccaaaccaac	agcatacaaa	gacagecegg	gcacggggaa	T200
	gatcgctttc	atatassaga	ttctcactac	tetttgagee	tgcagacacc	1620
ggrggcacgg	gategettte	Cicigaacge		000005050	accadasada	1680
tgggggatac	agaaccacaa	atccgctcac	ggggacagcc	CCCCCCCaaa	gcccccaggg	1740
atotaattac	atacatacaa	cactagaga	caccaccaaq	ccqcccqqqq	cucagataga	7140
atacacact	aaaaaaaaat	ccccaageeg	acaacataca	gggacagccc	gggcacgggg	TOOO
gcccggcgcc	gggatcgctt	tectetgaac	actteteact	actetttaaa	cctgcagaca	1860
aaggrggcac	gggattgtt	cccccgaac	attattaata	gtaatcaatt	acggggtcat	1920
cctgggggat	acggggcggg	ggatecacta	gitattaata	t	accordata	1980
+	cccatatata	gagttccgcg	ttacataaci	Lacquiaaai	ggcccgcccg	1700
-ata-aaaaa	4224424CCC	cacccattaa	cotcaataat	gacgtatgtt	CCCatagiaa	4040
access to acc	asatttaat	tracotraat	aggragacta	tttacqqtaa	actigodoact	2100
cyccaacagg	tcaagtgtat	datataccas.	gtacgcccc	tattgacgtc	aatgacggta	2160
tggcagtaca	ccaaguguau	Catatyccaa	teracettete	casatttact	acttoocagt	2220
aatggcccgc	ctggcattat	gcccagtaca	tgacettatg	ggactttttt	acceggeage	2220
agatotacot	attactcatc	octattacca.	taaatcaaaa	tgageceeac	getergetee	4200
actotococa	tetecccccc	ctccccaccc	ccaattttqt	attialitai	LLLLLaatta	2340
ttttataaaa	cgatgggggc	aaaaaaaaaa	aaaacacaca	ccaqqqqqq	cggggcgggg	2400
Lectigegeag	ggcgggggga	999999999	tacaacaaca	gccaatcaga	acaacacact	2460
cgaggggcgg	ggcggggcga	ggcggagagg		geotatoaga	2-22-2-2-	2520
ccgaaagttt	ccttttatgg	cgaggcggcg	acaacaacaa	CCCCacaaa	agegaagege	2500
acarcacaca.	agaatcacta	cattaccttc	accccatacc	CCGCCCCGCG	ccgccccgcg	2300
~~~~~~~~~	caactetaac	taaccacatt	actcccacag	ataaacaaac	gggacggccc	2040
ttataataaa	ggctgtaatt	agggettagt	ttaatgacgg	ctcatttctt	ttctgtggct	2700
ttettettet	cttaaagggc	1303000330	ccetttatac	adadadaaac	gact.cagaga	2760
gcgtgaaagc	cttaaagggc	Leegggaggg	cccccgcgc	99999999	ggaggaggta	2820
gtgcgtgcgt	gtgtgtgtgc	gtggggagcg	ccgcgtgcgg	ecegegetge	ccggcggccg	2020
tasaaaataa	addededded	caaaacttta	tacactccac	quququguga	9999494949	2000
annagagaaa	ataccccaca	atacaaaaa	actacaaaqq	qaacaaaggc		2310
900999909	gggggggtga	acacacata	taggegegge	aatcaaacta	taacccccc	3000
grararacar	9999999	9009999909	aggagagatt	caaatacaaa	actecataca	3060
ctgcaccccc	ctccccgagt	tgetgageae	ggeeeggeee		gottogggg	3120
anacataca	caracteae	cataccaaac	aaaaaataac	qqcagguggg	9909009990	J.220
~~~~~~~~~~	cacctcaaac	caaaaaaaac	tcaaaaaaaa	ggcgcgg	ccccggagcg	2200
	terarrece	acaaaccaca	accattacct	LLLALYYLAA	cegegegege	J
ccggcggccg	acttcctttg	tecesastet	aucadaacca	aaatctggga	gacaccacca	3300
gggcgcaggg	acceceteg		+aaaaaaaa	acaddaadda	aatggggggg	3360
caccccctct	agcgggcgcg	ggcgaagcgg	cgcggcgccg	gcaggaagga	tacagagatac	3420
apararette.	atacatcacc	acaccaccat	CCCCTTCTCC	aceceagee	ccggggccgc	3420
	caactacett	caaaaaaaac	aaaacaaaac	addattcadc	LLLLGGLGLG	3400
+~~~~~~~~	at at a dadee	tergeraace	atottcatuc		CLCCCacago	J
testesses	cgtgctggtt	attatactat	ctcatcattt	taacaaaqaa	ttcgccacca	3600
teetgygeaa	cgcgccggcc		cactactacc	catcctggtc	gagetggaeg	3660
tggtgagcaa	gggcgaggag	etgiteadeg	gggtggtgct		gagectaca	3720
gcgacgtaaa	cggccacaag	ttcagcgtgt	ccggcgaggg	cgagggcgat	gccacctacg	2700
~~~~~~~~~~	CCTCSSCTC	arcrocacca	CCGGCaaGCC	quucuququu	cggcccacc	
tactandan	cetracetae	aacatacaat	acttcaqccq	Ctaccccqac	cacacgaage	5010
	cttcaagtcc	ggestaccca	aaggetaegt	ccaggagcgc	accatcttct	3900
ageaegaeee	Cittaagicc	gecaegeeeg	aaggaataga	attenagnee	gacaccctgg	3960
tcaaggacga	cggcaactac	aagacccgcg	tegaggegaa	9000949999	ctacacacaca	4020
tgaaccgcat	cgagctgaag	ggcatcgact	ccaaggagga	cygcaacatc		4090
taraata	caactacaac	acccacaaco	CCCalalcal	qqccqacaag	cagaagaacg	
acatassaat	- rearttraar	arccoccaca	acattuauua	Cuucaycycy	cagecegees	
	~~~~~~~~~	cccatcggcg	acooccccat	actactact	gacaaccacc	1200
accaccacca	ccagtccgcc	atasacssa	accccaacga	gaagcgcgat	cacatggtcc	4260
accigageac	ccagcccgcc	cegageadag	atataaaaat	gracearcta	tacaagtaag	4320
tgctggagtt	cgtgaccgcc	geegggatea	Cocceggeat	ggacgagotg	cacaataccc	4380
	transtaraa	gctgcctatc	adaaqqtqqt	qqctqqtgtg	gccaatgccc	1000
+~~~+~~~	ataccactca	gatettttt	cctctqccaa	aaattatqqq	yacaccacga	4440
	- aastataaat	tetaggeraar	aaaqqaaatt	Latiticati	gcaacagcgc	100
		tractrograa	ggacatatgg	dauuucaaac	Latttaaaac	-100
geeggaacee	gtatttggtt	boacceggaa	. ggadatatgg	catatoctoo	ctoccatoaa	4620
atcagaatga	gtatttggtt	tagagtttgg	Caacacacgc	cacatgotgg	casttactta	4680
	+-+	rcarcagrar	ardadacauc		CCACCCCCC	~~~
++~~>+>	aagggttgac	rraaaarraa	accilicita	Latitugit	Lycyccaco	
++++~+++	catecetasa	attttcctta	catquittac	tayccayatt		4000
teeteootaa	tcccagtcat	acctatacat	cttctcttat	gaagatccct	cgacctgcag	4860
	catgcctgca	~~+~~~~+	agaggatgg	caaataccaa	gctcgaattc	4920
cccaagcttg	cargeergea	ggudgadudu		. cocctcaccy	ttccacacaa	4980
- atsatested	tratagetat	ttcctatata	r aaattuttat	. CCGCCCacaa	LLLCatataa	
- cataccacc	' ccaaccataa	agtgtaaagg	. CEGGGGGGGG	: Laalyayiya	gctaactcac	2040
	: ttacactcac	tacccacttt	ccaqueqqq	aacctqtcqt	quuaguigua	2100
- ttastasata		്രവസ്ത്രവരവ	rcaatttacat	. attqqqcqcqc	. Cluccycic	2100
-basebase	gactcgctgc	~3333~3~33	tragetacas	cgagcggtat	cageteacte	5220
ctcgctcact	gactegetge	gologgiogi		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	acatotoaco	5280
22244444	atacccttat	- ccacagaatc	addyyataac	; qcaqqaaaqa	acacgegage	2200
222244444	. ~~~~~~~~~	ggaaccgtaa	aaaqqccqcq	Luquuququ	LLLLLCalag	2240
~~t~~~~~~	· ootasaaaa	tcacaaaaa	rcaacactca	ı adıcadayı	quegaaacce	2400
decedents 200003000	taaagatacc	aggcatttcc	ccctggaagc	tecetegtge	gctctcctgt:	5460
300033000	- Janagacaco				_	

```
tecgacectg ecgettaceg gatacetgte egeetttete cettegggaa gegtggeget 5520
ttctcatagc tcacgctgta ggtatctcag ttcggtgtag gtcgttcgct ccaagctggg 5580 ctgtgtgcac gaaccccccg ttcagcccga ccgctgcgcc ttatccggta actatcgtct 5640
                                                                                                                         5580
tgagtccaac ccggtaagac acgacttatc gccactggca gcagccactg gtaacaggat 5700 tagcagagc aggtatgtag gcggtgctac agagttcttg aagtggtggc ctaactacgg 5760 ctacactaga aggacagtat ttggtatctc cgctctgctg aagccagtta ccttcggaaa 5820
ctacactaga aggacagtat trggtatctg cgctctgctg aagccagtta ccttcggaaa 5820 aagagttggt agctcttgat ccggcaaaca aaccaccgct ggtagcggtg gtttttttgt 5880 ttgcaagcag cagattacgc gcagaaaaaa aggatctaa gagatcttt tgatcttttt 5940 tacaggggtct gacgctcagt ggaacgaaaa ctcacgttaa gggattttgg tcatgagatt 6000 aactaaaaagg atcttcacct agatccttt aaattaaaaa tgaagttta aatcaatcta 6060 aagtatatat gagtaaactt ggtctgacag ttacacaatgc ttaatcagtg aggcactat 6120 ctcagggata cgagagggttac catctaggg cagagggtaa accaccg gagaggctaa 6240
tacgatacgg gagggcttac catctggccc cagtgctgca atgataccgc gagacccacg 6240
ctcaccggct ccagattat cagcaataaa ccagccagcc ggaagggccg aggccagaag 6300 tggtcctgca acttatccg cctccatcca gtctattaat tgttgccgg aagctagagt 6360 aagtagttcg ccagttaata gtttgcgcaa cgttgttgcc attgctacag gcatcgtggt 6420 gtcacgctcg tcgtttggta tggcttcatt cagctccggt tcccaacgat caaggcgagt 6480
tacatgatcc cccatgttgt gcaaaaaagc ggttagctcc ttcggtcctc cgatcgttgt 6540 cagaagtaag ttggccgcag tgttatcact catggttatg gcagcactgc ataattctct 6600
tactgicatg ccatccgtaa gatgetttte tgtgactggt gagtactcaa ccaagtcatt 6660
ctgagaatag tgtatgcggc gaccgagttg ctcttgcccg gcgtcaatac gggataatac 6720 cgcgccacat agcagaactt taaaagtgct catcattgga aaacgttctt cggggcgaaa 6780
acteteaagg atettacege tetteagate cagttegate taacceaete gtgcacceaa 6840 etgatettea geatetttta ettteacege egtteetegge tegageaaaaa caggaaggea eaaatgeegea aaaaagggaa taaggeegae aeggaaatgt tegaatactea taetetteet 6960
ttttcaatat tattgaagca tttatcaggg ttattgtctc atgagcggat acatatttga 7020 atgtatttag aaaaataaac aaatagggt tccgcgcaca tttcccccgaa aagtgccacc 7080
tgacgtagtt acaaaaaaa agccgcga agcgggcttt attaccaagc gaagcgcat 7140 tcgccattca ggctgcgcaa ctgttgggaa gggcgatcgg tgcgggcctc ttcgctatta 7200 cgccagctgg cgaaaggggg atgtgctgca aggcgattaa gttgggtaac gccagggtt 7260 tcccagtcac gacgttgtaa aacgacggcc agtccgtaat acgactcact taaggccttg 7320
 actagagggt cgacggtata cagacatgat aagatacatt gatgagtttg gacaaaccac 7380
 aactagaatg cagtgaaaaa aatgctttat ttgtgaaatt tgtgatgcta ttgctttatt 7440
 tgtaaccatt ataagctgca ataaacaagt tggggtgggc gaagaactcc agcatgagat 7500 ccccgcgctg gaggatcatc cagccggcgt cccggaaaac gattccgaag cccaaccttt 7560
 catagaaggc ggcggtggaa tcgaaatctc gtagcacgtg tcagtcctgc tcctcggcca 7620
 cgaagtgcac g
 <210> 117
 <211> 4615
 <212> DNA
  <213> Artificial Sequence
 <220>
 <223> p18attBZeo6XHS4 Plasmid
  <400> 117
 cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120
 tacagetegt ccaggeegeg cacceacace caggeeaggg tgttgteegg caccacetgg 180 teetggaceg egetgatgaa cagggteacg tegteeegga ceacacegge gaagtegtee 240
 tecaegaagt ceegggagaa ceegageegg teggteeaga actegacege teeggegegg teggeacegg gteaacttegg ceatggatee agattteget 360 caagttagta taaaaaagea ggetteaate etgeagagaa gettgeatge etgeaggteg 420
 actotagtgg atcoccogcc cogtateccc caggtgtctg caggetcaaa gagcagcgag 480
 aagcgttcag aggaaagcga tcccgtgcca ccttccccgt gcccgggctg tccccgcacg 540
 etgeeggete ggggatgegg ggggagegee ggaceggage ggageecegg geggeteget 600 getgeeceet ageggggag ggacgtaatt acatecetgg gggetttggg ggggggetgt 660 cecegtgage ggateegeg cecegtatee eccaggtgte tgeaggetea aagageageg 720
 agaagegtte agaggaaage gatecegtge cacetteece gtgeeeggge tgteeegga 780
  ctgctgcccc ctagcggggg agggacgtaa ttacatccct ggggggctttg ggggggggct 900 gtccccgtga gcggatccgc ggccccgtat cccccaggtg tctgcaggct caaagagcag 960
  cgagaagcgt tcagaggaaa gcgatcccgt gccaccttcc ccgtgcccgg gctgtccccg 1020
```

```
agegagaage gtteagagga aagegateee gtgeeacett ceeegtgeee gggetgteee 1260
cgcacgctgc cggctcgggg atgcggggg agcgccggac cggaggggg cccggggggg 1320 ctcgctgctg ccccctagcg gggagggac gtaattacat ccctggggc tttggggggg 1380 ggctgtcccc gtgagcggat ccggggccc gtatcccca ggtgtctgca ggctcaaaga 1440 gcagcgagaa gcgttcaga ggatgcgggg ggatgcgcgg agccccgggc 1500 ggctcgctgc tgcccctaa gggggaggg agcgccggg agccccggg 1560 ggctcgtcgc tgcccctaa cgggggaggg acctatccc caaggttttg caggctcaaa 1680
 ggggctgtcc ccgtgagcgg atccgcggcc ccgtatcccc caggtgtctg caggctcaaa 1680 gagcagcgag aagcgttcag aggaaagcga tcccgtgcca ccttccccgt gcccgggctg 1740
teccegcaeg etgeeggete ggggatgegg ggggatgege ggacceggg ggagcecegg 1800 ggggggetgt eccegtgage ggatcegeg ggacgtaatt acatceetgg gggetttegg 1860 ggggggetgt eccegtgage ggatcegegg ggetgeagga attegtaate atggteatag 1920 etgttteetg tgtgaaattg ttateegete acaatteeae acaacataeg ageeggaage 1980
ataaagtgta aagcetgggg tgcctaatga gtgagctaat tcactacta at tgcgttgcgc 2040 tcactgcccg ctttccagtt gggaaacctg tcgtgccagc tgcattaatg aatcggccaa 2100 cgcgcgggga gaggcggttt gcgtattggg cgctcttccg ctcctcgct cactgactcg 2160 ctgcgctcgg tcgttcggct gggaagcg gtatcagctc actcaaaggc ggtaatacgg 2220 ttatcgcacag aatcaggga taacggaaga aagaacatgt gagcaaaaag ccaggaagg 2220
 ttatccacag aatcaggga taacgcagga aagaacatgt gagcaaaagg ccagcaaaag 2280 gccaggaacc gtaaaaaggc cgcgttgctg gcgtttttcc ataggctccg cccccctgac 2340
gccaggaacc gtaaaaaggc cgcgttgctg gcgttttcc ataggctccg ccccctgac 2340 gagcatcaca aaaatcgacg ctcaagtcag aggtggcgaa acccgacagg actataaaga 2400 taccaggcgt ttccccttgg aagctcctc gtgcgctctc ctgttccgac cctgccgctt tctcccttcg ggaagcgtgg cgctttctca taggtcagc cccgttcagc ccgaccgctg cgccttatcc ggtaactatc gtcttgagtc caacccggta 2520 ggaagcagac actggtaaca ggattagcag agcagagtat ctgagcgtgg ctacagagt ctgaagcac actggtaaca ggattagcag agcgaggtat 2700 gtatttggta tctgcgcta tctgagcgaa aacaaacac cgctggtagc ggtggtttt ttgtttgaa gcagcagat tcgagagaca acaaacac cgctggtagc ggtggtttt ttgtttgcaa gcagcagat 2880 agcggagaa aaaaaggat tcaagaagat cctttgatct tctaccct 2940
  acgcgcagaa aaaaaggatc tcaagaagat cctttgatct tttctacggg gtctgacgct 2940 cagtggaacg aaaactcacg ttaagggatt ttggtcatga gattatcaaa aaggatcttc 3000 acctagatcc ttttaaatta aaaatgaagt tttaaatcaa tctaaagtat atatgagtaa 3060
  acttggtctg acagttacca atgcttaatc agtgaggcac ctatctcagc gatctgtcta 3120 tttcgttcat ccatagttgc ctgactcccc gtcgtgtaga taactacgat acgggagggc 3180
  ttaccatctg gcccagtgc tgcaatgata ccgcgagacc cacgctcacc ggctccagat 3240
   ttatcagcaa taaaccagcc agccggaagg gccgagcgca gaagtggtcc tgcaacttta 3300
  teegecteea teeagtetat taattettee eggaageta eggaageta gagtagtee tegeaaettta 3300 teegeeteea teeagtetat taattettee eggaageta eggtateete teegeteeteeteeggaageta eggtateeteeggaageta eggtateeteeggaageta eggtateeteeggaageta eggtateeteeggaageta eggtateeteeggaageta eggateeteeggaageta eggateeteeggaageta eggateeteeggaageta eggateeteeggaageta eggateeteeggaageta eggateeteeggaageta eggateeggaageta eggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateeggateegg
   gtaagatget tttetgtgae tggtgagtae teaaccaagt cattetgaga atagtgtatg 3660
  eggegacega gttgetettg eceggegtea atacgggata atacegegee acatageaga 3720 actttaaaag tgeteateat tggaaaacgt tettegggge gaaaactete aaggatetta 3780 eeggetgttga gatecagtte gatgtaacee actegtgeae ecaactgate tteageatet 3840
   tttactttca ccagcgtttc tgggtgagca aaaacaggaa ggcaaaatgc cgcaaaaaag 3900
   ggaataaggg cgacacggaa atgttgaata ctcatactct tcctttttca atattattga 3960 agcatttatc agggttattg tctcatgagc ggatacatat ttgaatgtat ttagaaaaaat 4020 aaacaaatag gggttccgcg cacatttccc cgaaaagtgc cacctgacgt agttaacaaa 4080
   tatacagaca tgataagata cattgatgag tttggacaaa ccacaactag aatgcagtga 4380
   aaaaaatgct ttatttgtga aatttgtgat gctattgctt tatttgtaac cattataagc 4440 tgcaataaac aagttgggt gggcgaagaa ctccagcatg agatccccgc gctggaggat 4500 catccagccg gcgtcccgga aaacgattcc gaagcccaac ctttcataga aggcggcggt 4560 ggaatcgaaa tctcgtagca cgtgtcagtc ctgctcctcg gccacgaagt gcacg 4615
    <210> 118
    <211> 17384
```

<sup>&</sup>lt;212> DNA

<sup>&</sup>lt;213> Artificial Sequence

<sup>&</sup>lt;220>

<sup>&</sup>lt;223> pFK161 Plasmid

<sup>&</sup>lt;400> 118

gcgcacgagg gagettccag ggggaaacge etggtatett tatagteetg teggggttte 60 gccacctctg acttgagcgt cgatttttgt gatgctcgtc aggggggcgg agcctatgga 120 aaaacgccag caacgcggcc tttttacggt tcctggcctt ttgctggcct tttgctcaca 180 tgttctttcc tgcgttatcc cctgattctg tggataaccg tattaccgcc tttgagtgag 240 ctgatacege tegecgage egaacgaceg agegaagega gteagtgage gaggaagegg 300 aagaggegetg actteegegt tecagactt tacgaaacac ggaaacegaa gaccatteat 360 gttgttgete aggtegaaa egttttgeag eageagetge tecageget tecageget tecageget eeteagete eegaaacega egttttgeag eggaaacega eeteagegga eeteaacga eegaaggeaa eecegeegge eeteaacega 480 aggagacaga tecatgegaa eegteagaa eageagaaa aatgatatat tegtgaaatt tegtgaaatt tegtgaaatt tegtgateta 600 attgettatt tegtaaceatt ataagetgea ataaacaagt taacaacaac eastegate eegaaggtat eggaaggtat taacaacaac taaaacetet 720 attttatgtt tcaggttcag ggggaggtgt gggaggtttt ttaaagcaag taaaacctct 720 acaaatgtgg tatggctgat tatgatctct agtcaaggca ctatacatca aatattcctt 780 attaacccct ttacaaatta aaaagctaaa ggtacacaat ttttgagcat agttattaat 840 agcagacact ctatgcctgt gtggagtaag aaaaaacagt atgttatgat tataactgtt 900 atgcctactt ataaaggtta cagaatattt ttccataatt ttcttgtata gcagtgcagc 960 tttttccttt gtggtgtaaa tagcaaagca agcaagagtt ctattactaa acacagcatg 1020 actcaaaaaa cttagcaatt ctgaaggaaa gtccttgggg tcttctacct ttctcttctt 1080 ttttggagga gtagaatgtt gagagtcagc agtagcctca tcatcactag atggcatttc 1140 ttctgagcaa aacaggtttt cctcattaaa ggcattccac cactgeteec attcatcagt 1200 tocataggtt ggaatctaaa atacacaaac aattagaatc agtagtttaa cacattatac 1260 acttaaaaat tttatattta ccttagagct ttaaatctct gtaggtagtt tgtccaatta 1320 tgtcacacca cagaagtaag gttccttcac aaagatccgg accaaagcgg ccatcgtgcc 1380 tccccactcc tgcagttcgg gggcatggat gcgcggatag ccgctgctgg tttccttggat 1440 gccgacggat ttgcactgcc ggtagaactc gcgaggtcgt ccagcctcag gcagcagctg 1500 aaccaactcg cgaggggatc gagcccgggg tgggcgaaga actccagcat gagatccccg 1560 cgctggagga tcatccagcc ggcgtcccgg aaaacgattc cgaagcccaa cctttcatag 1620 aaggeggegg tggaategaa atetegtgat ggeaggttgg gegtegettg gteggteatt 1680 tegaacecea gagteeget cagaagaac egteaagaag gegatagaag gegatgeget 1740 gegaateggg ageggegata eegtaaagea egaggaageg gteageceat tegeegeeaa 1800 getetteage atateaegg gtagecaaeg ctatgteetg atageggtee gecacaecea 1860 geeggeeaca gtegatgaat ceagaaaage ggeeatttte caccatgata tteggeaage 1920 aggeategee atgggteaeg acgagateet egeegteggg atgeggeet tgageetgge 1980 gaacagtteg getggegga gecetgatg etettegtee agateateet gategacaag 2040 accggettee atcegagtac gtgetegete gatgegatgt ttegettggt ggtegaatgg 2100 gcaggtagcc ggatcaagcg tatgcagccg ccgcattgca tcagccatga tggatacttt 2160 cteggeagga geaaggtgag atgacaggag atcetgeece ggeaettege ceaatageag 2220 ceagteett ceegetteag tgacaaegte gageaegeae gatageegeg etgeetge etgeagtea tteagggae eggeaggte 2340 ggtcttgaca aaaagaaccg ggcgccctg cgctgacagc cggaacacgg cggcatcaga 2400 gcagccgatt gtctgttgtg cccagtcata gccgaatagc ctctccaccc aagcggccgg 2460 agaacctgcg tgcaatccat cttgtcaat catgcgaaac gatcctcatc ctgtctcttg 2520 atcagatctt gatcccctgc gccatcagat ccttggcggc aagaaagcca tccagtttac 2580 tttgcagggc ttcccaacct taccagaggg cgccccagct ggcaattccg gttcgcttgc 2640 tgtccataaa accgcccagt ctagctatcg ccatgtaagc ccactgcaag ctacctgctt 2700 tetetttgeg ettgegttit ecettgteca gatageceag tagetgacat teateegggg 2760 teageacegt tretgeggae tggettteta egtgtteege treetttage agecettgeg 2820 eeetgagtge treeggeage gtgaaagett treegaaaag eetaggeete caaaaaagee 2880 tecteactae teetggaata geteagagge egaggeggee taaataaaaa aaattagtea 2940 tegaggtgge ceggetecat geacegegae geaaegeggg gaggeagaea aggtataggg 3420 eggegeetae aatecatgee aaceegttee atgtgetege egaggegeat aaategeegt 3480 gacgatcage ggtccaatga tcgaagttag gctggtaaga gccgcgagcg atcettgaag 3540 ctgtccctga tggtcgtcat ctacctgcct ggacagcatg gcctgcaacg cggcatcccg 3600 atgccgccgg aagcgagaag aatcataatg gggaaggcca tccagcctcg cgtcgcgaac 3660 gccagcaaga cgtagcccag cgcgtcgggc cgccatgccg gcgataatgg cctgcttctc 3720 gccgaaacgt ttggtggcgg gaccagtgac gaaggcttga gcgagggggt gcaagattcc 3780 gaataccgca agcgacaggc cgatcatcgt cgcgctccag cgaaagcggt cctcgccgaa 3840 aatgacccag agcgctgccg gcacctgtcc tacgagttgc atgataaaga agacagtcat 3900 aagtgeggeg acgatagtea tgeecegege ceaceggaag gagetgaetg ggttgaagge 3960 teteaaggge ateggtegae geteteeett atgegaetee tgeattagga ageageecag 4020 tagtaggttg aggccgttga gcaccgccgc cgcaaggaat ggtgcatgca aggagatggc 4080 geccaacagt ceceeggeca egggeetgee accataceca egeegaaaca agegeteatg 4140 agecegaagt ggegageeeg atetteeeca teggtgatgt eggegatata ggegeeagea 4200 accgcacctg tggcgccggt gatgccggcc acgatgcgtc cggcgtagag gatcttggca 4260 gtcacagcat gcgcatatcc atgcttcgac catgcgctca caaagtaggt gaatgcgcaa 4320 tgtagtacce acategteat egetttecae tgetetegeg aataaagatg gaaaatcaat 4380 ctcatggtaa tagtccatga aaatccttgt attcataaat cctccaggta gctatatgca 4440 aattgaaaca aaagagatgg tgatctttct aagagatggt ggaatctccc ttcagtatcc 4500 cgatggtcaa tgcgctggat atgggataga tgggaatatg ctgattttta tgggacagag 4560 ttgcgaactg ttcccaacta aaatcatttt gcacgatcag cgcactacga actttaccca 4620 caaatagtca ggtaatgaat cctgatataa agacaggttg ataaatcagt cttctacgcg 4680 categeacge geacacegta gaaagtettt cagttgtgag cetgggcaaa cegttaactt 4740 teggeggett tgetgtgega caggeteacg tetaaaagga aataaateat gggteataaa 4800 attateacgt tgteeggeg ggegaeggat gttetgtatg egetgtttt cegtggege 4860 ttgetgtetg gtgatetgee ttetaaatet ggeacagega aattgegega gettggtttt 4920 getgaaacea gacacacage aactgaaagaa atcactttac etttetgaca 4980 tcagaagggc agaaatttgc cgttgaacac ctggtcaata cgcgttttgg tgagcagcaa 5040 tattgcgctt cgatgacgct tggcgttgag attgatacct ctgctgcaca aaaggcaatc 5100 gacgagetgg accagegeat tegtgacace gteteetteg aacttatteg caatggagtg 5160 teatteatea aggacgeege tategcaaat ggtgetatee acgeagegge aategaaaca 5220 cottoagoogg tgaccaatat ctacaacate agoottggta tocagogge tgaccaaca 5220 cagaacaagg taacogtcag tgccgataag ttcaaagtta aacottggta tgagccagag 5280 attgaaacgt tgatcgaaaa cgcgctgaaa aacgottgctg aattgagge gctggatgtc 5400 acaaagcaaaa tggcagcaga caagaaagggt gtatctggt ggcagtgccg tcgatagta 5520 gccatcatga tggaatgtt ccccggtggt gtatctggc agcagtgccg tcgatagtat 5520 gccattgata attattata gcaattgata attattatca tttgegggte ctttceggcg atccgccttg ttacgggggg 5580 gcgacctcgc gggttttcgc tatttatgaa aattttcegg tttaaggcgt ttccgttctt 5640 cttcgtcata acttaatgtt tttatttaaa ataccctctg aaaagaaagg aaacgacagg 5700 tgctgaaagc gagctttttg gcctctgtcg tttcctttct ctgtttttg ccgtggaatg 5760 aacaatggaa gtcaacaaa agcagctggc tgacattttc ggtgcaggta tccgtaccat 5820 tcagaactgg caggaacagg gaatgccgt tctgcagagg ggtggcaagg gtaatgaggt 5880 gcttatgac tctgccgccg tcataaaatg gtatgccga agggatgctg aaattgagaa 5940 cgaaaagctg cgccgggagg ttgaagaact gcgcaggcc agcgaggcag atccacagga 6000 cgaaatgctg cgccatcata cgggtgtggt cgccatgatc gcgtagtcga tagtggctcc aagtagcgaa gcgagcagga 6060 ctgggcggcg gcaaagcggt cggacagtgc tccgagaacg ggtgcgcata gaaattgcat 6120 caacgcatat agcgctagca gcacgccata gtgactggcg atgctgtcgg aatggacgat 6180 atcccgcaag aggcccggca gtaccggcat aaccaagcct atgcctacag catccagggt 6240 gacggtgccg aggatgacga tgagcgcatt gttagatttc atacacggtg cctgactgcg 6300 ttagcaattt aactgtgata aactaccgca ttaaagctta tcgatgataa gcggtcaaac 6360 gttctgtggg agaacggctg ttggccgct ccggcgcgac gtcggacgtg gggacccact 7860 gccgctcggg ggtcttcgtc ggtaggcatc ggtgtgtcgg catcggtctc tctctcgtgt 7920 cggtgtcgcc tcctcgggct cccggggggc cgtcgtgttt cgggtcggct cggcgctgca 7980 ggtgtggtgg gactgctcag gggagtggtg cagtgtgatt cccgccggtt ttgcctcgcg 8040

tgccctgacc ggtccgacgc ccgagcggtc tctcggtccc ttgtgaggac ccccttccgg 8100 gaggggcccg tttcggccgc cettgccgtc gtcgccggcc ctcgttctgc tgtgtcgttc 8160 cccctcccc gctcgccgca gccggtcttt tttcctctct cccccctct cctctgactg 8220 accegtggcc gtgctgtcgg accecccgca tgggggcggc cgggcacgta cgcgtccggg 8280 cggtcaccgg ggtcttgggg gggggccgag gggtaagaaa gtcggctcgg cgggcgggag 8340 gagctgtggt ttggagggcg tcccggcccc gcggccgtgg cggtgtcttg cgcggtcttg 8400 gagagggctg cgtgcgaggg gaaaaggttg ccccgcgagg gcaaagggaa agaggctagc 8460 agtggtcatt gtcccgacgg tgtggtggtc tgttggccga ggtgcgtctg gggggctcgt 8520 ccggccctgt cgtccgtcgg gaaggcgcgt gttggggcct gccggagtgc cgaggtgggt 8580 accetggegg tgggattaac ecegegege tgteeeggtg tggeggtggg ggeteeggte 8640 gatgtetace tecetetee egaggtetea ggeettetee gegegggete teggeeetee 8700 cetegttect ceetetegeg gggtteaagt egetegtega ecteeetee teegteette 8760 catetetege geaatggege egeeegagtt caeggtgggt tegteeteeg ceteegette 8820 tgtgtcgcgt cgggagcgtg tccgccccg cggcctaga cgcgggtgtc gccgggctcc 9120 gacgggtggc ctatccaggg ctcgcccccg ccgacccccg cctgcccgtc ccggtggtgg 9180 tegttggtgt ggggagtgaa tggtgetaee ggteatteee teeegegtgg titgaetgte 9240 tegeogytyt egegettete titteegecaa ecceeaegee aacceaecae cetgetetee 9300 cggcccggtg cggtcgacgt tccggctctc ccgatgccga ggggttcggg atttgtgccg 9360 gggacggagg ggagagcggg taagagagt gtcggagagc tgtcccgggg cgacgctcgg 9420 gttggctttg ccgcgtgcgt gtgctcgcgg acgggttttg tcggaccccg acggggtcgg 9480 tccggccgca tgcactctcc cgttccgcgc gagcgcccgc ccggctcacc cccggtttgt 9540 cctcccgcga ggctctccgc cgccgccgcc tcctcctct ctctcgcgct ctctgtcccg 9600 cctggtcctg tcccacccc gacgctccgc tcgcgcttcc ttacctggtt gatcctgcca 9660 ggtagcatat gettgtetea aagattaage catgcatgte taagtaegea eggeeggtae 9720 agtgaaactg cgaatggctc attaaatcag ttatggttcc tttggtcgct cgctcctctc 9780 ctacttggat aactgtggta attctagagc taatacatgc cgacgggcgc tgacccccct 9840 tcccgggggg ggatgcgtgc atttatcaga tcaaaaccaa cccggtgagc tccctcccgg 9900 ctccggccgg gggtcgggcg ccggcggctt ggtgactcta gataacctcg ggccgatcgc 9960 acgcccccg tggcggcgac gacccattcg aacgtctgcc ctatcaactt tcgatggtag 10020 degeceted tagesgate deceated designed acquired to the second of the seco ggaatgagtc cactttaaat cctttaacga ggatccattg gagggcaagt ctggtgccag 10260 cagccgcggt aattccagct ccaatagcgt atattaaagt tgctgcagtt aaaaagctcg 10320 cagecgeggt aattecaget ceatagegt atattaaagt tyetyeagte adatagetey 10320 tagttggate ttgggaegg gegggeggte egeeggaagg egagteaceg ecegteceeg 10380 eccettgeet eteggegee ectegatget ettagetgag tyteegegg ggeeggaage 10440 gtttaetttg aaaaaattag agtytteaaa geaggeegg geegeetgga tacegeaget 10500 aggaataatg gaataggae geggttetat tttgttggtt tteggaactg aggeeatgat 10560 taagagggae ggeegggga attegtattg egeegetaga ggtgaaatte tttgaegge 10620 geaagaegga ecagagggaa ageatttgee aagaatgttt teattaatea agaacgaaag 10680 toggaggtto gaagaogato agataoogto gtagttooga ocataaaoga tgoogaotgg 10740 cgatgcggcg gcgttattcc catgacccgc cgggcagctt ccgggaaacc aaagtctttg 10800 ggttccgggg ggagtatggt tgcaaagctg aaacttaaag gaattgacgg aagggcacca 10860 ccaggagtgg gcctgcggct taatttgact caacacggga aacctcaccc ggcccggaca 10920 cggacaggat tgacagattg atagetettt etegatteeg tgggtggtgg tgcatggeeg 10980 ttettagttg gtggagggat ttgtetggtt aatteegata acgaacgaga etetggcatg 11040 etaactagtt acgegacce egageggteg gegteecea acttettaga gggacaagtg 11100 gegtteagee accegagatt gagcaataac aggtetgtga tgeecttaga tgteegggge 11160 tgcaeggegg etacactgac tggeteageg tgtgeetaec etgegeegge aggegegggt 11220 aaccegttga accecatteg tgatggggat eggggattge aattatteec catgaacgag 11280 gaattcccag taagtgcggg tcataagctt gcgttgatta agtccctgcc ctttgtacac 11340 accgcccgtc gctactaccg attggatggt ttagtgaggc cctcggatcg gccccgccgg 11400 ggtcggccca cggccctggc ggagcgctga gaagacggtc gaacttgact atctagagga 11460 agtaaaagtc gtaacaaggt ttccgtaggt gaacctgcgg aaggatcatt aaacgggaga 11520 ctgtggagga gcggcggcgt ggcccgctct ccccgtcttg tgtgtgtcct cgccgggagg 11580 cgcgtgcgtc ccgggtcccg tcgcccgcgt gtggagcgag gtgtctggag tgaggtgaga 11640 gaaggggtgg gtggggtcgg tctgggtccg tctgggaccg cctccgattt cccctccccc 11700 teceetetee etegteegge tetgaeeteg ecaecetace geggeggegg etgetegegg 11760 gegtettgee tettteeegt eeggetette egtgtetaeg aggggeggta egtegttaeg 11820 ggtttttgac cegtcecgg ggggtteggt ggteggggg ggggttgte teteceggca 11880 cccatecceg cegeggetet ggettteta cgttggetgg ggeggttgte gegtgtgggg 11940 ggatgtgagt gtegegtgtg ggetegeceg tecegatgee acgetttet ggeetegegt 12000 gteetecceg etectgtee gggtacetag etgtegegtt eeggegegga ggtttaagga 12060

cccegggggg gtcgccctgc cgccccagg gtcgggggc ggtggggccc gtagggaagt 12120 cggtcgttcg ggcggctctc cctcagactc catgaccctc ctccccccgc tgccgccgtt 12180 cccgaggcgg cggtcgtgtg gggggtgga tgtctggagc cccctcgggc gccgtggggg 12240 cccgaccegc gccgccggct tgcccgattt ccgcgggtcg gtcctgtcgg tgccggtcgt 12300 gggttcccgt gtcgttccc tgtttttccc ctcccgacc tttttttttc ctcccccca 12360 cacgtgtctc gtttcgtcc tgctgccgg cctgaggcta ccctcggtc catctgtct 12420 cctcgttct gtttcgtccc tgctgccgg cctgaggcta cccctcggtc catctgttct 12420 cetetetete egggagagag agggeggtgg tegttggggg aetgtgeegt egteageace 12480 egtgagtteg etcacaceeg aaatacegat acgaetetta geggtggate acteggeteg 12540 tgcgtcgatg aagaacgcag ctagctgcga gaattaatgt gaattgcagg acacattgat 12600 catcgacact tcgaacgaca ttgcggcccc gggtcacc cggggctacg cctgtctgat 12720 cgtcggttga cgatcaatcg cgtcacccgc tgcggtggt gctgcgcggc tgggagtttg 12720 ctcgcagggc caacccccca acccgggtcg ggccctccgt ctcccgaagt tcagacgtgt 12780 gggeggttgt eggtgtggeg egeggeceg egtegeggag eetggtetee eeggeetet 12840 egegetegeg gettetteee getegeget tecegeette geeegtgeate 12900 geetegegte ggggeteee ggaeegetge eteaceagte ttteteggte eegtgeeeeg 12960 tgggaaceca eeggeeeee gtggegeeeg ggggtgggeg egteegeate tgetetggte 13020 ccgcgggacg ccgcggcgtc cgtgcgccga tgcgagtcac ccccgggtgt tgcgagttcg 13500 gggaggaga gggcctcgct gacccgttgc gtcccggctt ccctgggggg gacccgcgt 13500 ctgtgggctg tgcgtcccgg gggttgcgtg tgagtaagat cctccaccc cgccgcctc 13620 ccctcccgcc ggcctctcgg ggaccccctg agacggttcg ccggctctc ctccgtgcc 13680 gccgggtgcc gtctcttcc cgcccccc ctcgctctc tcttcccgcg gctgggcgcg 13740 tgtcccccct ttctgaccgc gacctcagat cagacgtggc gacccgctga atttaagcat 13800 attagtcagc ggaggaaaag aaactaacca ggattccctc agtaacggcg agtgaacagg 13860 gaagaggcca gcgccgaatc cccgccgcg gtcgcggct gggaaatgg gcgtacggaa 13920 gacccactcc ccggcgccgc tcgtgggggg cccagcccg 13980 gacccactcc ccggcgcgc tcgggggg cccagcccg 13980 tggaccggtgt gaggacggtgt gaggacggtgt cccagcccg 14040 tggacggtgt gaggccggta gcggcccggg cgcgccgggc tcgggtcttc ccggagtcgg 14040 gttgettggg aatgeaggta geggeeggg gtaaacteca tetaaggeta aataceggea 14100 cgagacegat agteaacaag tacegtaagg gaaagttgaa aagaactttg aagagagagt 14160 teaagaggge gtgaaacegt taagaggtaa aegggtggg teeggeagt cegeeggag 14220 gatteaace ggeggegeg gteeggeegt geeggtggt eeeggeggat ettteeget 14280 eeegtteet eeegaceet caaceegge gtegtteee tetteetee eggeteegge 14340 ggcggtgcgc cgcgaccggc tccgggacgg ccgggaaggc ccggtgggga aggtggctcg 14520 gggggggggg cgcgtctcag ggcgcccga accacctcac cccgagtgtt acagccctcc 14580 ggccgcgctt tcgccgaatc ccggggccga ggaagccaga tacccgtcgc cgcgctctcc 14640 ctetecece gteegeetee egggegggeg tgggggtggg ggeegggeeg ecceteceae 14700 ggcgcgaccg ctctcccacc cccctccgtc gcctctctcg gggcccggtg ggggcgggg 14760 cggactgtcc ccagtgcgcc ccgggcgtcg tcgcgccgtc gggtcccggg gggaccgtcg 14820 gtcacgcgtc tcccgacgaa gccgagcgca cggggtcggc ggcgatgtcg gctacccacc 14880 cgacccgtct tgaaacacgg accaaggagt ctaacgcgtg cgcgagtcag gggctcgtcc 14940 gaaagccgcc gtggcgcaat gaaggtgaag ggcccgccc gggggcccga ggtgggatcc 15000 cgaggcctct ccagtccgcc gagggcgcac caccggcccg tctcgcccgc cgcgccgggg 15060 aggtggagca cgacctggac cgttaggacc cgaaagatgg tgaactatgc ttgggcaggg 15120 cgaagccaga ggaaactctg gtggaggtcc gtagcggtcc tgacgtgcaa atcggtcgtc 15180 cgacctgggt ataggggca aagactaatc gaaccatcta gtagctggtt ccctccgaag 15240 tttccctcag gatagctggc gctctcgctc ccgacgtacg cagttttatc cggtaaagcg 15300 aatgattaga ggtcttgggg ccgaaacgat ctcaacctat tctcaaactt taaatgggta 15360 agaagcccgg ctcgctggcg tggagccggg cgtggaatgc gagtgcctag tgggccactt 15420 ttggtaagca gaactggcgc tgcgggatga accgaacgcc gggttaaggc gcccgatgcc 15480 gacgeteate agaceceaga asaggigting gitigatatag acageaggae ggiggeeatg 15540 gaagteggaa teegetaagg agigtgtaae aacteacetg eegaateaae tageeetgaa 15600 aggttaatgt catgataata atggtttett agaegteagg tggeaetttt eggggaaatg 15780 tgogoggaac coctatttgt ttatttttct aaatacattc aaatatgtat cogctcatga 15840 gacaataacc ctgataaatg cttcaataat attgaaaaag gaagagtatg agtattcaac 15900 atttccgtgt cgcccttatt cccttttttg cggcattttg cttcctgttt ttgctcaccc 15960 agaaacgctg gtgaaagtaa aagatgctga agatcagttg ggtgcacgag tgggttacat 16020 cgaactggat ctcaacagcg gtaagatcct tgagagtttt cgccccgaag aacgttttcc 16080

```
aatgatgagc acttttaaag ttctgctatg tggcgcggta ttatcccgtg ttgacgccgg 16140
gcaagagcaa ctcggtcgcc gcatacacta ttctcagaat gacttggttg agtactcacc 16200
agtcacagaa aagcatctta cggatggcat gacagtaaga gaattatgca gtgctgccat 16260
aaccatgagt gataacactg cggccaactt acttctgaca acgatcggag gaccgaagga 16320 gctaaccgct tttttgcaca acatggggga tcatgtaact cgccttgatc gttgggaacc 16380
ggagctgaat gaagccatac caaacgacga gcgtgacacc acgatgcctg cagcaatggc 16440 aacaacgttg cgcaaactat taactggcga actacttact ctagcttccc ggcaacaatt 16500 aatagactgg atggaggcgg ataaagttgc aggaccactt ctgcgctcgg cccttccggc 16560
tggctggttt attgctgata aatctggage cggtgagegt gggtctcgcg gtatcattge 16620 agcactgggg ccagatggta agccctcccg tatcgtagtt atctacacga cggggagtca 16680 ggcaactatg gatgaacgaa atagacagat cgctgagata ggtgcctcac tgattaagca 16740
ttggtaactg tcagaccaag tttactcata tatactttag attgatttaa aacttcattt 16800
ttaatttaaa aggatctagg tgaagatcct ttttgataat ctcatgacca aaatcctta 16860 acgtgagttt tcgttccact gagcgtcaga ccccgtagaa aagatcaaag gatcttcttg 16920 agatcctttt tttctgcgcg taatctgctg cttgcaaaca aaaaaaccac cgctaccagc 16980 ggtggtttgt ttgccggatc aagagctacc aactcttttt ccgaaggtaa ctggcttcag 17040
cagagegeag ataccaaata etgteettet agtgtageeg tagttaggee accaetteaa 17100
gaactetgta geacegeeta catacetege tetgetaate etgttaceag tggetgetge 17160 cagtggegat aagtegtgte ttacegggtt ggaeteaaga egatagttac eggataagge 17220
gcagcggteg ggctgaacgg ggggttcgtg cacacagccc agcttggagc gaacgaccta 17280 caccgaactg agatacctac agcgtgagct atgagaaagc gccacgcttc cgaagggaga 17340
aaggoggaca ggtatccggt aagoggcagg gtcggaacag gaga
<210> 119
<211> 2814
<212> DNA
<213> Artificial Sequence
<220>
<223> pLITMUS38 Plasmid
<400> 119
gttaactacg tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt 60
tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca
                                                                                                        120
ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt 180
ttttgcggca ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga 240
tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa
                                                                                                        300
gatecttgag agttttegee eegaagaaeg ttetecaatg atgageaett ttaaagttet 360
gctatgtggc gcggtattat cccgtgttga cgccgggcaa gagcaactcg gtcgccgcat 420 acactattct cagaatgact tggttgagta ctcaccagtc acagaaaagc atcttacgga 480
tggcatgaca gtaagagaat tatgcagtgc tgccataacc atgagtgata acactgcggc 540
caacttactt ctgacaacga tcggaggacc gaaggagcta accgcttttt tgcacaacat 600
gggggatcat gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa 660 cgacgagcgt gacaccacga tgcctgtagc aatggcaaca acgttgcgca aactattaac 720
tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 780
agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc 840
tggagecggt gagegtgggt etegeggtat cattgeagea etggggecag atggtaagee 900
ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag 960 acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta 1020
ctcatatata ctttagattg atttaccccg gttgataatc agaaaagccc caaaaacagg 1080 aagattgtat aagcaaatat ttaaattgta aacgttaata ttttgttaaa attcgcgtta 1140
aatttttgtt aaatcagete atttttaac caataggeeg aaateggeaa aateeettat 1200 aaatcaaaag aatageeega gatagggttg agtgttgtte cagtttggaa caagagteca 1260
ctattaaaga acgtggactc caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1320
ccactacgtg aaccatcacc caaatcaagt tttttggggt cgaggtgccg taaagcacta 1380 aatcggaacc ctaaagggag cccccgattt agagcttgac ggggaaagcg aacgtggcga 1440
gaaaggaagg gaagaaagcg aaaggagcgg gcgctagggc gctggcaagt gtagcggtca 1500 cgctgcgcgt aaccaccaca cccgccgcgc ttaatgcgcc gctacagggc gcgtaaaagg 1560
atctaggtga agateetttt tgataatete atgaceaaaa teeettaaeg tgagtttteg 1620
ttccactgag cgtcagaccc cgtagaaaag atcaaaggat cttcttgaga tcctttttt 1680 ctgcgcgtaa tctgctgctt gcaaacaaaa aaaccaccgc taccagcggt ggtttgtttg 1740
ccggatcaag agctaccaac tctttttccg aaggtaactg gcttcagcag agcgcagata 1800 ccaaatactg ttcttctagt gtagccgtag ttaggccacc acttcaagaa ctctgtagca 1860 ccgcctacat acctcgctct gctaatcctg ttaccagtgg ctgctgccag tggcgataag 1920
tegtgtetta cegggttgga eteaagaega tagttacegg ataaggegea geggteggge 1980 tgaacggggg gttegtgeac acageecage ttggagegaa egacetacae egaactgaga 2040
tacctacage gtgagetatg agaaagegee acgetteeeg aagggagaaa ggeggacagg 2100
```

```
tatccggtaa gcggcagggt cggaacagga gagcgcacga gggagcttcc agggggaaac 2160
gcctggtate tttatagtee tgtcgggttt egccacetet gacttgageg tegatttttg 2220 tgatgetegt caggggggeg gagectatgg aaaaaegeca gcaaegegge ettttaegg 2280
ttcctggcct tttgctggcc ttttgctcac atgtaatgtg agttagctca ctcattaggc 2340
accecagget ttacacttta tgetteegge tegtatgttg tgtggaattg tgageggata 2400 acaattteac acaggaaaca getatgacca tgattacgec aagetaegta atacgactea 2460
ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gatatctgga 2520 tccacgaatt cgctagcttc ggccgtgacg cgtctccgga tgtacaggca tgcgtcgacc 2580
ctctagtcaa ggccttaagt gagtcgtatt acggactggc cgtcgtttta caacgtcgtg 2640
<210> 120
<211> 2847
<212> DNA
<213> Artificial Sequence
<223> pLIT38attB Plasmid
<400> 120
gttaactacg tcaggtggca cttttcgggg aaatgtgcgc ggaaccccta tttgtttatt 60
tttctaaata cattcaaata tgtatccgct catgagacaa taaccctgat aaatgcttca 120
ataatattga aaaaggaaga gtatgagtat tcaacatttc cgtgtcgccc ttattccctt 180
ttttgcggca ttttgccttc ctgtttttgc tcacccagaa acgctggtga aagtaaaaga 240 tgctgaagat cagttgggtg cacgagtggg ttacatcgaa ctggatctca acagcggtaa 300
gatecttgag agttttegee eegaagaaeg ttetecaatg atgageaett ttaaagttet 360
gctatgtggc gcggtattat cccgtgttga cgccgggcaa gagcaactcg gtcgccgcat 420
acactatict cagaatgact tggttgagta ctcaccagtc acagaaaagc atcttacgga 480
tggcatgaca gtaagagaat tatgcagtgc tgccataacc atgagtgata acactgcggc 540 caacttactt ctgacaacga tcggaggacc gaaggagcta accgcttttt tgcacaacat 600
gggggatcat gtaactcgcc ttgatcgttg ggaaccggag ctgaatgaag ccataccaaa 660
cgacgagcgt gacaccacga tgcctgtagc aatggcaaca acgttgcgca aactattaac 720
tggcgaacta cttactctag cttcccggca acaattaata gactggatgg aggcggataa 780
agttgcagga ccacttctgc gctcggccct tccggctggc tggtttattg ctgataaatc 840 tggagccggt gagcgtgggt ctcgcggtat cattgcagca ctggggccag atggtaagcc 900
ctcccgtatc gtagttatct acacgacggg gagtcaggca actatggatg aacgaaatag 960 acagatcgct gagataggtg cctcactgat taagcattgg taactgtcag accaagttta 1020 ctcatatata ctttagattg atttacccg gttgataatc agaaaagccc caaaaacagg 1080
aagattgtat aagcaaatat ttaaattgta aacgttaata ttttgttaaa attcgcgtta 1140
aatttttgtt aaatcagctc attttttaac caataggccg aaatcggcaa aatcccttat 1200
aaatcaaaag aatagcccga gatagggttg agtgttgttc cagtttggaa caagagtcca 1260
ctattaaaga acgtggacto caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc 1320 ccactacgtg aaccatcacc caaatcaagt tttttggggt cgaggtgccg taaagcacta 1380
aatcggaacc ctaaagggag cccccgattt agagcttgac ggggaaagcg aacgtggcga 1440
gaaaggaagg gaagaaagcg aaaggagcgg gcgctagggc gctggcaagt gtagcggtca 1500 cgctgcgcgt aaccaccaca cccgccgcgc ttaatgcgcc gctacagggc gcgtaaaagg 1560
atctaggtga agatcctttt tgataatctc atgaccaaaa tcccttaacg tgagttttcg 1620 ttccactgag cgtcagaccc cgtagaaaag atcaaaggat cttcttgaga tcctttttt 1680
ctgcqcqtaa tctgctgctt gcaaacaaaa aaaccaccgc taccagcggt ggtttgtttg 1740
ccggatcaag agctaccaac tcttttccg aaggtaactg gcttcagcag agcgcagata 1800 ccaaatactg ttcttctagt gtagccgtag ttaggccacc acttcaagaa ctctgtagca 1860
ccgcctacat acctcgctct gctaatcctg ttaccagtgg ctgctgccag tggcgataag 1920
tegtgtetta cegggttgga etcaagaega tagttacegg ataaggegea geggteggge 1980
tgaacggggg gttcgtgcac acagcccagc ttggagcgaa cgacctacac cgaactgaga 2040
tacetacage gtgagetatg agaaagegee aegetteeeg aagggagaaa ggeggacagg 2100 tateeggtaa geggeagggt eggaacagga gagegeacga gggagettee agggggaaac 2160
geotogiate ittatagice totegogitt egecacetet gaetigageg tegatititig 2220
tgatgetegt caggggggg gagectatgg aaaaacgcca gcaacgcgge ctttttacgg 2280 ttectgget tttgetgec ttttgetcac atgatacgt agttagetca ctcattagge 2340 accecagget ttacacttta tgetteegge tegtatgttg tgtggaattg tgageggata 2400 acaattteac acaggaaaca gctatgacca tgattacgcc aagetacgta atacgactca 2460
ctagtggggc ccgtgcaatt gaagccggct ggcgccaagc ttctctgcag gattgaagcc 2520 tgctttttta tactaacttg agcgaaatct ggatccacga attcgctagc ttcggccgtg 2580
acycytctcc ggatgtacag gcatgcytcg accetctagt caaggcetta agtgagtcgt 2640 attacggact ggccgtcgtt ttacaacgtc gtgactggga aaaccetggc gttacccaac 2700
```

```
ttaatcgcct tgcagcacat ccccctttcg ccagctggcg taatagcgaa gaggcccgca 2760
ccgatcgccc ttcccaacag ttgcgcagcc tgaatggcga atggcgcttc gcttggtaat 2820
aaagcccgct tcggcgggct tttttt
<210> 121
<211> 4223
<212> DNA
 <213> Artificial Sequence
<220>
<223> pLIT38attBBSRpolyA2 Plasmid
<400> 121
accatgaaaa catttaacat ttctcaacaa gatctagaat tagtagaagt agcgacagag 60 aagattacaa tgctttatga ggataataaa catcatgtgg gagcggcaat tcgtacgaaa 120 acaggagaaa tcatttcggc agtacatatt gaagcgtata taggacgagt aactgtttgt 180
gcagaagcca ttgcgattgg tagtgcagtt tcgaatggac aaaaggattt tgacacgatt 240
gtagctgtta gacaccctta ttctgacgaa gtagatagaa gtattcgagt ggtaagtcct 300 tgtggtatgt gtagggagtt gatttcagac tatgcaccag attgttttgt gttaatagaa 360
atgaatggca agttagtcaa aactacgatt gaagaactca ttccactcaa atatacccga 420
aattaaaagt titaccatac caagetigge igeigeetga ggetggaega eetegeggag 480
ttctaccggc agtgcaaatc cgtcggcatc caggaaacca gcagcggcta tccgcgcatc 540
catgcccccg aactgcagga gtggggaggc acgatggccg ctttggtccg gatctttgtg 600 aaggaacctt acttctgtgg tgtgacataa ttggacaaac tacctacaga gatttaaagc 660 tctaaggtaa atataaaatt tttaagtgta taatgtgtta aactactgat tctaattgtt 720
tgtgtatttt agattccaac ctatggaact gatgaatggg agcagtggtg gaatgccttt 780 aatgaggaaa acctgttttg ctcagaagaa atgccatcta gtgatgatga ggctactgct 840
gacteteaac attetactee tecaaaaaag aagagaaagg tagaagacee caaggacttt 900 cetteagaat tgetaagttt tttgagteat getgtgttta gtaatagaac tettgettge 960
tttgctattt acaccacaaa ggaaaaagct gcactgctat acaagaaaat tatggaaaaa 1020
tattctgtaa cctttataag taggcataac agttataatc ataacatact gttttttctt 1080
actocacaca ggcatagagt gtotgctatt aataactatg ctcaaaaatt gtgtaccttt 1140
agetttttaa titgtaaagg ggttaataag gaatatttga tgtatagtge ettgaetaga 1200
gatcataatc agccatacca catttgtaga ggttttactt gctttaaaaa acctccacaca 1260 cctccccctg aacctgaaac ataaaatgaa tgcaattgtt gttgttaact tgtttattgc 1320 agcttataat ggttacaaat aaagcaatag catcacaaat ttcacaaata aagatccaga 1380 tttegetcaa gttagtataa aaaagcagge ttcaatcctg cagagaaget tggegecage 1440 cggettcaat tgcacggge ccactagtga gtcgtattac gtagettgge gtaatcatgg 1500 tcatagetgt ttcetgtgtg
tcatagctgt ttcctgtgtg aaattgttat ccgctcacaa ttccacacaa catacgagcc 1560 ggaagcataa agtgtaaagc ctggggtgcc taatgagtga gctaactcac attacatgtg 1620
agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca 1680
taggeteege ecceetgaeg ageateacaa aaategaege teaagteaga ggtggegaaa 1740 eccgaeagga etataaagat accaggegtt teeceetgga ageteeeteg tgegetetee 1800
tgttccgacc ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc 1860 gctttctcat agctcacgct gtaggtatct cagttcggtg taggtcgttc gctccaagct 1920
gggctgtgtg cacgaaccc ccgttcagc cgaccgctgc gccttatccg gtaactatcg 1980 tcttgagtc aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag 2040 gattagcaga gcgaggtatg taggcggtgc tacagagttc ttgaagtggt ggcctaacta 2100
cggctacact agaagaacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg 2160 aaaaagagtt ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggttttt 2220 tgtttgcaag cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt 2280
ttctacgggg tctgacgctc agtggaacga aaactcacgt taagggattt tggtcatgag 2340 attatcaaaa aggatcttca cctagatcct tttacgcgcc ctgtagcggc gcattaagcg 2400
 cggcgggtgt ggtggttacg cgcagcgtga ccgctacact tgccagcgcc ctagcgcccg 2460
 ctcctttcgc tttcttccct tcctttctcg ccacgttcgc tttccccgtc aagctctaaa 2520 tcgggggctc cctttagggt tccgatttag tgctttacgg cacctcgacc ccaaaaaaact 2580
 tgatttgggt gatggttcac gtagtgggcc atcgccctga tagacggttt ttcgcccttt 2640
gacgttggag tccacgttct ttaatagtgg actottgttc caaactggaa caacactcaa 2700 ccctatctcg ggctattctt ttgatttata agggattttg ccgatttcgg cctattggtt 2760 aaaaaatgag ctgatttaac aaaaatttaa cgcgaatttt aacaaaata taacgtttac 2820
 aatttaaata tttgcttata caatcttcct gtttttgggg cttttctgat tatcaaccgg 2880
ggtaaatcaa tctaaagtat atatgagtaa acttggtctg acagttacca atgcttaatc 2940 agtgaggcac ctatctcagc gatctgtcta tttcgttcat ccatagttgc ctgactcccc 3000 gtcgtgtaga taactacgat acgggagggc ttaccatctg gcccagtgc tgcaatgata 3060 ccgcgagacc cacgctcacc ggctccagat ttatcagcaa taaaccagcc agccggaagg 3120 gccgaggga gaagtggtcc tgcaacttta tccgcctca tccagtctat taattgttgc 3180
 cgggaagcta gagtaagtag ttcgccagtt aatagtttgc gcaacgttgt tgccattgct 3240
```

```
acaggeateg tggtgteacg etegtegttt ggtatggett catteagete eggtteecaa 3300
cgatcaaggc gagttacatg atccccatg ttgtgcaaaa aagcggttag ctccttcggt 3360 cctccgatcg ttgtcagaag taagttggcc gcagtgttat cactcatggt tatggcagca 3420
ctgcataatt ctcttactgt catgccatcc gtaagatgct tttctgtgac tggtgagtac 3480 tcaaccaagt cattctgaga atagtgtatg cggcgaccga gttgctcttg cccggcgtca 3540
acacgggala ataccgcgcc acatagcaga actttaaaag tgctcatcat tggagaacgt 3600
tettegggge gaaaactete aaggatetta cegetgttga gatecagtte gatgtaacec 3660 actegtgeac ceaactgate tteageatet tttactttea ceagegtte tgggtgagea 3720
aaaacaggaa ggcaaaatgc cgcaaaaaag ggaataaggg cgacacggaa atgttgaata 3780
ctcatactct tcctttttca atattattga agcatttatc agggttattg tctcatgagc 3840
ggatacatat ttgaatgtat ttagaaaaat aaacaaatag gggttccgcg cacatttccc 3900
cgaaaagtgc cacctgacgt agttaacaaa aaaaagcccg ccgaagcggg ctttattacc 3960
aagcgaagcg ccattcgcca ttcaggctgc gcaactgttg ggaagggcga tcggtgcgg 4020 cctcttcgct attacgccag ctggcgaaag ggggatgtgc tgcaaggcga ttaagttggg 4080 taacgccagg gttttcccag tcacgacgtt gtaaaacgac ggccagtccg taatacgact 4140 cacttaaggc cttgactaga gggtcgacgc atgcctgtac atccggagac gcgtcacggc 4200
cgaagctagc gaattcgtgg atc
                                                                                                          4223
<210> 122
<211> 2686
<212> DNA
<213> Artificial Sequence
<220>
<223> pUC18 Plasmid
<400> 122
tegegegettt eggtgatgae ggtgaaaace tetgacacat geageteeeg gagaeggtea 60 cagettgtet gtaageggat geegggagea gacaageeeg teageggege teagegggtg 120
ttggcgggtg tcggggctgg cttaactatg cggcatcaga gcagattgta ctgagagtgc 180
accatatgcg gtgtgaaata ccgcacagat gcgtaaggag aaaataccgc atcaggcgcc 240 attcgccatt caggctgcgc aactgttggg aagggcgatc ggtgcgggcc tcttcgctat 300
tacgccagct ggcgaaaggg ggatgtgctg caaggcgatt aagttgggta acgccagggt 360 tttcccagtc acgacgttgt aaaacgacgg ccagtgccaa gcttgcatgc ctgcaggtcg 420 actctagagg atccccgggt accgagctcg aattcgtaat catggtcata gctgtttcct 480
gtgtgaaatt gttatccgct cacaattcca cacaacatac gagccggaag cataaagtgt 540
gaatcagggg ataacgcagg aaagaacatg tgagcaaaaag gccagcaaaa ggccaggaac 840 cgtaaaaaagg ccgcgttgct ggcgtttttc cataggctcc gccccctga cgagcatcac 900 aaaaatcgac gctcaagtca gaggtggcga aacccgacag gactataaag ataccaggcg 960
tttccccctg gaageteest egtgegetet eetgtteega eeetgeeget taceggatae 1020
ctgtccgct ttctcccttc gggaagcgtg gcgctttctc atagctcacg ctgtaggtat 1080 ctcagttcgg tgtaggtcgt tcgctccaag ctgggctgtg tgcacgaacc ccccgttcag 1140 cccgaccgct gcgccttatc cggtaactat cgtcttgagt ccaacccggt aagacacgac 1200 ttatcgccac tggcagcagc cactggtaac aggattagca gagcgaggta tgtaggcggt 1260
gctacagagt tettgaagtg gtggcetaac tacggetaca etagaaggac agtatttggt 1320 atetgegete tgetgaagec agttacette ggaaaaagag ttggtagete ttgateegge 1380 aaacaaacca eegetggtag eggtggtttt tttgtttgea ageageagat taegegeaga 1440
aaaaaaggat ctcaagaaga teetttgate ttttetaegg ggtetgaege teagtggaae 1500
gaaaactcac gttaagggat tttggtcatg agattatcaa aaaggatctt cacctagatc 1560
cttttaaatt aaaaatgaag ttttaaatca atctaaagta tatatgagta aacttggtct 1620
gacagttacc aatgettaat cagtgaggca cetateteag egatetgtet atttegttea 1680 tecatagttg cetgaeteec egtegtgtag ataactacga taegggaggg ettaceatet 1740
ggccccagtg ctgcaatgat accgcgagac ccacgctcac cggctccaga tttatcagca 1800
ataaaccago cagooggaag ggoogagogo agaagtggto otgcaactit atcogootoo 1860
atccagtcta ttaattgttg cogggaaget agagtaagta gttcgccagt taatagtttg 1920
cgcaacgttg ttgccattgc tacaggcatc gtggtgtcac gctcgtcgtt tggtatggct 1980 tcattcagct ccggttccca acgatcaagg cgagttacat gatccccat gttgtgcaaa 2040
aaagcggtta geteettegg teeteegate gttgteagaa gtaagttgge egeagtgtta 2100 teacteatgg ttatggeage actgeataat tetettaetg teatgeeate egtaagatge 2160
ttttctgtga ctggtgagta ctcaaccaag tcattctgag aatagtgtat gcggcgaccg 2220 agttgctctt gcccggcgtc aatacgggat aatacgcgc cacatagcag aactttaaaa 2280
gtgctcatca ttggaaaacg ttcttcgggg cgaaaactct caaggatctt accgctgttg 2340
agatecagtt cgatgtaace cactegtgea eccaactgat etteageate ttttacttte 2400
```

```
accagegttt etgggtgage aaaaacagga aggeaaaatg eegeaaaaaa gggaataagg 2460
gcgacacgga aatgttgaat actcatactc ttcctttttc aatattattg aagcatttat
                                                                                               2520
cagggttatt gtctcatgag cggatacata tttgaatgta tttagaaaaa taaacaaata 2580
ggggtteege geacatttee cegaaaagtg ceacetgaeg tetaagaaac cattattate 2640
atgacattaa cctataaaaa taggcgtatc acgaggccct ttcgtc
<210> 123
<211> 8521
<212> DNA
<213> Artificial Sequence
<220>
<223> pCXeGFPattB(6xHS4)2 Plasmid
<400> 123
tacggggcgg gggatccact agttattaat agtaatcaat tacggggtca ttagttcata 60 gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc 120
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag 180 ggactttcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac 240
atcaagtgta tcatatgcca agtacgccc ctattgacgt caatgacggt aaatggcccg 300
cetggeatta tgcccagtac atgacettat gggactttec tacttggeag tacatetacg 360 tattagteat egetattace atgggtegag gtgageecea egttetgett cacteteece 420 ateteecec cetececac eccaattttg tattatta tttttaatt attttgtgea 480
gcgatggggg cgggggggg gggggcgcc gccaggcggg gcggggcgcgc tccgaaagtt 600
coggetetga etgacegegt tacteccaea ggtgageggg egggaeggee etteteetee 780
tggggggtg agcaggggt gtgggcgcgg cggtcgggct gtaacccccc cctgcacccc 1140 cctccccgag ttgctgagca cggcccggct tcgggtgcgg ggctccgtgc ggggcgtggc 1200
gacgaggege ggegageege agecattgee tittatggta attggggag aggegeege 1440 tagegggege gggegaageg gtgeggege ggcaggaagg aaatetggg ggagggeet 1500 cgtgegtege egegeegeg tecettete catetecage etegggget eegeaggggg 1560
acggctgcct tcggggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg 1620 gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctcctgggca 1680
acgtgctggt tgttgtgctg tctcatcatt ttggcaaaga attcgccacc atggtgagca 1740
agggcgagga gctgttcacc ggggtggtgc ccatcctggt cgagctggac ggcgacgtaa 1800
agggcgagga gttcagcgtg tccggcgagg gcgagggcga tgccactac ggcaagctga 1860 ccctgaagtt catctgcacc accggcaagc tgcccgtgcc ctggcccacc ctcgtgacca 1920 ccctgaccta cggcgtgcag tgcttcagcc gctaccccga ccacatgaag cagcacgact 1980
tetteaagte egecatgeee gaaggetaeg tecaggageg caccatette tteaaggaeg 2040
acggcaacta caagacccgc gccgaggtga agttcgaggg cgacaccctg gtgaaccgca 2100 tcgagctgaa gggcatcgac ttcaaggagg acggcaacat cctggggcac aagctggagt 2160
ctcaggtgca ggctgcctat cagaaggtgg tggctggtgt ggccaatgcc ctggctcaca 2520 aataccactg agatctttt ccctctgcca aaaattatgg ggacatcatg aagccccttg 2580 agcatctgac ttctggctaa taaaggaaat ttatttcat tgcaatagtg tgttggaatt 2640
ttttgtgtct ctcactcgga aggacatatg ggagggcaaa tcatttaaaa catcagaatg 2700 agtatttggt ttagagtttg gcaacatatg ccatatgctg gctgccatga acaaaggtgg 2760
ctataaagag gtcatcagta tatgaaacag cccctgctg tccattcctt attccataga 2820 aaagccttga cttgaggtta gattttttt atattttgtt ttgtgttatt tttttcttta 2880 acatccctaa aattttcctt acatgttta ctagccagat ttttcctcc ctcctgacta 2940
ctcccagtca tagctgtccc tcttctctta tgaagatccc tcgacctgca gcccaagctt 3000 ggcgtaatca tggtcatagc tgtttcctgt gtgaaattgt tatccgctca caattccaca 3060
 caacatacga gccggaagca taaagtgtaa agcctggggt gcctaatgag tgagctaact 3120
```

cacattaatt gcgttgcgct cactgcccgc tttccagtcg ggaaacctgt cgtgccagcg 3180 gatccgcatc tcaattagtc agcaaccata gtcccgccc taactccgcc catcccgccc 3240 ctaactccgc ccagttccgc ccattctccg ccccatggct gactaatttt ttttatttat 3300 gcagaggccg aggccgcctc ggcctctgag ctattccaga agtagtgagg aggctttttt 3360 ggaggctagt ggatccccg ccccgtatcc cccaggtgtc tgcaggctca aagagcagcg 3420 agaagcgttc agaggaaagc gatcccgtgc caccttcccc gtgcccgggc tgtccccgca 3480 agaagggtte agaagaaage gateeegtge cacetteece gtgeeeggge tgteeeega 3440 cgetgeegge teggggtge ggggggggg cegggaeege ggggggeeteg 3540 ctgetgeee ctagegggg agggaegta ttacateet ggggggetttg ggggggget 3600 gteeeegtga geggateege ggeeeegtat ceeeeaggtg tetgeagget caaagageag 3660 cgagaagegt teagaggaaa gegateeegt geeacettee eegtgeeegg getgteeeeg 3720 caegetgeeg getegggat gegggggag cgeeggaeeg gageggaee eegtgeegg 3780 cgetgetgee eeetageggg ggagggaegt aattacatee etgggggett tggggggggg 3840 cgetgeeegt gageggatee geggeeegt ateeeeagg tgtetgeagg cteaaagage 3900 aggaggaagg gtteagagg aagggatee gtggaggaegt gteegaggt cgeeggaegg 3960 agegagaage gttcagagga aagegateee gtgecacett ceeegtgeee gggetgteee 3960 agegagaage gttcagagga aagegateee gtgccacett cecegtgeee gggctgteec 3960 cgcacegetge cggetegggg atgeggggg agegeeggae cggaggggg cecegggggg 4080 ggetgteece gtgageggat cegeggeee gtaattacat cectgggge tttggggggg 4080 ggetgteece gtgageggat cegeggeee gtaatceea ggtgtetgea ggeteaaaga 4140 geagegagaa gegttcagag gaaagegate eegtgeeace tteecegtge cegggetgte 4200 ggetegetge tgeceeetag egggggaggg aggagegegg aceggagegg ageceeggge 4260 gggtegetge tgeceeetag egggggaggg acegtaattae atecetgggg getttggggg 4320 ggggetgtee cegtgagegg atecegggee cegtagees cegtgeesa 4380 gagcagcgag aagcgttcag aggaaagcga tecegtgeca cetteceegt geeegggetg 4440 tcccegcacg ctgccggctc ggggatgcgg ggggagggc ggaccggagc ggagccccgg 4500 gcggctcgct gctgccccct agcgggggag ggacgtaatt acatccctgg gggctttggg 4560 ggggggctgt cccgtgagc ggatccgcgg ccccgtatcc cccaggtgtc tgcaggctca 4620 attgcagett ataatggtta caaataaage aatagcatca caaatttcae aaataaagea 4980 tttttttcae tgcattctag ttgtggtttg tecaaactea teaatgtate ttateatgte 5040 tggatccgct gcattaatga atcggccaac gcgcggggag aggcggtttg cgtattgggc 5100 gctcttccgc ttcctcgctc actgactcgc tgcgctcggt cgttcggctg cggcgagcgg 5160 tatcagetea eteaaaggeg gtaataeggt tatcacaga atcagggat aacgeaggaa 5220 agaacatgtg agcaaaagge cagcaaaagg ccaggaaceg taaaaaggee gegttgetgg 5280 egttttteca taggeteege eeeectgaeg agcatcacaa aaategaege teaagteaga 5340 ggtggegaaa eeegaeagga etataaagat accaggegtt teeeeetgga ageteeeteg 5400 tgogototoc tyttocgaco otycogotta coggatacot ytocgoottt otocottogg 5460 gaaggtggg gettecaa tgeteegett eeggataeet gteegette eeegtett 5520
gateetee getteeget gteegette eeggataeet gteegette eeettegg 5460
geteeaaget gggetgtgtg cacgaacee eegteegete egacegetge geettateeg 5580
gtaactateg tettgagtee aaceeggtaa gacacgaett ategecaetg geageageca 5640
etggtaacag gattageaga gegaggtatg taggeggtge tacagagtte ttgaagtggt 5700
ggeetaacta eggetaeact agaaggaeag tatttggtat etgegetetg etgaageeag 5760
ttacettegg aaaaagagtt ggtagetett gateeggeaa acaaceaec getggtageg 5820 gtggtttttt tgtttgcaag cagcagatta cgcgcagaaa aaaaggatct caagaagatc 5880 ctttgatctt ttctacgggg tctgacgctc agtggaacga aaactcacgt taagggattt 5940 tggtcatgag attatcaaaa aggatcttca cctagatcct tttaaattaa aaatgaagtt 6000 ttaaatcaat ctaaagtata tatgagtaaa cttggtctga cagttaccaa tgcttaatca 6060 gtgaggcacc tatctcagcg atctgtctat ttcgttcatc catagttgcc tgactccccg 6120 tegtgtagat aactaegata egggaggget taccatetgg eeccagtget geaatgatae 6180 cgcgagaccc acgctcaccg gctccagatt tatcagcaat aaaccagcca gccggaaggg 6240 ccgagcgcag aagtggtcct gcaactttat ccgcctccat ccagtctatt aattgttgcc 6300 gggaagctag agtaagtagt tcgccagtta atagtttgcg caacgttgtt gccattgcta 6360 caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc attcagctcc ggttcccaac 6420 gatcaaggcg agttacatga tccccatgt tgtgcaaaaa agcggttagc tccttcggtc 6480 ctccgategt tgtcagaagt aagttggccg cagtgttatc actcatggtt atggcagcac 6540 tgcataattc tcttactgtc atgccatccg taagatgctt ttctgtgact ggtgagtact 6600 caaccaagtc attetgagaa tagtgtatge ggegaeegag ttgetettge eeggegteaa 6660 tacgggataa taccgcgcca catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt 6720 cttcggggcg aaaactctca aggatcttac cgctgttgag atccagttcg atgtaaccca 6780 ctcgtgcacc caactgatct tcagcatctt ttactttcac cagcgtttct gggtgagcaa 6840 aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa tgttgaatac 6900 toatactott cottettoaa tattattgaa goatttatoa gggttattgt ofcatgagog 6960 gatacatatt tgaatgtatt tagaaaaata aacaaatagg ggttccgcgc acatttcccc 7020 gaaaagtgcc acctggtcga cggtatcgat aagcttgata tcgaattcct gcagccccgc 7080 ggatcegete acggggacag coccececa aagececcag ggatgtaatt acgtecetec 7140

```
cccgctaggg ggcagcagcg agccgcccgg ggctccgctc cggtccggcg ctcccccgc 7200 atccccgagc cggcagcgtg cggggacagc ccgggcacgg ggaaggtggc acgggatcgc 7260
 tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg atacggggcc 7320
gettteetet gaacgettet egetgetett tgageetgea gacacetggg ggatacgggg 7560 cegeggatee geteaeggg acageecee eccaaagee ceagggatgt aattacgtee 7620
etecceget agggggeage agegageege eeggggetee geteeggtee ggegeteeee 7680 eegcateeee gageeggeag egtgeggga eageeggge aeggggaagg tggeaeggga 7740 tegetteet etgaaegett etegetgete tttgageetg eagaeaeetg ggggataeegg 7800 ggeeggggat eegeteaegg ggaeageee eecceaaaage eecceaagggat gtaattaegt 7860 ggeegggat eegeteaegg ggaeageee eecceaaaage eecceaagggat gtaattaegt 7860
 ccetccccg ctaggggca gcagcgagcc gcccggggct ccgctccggt ccggcgctcc 7920
 ccccgcatcc ccgagccggc agcgtgcggg gacagcccgg gcacggggaa ggtggcacgg 7980 gatcgctttc ctctgaacgc ttctcgctgc tctttgagcc tgcagacacc tgggggatac 8040
 ggggccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg atgtaattac 8100
 acggggccgc ggatccgctc acggggacagc cccccccca aagcccccag ggatgtaatt 8340 acgtccctcc cccgctaggg ggcagcagcg agccgccgg ggctccggcc ccggtccggcg 8400 ctccccccgc atccccqag cggcagcgtg cggggacagc ccggggacagc ggaaggtggc 8460
 acgggatcgc tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg 8520
                                                                                                                                                                           8521
  <210> 124
  <211> 8851
  <212> DNA
  <213> Artificial Sequence
  <220>
  <223> p18EPOcDNA Plasmid
  <400> 124
  cagttgccgg ccgggtcgcg cagggcgaac tcccgcccc acggctgctc gccgatctcg 60
  gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg cacccacac caggccaggg tgttgtccgg caccacctgg 180
  tectggaceg egetgatgaa cagggteacg tegtecegga ceacacegge gaagtegtee 240
  tecacgaagt ceegggagaa ceegageegg teggtecaga actegacege teeggegaeg 300 tegegegegg tgageacegg aaeggeactg gteaacttgg ceatggatee agattteget 360 caagttagta taaaaaagca ggetteaate etgeagagaa gettgatate gaatteetge 420
  ageccegegg atecgeteae ggggacagee cececceaaa gececeaggg atgtaattac 480 gteceteee cgetaggggg cageagegag eegecegggg eteegeteeg gteeggeget 540
  ccccccgcat ccccgagccg gcagcgtgcg gggacagccc gggcacgggg aaggtggcac 600 gggatcgctt tcctctgaac gcttctcgct gctctttgag cctgcagaca cctgggggat 660
  acggggccgc ggatccgctc acggggacag cccccccca aagccccag ggatgtaatt 720 acgtccctcc cccgctaggg ggcagcagcg agccgccgg ggctccgctc cggtccggcg 780 ctccccccg atccccgc cggcagcgt cggggacagc ccgggcacgg ggaaggtggc 840
  acgggatege theoreta acgetheteg etgetethtg ageetgeage eagggatege thacegee geggatege teaegggac egggatege egggatege egggatege egggatege egggatege egggatege egggetege egggetege egggetege egggetege egggatege egg
  ggatacgggg ccgcggatcc gctcacgggg acagccccc cccaaagccc ccagggatgt 1200
   aattacgtcc ctccccgct agggggcagc agcgagccgc ccgggggctcc gctccggtcc 1260
   ggcgctcccc ccgcatcccc gagccggcag cgtgcgggga cagcccgggc acggggaagg 1320
tggcacggga tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg 1380
   ggggatacgg ggccgcggat ccgctcacgg ggacagccc cccccaaagc ccccagggat 1440 gtaattacgt ccctccccg ctaggggca gcagcgagcc gcccggggct ccgctccggt 1500
   ceggegetee eccegeatee eegageegge agegtgeggg gacageeggg geacggggaa 1560 ggtggeacgg gategettte etetgaacge ttetegetge tetttgagee tgeagacace 1620
   tgggggatac ggggccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg 1680
   gtccggcgct cccccgcat ccccgagccg gcagcgtgcg gggacagccc gggcacgggg 1800 aaggtggcac gggatcgctt tcctctgaac gcttctcgct gctctttgag cctgcagaca 1860
   cetgggggat acggggggg ggatccacta gttattaata gtaatcaatt acggggtcat 1920 tagttcatag cccatatatg gagttccgcg ttacataact tacggtaaat ggcccgcctg 1980
```

gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 2040 egecaatagg gactttecat tgacgteat gggtgacta tttacggtaa actgeccact 2100 tggcagtaca teaagtgtat catatgccaa gtacgecce tattgacgte aatgacggta 2160 aatggeege etggcattat geccagtaca tgacettatg ggacttteet acttggcagt 2220 acatetacgt attagteate getattacca tgggtegagg tgagecccae gttetgette 2280 actetececa tetececece etececacee ccaattttgt atttatttat tttttaatta 2340 tteteeteeg ggetgtaatt agegettigt ttaatgaegg etegtteett ttetgigget 2700 gcgtgaaagc cttaaagggc tccgggaggg ccctttgtgc gggggggagc ggctcggggg 2760 gtgtgtgcgt ggggggtga gcagggggtg tgggcgcggc ggtcgggctg taacccccc 3000 ctgcacccc ctccccgagt tgctgagcac ggcccggctt cgggtgcggg gctccgtgcg 3060 gggcgtggcg cggggctcgc cgtgccgggc ggggggtggc ggcaggtggg ggtgccgggc 3120 ggggcgggctg tcgaggcgc gcgagcgca gccattgct tttatggtaa tcgtgcgaga 3240 gggcgcaggg acttcctttg tcccaaatct ggcggagccg aatctggga ggcgcgccg 3300 ggggggaggg actreetry tecesaatet gggggageeg aaatetgggg ggegggg 3360 caccccetet agegggege ggcgaagegg tgeggegeeg geaggaagga aatgggeggg 3420 cgcaggggga eggetgeett egggggggae ggggtagge ggggttegge ttetggegtg 3480 tgaceggegg ettetagaatg ggggtgeaeg aatgteetge etggetgtgg ettetectgt 3540 ceetgetgte geteeetegt ggeeteeeag teetgggege eccaecaege eteatetgtg 3600 acagecgagt cetggagagg tacetettgg aggecaagga ggecgagaat ateaeggagg 3660 getgtgetga acaetgeage ttgaatgaga atateaetgt eecagacace aaagttaatt 3720 totatgootg gaagaggatg gaggtogggo agoaggoogt agaagtotgg cagggootgg 3780 cootgotgto ggaagotgto otgoggggoo aggcootgtt ggtoaactot toccagoogt 3840 gggagccct gcagctgcat gtggataaag ccgtcagtgg cttcagcagc ctcaccactc 3900 tgcttcgggc tctgggagcc cagaaggaag ccatctcccc tccagatgcg gcctcagctg 3960 ctccactcccg aacaatcact gctgacactt tccgcaaact cttccgagtc tactccaatt 4020 tcctccgggg aaagctgaag ctgtacacag gggaggcctg caggacaggg gacagatgac 4080 tacagagtag gacagtag ctgtacacag gggaggctg caggacaggg gacagatgac 4080 gtacaagtaa gaattcactc ctcaggtgca ggctgcctat cagaaggtgg tggctggtgt 4140 ggccaatgcc ctggctcaca aataccactg agatctttt ccctctgcca aaaattatgg 4200 ggacatcatg aagccccttg agcatctgac ttctggctaa taaaggaaat ttatttcat 4260 tgcaatagtg tgttggaatt ttttgtgtct ctcactcgga aggacatatg ggagggcaaa 4320 tcattaaaa catcaggaatg agtatttggt ttagagttg gcaacatatg ccataggtg 4380 gctgccatga acaaaggtgg ctataaagag gtcatcagta tatgaaacag ccccctgctg 4440 tccattcctt attccataga aaagccttga cttgaggtta gattttttt atattttgtt 4500 ttgtgttatt tttttcttta acatccctaa aattttcctt acatgtttta ctagccagat 4560 ttttcctcct ctcctgacta ctcccagtca tagctgtccc tcttctctta tgaagatccc 4620 tcgacctgca gcccaagctt gcatgcctgc aggtcgactc tagtggatcc cccgccccgt 4680 atcccccagg tgtctgcagg ctcaaagagc agcgagaagc gttcagagga aagcgatccc 4740 gtgccacctt ccccgtgccc gggctgtccc cgcacgctgc cggctcgggg atgcggggg 4800 agcgccggac cggagcggag ccccgggcgg ctcgctgctg ccccctagcg ggggagggac 4860 gtaattacat ccctgggggc tttggggggg ggctgtcccc gtgagcggat ccgcggcccc 4920 gtatccccca ggtgtctgca ggctcaaaga gcagcgagaa gcgttcagag gaaagcgatc 4980 ccgtgccacc ttccccgtgc ccgggctgtc cccgcacgct gccggctcgg ggatgcgggg 5040 ggagcgccgg accggagcgg agccccgggc ggctcgctgc tgccccctag cgggggaggg 5100 acgtaattac atccctgggg gctttggggg ggggctgtcc ccgtgagcgg atccgcggcc 5160 ccgtatccc caggtgtctg caggctcaaa gagcagcgag aagcgttcag aggaaagcga 5220 tcccgtgcca ccttccccgt gcccgggctg tccccgcacg ctgccggctc gggaacggag ggaacccgg gggacccgg gggacccgg gcggctcgct gctgcccct agcgggggag 5340 ggacgtaatt acatccctgg gggctttggg ggggggctgt ccccgtgagc ggatccgcgg 5400 ccccgtatcc cccaggtgtc tgcaggctca aagagcagcg agaagcgttc agaggaaagc 5460 gatecegtge cacettecee gtgecegge tgteceegea egetgeegge teggggatge 5520 ggggggagcg ccggaccgga gcggagcccc gggcggctcg ctgctgcccc ctagcggggg 5580 aggacgtaa ttacatcct gggggctttt ggggggggct gtccccgtga gcggatccg 5640 ggccccgtat ccccaggtg tctgcaggct caaagagcag cgagaagcgt tcagaggaaa 5700 gcgatcccgt gccaccttcc ccgtgcccgg gctgtccccg cacgctgccg gctcggggat 5760 gcgggggaa cgcggaacg gagcggaacc ccgggggat ccgctgccc ccctagcggg 5820 ggagggacgt aattacatcc ctgggggctt tgggggggg ctgtccccgt gagcggatcc 5880 gcggccccgt atcccccagg tgtctgcagg ctcaaagagc agcgagaagc gttcagagga 5940 aagcgatccc gtgccacctt ccccgtgccc gggctgtccc cgcacgctgc cggctcgggg 6000

```
atgegggggg agegeeggae eggageggag eeeegggegg etegetgetg eeecetageg 6060
ggggagggac gtaattacat ccctgggggc tttggggggg ggctgtcccc gtgagcggat 6120 ccgcggggct gcaggaattc gtaatcatgg tcatagctgt ttcctgtgtg aaattgttat 6180
ccgctcacaa ttccacacaa catacgagcc ggaagcataa agtgtaaagc ctggggtgcc 6240 taatgagtga gctaactcac attaattgcg ttgcgctcac tgcccgcttt ccagtcggga 6300
aacctgtcgt gccagctgca ttaatgaatc ggccaacgcg cggggagagg cggtttgcgt 6360 attgggcgct cttccgcttc ctcgctcact gactcgctgc gctcggtcgt tcggctgcgg 6420 cgagcggtat cagctcactc aaaggcggta atacggttat ccacagaatc aggggataac 6480
gcaggaaaga acatgtgagc aaaaggccag caaaaggcca ggaaccgtaa aaaggccgcg 6540
ttgctggcgt ttttccatag gctccgccc cctgacgagc atcacaaaaa tcgacgctca 6600 agtcagaggt ggcgaaaccc gacaggacta taaagatacc aggcgtttcc ccctggaagc 6660
tecetegtge geteteetgt tecgaecetg eegettaceg gatacetgte egeettete 6720 cettegggaa gegtggeget tteteatage teacgetgta ggtateteag tteggtgtag 6780
cetteggaa gegtggeget teeteatage teaegetgta ggtateteag teeggtgtag 6780 gtegtteget ceaagetggg etgttggae gaacececeg teeagecega cegtgegee 6840 teateeggta actategtet teagteeae eeggtaagae acgaettate geeaetggae 6900 aagtegtgge etaaetaegg etaeetaga aggtatgtag geggtgetae agagtette 6960 aagteggtge etaaetaegg etaeetaga aggaeagtat teggtatetg eggetetgetg 7020 aageeagta eetteggaa aagagtegt ageetetgat eeggeaaeae aaceaeeget 7080 ggaagateett tegatette teaegggget gaegeteagt ggaaeaaaa aggaetetaa 7260 gggatttegg aasteetta aagtatatat gagtaaaett ggetegaag teaeeaag 7320
 tqaaqtttta aatcaatcta aagtatatat gagtaaactt ggtctgacag ttaccaatgc 7320
ttaatcagtg aggcacctat ctcagcgatc tgtctatttc gttcatccat agttgcctga 7380 ctccccgtcg tgtagataac tacgatacgg gagggcttac catctggccc cagtgctgca 7440
atgataccgc gagacccacg ctcaccggct ccagatttat cagcaataaa ccagccagcc 7500 ggaagggccg agcgcagaag tggtcctgca actttatccg cctccatcca gtctattaat 7560 tgttgccggg aagctagagt aagtagttcg ccagttaata gtttgcgcaa cgttgttgcc 7620
attgctacag gcatcgtggt gtcacgctcg tcgtttggta tggcttcatt cagctccggt 7680 tcccaacgat caaggcgagt tacatgatcc cccatgttgt gcaaaaaagc ggttagctcc 7740
tteggteete egategttgt cagaagtaag ttegeegeag tgttateact catggttate 7800 geageactge ataattetet tactgteatg ceateegtaa gatgetttte tgtgactggt 7860 gagtacteaa ceaagteatt etgagaatag tgtatgegge gacegagttg etettgeeeg 7920 gegteaatae gggataatae egegeeacat agaagaactt taaaagtget cateattgga 7980
 aaacgttett eggggegaaa acteteaagg atettacege tgttgagate cagttegatg 8040
taacccactc gtgcacccaa ctgatcttca gcatctttta ctttcaccag cgtttctggg 8100
tgagcaaaaa caggaaggca aaatgccgca aaaaagggaa taagggcgac acggaaatgt 8160 tgaatactca tactcttcct ttttcaatat tattgaagca tttatcaggg ttattgtct 8220
atgageggat acatatttga atgtatttag aaaaataaac aaataggggt teegegcaca 8280 ttteeegaa aagtgeeacc tgaegtagtt aacaaaaaa ageeegeega agegggettt 8340
attaccaage gaagegecat tegecattea ggetgegeaa etgttgggaa gggegategg 8400
 tgcgggcctc ttcgctatta cgccagctgg cgaaaggggg atgtgctgca aggcgattaa 8460
gttgggtaac gccagggttt tcccagtcac gacgttgtaa aacgacggcc agtccgtaat 8520 acgactcact taaggccttg actagagggt cgacggtata cagacatgat aagatacatt 8580
gatgagtttg gacaaaccac aactagaatg cagtgaaaaa aatgctttat ttgtgaaatt 8640 tgtgatgcta ttgctttatt tgtaaccatt ataagctgca ataaacaagt tggggtgggc 8700
gaagaactcc agcatgagat ccccgcgctg gaggatcatc cagccggcgt cccggaaaac 8760
gattccgaag cccaacettt catagaagge ggeggtggaa tcgaaatete gtageacgtg 8820 tcagtcctge tcctcggcca cgaagtgcac g
 <210> 125
 <211> 10474
 <212> DNA
 <213> Artificial Sequence
 <220>
<223> p18genEPO Plasmid
 <400> 125
cagttgccgg ccgggtcgcg cagggcgaac tcccgccccc acggctgctc gccgatctcg 60
gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120 tacagctcgt ccaggccgcg cacccacacc caggccaggg tgttgtccgg caccacctgg 180
tectggaceg egetgatgaa cagggteaeg tegtecegga ceacacegge gaagtegtee tecacgaagt eeegggagaa eeegageegg teggteeaga aetegacege teeggegaeg
 360
 caagitagta taaaaaagca ggcttcaatc ctgcagagaa gcttgatatc gaattcctgc
                                                                                                                       420
agccccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg atgtaattac 480
```

ccccccgcat ccccgagccg gcagcgtgcg gggacagccc gggcacgggg aaggtggcac 600 gggatcgctt tcctctgaac gcttctcgct gctctttgag cctgcagaca cctgggggat 660 acggggccgc ggatccgctc acggggacag cccccccca aagccccaag ggatgaatt 720 acgtccctcc cccgctaggg ggcagcaggg agccgcgg ggctccgctc cggtccggcg 780 ctccccccgc atccccgagc cggcagcgtg cggggacagc ccgggcacgg ggaaggtggc 840 acgggatcgc tttcctctga acgcttctcg ctgctctttg agcctgcaga cacctggggg 900 atacggggc gcggatccgc tcacggggac agccccccc caaagccccc agggatccgc tcacggtac cgagccgccc ggggctccgc tccggttccgg 1020 cgctccccc gcatcccga gccggcagcg tgcggggaca gcccgggcac ggggaaggtg 1080 gcacgggatc gcttcctct gaacgcttct cgctgctctt tgagcctgca gacacctggg 1140 ggatacggg ccgcggatcc gctcacgggg acagccccc cccaaagccc ccagggatgt 1200 aattacgtcc ctccccgct agggggcagc agcgagccgc ccggggctcc gctccggtcc 1260 ggcgctcccc ccgcatcccc gagccggcag cgtgcgggga cagcccgggc acggggaagg 1320 tggcacggga tcgctttcct ctgaacgctt ctcgctgctc tttgagcctg cagacacctg 1380 ggggatacgg ggccgcggat ccgctcacgg ggacagcccc cccccaaagc ccccagggat 1440 gtaattacgt ccctcccccg ctaggggca gcagcgagcc gcccggggct ccgctccggt 1500 ccggcgctcc ccccgcatcc ccgagccggc agcgtgcggg gacagcccgg gcacggggaa 1560 ggtggcacgg gatcgctttc ctctgaacgc ttctcgctgc tctttgagcc tgcagacacc 1620 tgggggatac ggggccgcgg atccgctcac ggggacagcc ccccccaaa gcccccaggg 1680 gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 2040 cgccaatagg gactttccat tgacgtcaat gggtggacta tttacggtaa actgccaact 2100 tggcagtaca tcaagtgtat catatgccaa gtacgccccc tattgacgtc aatgacggta 2160 aatggccgc ctggcattat gcccagtaca tgaccttatg ggactttcct acttggcagt 2220 acatctacgt attagtcatc gctattacca tgggtcgagg tgagcccac gttctgcttc 2280 actctcccca tctcccccc ctccccaccc ccaattttgt atttattat tttttaatta 2340 gtgcgtgcgt gtgtgtgtgc gtggggagcg ccgcgtgcgg cccgcgctgc ccggcggctg 2820 gggcgcaggg acttectttg teccaaatet ggeggageeg aaatetggga ggegeegeeg 3300 cacccctct ageggegeg ggegaagegg tgeggegeg geaggaagga aatgggeggg 3360 gagggeette gtgegtegee gegeegeegt ecettetee atetecagee teggggetge 3420 ggggacagga aggacgaget ggggcagaga cgtggggatg aaggaagetg teettecaca 4080 gecaccette teettecacg cetgaetete ageetggeta tetgttetag aatgteetge 4140 etggetgtgg etteteetgt ceetgetgte geteeetetg ggeetecaag teetgggege 4200 cccaccacgc ctcatctgtg acagccgagt cctggagagg tacctcttgg aggccaagga 4260 ggccgagaat atcacggtga gaccccttcc ccagcacatt ccacagaact cacgctcagg 4320 gcttcaggga actcctcca gatccaggaa cctggcactt ggtttggggt ggagttggga 4380 agctagacac tgcccccta cataagaata agtctggtgg ccccaaacca tacctggaaa 4440 ctaggcaagg agcaaagcca gcagatccta cggcctgtgg gccagggca gagccttcag 4500 ggacccttga ctccccgggc tgtgtgcatt tcagacgggc tgtgtgtgaac actgcagctt 4560

gaatgagaat atcactgtcc cagacaccaa agttaatttc tatgcctgga agaggatgga 4620 ggtgagttcc ttttttttt tttttccttt cttttggaga atctcatttg cgagcctgat 4680 tttggatgaa agggagaatg atcgagggaa aggtaaaatg gagcagcaga gatgaggctg 4740 cctgggcgca gaggctcacg tctataatcc caggctgaga tggccgagat gggagaattg 4800 cttgagccct ggagtttcag accaacctag gcagcatagt gagatccccc atctctacaa 4860 acatttaaaa aaattagtca ggtgaagtgg tgcatggtgg tagtcccaga tatttggaag 4920 gctgaggcgg gaggatcgct tgagcccagg aatttgaggc tgcagtgagc tgtgatcaca 4980 ccactgcact ccagcctcag tgacagagtg aggccctgtc tcaaaaaaga aaagaaaaaa 5040 cttggggctg ctgaggggca ggagggagag ggtgacatgg gtcagctgac tcccagagtc 5220 cactccctgt aggtcggca gcaggccgta gaagtctggc agggcctggc cctgctgtcg 5280 gaagetgtee tgeggggeea ggeeetgttg gteaactett eccageegtg ggageeetg 5340 cagctgcatg tggataaagc cgtcagtggc cttcgcagcc tcaccactct gcttcgggct 5400 ctgggagccc aggtgagtag gagcggacac ttctgcttgc cctttctgta agaaggggag 5460 aagggtettg ctaaggagta caggaactgt ccgtatteet teeetttetg tggcactgca 5520 gcgacctcct gttttctcct tggcagaagg aagccatctc ccctccagat gcggcctcag 5580 ctgctccact ccgaacaatc actgctgaca ctttccgcaa actcttccga gtctactcca 5640 atttcctccg gggaaagctg aagctgtaca caggggaggc ctgcaggaca ggggacagat 5700 gacgtacaag taagaattca ctcctcaggt gcaggctgcc tatcagaagg tggtggctgg 5760 tgtggccaat gccctggctc acaaatacca ctgagatctt tttccctctg ccaaaaatta 5820 tggggacatc atgaagcccc ttgagcatct gacttctggc taataaagga aatttatttt 5880 cattgcaata gtgtgttgga attttttgtg tctctcactc ggaaggacat atgggagggc 5940 aaatcattta aaacatcaga atgagtatti ggtttagagt tiggcaacat atgccatatg 6000 ctggctgcca tgaacaaagg tggctataaa gaggtcatca gtatatgaaa cagcccctg 6060 ctgtccattc cttattccat agaaaagcct tgacttgagg ttagatttt tttatattt 6120 gttttgtgt attttttct ttaacatccc taaaattttc cttacatgtt ttactagcca 6180 gatttttcct cctctcctga ctactcccag tcatagctgt ccctcttctc ttatgaagat 6240 ccctcgacct gcagcccaag cttgcatgcc tgcaggtcga ctctagtgga tcccccgccc 6300 cgtatccccc aggtgtctgc aggctcaaag agcagcgaga agcgttcaga ggaaagcgat 6360 cccgtgccac cttccccgtg cccgggctgt ccccgcacgc tgccggctcg gggatgcggg 6420 gggagegeeg gaceggageg gageeeeggg eggetegetg etgeeeeta gegggggagg 6480 gaegtaatta cateeetggg ggetttgggg gggggetgte eeegtgageg gateegegge 6540 eeegtateee eeaggtgtet geaggeteaa agageagega gaagegttea gaggaaageg 6600 atcccgtgcc accttccccg tgcccgggct gtccccgcac gctgccggct cggggatgcg 6660 cgggggagg gccggaccg agcggagcc cgggcggc gctgccg acgctgcgg cctaggggg 6960 gagggacgta attacatcc tgggggctt gggggggg tgtcccgtg agcggatcg 7020 cggcccgta tccccaggt gtctgcaggc tcaaagagca gcgagaagcg ttcagagga 7080 agcgatccg tgcaccttc cccgtgccg ggctgtccc gcacgctgc ggctgggga 7140 tgcgggggga gcgccggac ggagcggagc cccgggggg tgtctgcgc ccctagcggg 7200 gggaggacg taattacatc cctgggggct ttggggggg gctgtccccg tgagcggatc 7260 cgcggccccg tatccccag gtgtctgcag gctcaaagag cagcgagaag cgttcagagg 7320 aaagcgatcc cgtgccacct tccccgtgcc cgggctgtcc ccgcacgctg ccggctcggg 7380 gatgeggggg gagegeegga eeggagegga geeeegggeg getegetget geeeeetage 7440 gggggaggga cgtaattaca tcctggggg ctttggggg gggctgtcc cgtgagcgga 7500 tccgcggcc cgtatcccc aggtgtctgc aggctcaaag agcagcgaga agcgttcaga 7560 ggaaagcgat cccgtgcca cttccccgtg cccgggctgt ccccgcacgc tgccggctcg 7620 gggatgcgg gggagcgccg gaccggagcg gagccccggg cggctcgctg ctgcccccta 7680 gcgggggagg gacgtaatta catccctggg ggctttgggg gggggctgtc cccgtgagcg 7740 gatccgcggg gctgcaggaa ttcgtaatca tggtcatagc tgtttcctgt gtgaaattgt 7800 tatccgctca caattccaca caacatacga gccggaagca taaagtgtaa agcctggggt 7860 gcctaatgag tgagctaact cacattaatt gcgttgcgct cactgcccgc tttccagtcg 7920 ggaaacctgt cgtgccagct gcattaatga atcggccaac gcgcggggag aggcggtttg 7980 cgtattgggc gctcttccgc ttcctcgctc actgactcgc tgcgctcggt cgttcggctg 8040 cggcgagcgg tatcagctca ctcaaaggcg gtaatacggt tatccacaga atcaggggat 8100 aacgcaggaa agaacatgtg agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggc 8160 gcgttgctgg cgtttttcca taggctccgc ccccctgacg agcatcacaa aaatcgacgc 8220 tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcgtt tccccctgga 8280 agctccctcg tgcgctctcc tgttccgacc ctgccgctta ccggatacct gtccgccttt 8340 ctcccttcgg gaagcgtggc gctttctcat agctcacgct gtaggtatct cagttcggtg 8400 taggtcgttc gctccaagct gggctgtgtg cacgaacccc ccgttcagcc cgaccgctgc 8460 gccttatccg gtaactatcg tcttgagtcc aacccggtaa gacacgactt atcgccactg 8520 gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcggtgc tacagagttc 8580

```
ttgaagtggt ggcctaacta cggctacact agaaggacag tatttggtat ctgcgctctg 8640
 ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa acaaaccacc 8700 gctggtagcg gtggtttttt tgtttgcaag cagcagatta cgcgcagaaa aaaaggatct 8760
 caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaacga aaactcacgt 8820 taagggattt tggtcatgag attatcaaaa aggatcttca cctagatcct tttaaattaa 8880
 aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga cagttaccaa 8940
 tgettaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc catagttgcc 9000 tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg ccccagtgct 9060
 gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat aaaccagcca 9120 gccggaaggg ccgagcgcag aagtggtcct gcaactttat ccgcctccat ccagtctatt 9180 aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg caacgttgtt 9240
gecattgeta caggeategt ggtgteacge tegtegtttg gtatggette atteagetee 9300 ggtteecaac gateaaggeg agttacatga tececcatgt tgtgcaaaaa ageggttage 9360 teetteggte etecgategt tgteagaagt aagttggeeg cagtgttate acteatggt 9420 atggcagcae tgcataatte tettactgte atgecatege tagtgatgte ttettgtgate 9480 ggtgagtact caaccaagte attetggaag tagtgatge ggegacegag ttgetettge 9540
 ccggcgtcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt gctcatcatt 9600
 ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag atccagttcg 9660 atgtaaccca ctcgtgcacc caactgatct tcagcatctt ttactttcac cagcgtttct 9720
 gggtgagcaa aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa 9780 tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca gggttattgt 9840
ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg ggttccgcgc 9900 acatttcccc gaaaagtgcc acctgacgta gttaacaaaa aaaagcccgc cgaagcgggc 9960 tttattacca agcgaagcgc cattcgccat tcaggctgcg caactgttgg gaagggcgat 10020
eggtgeggge etettegeta ttaegecage tggegaaagg gggatgtget gcaaggegat 10080 taagttgggt aacgecaggg tttteccagt cacgacgttg taaaacgacg gccagtccgt 10140 aatacgacte acttaaggee ttgactagag ggtegacggt atacagacat gataagatac 10200 attgatgagt ttggacaaac cacaactaga atgcagtgaa aaaaatgett tatttgtgaa 10260
 attigtgatg ctattgcttt attigtaacc attataagct gcaataaaca agttggggtg 10320
ggcgaagaac tccagcatga gatccccgcg ctggaggatc atccagccgg cgtcccggaa 10380 aacgattccg aagcccaacc tttcatagaa ggcggcggtg gaatcgaaat ctcgtagcac 10440 gtgtcagtcc tgctcctcgg ccacgaagtg cacg 10474
 <210> 126
 <211> 6119
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> pl8attBZeoeGFP Plasmid
 <400> 126
 cagttgccgg ccgggtcgcg cagggcgaac tcccgccccc acggctgctc gccgatctcg 60
 gtcatggccg gcccggaggc gtcccggaag ttcgtggaca cgacctccga ccactcggcg 120
 tacagetegt ccaggeegeg cacceacace caggecaggg tgttgteegg caccacetgg 180
 tectggaceg egetgatgaa cagggteaeg tegteeegga ceacacegge gaagtegtee 240
 tccacgaagt cccgggagaa cccgagccgg tcggtccaga actcgaccgc tccggcgacg 300
 tegegegegg tgageacegg aacggeactg gtcaacttgg ceatggatee agattteget 360 caagttagta taaaaaagca ggettcaate etgeagagaa gettgggetg caggtegagg 420
gatcttcata agagaagagg gacagctatg actgggagta gtcaggagag gaggaaaaat 480 ctggctagta aaacatgtaa ggaaaatttt agggatgtta aagaaaaaaa taacacaaaa 540
caaaatataa aaaaaatcta acctcaagtc aaggcttttc tatggaataa ggaatggaca 600 gcagggggct gtttcatata ctgatgacct ctttatagcc acctttgttc atggcagcca 660
gcatatggca tatgttgcca aactctaaac caaatactca ttctgatgtt ttaaatgatt 720
tgccctccca tatgtccttc cgagtgagag acacaaaaaa ttccaacaca ctattgcaat 780 gaaaataaat ttcctttatt agccagaagt cagatgctca aggggcttca tgatgtcccc 840
ataatttttg gcagagggaa aaagatctca gtggtatttg tgagccaggg cattggccac 900 accagccacc accttctgat aggcagcctg cacctgagga gtgaattctt acttgtacag 960 ctcgtccatg ccgagagtga tcccggcggc ggtcacgaac tccagcagga ccatgtgatc 1020
gegetteteg ttggggtett tgeteagge ggactgggtg etcaggagt eggtgtegg 1080 cageageacg gggeegtege egatggggt gttetgetgg tagtggtegg egagetgeae 1140 getgeegtee tegatgttgt ggeggatett gaagtteace ttgatgeegt tettetgett 1200 gteggeeatg atatagaegt tgtggetgtt gtagttgtae tecagettgt geeceaggat 1260
gttgeegtee teettgaagt egatgeeett eagetegatg eggtteacea gggtgtegee 1320
ctcgaacttc acctcggcgc gggtcttgta gttgccgtcg tccttgaaga agatggtgcg 1380 ctcctggacg tagccttcgg gcatggcgga cttgaagaag tcgtgctgct tcatgtggtc 1440 ggggtagcgg ctgaagcact gcacgccgta ggtcagggtg gtcacgaggg tgggccaggg 1500
```

cacgggcage ttgccggtgg tgcagatgaa cttcagggtc agettgccgt aggtggcatc 1560 gccctcgccc tcgccggaca cgctgaactt gtggccgttt acgtcgccgt ccagctcgac 1620 caggatgggc accacccgg tgaacagctc ctcgcccttg ctcaccatgg tggcgaattc 1680 tttgccaaaa tgatgagaca gcacaacaac cagcacgttg cccaggagct gtaggaaaaa 1740 gaagaaggca tgaacatggt tagcagaggc tctagagccg ccggtcacac gccagaagcc 1800 gaacccegce ctgeccegte cccccegaag gcagccgtce ccetgeggca gccccgaggc 1860 tggagatgga gaaggggacg gcggcgcgc gacgcacgaa ggccctcccc gcccatttcc 1920 ttcctgccgg cgccgcacga cttcgcccgc gcccgttaga gggggtgcgg cggcgcctcc 1980 cagatttccgc cccgccaga tttcgccgc cgcagatta 2040 acctgeegee accecege eggeacggeg ageceegege caegeecege aeggagecee 2220 geaccegaag eeggeegtg etcageaact eggggagggg ggtgeagggg ggggttacag 2280 eccgaeegee gegeecaaa eccetgetea eccececaag caacaaceee geacgeagee 2340 tttgttccc tcgcagccc cccgcaccgc ggggcaccgc ccccggccgc gctcccctcg 2400 cgcacacgcg gagcgcacaa agccccgcgc cgcgcccgca gcgctcacag ccgccgggca 2460 gegeggeeg caegeggege tecceaegea caeacaeaeg caegeaeeee eegageeget 2520 ceeeceegea caaagggee teceggagee etttaagget tteaegeage caeagaaaag 2580 aaaegageeg teattaaaee aagegetaat taeageegg aggagaaggg cegteeegee 2640 cgctcacctg tgggagtaac gcggtcagtc agagccgggg cgggcggcgc gaggcggcgc 2700 ggagcggggc acggggcgaa ggcaacgcag cgactcccgc ccgccgcgcg cttcgctttt 2760 tatagggccg ccgccgcccc cccccccgcc cccatcgctg cacaaaataa ttaaaaaata 2940 aataaataca aaattggggg tggggagggg ggggagatgg ggagagtgaa gcagaacgtg 3000 gggctcacct cgacccatgg taatagcgat gactaatacg tagatgtact gccaagtagg 3060 aaagtcccat aaggtcatgt actgggcata atgccaggcg ggccatttac cgtcattgac 3120 gtcaataggg ggcgtacttg gcaatatgata acacttgatgt actgcaagt gggcagttta 3180 ccgtaaatag tccacccatt gacgtcaatg gaaagtccct attggcgtta ctatgggaac 3240 atacgtcatt attgacgtca atgggcgggg gtcgttgggc ggtcagccag gcgggccatt 3300 taccgtaagt tatgtaacgc ggaactccat attagggcta tgaactaatg accccgtaat 3360 tgattactat taataactag aggatcccag ggtacggagc tcgaattcgt aatcatggtc 3420 atagctgttt cctgtgtgaa attgttatcc gctcacaatt ccacacaaca tacgagccgg 3480 aagcataaag tgtaaagcct ggggtgccta atgagtgagc taactcacat taattgcgtt 3540 gegeteactg ecceetttee agtegegaaa cetetegte cagetecatt aatgaatege 3600 accecegtt cageegace getgegeett ateeggtaac tategtettg agtecaacee 4140 ggtaagacac gaettatege caetggeage ageeattgt aacaggatta geagagegag 4200 gtatgtagge ggtgetacag agtettgaa gtggtggeet aactaegget acaetagaag 4260 gaeagtatt ggtatetgeg etetgetgaa geeagttace teeggeaaaa gagttggtag 4320 ctcttgatcc ggcaaacaaa ccaccgctgg tagcggtggt ttttttgttt gcaagcagca 4380 gattacgcgc agaaaaaaag gatctcaaga agatcctttg atctttcta cggggtctga 4440 cgctcagtgg aacgaaaact cacgttaagg gattttggtc atgagattat caaaaaggat 4500 cttcacctag atccttttaa attaaaaatg aagttttaaa tcaatctaaa gtatatatga 4560 gtaaacttgg tctgacagtt accaatgctt aatcagtgag gcacctatct cagcgatctg 4620 tctatttcgt tcatccatag ttgcctgact ccccgtcgtg tagataacta cgatacggga 4680 gggcttacca tctggccca gtgctgcaat gataccgcga gacccacgct caccggctcc 4740 agatttatca gcaataaacc agccagcgg aagggccgag cgcagaagtg gtcctgcaac 4800 tttatccgcc tccatccagt ctattaattg ttgccgggaa gctagagtaa gtagttcgcc 4860 agttaatagt ttgcgcaacg ttgttgccat tgctacaggc atcgtggtgt cacgctcgtc 4920 gtttggtatg gcttcattca gctccggttc ccaacgatca aggcgagtta catgatcccc 4980 catgttgtgc aaaaaagcgg ttagctcctt cggtcctccg atcgttgtca gaagtaagtt 5040 ggccgcagtg ttatcactca tggttatggc agcactgcat aattctctta ctgtcatgcc 5100 atccgtaaga tgcttttctg tgactggtga gtactcaacc aagtcattct gagaatagtg 5160 tatgcggcga ccgagttgct cttgcccggc gtcaatacgg gataataccg cgccacatag 5220 cagaacttta aaagtgctca tcattggaaa acgttcttcg gggcgaaaac tctcaaggat 5280 cttaccgctg ttgagatcca gttcgatgta acccactcgt gcaccaact gatcttcagc 5340 atcttttact ttcaccagcg tttctgggtg agcaaaaaca ggaaggcaaa atgccgcaaa 5400 aaagggaata agggcgacac ggaaatgttg aatactcata ctcttccttt ttcaatatta 5460 ttgaagcatt tatcagggtt attgtctcat gagcggatac atatttgaat gtatttagaa 5520

```
aaataaacaa ataggggttc cgcgcacatt tccccgaaaa gtgccacctg acgtagttaa 5580
caaaaaaaag cccgccgaag cgggctttat taccaagcga agcgccattc gccattcagg 5640
ctgcgcaact gttgggaagg gcgatcggtg cgggctctt cgctattacg ccagctggcg 5700 aaagggggat gtgctgcaag gcgattaagt tgggtaacgc cagggtttc ccagtcacga 5760 cgttgtaaaa cgacggccag tccgtaatac gactcactta aggccttgac tagagggtcg 5820
acggtataca gacatgataa gatacattga tgagtttgga caaaccacaa ctagaatgca 5880 gtgaaaaaaa tgctttattt gtgaaatttg tgatgctatt gctttatttg taaccattat 5940
aagctgcaat aaacaagttg gggtgggcga agaactccag catgagatcc ccgcgctgga 6000
ggatcatcca gccggcgtcc cggaaaacga ttccgaagcc caacctttca tagaaggcgg 6060
cggtggaatc gaaatctcgt agcacgtgtc agtcctgctc ctcggccacg aagtgcacg 6119
<210> 127 <211> 5855
<212> DNA
<213> Artificial Sequence
<220>
<223> pCXLamInt Plasmid (Wildtype Integrase)
<400> 127
gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata 60
geccatatat ggagtteege gttacataac ttaeggtaaa tggeeegeet ggetgaeege 120
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag 180 ggactttcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac 240
atcaagtgta tcatatgcca agtacgcccc ctattgacgt caatgacggt aaatggcccg 300 cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg 360
tattagtcat cgctattacc atgggtcgag gtgagcccca cgttctgctt cactctcccc 420 atctccccc cctccccacc cccaattttg tatttattta ttttttaatt attttgtgca 480
ggtgccccgc ggtgcgggg ggctgcgagg ggaacaaagg ctgcgtgcgg ggtgtgtgcg 1080 tgggggggt agcaggggt gtgggcgcgg cggtcgggct gtaaccccc cctcacccgag ttgctgagaa cggcccggct tcgggtgcg ggctccgtgc ggagcgtggc 1200
tagegggege gggegaageg gtgeggegee ggeaggaagg aaatgggegg ggagggeett 1500 egtgegtege egegeegeeg teceettete catetecage eteggggetg eegeaggggg 1560
cgtgcgtcgc cgcgccgcg tccccttctc catctccagc ctcggggccg ccgcagygy 1560 acggctgcct tcgggggga cggggcaggg cggggttcgg cttctggcgt gtgaccggcg 1620 gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctcctgggca 1680 acagggctggt tgttgtgctg tctcatcatt ttggcaaaga attcatggga agaaggcgaa 1740 gtcatgagcg ccgggattta ccccctaacc tttatataaa aacaatgga attactgct 1800 acagggacc aaggacggt aaagggttg gattaggcag agacaggcga atcgcaatca 1860 ctgaaggtat acaggcaac attgagtat tttcaggaca caaacacaag cctctgacag 1920
 cgagaatcaa cagigataat teegttacgt tacattcatg gettgatege tacgaaaaaa 1980 teetggecag cagaggaatc aagcagaaga cactcataaa ttacatgage aaaattaaaa 2040 caataaggag gggtetgeet gatgetecac ttgaagacat caccacaaaa gaaattgegg 2100
 caatgctcaa tggatacata gacgagggca aggcggcgtc agccaagtta atcagatcaa 2160
cactgagcga tgcattcga gaggcaatag ctgaaggca tgcattcagagtaa tcagagtaa gaggcaatag ctgaaggca tataacaaca aaccatgtcg 2220 ctgccactcg cgcagcaaaa tcagaggtaa gagaatcaca catgttggct cagacttgca atggaactgg 2340 ctgttgtac cgggcaacga gttggtgatt tatgcgaaat gaagtggtct gatatcgtag 2400 atggatatct ttatgtcgag caaagcaaaa caggcgtaaa aattgcatc ccaacagcat 2460 tgcatattga tgctctcgga atgataatag aggagagaga agggggta aggcgatag caaagcaatag 2460
 tgcatattga tgctctcgga atatcaatga aggaaacact tgataaatgc aaagagattc 2520
 ttggcggaga aaccataatt gcatctactc gtcgcgaacc gctttcatcc ggcacagtat 2580
 caaggtattt tatgegegea egaaaageat caggtettte ettegaaggg gateegeeta 2640 eettteaega gttgegeagt ttgtetgeaa gaetetatga gaageagata agegataagt 2700
 ttgctcaaca tetteteggg cataagtegg acaccatgge atcacagtat egtgatgaca 2760
 gaggcaggga gtgggacaaa attgaaatca aataagaatt cactcctcag gtgcaggctg 2820
```

```
cctatcagaa ggtggtggct ggtgtggcca atgccctggc tcacaaatac cactgagatc 2880
tttttcctc tqccaaaaat tatggggaca tcatgaagcc ccttgagcat ctgacttctg 2940
gctaataaag gaaatttatt ttcattgcaa tagtgtgttg gaattttttg tgtctctcac 3000 tcggaaggac atatgggagg gcaaatcatt taaaacatca gaatgagtat ttggtttaga 3060
gtttggcaac atatgccata tgctggctgc catgaacaaa ggtggctata aagaggtcat 3120
toottacatg ttttactage cagattttte etecteteet gactacteee agteataget 3300
gtccctcttc tcttatgaag atccctcgac ctgcagccca agcttggcgt aatcatggtc 3360
atagetgttt cetgtgtgaa attgttatee geteacaatt ceacaacaa tacgageegg 3420 aageataaag tgtaaageet ggggtgeeta atgagtgage taacteacat taattgegtt 3480 gegeteactg ceegetttee agtegggaaa cetgtegtge cagegggatee geateteaat 3540
tagteageaa ccatagtece gecetaaet eegeceatee egeceetaae teegeceagt 3600
teegeeeatt eteegeeeea tggetgaeta attttttta tttatgeaga ggeegaggee 3660 geeteggeet etgagetatt eeagaagtag tgaggagget tttttggagg eetaggettt 3720
tgcaaaaagc taacttgttt attgcagctt ataatggtta caaataaagc aatagcatca 3780
caaatttcac aaataaagca tttttttcac tgcattctag ttgtggtttg tccaaactca 3840
tcaatgtate ttatcatgte tggatceget geattaatga ateggecaac gegegggag 3900 aggeggtttg egtattggge getetteege tteetegete aetgaetege tgegeteggt 3960 egtteggetg eggegagegg tatcagetea etcaaaggeg gtaataeggt tatccacaga 4020
atcaggggat aacgcaggaa agaacatgtg agcaaaaggc cagcaaaagg ccaggaaccg 4080 taaaaaggcc gcgttgctgg cgtttttcca taggctccgc cccctgacg agcatcacaa 4140 aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcgtt 4200
tecceetgga ageteceteg tgegetetee tgtteegaee etgeegetta eeggataeet 4260
gtccgcctt ctcccttcgg gaagcgtggc gctttctcaa tgctcacgct gtaggtatct 4320 cagttcggtg taggtcgttc gctccaagct gggctgtgtg cacgaaccc ccgttcagcc 4380 cgaccgctgc gccttatccg gtaactatcg tcttgagtcc aacccggtaa gacacgactt 4440 atcgccactg gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcggtgc 4500
tacagagttc ttgaagtggt ggcctaacta cggctacact agaaggacag tatttggtat 4560
ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa 4620 acaaaccacc gctggtagcg gtggtttttt tgtttgcaag cagcagatta cgcgcagaaa 4680
aaaaggatet caagaagate ettigatett tietacgggg tetgacgete agtggaacga 4740 aaaeteacgt taagggatet tggtcatgag attatcaaaa aggatettca cetagateet 4800
tttaaattaa aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttggtctga 4860
cagttaccaa tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcatc 4920 catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg 4980
ccccagtgct gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat 5040
aaaccagcca gccggaaggg ccgagcgcag aagtggtcct gcaactttat ccgcctccat 5100 ccagtctatt aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg 5160
caacgttgtt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc 5220 attcagctcc ggttcccaac gatcaaggcg agttacatga tcccccatgt tgtgcaaaaa 5280
ageggttage teetteggte etcegategt tgtcagaagt aagttggeeg cagtgttate 5340
actcatggtt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt 5400 ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgtatgc ggcgaccgag 5460
ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt 5520
gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag 5580 atccagttcg atgtaaccca ctcgtgcacc caactgatct tcagcatctt ttactttcac 5640
cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc gcaaaaaaagg gaataagggc 5700 gacacggaaa tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca 5760
gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg 5820
ggttccgcgc acatttcccc gaaaagtgcc acctg 5855
<210> 128
<211> 303
<212> DNA
<213> Artificial Sequence
<220>
<223> Human FER-1 Promoter
<400> 128
tccatgacaa agcacttttt gagcccaagc ccagcctagc tcgagctaaa cgggcacaga 60
gacgecaceg etgteccaga ggcagtegge taceggtece egetecegag etecgecaga 120
gcgcgcgagg gcctccagcg gccgccctc ccccacagca ggggcggggt cccgcgcca 180
ccggaaggag cgggctcggg gcgggcggcg ctgattggcc ggggcgggcc tgacgccgac 240
geggetataa gagaccacaa gegaccegca gggecagaeg ttettegeeg agagtegggt 300
```

acc

<210> 129

```
<211> 6521
<212> DNA
<213> Artificial Sequence
<220>
<223> pIRES-BSR Plasmid
<400> 129
tcaatattgg ccattagcca tattattcat tggttatata gcataaatca atattggcta 60
ttggccattg catacgttgt atctatatca taatatgtac atttatattg gctcatgtcc 120 aatatgaccg ccatgttggc attgattatt gactagttat taatagtaat caattacggg 180
gtcattagtt catagcccat atatggagtt ccgcgttaca taacttacgg taaatggccc 240
gcctggctga ccgcccaacg accccgccc attgacgtca ataatgacgt atgttcccat 300 agtaacgcca atagggactt tccattgacg tcaatgggtg gagtatttac ggtaaactgc 360
ccacttggca gtacatcaag tgtatcatat gccaagtccg cccctattg acgtcaatga 420 cggtaaatgg cccgcctggc attatgccca gtacatgacc ttacgggact ttcctacttg 480
gcagtacatc tacgtattag tcatcgctat taccatggtg atgcggtttt ggcagtacac 540 caatgggcgt ggatagcggt ttgactcacg gggatttcca agtctccacc ccattgacgt 600 caatgggagt ttgttttggc accaaatca acgggacttt ccaaaatgtc gtaacaactg 660
cgatcgcccg ccccgttgac gcaaatgggc ggtaggcgtg tacggtggga ggtctatata 720 agcagagctc gtttagtgaa ccgtcagatc actagaagct ttattgcggt agtttatcac 780 agttaaattg ctaacgcagt cagtgcttct gacacaacag tctcgaactt aagctgcagt 840
gactctetta aggtageett geagaagttg gtegtgagge aetgggeagg taagtateaa 900 ggttacaaga caggtttaag gagaccaata gaaactggge ttgtegagae agagaagaet 960
cttgcgtttc tgataggcac ctattggtct tactgacatc cactttgcct ttctctccac 1020
aggigicac toccagitca attacagete ttaaggetag agtactiaat acgaeteact 1080
ataggetage etegagaatt caegegtega geatgeatet agggeggeea atteegeeee 1140
tetecetece eccecetaa egttaetgge egaageeget tggaataagg eeggtgtgeg 1200
titgtctata tgtgattttc caccatattg ccgtcttttg gcaatgtgag ggcccggaaa 1260 cctggccctg tcttcttgac gagcattcct aggggtcttt cccctctcgc caaaggaatg 1320
caaggtetgt tgaatgtegt gaaggaagea gtteetetgg aagettettg aagacaaaca 1380 aegtetgtag egaceetttg eaggeagegg aacceeecae etggegacag gtgeetetge 1440
ggccaaaagc cacgtgtata agatacacct gcaaaggcgg cacaacccca gtgccacgtt 1500 gtgagttgga tagttgtgga aagagtcaaa tggctctcct caagcgtatt caacaagggg 1560
ctgaaggatg cccagaaggt accccattgt atgggatctg atctggggcc tcggtgcaca 1620
tgetttacat gtgtttagte gaggttaaaa aaacgtetag geecceegaa eeacggggae 1680 gtggttttee tttgaaaaac acgatgataa gettgeeaca acceaccatg aaaacattta 1740
acatttetea acaagateta gaattagtag aagtagegae agagaagatt acaatgettt 1800
atgaggataa taaacatcat gtgggagcgg caattcgtac gaaaacagga gaaatcattt 1860 cggcagtaca tattgaagcg tatataggac gagtaactgt ttgtgcagaa gccattgcga 1920
ttggtagtgc agtttcgaat ggacaaaagg attttgacac gattgtagct gttagacacc 1980
cttattctga cgaagtagat agaagtattc gagtggtaag tccttgtggt atgtgtaggg 2040 agttgatttc agactatgca ccagattgtt ttgtgttaat agaaatgaat ggcaagttag 2100 tcaaaactac gattgaagaa ctcattccac tcaaatatac ccgaaattaa aagttttacc 2160 ataccaagct tggcgggcgg ccgcttccct ttagtgaggg ttaatgcttc gagcagacaat 2220
gataagatac attgatgagt ttggacaaac cacaactaga atgcagtgaa aaaaatgctt 2280
tatttgtgaa atttgtgatg ctattgcttt atttgtaacc attataagct gcaataaaca 2340
agttaacaac aacaattgca ttcattttat gtttcaggtt cagggggaga tgtgggaggt 2400
titttaaagc aagtaaaacc tetacaaatg iggtaaaatc cgataaggat cgatecgggc 2460 tggcgtaata gcgaagaggc ccgcaccgat cgccettccc aacagtigcg cagcetgaat 2520
ggcgaatgga cgcgccctgt agcggcgcat taagcgcggc gggtgtggtg gttacgcgca 2580 gcgtgaccgc tacacttgcc agcgccctag cgcccgctcc tttcgctttc ttcccttcct 2640 ttctcgccac gttcgccgc tttccccgtc aagctctaaa tcgggggctc cctttagggt 2700
togatttag agotttacgg cacotogaco gcaaaaaaact tgatttgggt gatggttcac 2760 gtagtgggcc atcgccotga tagacggttt ttcgcccttt gacgttggag tccacgttct 2820
ttaatagtgg actottgttc caaactggaa caacactcaa coctatotog gtotattott 2880
ttgatttata agggattttg ccgatttcgg cctattggtt aaaaaatgag ctgatttaac 2940 aaatatttaa cgcgaatttt aacaaaatat taacgtttac aatttcgcct gatgcggtat 3000
tttctcctta cgcatctgtg cggtatttca caccgcatac gcggatctgc gcagcaccat 3060
ggcctgaaat aacctctgaa agaggaactt ggttaggtac cttctgaggc ggaaagaacc 3120 agctgtggaa tgtgtgtcag ttagggtgtg gaaagtcccc aggctccca gcaggcagaa 3180 gtatgcaaag catgcatctc aattagtcag caaccaggtg tggaaagtcc ccaggctccc 3240 cagcaggcag aagtatgcaa agcatgcatc tcaattagtc agcaaccata gtcccgccc 3300
taactccgcc catcccgccc ctaactccgc ccagttccgc ccattctccg ccccatggct 3360
gactaatttt ttttatttat geagaggeeg aggeegeete ggeetetgag etatteeaga 3420 agtagtgagg aggettttt ggaggeetag gettttgeaa aaagettgat tettetgaca 3480
```

-104-

caacagtctc gaacttaagg ctagagccac catgattgaa caagatggat tgcacgcagg 3540 tteteceggee gettgggtgg agaggetatt eggetatgae tgggeacaac agacaategg 3600 etgetetgat geegeeggt teeggetgte agegeaggg egeeggtte ttttgteaa 3660 gaeegaeetg teeggtgee tgaatgaaet geaggaegag geageggge tategtgget 3720 ggccacgacg ggcgttcctt gcgcagctgt gctcgacgtt gtcactgaag cgggaaggga 3780 ctggctgcta ttgggcgaag tgccggggca ggatctcctg tcatctacac ttgctcctgc 3840 cgagaaagta tccatcatgg ctgatgcaat gcggcggctg catacgcttg atccggctac 3900 cgagaaagta tccatcatgg ctgatgcaat gcggcggctg catacgcttg atccggctac 3900 ctgcccattc gaccaccaag cgaaacatcg catcgagcga gcacgtactc ggatggaagc 3960 cggtcttgtc gatcaggatg atctggacga agagcatcag gggctcgcgc cagccgaact 4020 gttcgcagg ctcaaggcgc gcatgcccga cggcgaggat ctcgtcgtga cccatggcga 4080 tgcctgcttg ccgaatatca tggtggaaaa tggccgcttt tctggattca tcgactggg 4140 ccggctgggt gtggcggacc gctatcagga catacggtt gctacccgtg atctgctga 4260 agagcttggc ggcgaatggg ctgaccgct tctcgaggtc ttctgaaatga ccgaccaagc gacgcccaac ctgccatcac gatggccgca ataaaaatac 4380 tttatttca ttacatctqt qtottcqtt ttctgtaa tcgatacca 4440 tttattttca ttacatctgt gtgttggttt tttgtgtgaa tcgatagcga taaggatccg 4440 cgtatggtgc actctcagta caatctgctc tgatgccgca tagttaagcc agccccgaca 4500 cgtatggtgc actctcagta caatctgctc tgatgccgca tagttaagcc agccccgaca 4500 cccgccaaca cccgctgacg ggccttgacg ggcttgtctg ctcccggcat ccgcttacag 4560 acaagctgtg accgtctccg ggagctgcat gtgtcagagg ttttcaccgt catcaccgaa 4620 acgcgcgaga cgaaagggcc tcgtgatacg cctatttta taggttaatg tcatgataat 4680 aatggttct tagacgtcag gtggcacttt tcggggaaat gtggcgggaa cccctatttg 4740 tttattttc taaatacatt caaatatgta tccgctcatg agacaataac cctgataaat 4800 gcttcaataa tattgaaaaa ggaaggtat gagtattcaa catttccgtg tcgcccttat 4860 tccctttttt gcggcatttt gcctcctgt ttttgctcac ccagaaacgc tggtgaaagt 4920 aaaagatgct gaagatcagt tgggtgcacg agacgttt ccaatgatga gcacttttaa 5040 agttctgcta tgggcgcgg tattatccc tattgacgc gggcaagac aactccgcc 5100 agttetgeta tgtggegegg tattateceg tattgaegee gggeaagage aacteggteg 5100 cegeatacae tatteteaga atgaettggt tgagtaetea eeagteacag aaaageatet 5160 tacggatggc atgacagtaa gagaattatg cagtgctgcc ataaccatga gtgataacac 5220 tgcggccaac ttacttctga caacgatcgg aggaccgaag gagctaaccg cttttttgca 5280 caacatgggg gatcatgtaa ctcgccttga tcgttgggaa ccggagctga atgaagccat 5340 accaaacgac gagegtgaca ccacgatgcc tgtagcaatg gcaacaacgt tgcgcaaact 5400 attaactggc gaactactta ctctagcttc ccggcaacaa ttaatagact ggatggaggc 5460 ggataaagtt gcaggaccac ttctgcgctc ggcccttccg gctggctggt ttattgctga 5520 taaatctgga gccggtgagc gtgggtctcg cggtatcatt gcagcactgg ggccagatgg 5580 taagccctcc cgtatcgtag ttatctacac gacggggagt caggcaacta tggatgaacg 5640 aaatagacag atcgctgaga taggtgcctc actgattaag cattggtaac tgtcagacca 5700 agtttactca tatatacttt agattgattt aaaacttcat ttttaattta aaaggatcta 5760 ggtgaagate etttttgata ateteatgae caaaateeet taaegtgagt tttegtteea 5820 ctgagcgtca gaccccgtag aaaagatcaa aggatcttct tgagatcctt tttttctgcg 5880 cgtaatctgc tgcttgcaaa caaaaaaacc accgctacca gcggtggttt gtttgccgga 5940 tcaagagcta ccaactettt ttccgaaggt aactggette agcagagege agataccaaa 6000 tactgtcctt ctagtgtagc cgtagttagg ccaccacttc aagaactctg tagcaccgcc 6060 tacatacctc gctctgctaa tcctgttacc agtggctgct gccagtggcg ataagtcgtg 6120 tettaceggg ttggacteaa gacgatagtt aceggataag gegcageggt egggetgaac 6180 ggggggtteg tgcacacage ceagettgga gegaacgace tacacegaac tgagatacct 6240 acagegtgag ctatgagaaa gegceacget teeegaaggg agaaaggegg acaggtatec 6300 ggtaagegge agggteggaa caggagageg cacgagggag cttccagggg gaaacgcetg 6360 gtatetttat agteetgteg ggtttegeea cetetgaett gagegtegat ttttgtgatg 6420 ctcgtcaggg gggeggagee tatggaaaaa egecageaac geggeetttt taeggtteet 6480 ggeettttge tggeettttg etcacatgge tegacagate t

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/17452

A. CLASSIFICATION OF SUBJECT MATTER  IPC(7) : C07H 21/04; C12N 15/85,87,90; A01N 43/34; C12N 15/09  US CL : 536/23.1; 435/320.1,325,419,455,467; 514/44; 800/21  According to International Patent Classification (IPC) or to both national classification and IPC  B. FIELDS SEARCHED  Minimum documentation searched (classification system followed by classification symbols)  U.S.: 536/23.1; 435/320.1,325,419,455,467; 514/44; 800/21					
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched					
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS (EAST); STN (MEDLINE, BIOSIS, CAPLUS)					
C. DOC	UMENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where ap		Relevant to claim No.		
X  Y			1,2,7,8,11,23- 25,27,50		
х  Y	WO 00/11155 A1 (THE BOARD OF TRUSTEES OF THE LELAND STANFORD JUNIOR UNIVERSITY) 02March 2000 (02.03.2000), see entire document.		3-6,9,10,12,13,26,28- 1,2,7,8,11,23- 25,27,50  3-6,9,10,12,13,26,28-		
X Y	US 6,171,861 B1 (HARTLEY et al.) 09 January 2001 (09.01.2001), see entire document, especially sequence listing. 1-3,-		1-3,8,10-12,23- 27,33,36,39,40,43- 45,50,54,55,85		
			4-7,9,13-22,28- 30,32,34,35,37,38,41, 42,46-49,51-53,56,67- 71,84,86		
Further	documents are listed in the continuation of Box C.	See patent family annex.			
* s	pecial categories of cited documents:	"T" later document published after the Inte			
date and not in conflict with the application but cited to understand the  "A" document defining the general state of the art which is not considered to be  of particular relevance  "X" document of particular relevance; the claimed invention cannot be			ention		
"B" earlier ap	plication or patent published on or after the international filing date	considered novel or cannot be conside when the document is taken alone	red to involve an inventive step		
"L" document establish specified)	which may throw doubts on priority claim(s) or which is cited to the publication date of another citation or other special reason (as	which is cited to			
"O" document	referring to an oral disclosure, use, exhibition or other means	being obvious to a person skilled in the	e art		
"P" document published prior to the international filing date but later than the "&" document member of the same patent family priority date claimed					
Date of the actual completion of the international search  01 November 2002 (01.11.2002)		Date of mailing of the international sea	rch report		
	ailing address of the ISA/US	Authorized officer Q	N .		
Name and mailing address of the ISA/US  Commissioner of Patents and Trademarks Box PCT  Daniel M Sullivan			ellen for		
Washington, D.C. 20231			$U \rightarrow$		
Facsimile No. (703)305-3230 Telephone No. 703-308-0196					

Form PCT/ISA/210 (second sheet) (July 1998)

PCT	/US02/	17452

## INTERNATIONAL SEARCH REPORT

ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
X -Y	WO 96/40724 A1 (LIFE TECHNOLOGIES, INC.) 19 December 1996 (19.12.96), see entire document, especially SEQ ID NO:1-16.	1-3,8,10-12,23- 27,33,36,39,40,4 45,50,54,55,85
		1-3,8,10-12,23- 27,33,36,39,40,43 45,50,54,55,85
Y	WO 94/00569 A1 (GENPHARM INTERNATIONAL, INC.) 06 January 1994 (06.01.94), see entire document.	72-78
Y	WO 94/23049 A2 (THE JOHNS HOPKINS UNIVERSITY) 13 October 1994 (13.10.94), see entire document.	72-78
x	US 5,721,118 A (SCHEFFLER) 24 February 1998 (24.02.98), see entire document,	14,15,22-25,57
Y	especially Example 3.	16-21,26,58-64,7 78,84,85,98-105,1
x	US 5,948,653 A (PATI et al.) 07 September 1999 (07.09.99), see entire document,	14,15,22-25,57
Y	especially the first full paragraph in column 29.	16-21,26,58-64,7 78,84,85,98-105,1
x	GB 2 331 752 A (MEDICAL RESEARCH COUNCIL) 02 June 1999 (02.06.99), see entire	109,123
Y	document, especially pages 8-10.	72-78,110-122
<b>A</b> ,	HALDIMANN et al. Conditional-replication, integration, excision, and retrieval plasmid-host systems for gene structure-function studies of bacteria. J Bacteriol. November 2001, Vol. 183 No. 21, pages 6384-6393, see entire document.	65,66
X,P	MORALLI et al. Insertion of a loxP site in a size-reduced human accessory chromosome.	91-93,106,108
Y,P	Cytogenet. Cell Genet. 2001, Vol. 94 No. 3-4, pages 113-120, see entire document.	94-97,107
x	LORBACH et al. Site-specific recombination in human cells catalyzed by phage lambda	1,2,8,50
<u>Y</u>	integrase mutants. J. Mol. Biol. March 2000, Vol. 296 No. 5, pages 1175-1181, see entire document.	3-7,9-13,23-32,5 56,84,85
x	CALL et al. A cre-lox recombination system for the targeted integration of circular yeast	14,15,22-26,57,5
Y	artificial chromosomes into embryonic stem cells.Hum. Moi. Genet. July 2000, Vol. 9, No. 12, pages 1745-1751, see entire document.	16- 21,58,60,84,85,9 105
Y,P	HADLACZKY, G. Satellite DNA-based artificial chromosomes for use in gene therapy.  Curr. Opin. Mol. Ther. April 2001, Vol. 3 No. 2, pages 125-132, see entire document.	1-123
	·	

Form PCT/ISA/210 (second sheet) (July 1998)

	PCT/US02/17452
INTERNATIONAL SEARCH REPORT	

## BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claim(s) 1-64, 67-71, 79, 84-96, 91-108, and 123, drawn to eukaryotic recombinogenic chromosomes used for introducing heterologous nucleic acids into a chromosome and the resulting cells.

Group II, claim(s) 65-66 and 87-88, drawn to a lambda intR mutein.

Group III, claim(s) 72-78, drawn to the production of transgenic animals.

Group IV, claim(s) 80, drawn to the production of an artificial chromosome library.

Group V, claim(s) 81-83, drawn to a library of cells for genomic screening.

Group VI, claim(s) 89-90, drawn to a modified iron-induced promoter.

Group VII, claim(s) 109-122, drawn to a method for screening compounds and their effects on regulatory regions.

and it considers that the International Application doe not comply with the requirements of unity of invention (Rules 13.1, 13.2 and 13.3) for the reasons indicated below:

The inventions listed as Groups I-VII do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The special technical feature of Group I which defines an advance over the art is a eukaryotic chromosome containing recombinogenic sites that can be used to introduce heterologous nucleic acids into chromosomes, and cells containing these recombinogenic chromosomes.

The special technical feature of Group II involves a lambda intR mutein. This feature defines an advance over Group I in that it involves a protein that is not required for the technical features as set forth above in Group I.

The special technical feature of Group III involves the production of a transgenic animal, which represents a second method for using the invention as set forth above in Group I. The special technical feature of Group IV involves the production of artificial chromosome expression system libraries, which represents a third method for using the invention as set forth above in Group I.

The special technical feature of Group V involves a library of cells containing the artificial chromosome expression system libraries set foth above in Group IV, and represents a first product resulting from Group IV.

The special technical feature of Group VI involves a modified iron-inducible promoter. This feature defines an advance over Group I in that it involves a promoter that is not required for the technical features as set forth above in Group I.

The special technical feature of Group VII involves a method for screening compounds for

The special technical feature of Group VII involves a method for screening compounds for their effect on regulatory regions, which represents a fourth method of using the invention as set forth above in Group I.

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/17452

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)		
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:		
Claim Nos.: because they relate to subject matter not required to be searched by this Authority, namely:		
2. Claim Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically: .		
Claim Nos.:  because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).  .		
Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)		
This International Searching Authority found multiple inventions in this international application, as follows: Please See Continuation Sheet		
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.		
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.		
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:		
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:		
Remark on Protest  The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.		

Form PCT/ISA/210 (continuation of first sheet(1)) (July 1998)